2004 California Grape Acreage Report

Released: March 30, 2005 12:00 P.M. PDT



CALIFORNIA AGRICULTURAL

STATISTICS SERVICE

RESULTS

California's 2004 wine-type grape acreage is estimated by the California Agricultural Statistics Service (CASS) at 513,000 acres. Of the total acres, 473,000 were bearing and 40,000 were non-bearing. Table-type grape acreage totaled 92,000 acres with 83,000 bearing and 9,000 non-bearing.

The leading wine-type varieties continued to be Chardonnay and Cabernet Sauvignon. Flame Seedless is the leading table-type grape.

Туре	2002	2003	2004	Percent Change
Raisin 2/	279.000	260.000	248.000	-4.6
Bearing	273,000	255,000	244,000	-4.3
Non-Bearing	6,000	5,000	4,000	-20.0
Table	97,000	93,000	92,000	-1.1
Bearing	88,000	85,000	83,000	-2.4
Non-Bearing	9,000	8,000	9,000	12.5
Wine	556,000	529,000	513,000	-3.0
Bearing	486,000	479,000	473,000	-1.3
Non-Bearing	70,000	50,000	40,000	-20.0
All Grapes 2/	932,000	882,000	853,000	-3.3
Bearing	847,000	819,000	800,000	-2.3
Non-Bearing	85,000	63,000	53,000	-15.9

ESTIMATED GRAPE ACREAGE 1/

1/ Reported data with an allowance for incompleteness.

2/ Raisin acreage for 2004 is Preliminary. Final data will be available June 1, 2005.

OBJECTIVES

The purpose of this survey is to provide annual grape acreage with information on new plantings and removals. It is a continuation of a long series of industry-funded grape acreage surveys.

Users are cautioned that this report consists of two parts:

- Estimated grape acreage -- bearing, non-bearing, and total.
- <u>Detailed data</u> by variety, year planted, and county -- as voluntarily reported by grape growers and maintained in CASS' data base.

With perfect information, the <u>estimated grape acreage</u> and the <u>detailed data</u> would be the same. However, this will never be the case for the following reasons:

- A voluntary census of approximately 10,000 grape growers is unlikely to ever attain 100 percent completeness.
- It is extremely difficult for a small staff in Sacramento to detect growers that are planting grapes for the first time.

The <u>detailed data</u> reflects vine removals from more than 21,000 acres during the past twelve months. Of this number, significant acreage was harvested in 2004 prior to being pulled out, and that acreage has already been removed from the detailed data.

PROCEDURES

The major source of the grape <u>detailed data</u> was a questionnaire mailed to all grape growers included on CASS' data base. The mailing was made in late September 2004 to approximately 10,000 grape growers. The questionnaire contained previously reported crop, variety, and acreage information preprinted. Producers were asked to update the information with new plantings, removals, and any other corrections; new growers were mailed a blank questionnaire. Growers were given six weeks to respond by mail. A telephone follow-up was then undertaken. Field personnel personally visited large growers who did not respond by mail or telephone.

To arrive at the estimated grape acreage, the CASS grape acreage data base was compared with data provided from the pesticide application data maintained by County Agricultural Commissioners and the Department of Pesticide Regulation.

ACKNOWLEDGMENTS

We sincerely thank the many farm operators, owners, and management firms providing the information. Funding was provided by an assessment on wine grapes plus funding from the California Table Grape Commission. The raisin industry funded the acreage survey this year. The raisin variety data will be released on June 1, 2005.

Appreciation is due the following office staff for the hundreds of hours spent phoning and processing survey information: Jeff Olson, Pam Benner, Pearl Gonzalez, Ann Jehn, Lupe Oropeza, Cordia Weems and Sheryl Zazzi.

VIC TOLOMEO Director JACK RUTZ Deputy Director

GARY NELSON – SHAWN CLARK Agricultural Statisticians, Estimates Group

Comments or questions should be directed to:

California Agricultural Statistics Service P.O. Box 1258, Sacramento, CA 95812-1258 Phone: (916) 498-5161 -- FAX: (916) 498-5186

TABLE 1 - ALL GRAPES: ACREAGE STANDING BY TYPE, BY YEAR PLANTED, CALIFORNIA 1/

Variety	1996 and Earlier	1997	1998	1999	2000	2001	2002	2003	2004	Bearing	2004 Non- Bearing 2/	Total	2003 Total
							Acres				<u> </u>		
Raisin 3/													
Table	58,591	4,028	5,041	2,772	4,063	2,892	2,314	2,505	1,998	77,577	6,626	84,203	85,219
Wine White Red	279,142 120,448 158,694	44,664 16,365 28,299	37,549 11,242 26,307	31,790 9,498 22,291	27,529 6,822 20,708	19,621 5,522 14,099	11,696 4,139 7,557	8,094 3,743 4,351	6,849 3,884 2,965	440,296 169,898 270,398	11,765	466,935 181,663 285,272	472,445 185,374 287,072
Grapes, Excluding Rootstock	566,158	51,540	44,604	37,012	35,151	23,948	15,091	11,358	9,709	758,603	35,968	794,570	811,098
Rootstock	81	9	60	19	22	42	49	70	4	0	0	355	311
All Grapes <u>3</u> /													

Totals may not add due to rounding.
Non-bearing years are 2002, 2003, and 2004. Thompson Seedless and all table grapes begin bearing after one non-bearing year in Riverside and Imperial counties.
Raisin varietal data will be available June 1, 2005.

TABLE 2 - RAISIN TYPE GRAPES: ACREAGE STANDING BY VARIETY, BY YEAR PLANTED, CALIFORNIA

	1996 and										2004		2003
Variety	Earlier	1997	1998	1999	2000	2001	2002	2003	2004	Bearing	Non- Bearing <u>1</u> /	Total	Total
							Acres						
Total Raisin <u>2</u> /													

1/ Non-bearing years are 2002, 2003, and 2004. Thompson Seedless and all table grapes begin bearing after one non-bearing year in Riverside and Imperial counties. 2/ Raisin varietal data will be available June 1, 2005.

TABLE 3 - TABLE TYPE GRAPES: ACREAGE STANDING BY VARIETY, BY YEAR PLANTED, CALIFORNIA 1/

	TADLE J	- TADLE I	YPE GRAP	LO. ACK	LAGE STA		VARIETT,	DITLAN					
	1996										2004		2003
	and	1997	1998	1999	2000	2001	2002	2003	2004		Non-		
Variety	Earlier									Bearing	Bearing 2/	Total	Total
							Aaraa				Dealing 2/		
							Acres						
Autumn Royal	186	29	290	456	397	868	793	458	214	2,225		3,689	2,975
Autumn Seedless	42	9	46	5	7	0	0	0	0	108		108	113
Beauty Seedless *	273	34	7	20	57	0	0	0	0	390	0	390	425
Black Emerald	9	0	45	16	19	3	0	6	0	93	6	99	100
Black Monukka	252	0	0	0	0	0	0	0	0	253	0	253	298
Calmeria	1,030	10	274	36	0	58	0	26	0	1,408	26	1,434	1,574
Cardinal	94	9	8	0	0	0	0	0	0	111	0	111	144
Christmas Rose	717	9	0	3	0	0	0	57	7	728	64	792	858
Early Muscat	147	0	0	0	0	0	0	0	0	147	0	147	147
Emerald Seedless *	535	24	33	50	5	0	0	0	0	647	0	647	675
Emperatriz	134	0	0	0	0	0	0	0	0	134	0	134	80
Emperor	1,499	0	0	0	0	0	0	0	0	1,499	0	1,499	2,051
Exotic	223	0	16	0	0	0	Ó	0	0	239		239	292
Fantasy Seedless	524	20	51	40	82	0	38	12	4	717		771	759
Flame Seedless *	20.761	544	525	213	189	104	404	256	340	22.478		23,336	24,704
Flame Tokay	780	10	0	0	28	0	0	0	0	818		818	1,003
Flaming Red	183	0	0	0	0	0	Ő	Ő	Ő	183		183	182
Italia *	175	Ő	0	2	0	Ő	ŏ	1	ŏ	177		178	174
Jade Seedless	150	0	46	0	0	0	ŏ	Ö	112		-	308	234
Kvoho	65	0	40 0	5	2	0	6	Ő	0	72		79	79
Late Seedless	61	0	0	0	0	0	ő	ŏ	ő	61		61	61
Malaga *	320	14	0	0	0	0	ŏ	Ő	ő	334	-	334	359
Marroo	194	0	0	0	0	0	ŏ	Ő	ő	194		194	238
Muscat Flame	0	0	0	30	0	15	2	1	16	46		64	200 59
Niabell	117	0	7	0	0	0	4	Ö	0	124		128	128
Perlette	2,858	107	60	0	0	0	ō	10	Ő	3,025		3,035	3,507
Prima Black Seedless	2,030	0	00	0	0	0	Ő	0	Ő	5,025		3,033 77	159
Princess *	109	0	19	217	840	308	89	160	245	1,542		1,987	1,329
Queen	91	0	0	217	040	0	6	0	243	1,342		97	97
Rally	0	0	0	0	9	0	17	32	4	91		97 61	26
Red Crimson *	6,135	1,410	2,175	1,321	9 1,277	844	615	443	258	9 13,162		14,478	20 14,050
Red Globe *	10,962	1,410	424	1,321	55	044 194	211	337	250	13,162		13,665	14,030
	,	1,270	424	001	0	194	211	337		,		479	,
Ribier	431	0					0	-	48	431			534
Rouge Boyal Black Socialoga	481 0	0	0	0	0 35	0	17	0 40	0	481 35		481 92	481 17
Royal Black Seedless	-	0		0				40 0					
Ruby Imperial	129	-	0	-	0	0	0	-	0 55	129 4,794		129	129
Ruby Seedless *	4,510	103 0	51	83 0	21 0	26	8 0	27		,		4,883	5,341
Sugranineteen	0	-	0	-	-	18	-	72	1	18		90	86
Sugraone *	2,743	114	66	8	101	44	0	0	79	3,075		3,154	3,075
Sugrasixteen	0	0	0	0	0	18	0	0	49	18		67	18
Sugrathirteen	47	0	107	0	39	35	0	0	0	228		228	228
Summer Royal	0	0	4	0	19	27	23	18	88	51		180	72
Other Table	1,548	314	788	107	882	329	81	551	427	3,968	1,059	5,027	3,670
	50 504	4.000	E 0.14	0 770	4 000	0.000	0.044	0.505	4 000		0.000	04.000	05.040
Total Table	58,591	4,028	5,041	2,772	4,063	2,892	2,314	2,505	1,998	77,577	6,626	84,203	85,219
* Synonyms for variety na	maa ara al	hown on Po	ao 1										

Synonyms for variety names are shown on Page 4.

1/ Totals may not add due to rounding.

2/ Non-bearing years are 2002, 2003, and 2004. Thompson Seedless and all table grapes begin bearing after one non-bearing year in Riverside and Imperial counties.

TABLE 4 - WHITE WINE TYPE GRAPES: ACREAGE STANDING BY VARIETY, BY YEAR PLANTED, CALIFORNIA 1/

	1996 and										2004		2003
Variety	Earlier	1997	1998	1999	2000	2001	2002	2003	2004	Bearing	Non- Bearing <u>2</u> /	Total	Total
							Acr	es					
Burger *	735	473	174	24	11	0	0	79	0	1,417	79	1,496	1,500
Catarratto	113	14	23	34	0	40	37	27	27	224	91	315	70
Chardonnay *	61,439	11,523	7,402	5,966	4,794	2,308	1,051	1,021	963	93,431	3,035	96,466	97,682
Chenin Blanc	10,645	324	231	20	23	0	77	65	0	11,242	142	11,384	13,416
Emerald Riesling	267	0	0	0	0	0	0	0	0	267	0	267	267
French Colombard	28,413	5	13	100	122	0	84	43	1,006	28,654	1,133	29,787	31,865
Gewurztraminer	825	331	94	13	18	27	20	27	21	1,307	67	1,374	1,358
Grenache Blanc	31	0	32	2	16	0	4	1	0	81	5	87	64
Malvasia Bianca *	1,647	6	36	25	9	0	42	36	0	1,723	78	1,801	1,857
Marsanne	39	4	2	1	5	7	5	0	0	57	5	62	68
Muscat Blanc *	649	26	61	62	73	25	11	27	18	895	56	951	970
Muscat of Alexandria	2,770	12	91	264	221	1	0	0	20	3,358	20	3,379	3,775
Muscat Orange	 91	13	42	2	16	0	5	7	22	163	34	197	163
Palomino *	550	0	0	0	0	0	0	0	0	550	0	550	623
Pinot Blanc	322	34	22	9	9	41	10	9	25	438	44	482	627
Pinot Gris *	820	375	284	615	521	1,460	1,086	1,485	451	4,076	3,021	7,097	5,908
Roussanne	23	21	14	30	39	24	<u></u> 11	3	0	151	<u></u> 14	166	176
Sauvignon Blanc	7,205	1,603	1,887	643	493	1,200	1,080	695	382	13,030	2,157	15,187	15,308
Sauvignon Musque	61	26	38	23	0	7	3	23	0	155	25	180	184
Semillon	611	250	70	45	17	48	93	10	2	1,040	105	1,145	1,255
St. Emilion *	198	0	0	0	0	0	0	0	0	198	0	198	275
Symphony	435	203	15	0	0	30	0	0	30	683	30	713	612
Tocai Friulano	113	0	0	0	7	0	2	0	0	121	2	123	128
Viognier	737	475	200	147	144	137	99	81	70	1,841	250	2,091	2,089
White Riesling *	1,330	23	63	101	28	40	96	89	215	1,585	399	1,984	1,844
Other White Wine	383	623	447	1,372	259	129	325	17	633	3,212	975	4,187	3,291
Total White Wine	120,448	16,365	11,242	9,498	6,822	5,522	4,139	3,743	3,884	169,898	11,765	181,663	185,374

Synonyms for variety names are shown on Page 4.

<u>1</u>/ Totals may not add due to rounding.
<u>2</u>/ Non-bearing years are 2002, 2003, and 2004. Thompson Seedless and all table grapes begin bearing after one non-bearing year in Riverside and Imperial counties.

TABLE 5 - RED WINE TYPE GRAPES: ACREAGE STANDING BY VARIETY, BY YEAR PLANTED, CALIFORNIA 1/

	1996 and										2004		2003
Variety	Earlier	1997	1998	1999	2000	2001	2002	2003	2004	Bearing	Non-	Total	Total
variety	Lamer									Беаппд	Bearing 2/	Total	TOLAT
							Acres						
Alicante Bouschet *	675	115	95	62	23	3	0	5	134	973	139	1,113	1,074
Barbera	7.942	83	258	61	62	64	16	6	3	8.470	24	8,494	8,851
Cabernet Franc	1.594	379	501	232	272	240	110	113	32	3,218	254	3.472	3.547
Cabernet Sauvignon	33,180	9.606	8.812	7,879	7.744	4,315	2.224	853	250	71,536	3,327	74,863	75,148
Carignane	4,444	19	21	6	11	.,	2	4	0	4,502	5	4,507	5,132
Carnelian	648	112	160	0	0	Ó	ō	Ó	43	920	43	963	1,637
Centurian	87	0	0	68	Ō	Ō	Ō	Ō	0	155	0	155	305
Charbono	38	ĩ	1	15	16	õ	5	1	Ő	71	6	77	81
Cinsaut *	57	8	7	24	7	33	4	3	ō	136	7	144	144
Dolcetto	47	18	14	0	2	6	O	4	ō	87	4	91	89
Gamay (Napa) *	460	40	11	4	0	Õ	17	Ō	ŏ	515	17	532	539
Gamay Beaujolais	102	0	12	16	9	Õ	0	ŏ	ŏ	139	0	139	403
Grenache *	6,379	540	305	129	100	124	44	15	127	7,576	186	7,762	8,668
Lagrein	30	12	0	0	13	0	0	0	1	55	1	56	86
Lambrusco	103	0	Ő	Ő	0	Ő	ŏ	ŏ	o	103	ò	103	103
Malbec	219	85	299	111	153	104	39	65	29	970	132	1.102	1.065
Mataro *	508	11	50	34	74	82	34	26	11	758	71	829	644
Merlot	34.765	4,916	4,002	2,737	2,543	2,112	1,317	683	460	51,075	2,460	53,535	51,973
Meunier *	171	2	21	2,101	2,010	2,112	11	2	-00	195	13	208	207
Mission	393	0	112	82	0	Ő	2	ō	ŏ	587	2	589	656
Nebbiolo	116	13	13	25	3	4	4	4	1	173	9	182	177
Petit Verdot	202	76	131	134	209	143	115	159	123	895	397	1,292	1,094
Petite Sirah	1.568	348	460	623	562	576	374	685	267	4.137	1,326	5.463	5.166
Pinot Noir	7,155	3,019	2,634	3,189	3,988	2,661	922	386	102	22,645	1,410	24,055	23,950
Primitivo	25	40	2,004	4	25	42	42	43	10	193	94	24,000	240
Royalty	326	0	0	0	1	0	0	-5	0	327	0	327	480
Rubired *	6,257	415	1,546	1,968	634	272	ŏ	37	Ő	11,092	37	11,128	12,467
Ruby Cabernet	4,461	717	897	425	140	40	24	0	3	6,679	27	6,706	7,472
Salvador	211	0	001	-20	0	-0	27	Ő	0	211	27	211	555
Sangiovese *	1.202	342	281	134	70	95	11	10	68	2.124	90	2.214	2.603
Souzao	1,202	5	201	25	1	2	0	10	5	2,124		2,214	2,003
Syrah *	3,326	3,403	2,877	2,518	2,566	1,645	758	358	186	16,335	1,303	17,638	17,151
Tannat	3,320	3,403 0	2,077	2,316	2,500	31	730	556	100	41	94	135	49
Tempranillo *	365	125	18	34	68	55	36	22	9	664	94 67	731	767
Teroldego	505	123	5	9	8	0	30 0	1	9 47	28	48	76	28
Touriga Nacional *	19	0	0	17	10	25	10	2	20	71	40	103	81
Zinfandel	40.429	3,555	1.691	903	1,156	1,008	1,020	<u>د</u> 657	20 368	48.743	32 2.045	50,788	50.194
Other Red Wine	1,168	295	1,013	903 817	240	416	338	202	658	3,949	2,045	5,147	4,195
	1,100	295	1,013	017	240	410	330	202	038	3,949	1,198	5,147	4,195
Total Red Wine	158,694	28,299	26,307	22,291	20,708	14,099	7,557	4,351	2,965	270,398	14,873	285,272	287,072
* Synonyms for variety name		,	,	22,231	20,100	14,000	1,001	-,001	2,305	210,000	14,075	200,212	201,012

Synonyms for variety names are shown on Page 4.
1/ Totals may not add due to rounding.
2/ Non-bearing years are 2002, 2003, and 2004. Thompson Seedless and all table grapes begin bearing after one non-bearing year in Riverside and Imperial counties.

^{- 3 -}

Grape Variety Synonyms

Alicante Bouschet – Alicante Beauty Seedless – Black Beauty Burger – Monbadon Chardonnay – Pinot Chardonnay Cinsault or Cinsaut – Black Malvoisie, Black Malvasia Emerald Seedless -- Black Seedless Flame Seedless -- Red Flame Gamay (Napa) – Gamay, Valdiguie Grenache -- Grenache Noir Italia – Muscat Italia Malaga -- White Malaga Malvasia Bianca – Vennentino, Vermintino Mataro – Mourvedre Meunier -- Pinot Meunier Muscat Blanc – Muscat Canelli, Muscat Blanc A Petits Grains Palomino – Golden Chasselas Pinot Gris – Pinot Grigio Princess -- Melissa Red Crimson – Crimson Seedless Red Globe – Rose Ito Rubired – Tintoria Ruby Seedless – King Ruby Sangiovese -- Sangioveto, Brunello St. Emilion – Ugni Blanc, Trebbiano Sugraone – Superior Seedless Syrah -- Syrah Noir, French Syrah, Shiraz Tempranillo – Valdepenas, Tinta Roriz Touriga Nacional – Touriga White Riesling – Johannisberg Riesling, Riesling

To receive the detailed **2004 GRAPE ACREAGE BULLETIN** to be released April 14, 2005, you may access our publications free-ofcharge on our web site at *http:///www.nass.usda.gov/ca* (listed under <u>Publications</u>). You may access the entire bulletin, as well as individual tables, in several formats including Adobe Portable Document Format, and Lotus and Excel spreadsheets.

To receive other digital medium or hard copy, please inform us by mailing a request to:

CALIFORNIA AGRICULTURAL STATISTICS SERVICE P.O. Box 1258 Sacramento, CA 95812-1258

(Include your return address.)

NOTICE: Please help us prepare our reproduction order by returning your request immediately. Please enclose \$10.00 for each hard copy and \$20.00 for each computer disk ordered. Limited distribution of this publication is free to <u>California grape growers</u> and <u>wineries</u>.

When ordering a disk, please specify an operating system platform (Windows 9x/XP) and file format (Word Perfect, Xbase, Spreadsheet). All data files are IBM-PC compatible on 3.5" disks.