



WEEKLY AG UPDATE

USDA/NASS
NEW MEXICO FIELD OFFICE

nass-nm@nass.usda.gov

Issue 57-26

INCLUDED IN THIS ISSUE – June 25, 2007

Crop Weather



Available on the Internet: www.nass.usda.gov/nm , or by email (1-800-530-8810 for information)

CROP SUMMARY FOR THE WEEK ENDING JUNE 24, 2007

NEW MEXICO: There were 6.8 days suitable for field work. Topsoil moisture was 12% very short, 29% short, 58% adequate and 1% surplus. Wind damage was 16% light and 6% moderate. Farmers spent the week cutting and baling hay, irrigating, cultivating, planting and harvesting crops. Alfalfa was reported as 2% poor, 18% fair, 53% good and 27% excellent with 76% of the second cutting complete and 15% of the third cutting complete. Cotton was reported as 17% poor, 46% fair, 28% good and 9% excellent with 27% squaring and 2% setting bolls. Corn was reported as 3% poor, 19% fair, 45% good and 33% excellent with 100% emerged. Irrigated sorghum was reported as 29% fair, 70% good , 1% excellent with 99% planted. Dry sorghum was reported as 47% fair and 53% good with 95% planted. Total sorghum was reported as 40% fair and 60% good with 97% planted. Irrigated winter wheat was reported as 30% fair, 62% good and 8% excellent with 47% harvested. Dry winter wheat was reported as 45% fair, 45% good and 10% excellent with 43% harvested. Total winter wheat was reported as 39% fair, 52% good and 9% excellent with 45% harvested. Chile was reported as 6% very poor, 17% poor, 45% fair, 22% good and 10% excellent. Onion conditions were reported as 7% poor, 17% fair, 34% good and 42% excellent with 68% harvested. Apples were reported as 20% very poor, 10% poor, 50% fair and 20% good with 45% light fruit set and 55% average fruit set. Pecans were reported as 1% very poor, 16% fair, 39% good and 44% excellent with 3% light nut set, 31% average nut set and 66% heavy nut set. Peanuts were reported as 85% fair and 15% good with 16% pegging. Cattle conditions were reported at 3% poor, 7% fair, 70% good and 20% excellent. Sheep conditions were reported as 7% very poor, 11% poor, 9% fair, 71% good and 2% excellent. Range and pasture conditions were reported as 4% very poor, 9% poor, 24% fair, 55% good and 8% excellent. Ranchers are culling herds and hauling water.


CROP PROGRESS PERCENTAGES WITH COMPARISONS

CROP PROGRESS		This Week	Last Week	Last Year	5-Year Average
COTTON	Squaring	27	17	51	50
ONIONS	Harvested	68	61	64	60
PEANUTS	Pegging	16	15	14	25
SORGHUM (ALL)	Planted	97	87	95	74
WHEAT (ALL)	Harvested	45	14	60	60




CROP AND LIVESTOCK CONDITION PERCENTAGES

	Very Poor	Poor	Fair	Good	Excellent
Alfalfa	-	2	18	53	27
Corn	-	3	19	45	33
Cotton	-	17	46	28	9
Chile	6	17	45	22	10
Pecans	1	-	16	39	44
Onions	-	7	17	34	42
Peanuts	-	-	85	15	-
Sorghum (All)	-	-	40	60	-
Wheat (All)	-	-	39	52	9
Cattle	-	3	7	70	20
Sheep	7	11	9	71	2
Range/Pasture	4	9	24	55	8



SOIL MOISTURE PERCENTAGES

	Very Short	Short	Adequate	Surplus
Northwest	26	46	28	-
Northeast	14	34	52	-
Southwest	-	20	80	-
Southeast	-	5	89	6
State Current	12	29	58	1
State-Last Week	8	23	67	2
State-Last Year	52	36	12	-
State-5-Yr Avg.	45	33	22	-



WEATHER SUMMARY

Hot and generally dry conditions prevailed in central and western New Mexico...typical weather for mid to late June. Temperatures at and above 100 degrees were common across the south. Significant rainfall was confined to the far eastern plains with Tatum reporting 1.12 inches from thunderstorms and Roswell reporting 0.63 inches. Data for Alamogordo and Quemado were unavailable while Los Alamos data was incomplete.

NEW MEXICO WEATHER CONDITIONS - JUNE 18 - 24, 2007

Station	Temperature			Precipitation				
	Mean	Maximum	Minimum	06/18 06/24	06/01 06/24	01/01 06/24	Normal June	Normal Jan-June
Farmington	76.2	96	50	0.00	0.12	5.03	0.22	3.37
Gallup	72.1	95	46	0.00	0.22	3.80	0.45	4.19
Capulin	65.1	85	44	0.00	3.28	10.46	2.11	7.27
Chama	65.1	86	40	0.00	1.30	10.31	1.12	8.84
Johnson Ranch	70.9	94	42	0.00	0.28	3.60	0.68	3.77
Las Vegas	67.6	89	46	0.01	1.55	6.48	2.04	6.40
Los Alamos	69.7	86	51	0.07	0.16	5.28	1.36	6.41
Raton	69.8	91	48	0.09	1.82	4.46	1.99	7.16
Red River	57.9	81	34	0.03	1.41	11.14	1.40	8.92
Santa Fe	73.9	96	53	0.00	0.89	4.72	1.17	5.26
Clayton	74.4	96	53	0.36	1.04	7.55	2.27	6.30
Clovis	75.2	96	57	0.32	2.93	10.34	2.84	7.01
Roy	69.8	91	50	0.00	1.71	6.31	2.08	6.06
Tucumcari	78.6	100	58	0.18	2.31	6.15	1.78	5.27
Grants	73.3	96	50	0.00	0.40	3.34	0.55	3.03
Quemado	-	-	-	0.00	0.00	1.96	0.74	4.19
Albuquerque	79.9	96	62	0.00	0.66	4.57	0.59	3.05
Carrizozo	75.1	97	51	0.00	0.00	5.24	0.78	3.50
Socorro	77.0	97	54	0.00	0.23	3.89	0.57	2.50
Gran Quivira	74.0	96	52	0.08	0.80	5.58	1.01	4.71
Moriarty	70.2	95	46	0.10	0.49	5.98	0.92	3.99
Ruidoso	64.8	86	43	0.10	1.25	12.19	1.86	6.97
Carlsbad	81.1	105	59	0.16	0.31	8.61	1.30	3.95
Roswell	77.1	101	56	0.63	0.85	6.52	1.52	4.75
Tatum	73.6	97	55	1.12	2.67	11.96	2.03	6.17
Alamogordo	-	-	-	0.00	0.12	2.97	0.90	3.28
Animas	83.2	103	66	0.00	0.47	3.15	0.44	2.48
Deming	81.1	103	58	0.00	0.17	3.20	0.55	2.28
Las Cruces	81.9	100	62	0.00	0.16	4.77	0.72	2.27
T or C	82.7	101	63	0.00	0.15	3.52	0.69	2.58

(T) Trace (-) No Report (*) Correction

All reports based on preliminary data. Precipitation data corrected monthly from official observation forms.

MILK PRODUCTION

NEW MEXICO: Milk production in New Mexico during May totaled 638 million pounds. Milk per cow for the month averaged 1,870 pounds. Number of milk cows on farms totaled 341,000 head.

UNITED STATES: Milk production in the 23 major States during May totaled 14.9 billion pounds, up 1.1 percent from May 2006. April revised production, at 14.5 billion pounds, was up 1.7 percent from April 2006. The April revision represented an increase of 14 million pounds or 0.1 percent from last month's preliminary production estimate. Production per cow in the 23 major States averaged 1,795 pounds for May, 13 pounds above May 2006. The number of milk cows on farms in the 23 major States was 8.28 million head, 26,000 head more than May 2006, and 3,000 head more than April 2007.

Milk Cows and Production: April 2007 ^{1/} and May 2006-2007

State	Milk Cows ^{2/}			Milk per Cow ^{3/}			Milk Production ^{3/}		
	5/06	4/07	5/07	5/06	4/07	5/07	5/06	4/07	5/07
	-----1,000 Head-----			-----Pounds-----			-----Million Pounds-----		
AZ	172	182	182	2,155	2,100	2,105	371	382	383
CA	1,785	1,797	1,800	1,895	1,920	1,930	3,383	3,450	3,474
CO	110	115	115	2,000	1,885	1,955	220	217	225
FL	133	129	128	1,520	1,580	1,600	202	204	205
ID	484	503	506	1,940	1,860	1,950	939	936	987
IL	103	103	103	1,690	1,645	1,670	172	169	172
IN	166	168	168	1,750	1,725	1,770	291	290	297
IA	204	211	212	1,765	1,730	1,790	360	365	379
KS	113	110	110	1,870	1,745	1,820	211	192	200
KY	98	92	92	1,220	1,270	1,280	120	117	118
MI	320	328	330	1,920	1,895	1,960	614	622	647
MN	450	455	455	1,620	1,610	1,660	729	733	755
MO	116	114	114	1,470	1,395	1,380	171	159	157
NM	356	345	341	1,980	1,740	1,870	705	600	638
NY	643	627	626	1,660	1,605	1,690	1,067	1,006	1,058
OH	273	275	275	1,610	1,540	1,620	440	424	446
OR	118	110	110	1,680	1,645	1,710	198	181	188
PA	556	550	549	1,700	1,690	1,720	945	930	944
TX	333	347	347	1,955	1,860	1,870	651	645	649
VT	142	140	140	1,630	1,495	1,555	231	209	218
VA	103	100	100	1,560	1,550	1,550	161	155	155
WA	237	233	233	2,025	1,970	2,020	480	459	471
WI	1,242	1,246	1,247	1,650	1,615	1,685	2,049	2,012	2,101
23 STS	8,257	8,280	8,283	1,782	1,746	1,795	14,712	14,457	14,867

1/ Revised. 2/ Includes dry cows, excludes heifers not yet fresh. 3/ Excludes milk sucked by calves.

