

# WHEAT VARIETIES



**NATIONAL  
AGRICULTURAL  
STATISTICS  
SERVICE**

July 3, 2007  
PRESS RELEASE  
Internet-www.nass.usda.gov/or  
Email: nass-or@nass.usda.gov

**USDA, NASS, Oregon Field Office**  
1220 SW 3<sup>rd</sup> Ave., Room 1735  
Portland, Oregon 97204  
(503) 326-2131 or 1-800-338-2157

## Oregon 2007 wheat varieties: Stephens down from last year but still #1

Once again Stephens is the leading variety for Oregon at 26.2 percent of the total planted acreage, but down from 36 percent last year. Stephens has been Oregon's leading variety since 1979. Tubbs remains in second place at 14.7 percent, up from 14.6 percent a year ago. Coming in the third position was ORCF 101 (OSU Clearfield) at 12.1 percent, up from 10.5 percent last year. Fourth was Alpowa at 6.7 percent, up from 4.7 percent last year. Madsen fell from fourth place to fifth with 4.7 percent. District level estimates were made for 50 varieties and mixtures plus a grouping of all other varieties for each class of wheat. Overall white wheat levels were flat, while acres in red wheat increased from last year.

This report is the result of a survey conducted by the Oregon Field Office of the National Agricultural Statistics Service. Funding for the survey was provided by the Oregon Wheat Commission. This report would not be possible without the cooperation of participating farmers and ranchers.

**Wheat varieties: Percent of acreage by district, Oregon 2006-2007**

Variety	Varieties as a percent of planted acres within each district <sup>1</sup>							
	North Central		Northeast		Southeast		Other Districts <sup>2</sup>	
	2006	2007	2006	2007	2006	2007	2006	2007
	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>
Albion	-	-	-	-	-	1.1	-	3.2
Alpowa	4.9	7.3	2.2	3.3	16.4	13.2	7.1	13.1
Boundary	-	-	-	3.4	-	-	-	-
Brundage 96	-	-	-	-	2.7	1.6	2.9	-
Brundage/Stephens	-	-	-	-	-	1.8	-	-
Coda	1.6	1.2	-	-	-	-	-	-
Delco	-	-	-	1.8	-	-	-	-
Dirkwin	-	-	-	-	-	-	2.5	1.2
Finley	-	1.4	-	-	-	-	-	-
Gene	6.8	4.5	-	-	-	-	-	-
Gene/Stephens	-	1.0	-	-	-	-	-	-
Jefferson	4.3	3.9	3.6	2.4	-	-	-	-
Louise	-	-	-	-	-	-	-	1.7
Madsen	1.4	-	3.3	3.7	-	1.4	61.5	40.7
Madsen/Stephens	1.0	2.5	-	-	-	-	-	-
Malcolm	-	-	-	-	-	-	2.1	6.5
OR 1757 Supersoft	-	1.6	-	-	-	-	-	-
ORCF 101 (OSU Clearfield)	17.8	19.7	4.0	5.0	-	4.6	-	1.4
ORCF 102 (OSU Clearfield)	-	1.1	-	2.2	-	-	-	-
Penewawa	-	-	-	-	-	1.6	1.3	-
Rod/Tubbs	-	-	2.0	3.3	-	-	-	-
Stephens	33.5	21.2	39.4	33.0	38.6	55.2	5.8	2.6
Stephens/Tubbs	1.0	3.9	2.4	1.3	-	-	-	-
Tubbs	11.2	14.5	20.9	16.9	3.8	-	1.9	16.6
Tubbs 06	-	1.2	-	2.6	-	-	-	1.7
Westbred 528	-	-	1.1	1.7	-	-	-	-
Yamhill	-	-	-	-	-	3.0	2.9	4.8
Other varieties	16.5	15.2	21.1	19.0	38.5	16.8	12.0	6.6
<b>Planted acres <sup>3</sup></b>	<b>448,500</b>	<b>455,200</b>	<b>353,100</b>	<b>323,200</b>	<b>51,400</b>	<b>56,700</b>	<b>27,000</b>	<b>64,900</b>

<sup>1</sup> Percentages may not total 100 percent due to rounding.

<sup>2</sup> Other districts contain counties with minimal data or counties combined to avoid disclosure of individual operations.

<sup>3</sup> 2007 planted acres are preliminary estimates.

**Wheat varieties, by class and totals by type, Oregon 2006-2007**

Variety by class	Percent of all wheat		Planted acres <sup>1</sup>		2007 planted acres by district <sup>1</sup>			
	2006	2007	2006	2007	NC	NE	SE	Other <sup>2</sup>
	<i>Percent</i>	<i>Percent</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>
<b>White wheat varieties</b>								
<b>Soft white winter</b>								
Albion	-	0.3	-	2,700	-	-	600	2,100
Brundage 96	0.5	0.2	4,200	2,200	-	900	900	400
BrundageStephens	-	0.1	-	1,000	-	-	1,000	-
Clearfirst	1.5	0.3	13,400	2,900	1,300	1,600	-	-
Eltan	-	0.2	-	2,100	-	2,100	-	-
Gene	3.5	2.3	30,900	20,900	20,400	-	500	-
Gene/Stephens	-	0.5	-	4,600	4,600	-	-	-
Madsen	5.5	4.7	48,100	42,200	2,900	12,100	800	26,400
Madsen/Stephens	0.6	1.3	4,900	11,500	11,500	-	-	-
Madsen/Stephens/Tubbs	0.6	0.1	5,300	800	800	-	-	-
Madsen/Stephens/Weatherford	-	0.2	-	1,500	1,500	-	-	-
Madsen/Tubbs	0.2	0.2	1,700	1,600	1,100	500	-	-
Malcolm	0.2	0.6	2,100	5,200	-	900	100	4,200
OR 1757 Supersoft	0.2	1.0	1,800	9,100	7,100	2,000	-	-
ORCF 101 (OSU Clearfield)	10.5	12.1	92,300	109,100	89,500	16,100	2,600	900
ORCF 102 (OSU Clearfield)	0.2	1.4	2,100	12,600	4,900	7,100	-	600
Rod	0.1	0.4	1,100	3,400	1,100	2,300	-	-
Rod/Tubbs	0.8	1.2	7,300	10,800	-	10,800	-	-
Stephens	36.1	26.2	317,500	235,900	96,300	106,600	31,300	1,700
Stephens/Tubbs	1.5	2.5	13,200	22,200	17,900	4,300	-	-
Stephens/Weatherford	-	0.1	-	1,100	1,100	-	-	-
Tubbs	14.6	14.7	128,700	132,000	66,100	54,700	400	10,800
Tubbs 06	-	1.7	-	15,200	5,400	8,400	300	1,100
Weatherford	0.9	0.6	8,000	5,700	3,300	2,400	-	-
Westbred 528	0.5	0.6	4,000	5,600	-	5,600	-	-
Yamhill	0.2	0.5	2,100	4,800	-	-	1,700	3,100
Other varieties	4.2	5.1	37,000	46,600	30,800	14,000	300	1,500
<b>Total</b>	<b>82.5</b>	<b>79.2</b>	<b>725,700</b>	<b>713,300</b>	<b>367,600</b>	<b>252,400</b>	<b>40,500</b>	<b>52,800</b>
<b>Soft white spring</b>								
Alpowa	4.7	6.7	41,200	60,100	33,300	10,800	7,500	8,500
Alturas	0.2	0.1	1,800	800	-	500	300	-
Dirkwin	0.2	0.1	1,400	1,000	-	-	200	800
Louise	0.1	0.7	900	6,400	2,800	2,500	-	1,100
Nick	0.1	0.1	1,200	1,300	-	1,300	-	-
Penawawa	0.2	0.3	1,500	2,500	500	700	900	400
Twin	0.4	0.1	3,100	1,000	500	-	500	-
Zak	0.2	0.4	1,500	3,200	3,100	-	-	100
Other varieties	1.6	0.5	14,400	4,400	1,100	1,200	900	1,200
<b>Total</b>	<b>7.6</b>	<b>9.0</b>	<b>67,000</b>	<b>80,700</b>	<b>41,300</b>	<b>17,000</b>	<b>10,300</b>	<b>12,100</b>
<b>White club</b>								
Chucker	0.2	0.2	2,000	1,500	-	1,500	-	-
Coda	0.9	0.9	7,600	8,300	5,300	3,000	-	-
Rohde	-	0.3	-	2,400	2,400	-	-	-
Other varieties	0.5	0.1	4,200	300	-	300	-	-
<b>Total</b>	<b>1.6</b>	<b>1.4</b>	<b>13,800</b>	<b>12,500</b>	<b>7,700</b>	<b>4,800</b>	<b>-</b>	<b>-</b>
<b>All white wheat</b>	<b>91.7</b>	<b>89.7</b>	<b>806,500</b>	<b>806,500</b>	<b>416,600</b>	<b>274,200</b>	<b>50,800</b>	<b>64,900</b>

<sup>1</sup> 2007 planted acres are preliminary estimates.

<sup>2</sup> Other districts contain counties with minimal data or counties combined to avoid disclosure of individual operations.


**Wheat varieties, by class and totals by type, Oregon 2006-2007**

Variety by class	Percent of all wheat		Planted acres <sup>1</sup>		2007 planted acres by district <sup>1</sup>			
	2006	2007	2006	2007	NC	NE	SE	Other <sup>2</sup>
	<i>Percent</i>	<i>Percent</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>
<b>Red wheat varieties</b>								
<b>Hard red winter</b>								
Boundary	-	1.3	-	11,400	400	11,000	-	-
Buchanan	0.6	0.2	4,900	1,900	1,900	-	-	-
Declo	0.5	0.9	4,400	8,000	2,300	5,700	-	-
Eddy	-	0.4	-	3,700	2,700	1,000	-	-
Finley	-	0.8	-	7,500	6,300	1,200	-	-
Residence	0.3	0.2	2,300	1,900	-	1,900	-	-
Other varieties	1.0	1.1	8,800	8,800	-	8,700	100	-
<b>Total</b>	<b>2.3</b>	<b>4.9</b>	<b>20,400</b>	<b>43,200</b>	<b>13,600</b>	<b>29,500</b>	<b>100</b>	<b>-</b>
<b>Hard red spring</b>								
Express	0.4	0.6	3,900	5,400	4,300	1,100	-	-
Hank	0.4	0.1	3,700	1,200	-	800	400	-
Jefferson	3.8	2.8	33,700	25,500	17,700	7,800	-	-
Scarlet	0.1	0.1	1,200	1,100	700	400	-	-
Solana	-	0.2	-	1,800	-	1,800	-	-
Westbred 936	0.2	0.1	1,400	700	-	-	700	-
Yecora Rojo	0.4	0.5	3,100	4,100	100	-	4,000	-
Other varieties	0.7	0.9	6,000	9,500	2,200	6,600	700	-
<b>Total</b>	<b>6.0</b>	<b>5.4</b>	<b>53,000</b>	<b>49,300</b>	<b>25,000</b>	<b>18,500</b>	<b>5,800</b>	<b>-</b>
<b>All red wheat</b>	<b>8.3</b>	<b>10.3</b>	<b>73,400</b>	<b>92,500</b>	<b>38,600</b>	<b>48,000</b>	<b>5,900</b>	<b>-</b>
<b>All other wheat <sup>3</sup></b>	<b>-</b>	<b>0.1</b>	<b>100</b>	<b>1,000</b>	<b>-</b>	<b>1,000</b>	<b>-</b>	<b>-</b>
<b>All wheat by type</b>								
<b>Winter wheat</b>	86.3	85.6	760,000	770,000	388,900	287,700	40,600	52,800
<b>Spring wheat</b>	13.7	14.4	120,000	130,000	66,300	35,500	16,100	12,100
<b>All wheat</b>	100.0	100.0	880,000	900,000	455,200	323,200	56,700	64,900


<sup>1</sup> 2007 planted acres are preliminary estimates.

<sup>2</sup> Other districts contain counties with minimal data or counties combined to avoid disclosure of individual operations.

<sup>3</sup> All other wheat includes varieties not categorized in other totals to avoid disclosure of individual operations.



### Oregon top 2007 wheat varieties



### List of counties within each district

#### Northwest

Benton  
 Clackamas  
 Clatsop  
 Columbia  
 Lane  
 Linn  
 Marion  
 Multnomah  
 Polk  
 Tillamook  
 Yamhill

#### North Central

Gilliam  
 Hood River  
 Morrow  
 Sherman  
 Wasco

#### Northeast

Baker  
 Umatilla  
 Union  
 Wallowa

#### Southwest

Coos  
 Curry  
 Douglas  
 Jackson  
 Josephine

#### Southeast

Crook  
 Deschutes  
 Grant  
 Harney  
 Jefferson  
 Klamath  
 Lake  
 Malheur  
 Wheeler

For more details, please contact the Oregon Field Office of USDA, NASS at (503) 326-2131 or 1-800-338-2157 or via email at [nass-or@nass.usda.gov](mailto:nass-or@nass.usda.gov). Information is also available on our home page: [www.nass.usda.gov/or](http://www.nass.usda.gov/or).