

WHEAT VARIETIES



**NATIONAL
AGRICULTURAL
STATISTICS
SERVICE**

July 10, 2009
PRESS RELEASE
Internet-www.nass.usda.gov/or
Email: nass-or@nass.usda.gov

USDA, NASS, Oregon Field Office
1220 SW 3rd Ave., Room 1735
Portland, Oregon 97204
(503) 326-2131 or 1-800-338-2157

Oregon 2009 wheat varieties: Stephens remains #1

Stephens is once again the leading variety for Oregon, a spot it has held since 1979, accounting for 19.3 percent of the planted acreage this year. This amount is down from last year's 26.9 percent. ORCF 101 (OSU Clearfield) surpassed Tubbs as the second most planted variety with 17.4 percent, up from 11.6 percent last year. Tubbs came in third at 15.1 percent, up slightly from last year's 13.9 percent. Fourth was Tubbs 06 at 7.6 percent, up from 1.8 percent last year. Alpowa rounded out the top five with 4.1 percent, down from 7.1 percent one year ago. District level estimates were made for 39 varieties and mixtures plus a grouping of all other varieties for each class of wheat.

This report is the result of a survey conducted by the Oregon Field Office of the National Agricultural Statistics Service. Funding for the survey was provided by the Oregon Wheat Commission. This report would not be possible without the cooperation of participating farmers and ranchers.

Wheat varieties: Percent of acreage by district, Oregon 2008-2009

Variety	Varieties as a percent of planted acres within each district							
	North Central		Northeast		Southeast		Other Districts ¹	
	2008	2009	2008	2009	2008	2009	2008	2009
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Alpowa	4.5	4.4	6.5	1.2	20.5	14.3	12.6	4.9
Alturus	-	1.7	0.8	-	-	0.2	0.1	0.2
AP700CL	-	0.5	-	1.6	-	-	-	-
Cabernet	-	0.1	-	-	-	9.7	-	-
Coda	1.4	1.1	-	0.2	-	-	-	-
Delco	0.2	0.6	0.4	0.6	-	-	-	-
Express	1.4	0.4	0.3	0.1	-	-	-	-
Gene	3.3	3.7	1.2	0.3	1.7	0.2	-	-
Goetze	-	0.5	-	0.5	-	0.4	-	29.7
Hank	-	-	2.3	1.2	0.7	6.1	-	0.1
Jefferson	4.5	2.9	2.0	1.1	-	-	-	-
Louise	2.0	1.5	0.3	0.6	-	0.2	2.3	3.9
Madsen	0.8	0.7	3.8	5.0	3.4	2.0	28.8	9.1
Madsen/Stephens/Tubbs	3.7	0.8	-	-	-	-	-	-
Madsen/Tubbs	0.3	1.0	1.8	1.1	-	-	0.4	-
Madsen/Tubbs/Weatherford	-	1.7	-	-	-	-	-	-
Merrill	-	-	0.1	-	-	-	1.3	4.0
Nick	-	-	2.3	1.4	-	5.0	-	-
Northwest 553	-	-	-	0.8	-	-	-	-
ORCF 101 (OSU Clearfield)	23.7	29.7	1.5	3.2	0.7	0.2	0.7	1.9
ORCF 102 (OSU Clearfield)	1.2	1.5	4.5	10.2	-	-	-	-
Paladin	0.4	0.8	0.1	-	-	0.4	-	-
Rod	-	-	0.6	1.6	-	-	-	-
Rod/Tubbs	-	-	6.5	3.4	-	-	-	-
Stephens	24.0	18.9	30.1	21.5	53.0	39.1	2.0	2.4
Stephens/Tubbs	3.8	2.4	2.5	0.5	0.8	-	-	-
Tubbs	15.4	14.7	11.0	20.4	3.4	2.0	31.0	9.4
Tubbs 06	1.2	4.7	1.4	8.7	0.7	1.1	8.1	24.9
Yamhill	-	-	0.1	1.0	1.6	2.0	2.5	3.8
Other varieties	8.2	5.7	19.9	13.8	13.5	17.1	10.2	5.7
Planted acres ²	442,300	481,900	370,300	260,100	76,600	53,700	70,800	84,300

¹ Other districts combined to avoid disclosure of individual operations.

² 2009 planted acres are preliminary estimates.

Wheat varieties, by class and totals by type, Oregon 2008-2009

Variety by class	Percent of all wheat		Planted acres ¹		2009 planted acres by district ¹			
	2008 ²	2009 ²	2008	2009	NC	NE	SE	Other ³
	<i>Percent</i>	<i>Percent</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>
White wheat varieties								
Soft white winter								
AP700CL	-	0.8	-	6,700	2,500	4,200	-	-
Brundage 96	0.1	0.2	1,000	1,600	-	500	900	200
Gene	2.1	2.2	20,300	19,000	18,000	900	100	-
Goetze	-	3.3	-	29,000	2,500	1,300	200	25,000
Hill 81	0.1	0.2	700	1,400	1,200	-	-	200
Madsen	4.3	2.8	40,800	25,000	3,200	13,000	1,100	7,700
Madsen/Stephens	0.8	0.3	7,800	3,000	3,000	-	-	-
Madsen/Stephens/Tubbs	1.7	0.5	16,200	4,000	4,000	-	-	-
Madsen/Tubbs	0.8	0.5	8,100	4,600	4,600	-	-	-
Madsen/Tubbs/Weatherford	-	1.3	-	11,000	8,200	2,800	-	-
Malcolm	0.3	0.3	3,000	3,000	-	200	-	2,800
ORCF 101 (OSU Clearfield)	11.6	17.4	111,700	153,000	143,000	8,300	100	1,600
ORCF 102 (OSU Clearfield)	2.3	3.9	21,900	34,000	7,400	26,600	-	-
Rod	0.2	0.5	2,300	4,100	-	4,100	-	-
Rod/Tubbs	2.5	1.0	24,000	8,800	-	8,800	-	-
Stephens	26.9	19.3	257,800	170,000	91,000	56,000	21,000	2,000
Stephens/Tubbs	2.8	1.5	26,900	12,800	11,500	1,300	-	-
Tubbs	13.9	15.1	133,500	133,000	71,000	53,000	1,100	7,900
Tubbs 06	1.8	7.6	16,900	67,000	22,800	22,600	600	21,000
Yamhill	0.4	0.8	3,500	7,000	-	2,700	1,100	3,200
Other varieties	4.9	3.1	47,200	27,000	11,500	12,700	2,200	600
Total	77.5	82.4	743,600	725,000	405,400	219,000	28,400	72,200
Soft white spring								
Alpowa	7.1	4.1	68,600	36,000	21,200	3,000	7,700	4,100
Alturas	0.3	0.9	3,000	8,300	8,000	-	100	200
Louise	1.2	1.4	11,600	12,000	7,000	1,600	100	3,300
Merrill	0.1	0.4	1,200	3,400	-	-	-	3,400
Nick	0.9	0.7	8,400	6,300	-	3,600	2,700	-
Other varieties	2.1	0.9	20,200	8,000	600	6,500	500	400
Total	11.8	8.4	113,000	74,000	36,800	14,700	11,100	11,400
White club								
Coda	0.7	0.6	6,300	5,600	5,200	400	-	-
Crew	0.2	0.2	1,800	1,600	1,600	-	-	-
Other varieties	0.2	0.4	1,800	3,800	1,800	1,900	-	100
Total	1.0	1.3	9,900	11,000	8,600	2,300	-	100
All white wheat	90.3	92.0	866,500	810,000	450,800	236,000	39,500	83,700

¹ 2009 planted acres are preliminary estimates.

² Percentages may not add to class totals due to rounding.

³ Other districts combined to avoid disclosure of individual operations.


Wheat varieties, by class and totals by type, Oregon 2008-2009

Variety by class	Percent of all wheat		Planted acres ¹		2009 planted acres by district ¹			
	2008 ²	2009 ²	2008	2009	NC	NE	SE	Other ³
	<i>Percent</i>	<i>Percent</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>	<i>Acres</i>
Red wheat varieties								
Hard red winter								
Boundary	0.8	0.2	7,200	1,800	100	1,700	-	-
Declo	0.2	0.5	2,200	4,400	2,900	1,500	-	-
Finley	0.4	0.2	4,300	1,600	1,000	600	-	-
Northwest 553	-	0.3	-	2,200	200	2,000	-	-
Paladin	0.2	0.4	2,300	3,700	3,600	-	100	-
Other varieties	0.9	1.2	8,900	10,300	3,600	6,500	-	200
Total	2.6	2.7	24,900	24,000	11,400	12,300	100	200
Hard red spring								
Cabernet	-	0.6	-	5,500	300	-	5,200	-
Express	0.8	0.3	7,300	2,300	2,100	200	-	-
Hank	0.9	0.7	9,000	6,500	-	3,100	3,300	100
Jefferson	2.9	1.9	27,500	17,000	14,100	2,900	-	-
Solana	0.3	0.2	3,000	1,700	1,000	700	-	-
Tara 2002	0.1	0.1	1,100	1,000	-	1,000	-	-
Yecora Rojo	0.6	0.3	5,800	3,000	-	-	2,900	100
Other varieties	1.4	0.8	13,300	7,000	1,200	3,300	2,300	200
Total	7.0	5.0	67,000	44,000	18,700	11,200	13,700	400
All red wheat	9.6	7.7	91,900	68,000	30,100	23,500	13,800	600
All other wheat	0.2	0.2	1,600	2,000	1,000	600	400	-
All wheat by type								
Winter wheat	81.3	86.4	780,000	760,000	425,400	233,600	28,500	72,500
Spring wheat	18.8	13.6	180,000	120,000	56,500	26,500	25,200	11,800
All wheat	100.0	100.0	960,000	880,000	481,900	260,100	53,700	84,300


¹ 2009 planted acres are preliminary estimates.

² Percentages may not add to class totals due to rounding.

³ Other districts combined to avoid disclosure of individual operations.



Percent of all wheat by class - 2009



List of counties within each district

<u>Northwest</u>	<u>North Central</u>	<u>Northeast</u>	<u>Southwest</u>	<u>Southeast</u>
Benton	Gilliam	Baker	Coos	Crook
Clackamas	Hood River	Umatilla	Curry	Deschutes
Clatsop	Morrow	Union	Douglas	Grant
Columbia	Sherman	Wallowa	Jackson	Harney
Lane	Wasco		Josephine	Jefferson
Lincoln				Klamath
Linn				Lake
Marion				Malheur
Multnomah				Wheeler
Polk				
Tillamook				
Yamhill				
Washington				

For more details, please contact the Oregon Field Office of USDA, NASS at (503) 326-2131 or 1-800-338-2157 or via email at nass-or@nass.usda.gov. Information is also available on our home page: www.nass.usda.gov/or.