TEXAS ALL GOATS AND KIDS

January 1, 2005



1 dot = 1,000 head
Dots indicate inventory without respect to geographic location within the county.

TEN LEADING COUNTIES

All Goats				Angora Goats				Mohair Production, 2004			
Rank	County	Number	Percent of state	Rank	County	Number	Percent of state	Rank	County	Number	Percent of state
		1,000 head				*1,000 head*				*1,000 lbs.*	
1	Edwards	73.0	5.8	1	Edwards	57.0	27.1	1	Edwards	328.0	20.2
2	Sutton	72.0	5.8	2	Sutton	29.0	13.8	2	Sutton	160.0	9.9
3	Kimble	54.0	4.3	3	Val Verde	16.0	7.6	3	Val Verde	140.0	8.6
4	Mills	52.0	4.2	4	Uvalde	12.0	5.7	4	Gillespie	79.0	4.9
5	Schleicher	41.0	3.3	5	Kinney	8.0	3.8	5	Uvalde	72.0	4.4
5	Val Verde	41.0	3.3	6	Gillespie	7.5	3.6	6	Kinney	70.0	4.3
7	Crockett	40.0	3.2	7	Terrell	6.5	3.1	7	Concho	66.0	4.1
8	Gillespie	37.0	3.0	8	Mills	5.6	2.7	8	Kendall	52.0	3.2
9	Tom Green	34.0	2.7	9	Kendall	5.3	2.5	9	Pecos	51.0	3.1
10	Menard	33.0	2.6	10	Mason	5.0	2.4	10	Crockett	50.0	3.1
10	Uvalde	33.0	2.6								

TEXAS ANGORA GOATS

January 1, 2005



1 dot = 1,000 head
Dots indicate inventory without respect to geographic location within the county.

TEXAS GOATS: Inventory, Goats Clipped, Mohair Production and Clip Weight

District and county	January 1 Inventory				Angora goats and kids clipped [2/]		Mohair production		Average clip weight	
	All goats [1/]		Angora goats							
	2004	2005	2004	2005	2003	2004	2003	2004	2003	2004
	1,000 head		1,000 head		1,000 head		1,000 pounds		Pounds	
Other Counties	8.0	8.0								
DISTRICT 1-N	**8.0**	**8.0**	*	*						
Bailey	2.2	1.8								
Gaines	*	1.6								
Glasscock	2.7	3.0								
Howard	1.8	1.8								
Lamb	*	1.5								
Lubbock	2.0	1.9								
Martin	1.5	2.1								
Midland	3.7	4.0								
Terry	8.4	6.8								
Yoakum	1.2	*								
Other Counties	6.5	4.5								
DISTRICT 1-S	**30.0**	**29.0**								
Hardeman	1.7	1.4								
Other Counties	4.3	4.6								
DISTRICT 2-N	6.0	6.0		*						
Coleman	8.1	8.2	*	*						
Fisher	1.2	1.2		*						
Jones	3.2	3.0								
Mitchell	1.5	1.6	*	*						
Nolan	1.8	1.9								
Runnels	8.6	9.6	*							
Scurry	2.1	2.2								
Stonewall	*	2.4								
Taylor	2.2	2.2		*						
Other Counties	4.3	1.7	1.0		1.0		7.0		7.0	
DISTRICT 2-S	**33.0**	**34.0**	**1.0**	*	**1.0**		**7.0**		**7.0**	
Brown	13.0	14.0	*	*						
Callahan	3.0	3.2								
Comanche	6.0	6.0	*	*						
Eastland	4.3	4.1	*	*						
Erath	11.0	13.0	*	*						
Hood	3.1	3.9	*	*						
Jack	3.2	3.0	*	*						
Mills	47.0	52.0	6.4	5.6	5.8	5.9	55.0	47.0	9.5	8.0
Montague	1.8	2.0		*						
Palo Pinto	2.9	3.2	*	*						
Parker	6.5	6.9		*						
Somervell	1.2	1.3	*	*						
Stephens	2.6	2.7	*	*						
Wise	6.5	6.7		*						
Young	2.2	2.1	*	*						
Other Counties	1.7	1.9	2.6	3.4	3.2	3.1	25.0	24.0	7.8	7.7
DISTRICT 3	**116.0**	**126.0**	**9.0**	**9.0**	**9.0**	**9.0**	**80.0**	**71.0**	**8.9**	**7.9**
Bell	12.0	11.0	*	*						
Bosque	8.6	9.0	*	*						
Collin	6.2	6.0	*	*						
Cooke	2.9	2.6	*	*						
Coryell	20.0	20.0	2.3	2.9	2.8	2.5	23.0	24.0	8.2	9.6
Dallas	1.1	1.1	*	*						
Denton	2.8	3.0	*							
Ellis	3.2	3.2	*	*						
Falls	1.6	1.7								
Fannin	3.6	4.1		*						
Grayson	1.9	2.3								
Hamilton	20.0	19.0	3.3	2.8	2.8	3.0	25.0	25.0	8.9	8.3

TEXAS GOATS: Inventory, Goats Clipped, Mohair Production and Clip Weight

District and county	January 1 Inventory				Angora goats and kids clipped [2/]		Mohair production		Average clip weight	
	All goats [1/]		Angora goats							
	2004	2005	2004	2005	2003	2004	2003	2004	2003	2004
	1,000 head		*1,000 head*		*1,000 head*		*1,000 pounds*		*Pounds*	
Hill	5.2	6.0								
Hunt	3.4	3.4		*						
Johnson	5.7	6.0	*							
Kaufman	2.1	2.1		*						
Lamar	1.7	2.0		*						
Limestone	1.3	1.5	*	*						
McLennan	4.4	4.6	*	*						
Milam	2.5	2.5								
Navarro	2.9	2.7	*	*						
Tarrant	1.1	1.0	*							
Williamson	22.0	19.0	*	*						
Other Counties	0.8	1.2	2.4	2.3	2.4	2.5	15.0	17.0	6.3	6.8
DISTRICT 4	**137.0**	**135.0**	**8.0**	**8.0**	**8.0**	**8.0**	**63.0**	**66.0**	**7.9**	**8.3**
Anderson	1.7	1.8	*							
Cherokee	1.4	1.5								
Henderson	1.2	1.3		*						
Houston	1.0	1.0								
Nacogdoches	1.1	1.1								
Panola	1.0	1.1								
Rusk	1.1	1.1								
Smith	1.2	1.2								
Titus	1.3	1.2								
Upshur	1.1	1.1								
Van Zandt	2.9	2.8	*	*						
Other Counties	6.0	6.8								
DISTRICT 5-N	**21.0**	**22.0**	*	*						
Angelina	1.0	1.0								
Brazos	1.2	1.2								
Freestone	1.4	1.4								
Grimes	1.0	1.0								
Montgomery	3.1	3.6								
Robertson	1.3	1.4								
Walker	1.1	1.1								
Waller	4.0	4.4	*	*						
Other Counties	5.9	5.9								
DISTRICT 5-S	**20.0**	**21.0**	*	*						
Ector	1.2	1.0								
Hudspeth	1.9	1.7	1.5	*	1.8		15.0		8.3	
Pecos	17.0	19.0	4.1	3.0	7.3	6.3	57.0	51.0	7.8	8.1
Terrell	21.0	22.0	3.9	6.5	4.3	4.0	35.0	35.0	8.1	8.8
Other Counties	3.9	4.3	0.1	0.5	0.4	1.7	3.0	13.0	7.5	7.6
DISTRICT 6	**45.0**	**48.0**	**9.6**	**10.0**	**13.8**	**12.0**	**110.0**	**99.0**	**8.0**	**8.3**
Bandera	11.0	11.0	1.0	1.1	1.3	1.3	9.0	9.0	6.9	6.9
Blanco	14.0	16.0	1.2	1.8	2.3	2.2	18.0	19.0	7.8	8.6
Burnet	14.0	15.0	*	*						
Coke	10.0	11.0	1.0	*	0.9		7.0		7.8	
Concho	26.0	27.0	5.0	4.5	7.0	7.0	50.0	66.0	7.1	9.4
Crockett	38.0	40.0	5.0	3.7	6.3	5.7	50.0	50.0	7.9	8.8
Edwards	67.0	73.0	59.0	57.0	46.6	50.0	391.0	328.0	8.4	6.6
Gillespie	36.0	37.0	8.0	7.5	9.9	10.0	84.0	79.0	8.5	7.9
Irion	9.0	10.0	1.2	*	1.2		10.0		8.3	
Kendall	18.0	19.0	6.0	5.3	5.7	6.0	46.0	52.0	8.1	8.7
Kerr	21.0	21.0	2.1	2.3	3.6	3.4	24.0	28.0	6.7	8.2
Kimble	47.0	54.0	5.5	4.5	5.6	5.5	45.0	47.0	8.0	8.5
Kinney	22.0	21.0	9.0	8.0	9.5	9.5	75.0	70.0	7.9	7.4
Lampasas	18.0	21.0	*	*						
Llano	4.0	4.0	*	*						

TEXAS GOATS: Inventory, Goats Clipped, Mohair Production and Clip Weight

District and county	January 1 Inventory				Angora goats and kids clipped [2/]		Mohair production		Average clip weight	
	All goats [1/]		Angora goats							
	2004	2005	2004	2005	2003	2004	2003	2004	2003	2004
	1,000 head		1,000 head		1,000 head		1,000 pounds		Pounds	
McCulloch	20.0	22.0	4.0	4.0	4.6	4.5	37.0	34.0	8.0	7.6
Mason	18.0	18.0	6.0	5.0	5.1	5.0	42.0	40.0	8.2	8.0
Menard	31.0	33.0	1.5	1.9	2.5	2.5	20.0	22.0	8.0	8.8
Reagan	3.0	4.0	*	*						
Real	10.0	9.0	1.0	*	1.1		10.0		9.1	
San Saba	12.0	12.0	*	*						
Schleicher	38.0	41.0	3.5	4.1	2.8	2.7	22.0	25.0	7.9	9.3
Sterling	3.0	4.0								
Sutton	72.0	72.0	32.0	29.0	20.1	21.0	159.0	160.0	7.9	7.6
Tom Green	33.0	34.0	1.0	1.6	2.2	2.1	18.0	14.0	8.2	6.7
Upton	3.0	4.0								
Uvalde	32.0	33.0	9.5	12.0	8.0	8.0	50.0	72.0	6.3	9.0
Val Verde	42.0	41.0	18.0	16.0	18.2	18.0	144.0	140.0	7.9	7.8
Other Counties			3.5	6.7	4.5	7.6	35.0	56.0	7.8	7.4
DISTRICT 7	**672.0**	**707.0**	**184.0**	**176.0**	**169.0**	**172.0**	**1346.0**	**1311.0**	**8.0**	**7.6**
Bastrop	2.6	2.7	*	*						
Bee	2.1	2.7								
Bexar	8.5	8.0	2.6	*	5.6		48.0		8.6	
Caldwell	2.5	2.6								
Colorado	1.0	*								
Comal	8.5	9.0	*	*						
Fayette	2.0	2.1		*						
Goliad	*	1.2	*	*						
Gonzales	1.3	1.4								
Guadalupe	5.3	5.0	*							
Hays	11.0	10.0	1.3	*	0.8		7.0		8.8	
Karnes	2.1	1.9	*	*						
Lee	1.5	1.3	*	*						
Medina	4.6	5.0	*	*						
Travis	4.3	4.3	*	*						
Washington	1.1	1.2	*							
Wilson	2.0	1.8	*	*						
Other Counties	3.6	3.8	3.1	5.0	1.6	7.0	13.0	60.0	8.1	8.6
DISTRICT 8-N	**64.0**	**64.0**	**7.0**	**5.0**	**8.0**	**7.0**	**68.0**	**60.0**	**8.5**	**8.6**
Other Counties	2.0	2.0								
DISTRICT 8-S	**2.0**	**2.0**	*							
Brazoria	3.1	3.0	*							
Fort Bend	1.4	1.3	*							
Galveston	1.4	1.5		*						
Harris	4.0	4.7		*						
Liberty	1.3	1.3								
Orange	1.0	1.3								
Victoria	1.1	1.0								
Wharton	1.0	1.1	*	*						
Other Counties	2.7	2.8								
DISTRICT 9	**17.0**	**18.0**	*	*						
Atascosa	1.3	1.3								
Dimmit	2.2	2.4								
Duval	1.5	1.5								
Jim Wells	3.7	3.4								
Live Oak	3.8	4.5	*							
Maverick	3.9	4.0								
Webb	1.3	1.3								
Other Counties	5.3	5.6								
DISTRICT 10-N	**23.0**	**24.0**	*	*						

TEXAS GOATS: Inventory, Goats Clipped, Mohair Production and Clip Weight

District and county	January 1 Inventory				Angora goats and kids clipped 2/		Mohair production		Average clip weight	
	All goats 1/		Angora goats							
	2004	2005	2004	2005	2003	2004	2003	2004	2003	2004
	1,000 head		1,000 head		1,000 head		1,000 pounds		Pounds	
Cameron	1.3	1.4								
Hidalgo	1.9	1.9		*						
Starr	2.7	2.6								
Other Counties	0.1	0.1								
DISTRICT 10-S	**6.0**	**6.0**		*						
Other Districts			**1.4**	**2.0**	**1.2**	**2.0**	**6.0**	**13.0**	**5.0**	**6.5**
STATE	**1,200.0**	**1,250.0**	**220.0**	**210.0**	**210.0**	**210.0**	**1,680.0**	**1,620.0**	**8.0**	**7.7**

*1/ Includes Angora goats for mohair production, meat type goats, milk goats and goats used for other purposes. 2/ Angora goats and kids clipped both spring and fall are counted only once. * Counties and districts with less than 1,000 all goats and kids and/or Angora goats and kids or less than three producers are not published to avoid disclosing individual operations, but their estimates are included in other counties, districts, other districts and state total.*

TEXAS GOATS: Number by Type, Class and Value, January 1, 2001-2005

Year	Angora					Other goats (Spanish, milk, etc.)	All goats (Angora and other)		
	Does 1+	Bucks 1+	Muttons 1+	Kids	Total		All goats	Value per head	Total value
	1,000 head					1,000 head		Dollars	1,000 dollars
2001	228	9	30	33	300	1,100	1,400	75.00	105,000
2002	170	9	25	46	250	1,000	1,250	85.00	106,250
2003	173	9	20	38	240	960	1,200	92.00	110,400
2004	143	7	30	40	220	980	1,200	96.00	115,200
2005	140	8	1/ 10	2/ 52	210	1,040	1,250	109.00	136,250

1/ Muttons only includes market goats 1 year or older. 2/ Market and replacement kids combined.

TEXAS GOATS: Losses, 2000-2004

Item	2000	2001	2002	2003	2004
	1,000 head				
Total Losses:					
All goats	145	95	122	124	171
Predator:					
All goats	97	66	85	79	89
Other 1/:					
All goats	48	29	37	45	82

1/ Includes diseases, weather, theft and unknown.

TEXAS MOHAIR: Production and Value, 2000-2004

Item	2000	2001	2002	2003	2004
Angora goats clipped 1/ . . . . . *1,000 head*	345	260	240	210	210
Average clip per goat . . . . . *Pounds*	6.8	6.6	8.1	8.0	7.7
Total mohair production . . . . . *1,000 pounds*	2,346	1,716	1,944	1,680	1,620
Price per pound . . . . . *Dollars*	4.30	2.20	1.60	1.70	2.10
Total value . . . . . *1,000 dollars*	10,088	3,775	3,110	2,856	3,402

1/ Angora goats and kids clipped both spring and fall are counted only once.