



Wyoming Winter Wheat Varieties 2008



Wyoming Field Office

Cooperating with the Wyoming Business Council Agribusiness Division
PO Box 1148 · Cheyenne, WY 82003
307-432-5600 • FAX 307-432-5598 • www.nass.usda.gov/wy

March 17, 2008

Dear Data Users,

Buckskin was once again the most popular winter wheat variety seeded in Wyoming for the 2008 crop with just over half of the acreage. Jagalene was a distant second followed by Pronghorn. This survey was conducted by the USDA/NASS Wyoming Field Office and was funded by the Wyoming Business Council Agribusiness Division.


Reports from producers across the State accounted for 36 percent of the 130,000 total acres seeded in the State. Estimates of the percentage of acreage seeded by variety are based on these reports.

I would like to thank all the Wyoming producers whose continued cooperation makes this information possible. If you have any questions about this or any other report, please call us toll-free at 1-800-892-1660.

Sincerely,

Glenda L. Shepler
Director, Wyoming Field Office
USDA NASS

Winter Wheat Varieties
Percent of Total Acreage Seeded by Top Varieties,
Wyoming, Crop Years 1999-2008



BUCKSKIN AGAIN PLANTED ON MAJORITY OF WINTER WHEAT ACRES

Buckskin continues to be planted on a little over half the winter wheat acreage in Wyoming, accounting for 52.7 percent of the 130,000 acres planted for harvest in 2008. This is the 25th consecutive year (since 1983) that Buckskin has led in acres seeded.

Jagalene, at 11.0 percent, and **Pronghorn**, at 10.7 percent, were the second and third most popular varieties for the 2008 winter wheat crop. The next leading varieties were Good Streak, Cheyenne, and Warrior on 5.9, 2.0, and 2.0 percent of the State's acreage, respectively.

Other varieties with one percent or more of the acreage were Bond CL Jerry, Wesley, Clearfield, Ogallala, and Akron.

In southeast Wyoming, Buckskin was planted on 55.3 percent of the acreage. In the Northeast, Jerry was the top variety followed by Wesley, Clearfield, Buckskin and Platte.

**WINTER WHEAT: PERCENT OF TOTAL ACREAGE SEEDED BY VARIETY,
WYOMING, CROP YEARS 1999-2008**

Variety	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
	Percent									
Buckskin	54.5	57.6	60.7	61.8	61.5	60.1	54.7	56.5	57.1	52.7
Jagalene						0.4	2.2	3.2	4.9	11.0
Pronghorn	1.8	4.1	5.0	12.3	10.8	6.7	9.3	7.9	8.3	10.7
Good Streak						0.7	0.1	1.8	2.0	5.9
Cheyenne	5.3	1.0	0.7	1.6	1.0	2.6	2.6	4.8	3.8	2.0
Warrior			0.8	2.3		0.1	0.9	1.0	0.1	2.0
BondCL										1.8
Ogallala	0.4	0.2	1.1	0.9	0.9	1.6	1.0	0.8	0.8	1.8
Wesley						0.2		0.4	0.3	1.7
Jerry							1.4	1.7	2.3	1.6
Clearfield					0.7	2.7	1.9	1.3	1.8	1.4
Akron	2.0	6.6	9.4	7.9	8.1	7.0	7.9	8.6	6.4	1.4
Scout/Scout 66	7.6	6.3	5.3	2.9	2.8	5.3	3.1	3.9	3.5	1.2
Platte			0.4	0.2	0.8	0.4	0.9	0.2	0.1	0.5
Others 1/	28.4	24.2	16.6	10.1	13.4	12.2	14.0	7.9	8.6	4.3
Total	100.0									

1/Other varieties include Abilene, Arapahoe, Harry, Jagger, Lamar, Longhorn, McClaussen, Millennium, New Frontier, Ogallala, Platte, Redwin, Russell Red, Thunderbird, Tomahawk, Wahoo, Warrior, Wesley, Willow Creek, Yellowstone, Yuma, and "Other" varieties.

**WINTER WHEAT: PERCENT OF TOTAL ACREAGE SEEDED BY VARIETY WITHIN
DISTRICT, WYOMING, 2008 CROP 1/**

Variety	District 2 Northeast 2/	District 5 Southeast 3/	State
Buckskin	6.9	55.3	52.7
Jagalene		11.7	11.0
Pronghorn		11.3	10.7
Good Streak		6.2	5.9
Cheyenne		2.1	2.0
Warrior		2.1	2.0
BondCL		1.9	1.8
Ogallala		1.9	1.8
Wesley	20.0	0.6	1.7
Jerry	30.8		1.6
Clearfield	19.6	0.4	1.4
Akron		1.5	1.4
Scout/Scout 66		1.3	1.2
Platte	4.8	0.2	0.5
Others 4/	17.9	3.5	4.3
Total	100.0	100.0	100.0


1/District 1, 3, and 4 not published due to lack of data.

2/District 2 includes Campbell, Crook, Johnson, Sheridan, and Weston Counties.

3/District 5 includes Converse, Goshen, Laramie, Niobrara, and Platte Counties.


4/Other varieties are shown in the footnote to the table above.

WINTER WHEAT VARIETIES: PERCENT PLANTED IN 2008, BY AGRICULTURAL STATISTICS DISTRICT, WYOMING 1/



1/District 1, 3, and 4 not published due to lack of data.

WINTER WHEAT VARIETIES: PERCENT PLANTED IN 2007, BY AGRICULTURAL STATISTICS DISTRICT, WYOMING



**WINTER WHEAT:
Acreage, Production, and Value, Wyoming, 1988-2008**

Year	Acres Planted	Acres Harvested	Yield	Production 1,000 bu.	Value \$ 1,000
1988	220,000	195,000	22.0	4,290	15,873
1989	215,000	193,000	22.0	4,246	15,498
1990	220,000	205,000	29.0	5,945	14,268
1991	225,000	200,000	29.0	5,800	18,908
1992	220,000	200,000	25.0	5,000	15,500
1993	220,000	200,000	28.0	5,600	17,920
1994	200,000	180,000	24.0	4,320	15,336
1995	210,000	200,000	36.0	7,200	33,120
1996	230,000	210,000	25.0	5,250	21,000
1997	240,000	225,000	31.0	6,975	21,623
1998	220,000	200,000	32.0	6,400	15,872
1999	200,000	185,000	33.0	6,105	12,943
2000	190,000	170,000	24.0	4,080	11,016
2001	160,000	120,000	24.0	2,880	7,776
2002	150,000	125,000	19.0	2,375	8,788
2003	160,000	145,000	27.0	3,915	13,311
2004	150,000	135,000	26.0	3,510	11,232
2005	160,000	145,000	30.0	4,350	15,225
2006	150,000	135,000	27.0	3,645	16,694
2007	140,000	125,000	26.0	3,250	20,150
2008	130,000	1/	1/	1/	1/

1/ The first forecast of 2008 production will be released May 9.