

Table 10. Agricultural Chemicals Used, Including Fertilizer: 1997 and 1992

[Data are based on a sample of farms. For meaning of abbreviations and symbols, see introductory text]

| Chemicals used | New York | | | | | | | |
|---|-----------------------------|-----------|----------|--------|--------|-------------|--------|--|
| | New York | Albany | Allegany | Bronx | Broome | Cattaraugus | Cayuga | |
| Commercial fertilizer farms, 1997.. | 18 119 | 190 | 358 | — | 242 | 499 | 550 | |
| | 1992.. | 20 618 | 241 | 401 | — | 227 | 650 | |
| | acres on which used, 1997.. | 2 115 586 | 7 358 | 20 097 | — | 11 129 | 32 560 | |
| | 1992.. | 2 214 886 | 11 706 | 22 356 | — | 13 412 | 37 477 | |
| Cropland fertilized, except pastureland farms, 1997.. | 17 734 | 190 | 342 | — | 234 | 499 | 540 | |
| | 1992.. | 20 399 | 241 | 400 | — | 227 | 642 | |
| | acres on which used, 1997.. | 2 070 625 | 7 125 | 19 467 | — | 10 913 | 31 617 | |
| | 1992.. | 2 171 705 | 11 561 | 21 496 | — | 13 169 | 36 025 | |
| Pastureland and rangeland fertilized..... farms, 1997.. | 1 698 | 13 | 31 | — | 16 | 62 | 53 | |
| | 1992.. | 1 564 | 6 | 45 | — | 11 | 24 | |
| | acres on which used, 1997.. | 44 961 | 233 | 630 | — | 216 | 943 | |
| | 1992.. | 43 181 | 145 | 860 | — | 243 | 1 452 | |
| Sprays, dusts, granules, fumigants, etc., to control— Insects on hay and other crops farms, 1997.. | 6 588 | 25 | 66 | — | 72 | 96 | 233 | |
| | 1992.. | 6 353 | 66 | 49 | — | 64 | 223 | |
| | acres on which used, 1997.. | 597 399 | 1 369 | 4 002 | — | 2 302 | 7 563 | |
| | 1992.. | 538 929 | 3 262 | 2 894 | — | 2 023 | 4 271 | |
| Nematodes in crops farms, 1997.. | 491 | — | 2 | — | 9 | 8 | 59 | |
| | 1992.. | 627 | 1 | 1 | — | 2 | 31 | |
| | acres on which used, 1997.. | 56 927 | (D) | (D) | — | 1 125 | 1 048 | |
| | 1992.. | 66 505 | (D) | (D) | — | — | (D) | |
| Diseases in crops and orchards..... farms, 1997.. | 3 314 | 18 | 16 | — | 37 | 28 | 75 | |
| | 1992.. | 3 412 | 31 | 7 | — | 32 | 81 | |
| | acres on which used, 1997.. | 196 947 | 496 | 539 | — | 1 343 | 2 365 | |
| | 1992.. | 224 355 | 1 689 | 482 | — | 338 | 575 | |
| Weeds, grass, or brush in crops and pasture farms, 1997.. | 11 136 | 51 | 190 | — | 119 | 273 | 403 | |
| | 1992.. | 12 493 | 111 | 257 | — | 126 | 446 | |
| | acres on which used, 1997.. | 1 335 207 | 3 462 | 10 862 | — | 7 035 | 18 114 | |
| | 1992.. | 1 297 582 | 4 315 | 13 101 | — | 7 021 | 17 568 | |
| Chemicals used on crops to control growth, thin fruit, or defoliate farms, 1997.. | 1 029 | 2 | 1 | — | 2 | 14 | 14 | |
| | 1992.. | 1 336 | 4 | 9 | — | 1 | 40 | |
| | acres on which used, 1997.. | 65 797 | (D) | (D) | — | (D) | 267 | |
| | 1992.. | 82 547 | (D) | 395 | — | (D) | 229 | |

| Chemicals used | New York | | | | | | | |
|---|-----------------------------|---------|----------|---------|----------|----------|----------|----------|
| | Chautauqua | Chemung | Chenango | Clinton | Columbia | Cortland | Delaware | Dutchess |
| Commercial fertilizer farms, 1997.. | 1 028 | 131 | 420 | 294 | 297 | 244 | 257 | 240 |
| | 1992.. | 1 253 | 145 | 481 | 309 | 319 | 360 | 335 |
| | acres on which used, 1997.. | 68 797 | 9 545 | 38 318 | 38 091 | 37 068 | 23 734 | 16 691 |
| | 1992.. | 69 050 | 9 545 | 41 005 | 40 995 | 38 303 | 31 474 | 27 362 |
| Cropland fertilized, except pastureland farms, 1997.. | 1 021 | 130 | 385 | 287 | 296 | 228 | 257 | 231 |
| | 1992.. | 1 251 | 145 | 479 | 308 | 297 | 360 | 332 |
| | acres on which used, 1997.. | 66 078 | 9 330 | 35 542 | 36 347 | 35 303 | 22 881 | 15 334 |
| | 1992.. | 67 146 | 9 081 | 39 379 | 40 165 | 36 643 | 30 166 | 24 856 |
| Pastureland and rangeland fertilized..... farms, 1997.. | 118 | 4 | 88 | 48 | 21 | 34 | 30 | 16 |
| | 1992.. | 61 | 24 | 54 | 16 | 38 | 56 | 50 |
| | acres on which used, 1997.. | 2 719 | 215 | 2 776 | 1 744 | 1 765 | 853 | 1 357 |
| | 1992.. | 1 904 | 464 | 1 626 | 830 | 1 660 | 1 308 | 2 506 |
| Sprays, dusts, granules, fumigants, etc., to control— Insects on hay and other crops farms, 1997.. | 639 | 37 | 62 | 85 | 112 | 83 | 78 | 104 |
| | 1992.. | 708 | 29 | 53 | 62 | 131 | 47 | 75 |
| | acres on which used, 1997.. | 25 274 | 2 000 | 6 477 | 11 843 | 13 004 | 8 414 | 1 591 |
| | 1992.. | 22 855 | 1 166 | 3 471 | 10 768 | 13 197 | 3 697 | 3 029 |
| Nematodes in crops farms, 1997.. | 25 | 1 | 1 | 15 | 6 | 11 | — | 12 |
| | 1992.. | 92 | — | 4 | 20 | 11 | 5 | 2 |
| | acres on which used, 1997.. | 1 331 | (D) | (D) | 1 694 | 3 248 | 303 | — |
| | 1992.. | 2 673 | — | 648 | 3 413 | 2 484 | 427 | (D) |
| Diseases in crops and orchards..... farms, 1997.. | 496 | 13 | 15 | 26 | 86 | 7 | 12 | 48 |
| | 1992.. | 589 | 8 | 4 | 17 | 96 | 16 | 62 |
| | acres on which used, 1997.. | 17 914 | 595 | 105 | 4 713 | 3 744 | 496 | 92 |
| | 1992.. | 19 631 | 182 | 366 | 3 190 | 4 476 | 761 | 93 |
| Weeds, grass, or brush in crops and pasture farms, 1997.. | 652 | 103 | 249 | 161 | 162 | 158 | 132 | 137 |
| | 1992.. | 801 | 71 | 271 | 200 | 157 | 195 | 208 |
| | acres on which used, 1997.. | 31 234 | 6 924 | 17 490 | 15 131 | 21 242 | 15 492 | 7 028 |
| | 1992.. | 34 189 | 4 132 | 19 898 | 17 423 | 18 829 | 16 261 | 9 630 |
| Chemicals used on crops to control growth, thin fruit, or defoliate farms, 1997.. | 31 | — | 12 | 11 | 44 | 6 | — | 10 |
| | 1992.. | 73 | 2 | 4 | 13 | 65 | 11 | 12 |
| | acres on which used, 1997.. | 633 | — | 541 | 2 442 | 1 532 | 170 | — |
| | 1992.. | 1 122 | (D) | (D) | 2 492 | 2 940 | 106 | 159 |

Table 10. Agricultural Chemicals Used, Including Fertilizer: 1997 and 1992—Con.

[Data are based on a sample of farms. For meaning of abbreviations and symbols, see introductory text]

| Chemicals used | Erie, Essex, Franklin, Fulton, Genesee, Greene, Hamilton, Herkimer | | | | | | | |
|---|--|-------|----------|--------|---------|--------|----------|----------|
| | Erie | Essex | Franklin | Fulton | Genesee | Greene | Hamilton | Herkimer |
| Commercial fertilizer farms, 1997.. | 562 | 87 | 324 | 85 | 344 | 113 | 4 | 294 |
| 1992.. | 635 | 103 | 342 | 100 | 395 | 91 | 1 | 415 |
| acres on which used, 1997.. | 42 635 | 4 892 | 33 243 | 7 245 | 97 586 | 7 473 | 15 | 23 240 |
| 1992.. | 47 207 | 6 691 | 30 849 | 7 462 | 99 569 | 5 540 | (D) | 32 287 |
| Cropland fertilized, except pastureland farms, 1997.. | 553 | 85 | 317 | 85 | 337 | 113 | 4 | 287 |
| 1992.. | 621 | 103 | 341 | 98 | 394 | 91 | 1 | 405 |
| acres on which used, 1997.. | 41 852 | 4 586 | 32 492 | 7 175 | 96 646 | (D) | 15 | 22 504 |
| 1992.. | 46 832 | 6 631 | 29 636 | 7 362 | 99 172 | 5 435 | (D) | 31 957 |
| Pastureland and rangeland fertilized..... farms, 1997.. | 36 | 7 | 32 | 6 | 29 | 2 | — | 34 |
| 1992.. | 31 | 6 | 53 | 6 | 11 | 3 | — | 16 |
| acres on which used, 1997.. | 783 | 306 | 751 | 70 | 940 | (D) | — | 736 |
| 1992.. | 375 | 60 | 1 213 | 100 | 397 | 105 | — | 330 |
| Sprays, dusts, granules, fumigants, etc., to control— | | | | | | | | |
| Insects on hay and other crops farms, 1997.. | 223 | 30 | 51 | 16 | 167 | 18 | — | 54 |
| 1992.. | 191 | 38 | 49 | 20 | 188 | 22 | 1 | 55 |
| acres on which used, 1997.. | 12 746 | 911 | 4 818 | 808 | 44 022 | 853 | — | 4 005 |
| 1992.. | 12 419 | 1 458 | 4 976 | 868 | 36 000 | 814 | (D) | 3 180 |
| Nematodes in crops farms, 1997.. | 16 | — | 4 | — | 10 | 1 | — | 12 |
| 1992.. | 21 | 2 | 4 | 2 | 18 | 1 | — | 8 |
| acres on which used, 1997.. | 337 | — | 255 | — | 5 350 | (D) | — | 974 |
| 1992.. | 261 | (D) | 603 | (D) | 7 403 | (D) | — | 598 |
| Diseases in crops and orchards..... farms, 1997.. | 112 | 22 | 12 | 6 | 41 | 12 | — | 2 |
| 1992.. | 128 | 16 | 9 | 5 | 62 | 5 | 1 | 17 |
| acres on which used, 1997.. | 4 337 | 430 | 3 159 | 193 | 15 208 | 273 | — | (D) |
| 1992.. | 7 752 | 438 | 2 858 | 74 | 16 386 | (D) | (D) | (D) |
| Weeds, grass, or brush in crops and pasture farms, 1997.. | 311 | 40 | 103 | 59 | 219 | 39 | — | 203 |
| 1992.. | 343 | 57 | 213 | 66 | 252 | 48 | — | 226 |
| acres on which used, 1997.. | 26 911 | 2 396 | 10 962 | 4 256 | 66 711 | 2 145 | — | 14 475 |
| 1992.. | 31 497 | 2 679 | 11 766 | 3 933 | 62 301 | 3 868 | — | 15 089 |
| Chemicals used on crops to control growth, thin fruit, or defoliate farms, 1997.. | 35 | 3 | 6 | — | 14 | 2 | — | 2 |
| 1992.. | 24 | 4 | 4 | 6 | 13 | 7 | — | 5 |
| acres on which used, 1997.. | 1 433 | 255 | 1 035 | — | 876 | (D) | — | (D) |
| 1992.. | 1 160 | 367 | 861 | 569 | 827 | 223 | — | 338 |
| Chemicals used | Jefferson, Kings, Lewis, Livingston, Madison, Monroe, Montgomery, Nassau | | | | | | | |
| Commercial fertilizer farms, 1997.. | 374 | 5 | 405 | 362 | 383 | 274 | 316 | 24 |
| 1992.. | 428 | 2 | 423 | 436 | 492 | 346 | 342 | 24 |
| acres on which used, 1997.. | 46 052 | 5 | 42 069 | 95 586 | 47 914 | 59 758 | 34 795 | (D) |
| 1992.. | 50 104 | (D) | 44 000 | 93 299 | 60 188 | 62 043 | 37 877 | 246 |
| Cropland fertilized, except pastureland farms, 1997.. | 373 | 5 | 399 | 362 | 383 | 268 | 300 | 23 |
| 1992.. | 427 | 2 | 415 | 425 | 492 | 345 | 339 | 24 |
| acres on which used, 1997.. | 45 614 | 5 | 41 440 | 94 706 | 47 567 | 59 531 | 34 059 | (D) |
| 1992.. | 49 840 | (D) | 42 590 | 92 149 | 59 621 | 61 565 | 37 299 | 246 |
| Pastureland and rangeland fertilized..... farms, 1997.. | 17 | — | 33 | 6 | 7 | 17 | 28 | 1 |
| 1992.. | 10 | — | 51 | 33 | 26 | 19 | 16 | — |
| acres on which used, 1997.. | 438 | — | 629 | 880 | 347 | 227 | 736 | (D) |
| 1992.. | 264 | — | 1 410 | 1 150 | 567 | 478 | 578 | — |
| Sprays, dusts, granules, fumigants, etc., to control— | | | | | | | | |
| Insects on hay and other crops farms, 1997.. | 77 | 2 | 26 | 129 | 98 | 158 | 63 | 19 |
| 1992.. | 76 | 1 | 47 | 112 | 97 | 165 | 47 | 20 |
| acres on which used, 1997.. | 6 262 | (D) | 1 645 | 31 278 | 5 297 | 26 305 | 4 537 | 154 |
| 1992.. | 4 683 | (D) | 2 422 | 24 385 | 9 814 | 20 493 | 2 568 | 166 |
| Nematodes in crops farms, 1997.. | 6 | — | 3 | 6 | 11 | 10 | 2 | — |
| 1992.. | 4 | — | 17 | 6 | 11 | 7 | 1 | — |
| acres on which used, 1997.. | 1 371 | — | 49 | 2 218 | 1 818 | 1 058 | (D) | — |
| 1992.. | 460 | — | 1 306 | 3 882 | 1 024 | 624 | (D) | — |
| Diseases in crops and orchards..... farms, 1997.. | 6 | 1 | 2 | 45 | 20 | 107 | 11 | 10 |
| 1992.. | 14 | 1 | 24 | 33 | 42 | 78 | 18 | 12 |
| acres on which used, 1997.. | 1 048 | (D) | (D) | 2 152 | 975 | 9 599 | 692 | 109 |
| 1992.. | 448 | (D) | 322 | 7 233 | 3 056 | 8 707 | 446 | 143 |
| Weeds, grass, or brush in crops and pasture farms, 1997.. | 233 | 2 | 247 | 264 | 298 | 193 | 250 | 10 |
| 1992.. | 277 | — | 267 | 290 | 370 | 216 | 204 | 5 |
| acres on which used, 1997.. | 30 866 | (D) | 18 750 | 68 949 | 31 707 | 45 894 | 27 775 | 73 |
| 1992.. | 32 296 | — | 17 084 | 62 502 | 32 263 | 45 619 | 23 964 | (D) |
| Chemicals used on crops to control growth, thin fruit, or defoliate farms, 1997.. | — | — | 4 | 20 | 10 | 14 | 9 | — |
| 1992.. | 12 | — | 5 | 35 | 10 | 28 | 8 | 1 |
| acres on which used, 1997.. | — | — | 92 | 1 093 | 434 | 1 029 | 90 | — |
| 1992.. | 582 | — | 346 | 1 907 | 552 | 3 286 | 26 | (D) |

Table 10. Agricultural Chemicals Used, Including Fertilizer: 1997 and 1992—Con.

[Data are based on a sample of farms. For meaning of abbreviations and symbols, see introductory text]

| Chemicals used | New York | | | | | | | |
|---|----------|---------|--------|------------|----------|----------|--------------|----------|
| | New York | Niagara | Oneida | Onondaga | Ontario | Orange | Orleans | Oswego |
| Commercial fertilizer farms, 1997.. | — | 529 | 530 | 369 | 451 | 399 | 332 | 302 |
| 1992.. | — | 547 | 645 | 474 | 491 | 425 | 341 | 401 |
| acres on which used, 1997.. | — | 73 003 | 57 465 | 65 936 | 100 427 | 33 266 | 86 738 | 15 259 |
| 1992.. | — | 60 911 | 67 370 | 59 274 | 91 460 | 33 487 | 79 706 | 25 170 |
| Cropland fertilized, except pastureland farms, 1997.. | — | 522 | 525 | 363 | 446 | 387 | 325 | 281 |
| 1992.. | — | 541 | 644 | 474 | 491 | 409 | 334 | 400 |
| acres on which used, 1997.. | — | 72 473 | 56 633 | 65 692 | 99 143 | 32 688 | 86 268 | 14 311 |
| 1992.. | — | 60 676 | 66 323 | 58 671 | 91 160 | 31 784 | 79 337 | 24 525 |
| Pastureland and rangeland fertilized..... farms, 1997.. | — | 43 | 31 | 31 | 27 | 38 | 25 | 56 |
| 1992.. | — | 16 | 34 | 29 | 20 | 36 | 27 | 37 |
| acres on which used, 1997.. | — | 530 | 832 | 244 | 1 284 | 578 | 470 | 948 |
| 1992.. | — | 235 | 1 047 | 603 | 300 | 1 703 | 369 | 645 |
| Sprays, dusts, granules, fumigants, etc., to control— | | | | | | | | |
| Insects on hay and other crops farms, 1997.. | — | 238 | 101 | 186 | 205 | 194 | 202 | 81 |
| 1992.. | — | 247 | 113 | 156 | 199 | 203 | 195 | 154 |
| acres on which used, 1997.. | — | 19 654 | 7 850 | 19 587 | 32 348 | 13 717 | 26 515 | 6 738 |
| 1992.. | — | 18 949 | 10 696 | 18 260 | 25 805 | 13 990 | 22 624 | 6 654 |
| Nematodes in crops farms, 1997.. | — | 4 | 4 | 21 | 3 | 19 | 6 | 8 |
| 1992.. | — | 12 | 9 | 28 | 5 | 22 | 10 | 21 |
| acres on which used, 1997.. | — | 1 224 | 869 | 1 278 | (D) | 1 028 | 2 011 | 628 |
| 1992.. | — | 1 306 | 1 355 | 3 638 | 332 | 1 033 | 5 714 | 727 |
| Diseases in crops and orchards..... farms, 1997.. | — | 216 | 58 | 65 | 62 | 128 | 157 | 75 |
| 1992.. | — | 171 | 30 | 36 | 85 | 118 | 120 | 85 |
| acres on which used, 1997.. | — | 9 503 | 3 306 | 2 985 | 6 146 | 9 362 | 17 199 | 6 158 |
| 1992.. | — | 12 219 | 4 876 | 3 408 | 3 834 | 8 398 | 14 878 | 3 141 |
| Weeds, grass, or brush in crops and pasture farms, 1997.. | — | 355 | 362 | 253 | 394 | 261 | 205 | 133 |
| 1992.. | — | 326 | 406 | 284 | 404 | 273 | 254 | 251 |
| acres on which used, 1997.. | — | 47 356 | 30 689 | 51 967 | 77 953 | 23 099 | 70 070 | 10 438 |
| 1992.. | — | 38 906 | 38 757 | 35 665 | 71 711 | 19 537 | 62 688 | 16 886 |
| Chemicals used on crops to control growth, thin fruit, or defoliate farms, 1997.. | — | 74 | 16 | 17 | 32 | 40 | 96 | 29 |
| 1992.. | — | 39 | 39 | 11 | 36 | 50 | 54 | 33 |
| acres on which used, 1997.. | — | 3 566 | 386 | 832 | 2 298 | 3 591 | 6 847 | 3 274 |
| 1992.. | — | 5 587 | 2 601 | 1 260 | 4 415 | 2 536 | 5 378 | 765 |
| Chemicals used | New York | | | | | | | |
| | Otsego | Putnam | Queens | Rensselaer | Richmond | Rockland | St. Lawrence | Saratoga |
| Commercial fertilizer farms, 1997.. | 421 | 27 | 2 | 239 | 4 | 10 | 753 | 258 |
| 1992.. | 509 | 11 | 1 | 261 | 1 | 21 | 789 | 270 |
| acres on which used, 1997.. | 31 217 | 341 | (D) | 27 207 | 4 | 200 | 67 463 | 22 817 |
| 1992.. | 39 115 | 288 | (D) | 24 377 | (D) | 448 | 73 347 | 18 384 |
| Cropland fertilized, except pastureland farms, 1997.. | 413 | 27 | 2 | 239 | 4 | 9 | 714 | 258 |
| 1992.. | 505 | 11 | 1 | 257 | 1 | 21 | 760 | 270 |
| acres on which used, 1997.. | 29 903 | 302 | (D) | 26 668 | 4 | (D) | 63 420 | 22 652 |
| 1992.. | 38 176 | 288 | (D) | 23 355 | (D) | 448 | 70 333 | 18 180 |
| Pastureland and rangeland fertilized..... farms, 1997.. | 32 | 3 | — | 31 | — | 1 | 123 | 16 |
| 1992.. | 44 | — | — | 42 | — | — | 104 | 11 |
| acres on which used, 1997.. | 1 314 | 39 | — | 539 | — | (D) | 4 043 | 165 |
| 1992.. | 939 | — | — | 1 022 | — | — | 3 014 | 204 |
| Sprays, dusts, granules, fumigants, etc., to control— | | | | | | | | |
| Insects on hay and other crops farms, 1997.. | 58 | 6 | 2 | 102 | 3 | 5 | 110 | 89 |
| 1992.. | 52 | 6 | 2 | 82 | 2 | 15 | 53 | 79 |
| acres on which used, 1997.. | 3 619 | 71 | (D) | 5 748 | 3 | 182 | 4 509 | 5 329 |
| 1992.. | 2 855 | 181 | (D) | 4 463 | (D) | 413 | 3 317 | 4 000 |
| Nematodes in crops farms, 1997.. | 4 | — | — | 3 | — | — | 12 | 2 |
| 1992.. | 9 | 1 | — | 12 | — | — | 10 | 12 |
| acres on which used, 1997.. | (D) | — | — | 269 | — | — | 1 404 | (D) |
| 1992.. | 498 | (D) | — | 369 | — | — | 1 521 | 111 |
| Diseases in crops and orchards..... farms, 1997.. | 19 | 4 | — | 24 | 3 | 4 | 33 | 42 |
| 1992.. | 10 | 4 | — | 49 | — | 14 | 16 | 42 |
| acres on which used, 1997.. | 216 | 94 | — | 1 736 | 3 | 181 | 264 | 824 |
| 1992.. | 606 | 164 | — | 574 | — | 369 | 178 | 1 113 |
| Weeds, grass, or brush in crops and pasture farms, 1997.. | 256 | 8 | — | 143 | 3 | 5 | 347 | 104 |
| 1992.. | 303 | 9 | — | 135 | 1 | 7 | 403 | 128 |
| acres on which used, 1997.. | 15 134 | 123 | — | 13 902 | 3 | 169 | 31 626 | 12 861 |
| 1992.. | 18 500 | 293 | — | 12 635 | (D) | 270 | 30 050 | 11 719 |
| Chemicals used on crops to control growth, thin fruit, or defoliate farms, 1997.. | — | 1 | — | 10 | — | 1 | — | 22 |
| 1992.. | 18 | 1 | — | 30 | — | 1 | 5 | 23 |
| acres on which used, 1997.. | — | (D) | — | (D) | — | (D) | — | 494 |
| 1992.. | 398 | (D) | — | 647 | — | (D) | 512 | 443 |

Table 10. Agricultural Chemicals Used, Including Fertilizer: 1997 and 1992—Con.

[Data are based on a sample of farms. For meaning of abbreviations and symbols, see introductory text]

| Chemicals used | Schenectady | Schoharie | Schuyler | Seneca | Steuben | Suffolk | Sullivan | Tioga |
|---|---|-----------|----------|------------|---------|-------------|----------|--------|
| | Commercial fertilizer farms, 1997.. | 70 | 269 | 177 | 278 | 697 | 419 | 128 |
| 1992.. | 56 | 253 | 188 | 306 | 796 | 488 | 144 | 279 |
| acres on which used, 1997.. | 2 320 | 18 778 | 11 686 | 61 290 | 72 529 | 23 422 | 8 939 | 18 596 |
| 1992.. | 1 849 | 21 515 | 12 189 | 66 677 | 84 284 | 22 936 | 11 155 | 23 256 |
| Cropland fertilized, except pastureland farms, 1997.. | 70 | 259 | 170 | 270 | 689 | 418 | 123 | 263 |
| 1992.. | 56 | 244 | 188 | 305 | 796 | 488 | 144 | 278 |
| acres on which used, 1997.. | 2 143 | 18 341 | 11 604 | 60 966 | 71 426 | (D) | 8 197 | 17 703 |
| 1992.. | 1 849 | 20 765 | (D) | 66 599 | 83 008 | (D) | 10 003 | 21 864 |
| Pastureland and rangeland fertilized..... farms, 1997.. | 10 | 37 | 7 | 23 | 49 | 1 | 26 | 26 |
| 1992.. | — | 31 | 1 | 10 | 39 | 1 | 18 | 46 |
| acres on which used, 1997.. | 177 | 437 | 82 | 324 | 1 103 | (D) | 742 | 893 |
| 1992.. | — | 750 | (D) | 78 | 1 276 | (D) | 1 152 | 1 392 |
| Sprays, dusts, granules, fumigants, etc., to control— | | | | | | | | |
| Insects on hay and other crops farms, 1997.. | 29 | 86 | 72 | 102 | 235 | 299 | 51 | 64 |
| 1992.. | 18 | 28 | 73 | 64 | 175 | 398 | 26 | 40 |
| acres on which used, 1997.. | 525 | 5 203 | 3 599 | 8 437 | 20 639 | 15 336 | 1 180 | 3 496 |
| 1992.. | 385 | 2 726 | 2 884 | 11 134 | 22 735 | 17 836 | 1 333 | 2 143 |
| Nematodes in crops farms, 1997.. | 3 | 14 | 1 | 16 | 20 | 37 | 1 | 4 |
| 1992.. | — | 5 | 1 | 3 | 4 | 30 | 15 | 11 |
| acres on which used, 1997.. | 3 | 268 | (D) | 2 806 | 460 | 1 521 | (D) | 385 |
| 1992.. | — | 330 | (D) | (D) | 395 | 1 854 | 522 | 724 |
| Diseases in crops and orchards..... farms, 1997.. | 13 | 21 | 54 | 36 | 120 | 223 | 10 | 24 |
| 1992.. | 13 | 19 | 53 | 32 | 105 | 268 | 16 | 10 |
| acres on which used, 1997.. | 198 | 263 | 942 | 2 080 | 6 769 | 10 679 | 76 | 522 |
| 1992.. | 310 | 654 | 1 529 | 994 | 10 096 | 11 309 | 406 | 150 |
| Weeds, grass, or brush in crops and pasture farms, 1997.. | 24 | 154 | 90 | 253 | 435 | 244 | 50 | 162 |
| 1992.. | 24 | 139 | 119 | 231 | 471 | 244 | 72 | 148 |
| acres on which used, 1997.. | 506 | 7 537 | 9 154 | 54 671 | 44 929 | 13 859 | 2 157 | 9 557 |
| 1992.. | 760 | 11 015 | 7 656 | 42 145 | 60 523 | 13 298 | 3 014 | 10 949 |
| Chemicals used on crops to control growth, thin fruit, or defoliate farms, 1997.. | 1 | 12 | — | — | 22 | 64 | 8 | 2 |
| 1992.. | 9 | 8 | 2 | 22 | 42 | 64 | 4 | 3 |
| acres on which used, 1997.. | (D) | (D) | — | — | 3 082 | 2 657 | 100 | (D) |
| 1992.. | 51 | 286 | (D) | 1 366 | 4 079 | 3 661 | 13 | (D) |
| Chemicals used | Tompkins | Ulster | Warren | Washington | Wayne | Westchester | Wyoming | Yates |
| Commercial fertilizer farms, 1997.. | 239 | 189 | 35 | 443 | 624 | 47 | 418 | 489 |
| 1992.. | 278 | 205 | 20 | 473 | 660 | 39 | 573 | 495 |
| acres on which used, 1997.. | 39 463 | 15 449 | 1 076 | 57 323 | 88 028 | 1 300 | 79 520 | 43 973 |
| 1992.. | 31 426 | 20 018 | 247 | 67 322 | 81 821 | 1 067 | 87 307 | 41 384 |
| Cropland fertilized, except pastureland farms, 1997.. | 233 | 189 | 33 | 440 | 610 | 46 | 399 | 473 |
| 1992.. | 278 | 204 | 19 | 461 | 660 | 38 | 559 | 495 |
| acres on which used, 1997.. | 38 744 | 14 859 | 820 | 54 664 | 87 683 | (D) | 77 935 | 42 591 |
| 1992.. | 30 347 | 19 332 | (D) | 64 211 | 81 281 | (D) | 86 737 | 40 931 |
| Pastureland and rangeland fertilized..... farms, 1997.. | 22 | 19 | 4 | 97 | 26 | 2 | 54 | 49 |
| 1992.. | 51 | 13 | 2 | 84 | 20 | 1 | 51 | 36 |
| acres on which used, 1997.. | 719 | 590 | 256 | 2 659 | 345 | (D) | 1 585 | 1 382 |
| 1992.. | 1 079 | 686 | (D) | 3 111 | 540 | (D) | 570 | 453 |
| Sprays, dusts, granules, fumigants, etc., to control— | | | | | | | | |
| Insects on hay and other crops farms, 1997.. | 85 | 141 | 5 | 141 | 370 | 26 | 186 | 291 |
| 1992.. | 90 | 113 | 6 | 114 | 380 | 28 | 154 | 196 |
| acres on which used, 1997.. | 8 044 | 12 614 | 7 | 15 149 | 37 571 | 510 | 32 390 | 14 247 |
| 1992.. | 8 732 | 12 577 | (D) | 12 098 | 34 405 | 713 | 22 697 | 10 890 |
| Nematodes in crops farms, 1997.. | 6 | 24 | — | 8 | 5 | 1 | 27 | 8 |
| 1992.. | 15 | 7 | — | 23 | 33 | — | 14 | 12 |
| acres on which used, 1997.. | 1 081 | 444 | — | 1 815 | (D) | (D) | 2 929 | 1 607 |
| 1992.. | 1 489 | 2 041 | — | 1 400 | 1 104 | — | 1 999 | 515 |
| Diseases in crops and orchards..... farms, 1997.. | 38 | 90 | 2 | 34 | 297 | 16 | 29 | 131 |
| 1992.. | 41 | 100 | 4 | 44 | 261 | 11 | 34 | 173 |
| acres on which used, 1997.. | 303 | 5 317 | (D) | 1 372 | 24 142 | 364 | 4 514 | 5 847 |
| 1992.. | 3 115 | 9 354 | 6 | 1 843 | 27 023 | 423 | 5 409 | 5 878 |
| Weeds, grass, or brush in crops and pasture farms, 1997.. | 199 | 97 | 8 | 255 | 416 | 18 | 296 | 345 |
| 1992.. | 170 | 104 | 7 | 279 | 420 | 8 | 434 | 332 |
| acres on which used, 1997.. | 26 757 | 7 240 | (D) | 29 475 | 65 010 | 400 | 49 446 | 25 355 |
| 1992.. | 18 632 | 13 576 | 178 | 29 928 | 55 441 | 288 | 53 292 | 25 750 |
| Chemicals used on crops to control growth, thin fruit, or defoliate farms, 1997.. | 6 | 29 | — | 11 | 223 | 4 | 16 | 27 |
| 1992.. | 10 | 54 | 1 | 42 | 213 | 3 | 14 | 56 |
| acres on which used, 1997.. | (D) | 3 378 | — | 639 | 15 675 | 75 | 1 937 | 785 |
| 1992.. | 274 | 6 498 | (D) | 852 | 14 385 | (D) | 2 684 | 1 223 |