

# FLORIDA AGRICULTURAL STATISTICS

## Citrus Maturity and Yield Tests

FLORIDA DEPARTMENT OF AGRICULTURE  
AND CONSUMER SERVICES  
DOYLE CONNER, COMMISSIONER  
TALLAHASSEE, FLORIDA

Florida Crop and Livestock  
Reporting Service  
Richard P. Small, Chief

Division of Marketing  
John D. Stiles, Director

Cooperating with  
U. S. Department of Agriculture  
Statistical Reporting Service

### ACKNOWLEDGMENT

The Citrus Maturity Testing Program historic series contained in this publication was prepared by the Crop and Livestock Reporting Service from tests made at the Maturity Test Laboratory, located at the Orange County Agricultural Center.

To the many growers, who allow picking of fruit samples from their groves, the Orange County Commissioners, who maintain our test facilities, and citrus organizations who voluntarily cooperate in this program, we offer our sincere thanks.

The report was assembled under the direction of James W. Todd and Harry M. Whittaker of the Florida Crop and Livestock Reporting Service.

# CONTENTS

	Page
Introduction . . . . .	1
History of Citrus Maturity Testing Program . . . . .	1
Sampling . . . . .	2
Testing . . . . .	2
Comparisons with State Test . . . . .	3
Forecasts of Yield of FCOJ . . . . .	3
The 1976-77 Season . . . . .	3
The 1977-78 Season . . . . .	4
The 1978-79 Season . . . . .	4
The 1979-80 Season . . . . .	4
The 1980-81 Season . . . . .	4
The 1981-82 Season . . . . .	5
The 1982-83 Season . . . . .	5
The 1983-84 Season . . . . .	5
The 1984-85 Season . . . . .	5
 Unadjusted Averages	
Early Oranges . . . . .	6-7
Midseason Oranges . . . . .	8-9
Late Oranges . . . . .	10-13
 Unadjusted Matched Averages from Identical Sample Trees, Within Season	
Early Oranges . . . . .	14-16
Midseason Oranges . . . . .	17-19
Late Oranges . . . . .	20-22
 Unadjusted Matched Averages from Identical Sample Trees, Yearly Comparisons	
Early Oranges . . . . .	23-24
Midseason Oranges . . . . .	25-26
Late Oranges . . . . .	27-28
 Unadjusted Averages	
White Seedless Grapefruit . . . . .	29-30
Pink Seedless Grapefruit . . . . .	31-32

This public document was promulgated at a cost of \$1.08 per copy to the State of Florida. It is published to inform citrus growers and others of trends in Florida citrus production. M85T5

## CITRUS MATURITY TESTING PROGRAM

### INTRODUCTION

Since the processing industry began to utilize the bulk of the orange crop in Florida, the concept of production estimates and forecasts only in terms of boxes of a given weight has become obsolete. To be more meaningful, forecasts and estimates of production need to be expressed in terms of total pounds of solids as well as in terms of boxes. This interest has been expressed to the Florida Crop and Livestock Reporting Service by both processors and growers.

### HISTORY

In the late 1950's the Service began to collect fruit samples of oranges monthly to determine if maturity and yield factors could be projected in advance of harvest. For several years fieldmen picked a single fruit from each grove they entered to make monthly counts and size measurements in their regular drop and growth surveys. These fruit were combined into a single sample for each type of orange--early, midseason and late--and juice was extracted with the aid of an electrically operated reamer. The necessary weights and test results were accumulated. Within a few seasons, it was determined that declines in acid, increases in soluble solids and solids-to-acid ratios and, later in the season, decreases in juice and gains in pounds solids followed predictable patterns. It appeared from these data that changes in these elements could be predicted over time if sufficient observations were available to provide a valid statistical base. None of the results of these tests were published. The yields of pounds-solids shown in these tests appear to be correlated with changes in yield levels of fruit received at the processing plants.

In early 1963, following the disastrous freeze of December 1962, the industry was very concerned over the level of pounds-solids yield that would be obtained from Valencia oranges which had been damaged severely. In response to requests from the Citrus Crop Estimates Advisory Committee and others in the citrus industry, the Florida Crop and Livestock Reporting Service conducted a series of tests using fruit from randomly selected sample groves. Three successive tests were made at two week intervals. These tests indicated rather accurately the abnormally low levels of juice and pounds of solids in Valencias that spring.

This pilot project provided experience for developing regular survey procedures which would yield statistically reliable results. Sufficient funds and manpower were available to finance the work and a regular program of monthly surveys began on October 1, 1963. The sample size selected in these first surveys provided for 50 groves each for early, midseason and late oranges. Reports were issued individually on early and midseason oranges on the first of each month from October through January in the 1963-64 season, and from October 1 through February 1 in the 1964-65 and 1965-66 seasons. Valencia orange test results were reported on October 1 through April 1 in the 1963-64 season, and through May 1 in the 1964-65 season. In the 1965-66 season, Valencias were tested at the first of each month from October through February and, beginning in February, a midmonth report was added, continuing through April of that season. In the 1966-67 season, testing began September 1 and midmonth tests were added to the previous monthly programs.

In 1967, following a statistical evaluation of the preceding four years' results, the Service responded to industry requests for area data from the maturity and yield tests, and expanded sample sizes. In that year, the number of early orange groves was increased to 73, midseasons to 55, and Valencias to 100. September 1 continued as the first test date and the schedule of midmonth tests was retained.

In the 1964-65 season, seedless grapefruit tests were added to the program with a separate series for white and pink varieties. A series for seedy grapefruit was added in the 1965-66 season and retained through the 1983 season, but has been discontinued because of steadily declining production.

### SAMPLING

Starting the first of October, and monthly thereafter, the Florida Crop and Livestock Reporting Service collects fruit samples. Each sample consists of 15 oranges or 5 grapefruit. The samples are picked from preselected groves and predetermined sample trees. The number of sample groves are: early orange, 80; midseason orange, 60; late (Valencia) orange, 110; white seedless, 62; and pink or red seedless, 52.

Sample groves and trees remain relatively constant from year to year in order to assure greatest continuity of data. Each sample is picked from a randomly selected cluster of five trees, a central (pivot) tree and four adjacent trees. Sample fruit are selected from the pivot tree's side nearest the road of travel and from the sides of the other four sample trees nearest the pivot tree. This procedure insures that fruit from all exposures are included in the samples.

### TESTING

Early and midseason oranges are now tested on the first of each month beginning October 1 and continuing through February 1. They are also tested December 15. Late oranges are tested on the first of each month beginning October 1 and ending June 1. They are also tested April 15. Grapefruit tests are run the first of each month from October through December.

All maturity tests are conducted at a testing facility located at the Orange County Agricultural Center at 2350 E. Michigan Avenue in Orlando. The testing laboratory was built with funds and labor donated by Florida Citrus Mutual, the Florida Citrus Processors Association, the Florida Citrus Packers and the Orange County Commissioners.

All samples are run through an FMC 091 test extractor using mechanical pressure only. This machine utilizes a .040 short strainer and standard 5/8 inch orifice tube. The beam setting is 1/6 inch and no restrictors are used. Only the 3 inch cup is used for oranges, and only the 5 inch cup for grapefruit. The extractor and specifications correspond to those used for official State tests when the program began. State tests are now run on the FMC 091 B utilizing air pressure.

## COMPARISONS WITH RESULTS OF FRUIT INSPECTIONS

These Maturity Test Results are not directly comparable with the results of tests being taken by the Division of Fruit and Vegetable Inspection for each load of fruit delivered for processing. The Maturity Tests are from a sample of all fruit remaining on trees at the time of sampling, whereas the DFVI tests are of fruit currently being delivered. Secondly, the Maturity Test Results are based on an extraction procedure which has not varied or changed over the entire history of the tests, and the resulting measures of acids, solids and juice are unadjusted, whereas the DFVI tests are made primarily to establish a basis for payment of fruit, in accord with industry regulations. Thus, the Maturity Test Results are stated for unfinished juice, and the DFVI tests are made, then adjusted to calculate finished juice based on current factoring.

The finished quality of juice entered on DFVI inspection certificates will always be less than the amount of unfinished juice that was extracted by the inspector. This will also be less than the amount of unfinished juice reported in Maturity Test Results for the corresponding date.

## FORECASTS OF YIELD OF FCOJ

Yield forecasts are based on historic relationships, adjusted to reflect the effects of changing regulations on allowable extraction rates and current Brix standards. The forecast is made and measured against the history of actual final yields reported by the Florida Citrus Processors Association. Variables used in the forecasts include Maturity Test Results, and the forecasts properly take into account the actual cumulative yield to date as reported by the Florida Citrus Processors Association.

Starting in the 1965-66 season the standard for Florida orange juice was increased to 45.0° Brix, from the previous standard of 42.0°. This standard was changed to 43.4° with the 1980-81 season, then to 42.0° Brix, the U.S. standard, in 1981-82 and subsequently.

## THE 1976-77 SEASON

The October FCOJ all orange forecast for the 1976-77 season was 1.29 gallons per box. December and January forecasts continued at 1.29 gallons. The February projection, at 1.17 gallons per box, was lowered as a result of the January 18-21 freeze. The prolonged freezing temperatures on these nights occurred in all major citrus areas and were the most severe since December 1962. The effects of the freeze in lowering juice and solids yields were greater than indicated by the February forecast, and this situation persisted in subsequent forecasts which were lowered each month thereafter, necessitating reduction in FCOJ yield to 1.12 in March, then 1.08 in April, and finally, to a season average 1.06945 gallons per box. For early and midseason oranges the yield changed from the January forecast of 1.24 gallons to a season final of 1.07914 while Valencias dropped from 1.36 gallons to 1.05032 gallons.

## THE 1977-78 SEASON

The first FCOJ yield projection for the 1977-78 season was 1.28 gallons per box for all oranges. The 1.28 projection was maintained through January. There were some light and scattered freezing temperatures the middle of January that caused some juice loss. A freeze survey conducted at the end of January showed there was some dryness from fruit icing which caused continued reductions in expected juice yield. The February all orange yield projection was lowered to 1.25 with another lowering to 1.24 the first of April. The early and midseason final yield was 1.20407, the late final yield, 1.26487, and the all orange yield was 1.23123 gallons.

## THE 1978-79 SEASON

The October 1, 1978 all orange FCOJ yield was projected at 1.29 gallons per box. The 1.29 yield projection was held through January. Very good growing conditions and absence of severe cold resulted in an increase to 1.32 gallons on February 1 and to 1.33 on March 1. The mild spring weather along with adequate moisture helped the all orange yield reach a final average of 1.34058. The early and midseason yield was 1.30909, the highest since the 1967-68 season when the yield was 1.32174. The late orange final for this season was 1.37985 gallons.

The usable juice factor for early and mids started at 86, then moved to 89 for the balance of the season. Valencias started with an 89 factor and progressed to a record high factor of 93 for a two week trial period, after which it was lowered to 92 until the end of the season.

This year's bloom was one of the most uniform in recent history with almost no late bloom, which resulted in the high yield and excellent quality.

## THE 1979-80 SEASON

The October all orange projection of FCOJ yield for the 1979-80 season was 1.30 gallons per box, 45.0° Brix equivalent. The projection was lowered to 1.28 gallons in December based on low juice weight per box, then reversed again to 1.32 gallons in January because of excellent conditions and much improved maturity survey averages. The projection was increased to 1.33 gallons in February and continued in March. As a result of the early March freeze the April projection was lowered to 1.31. The final all orange yield was 1.33497 gallons. The early and midseason final yield was 1.30205 and the final value for late oranges was 1.37834.

## THE 1980-81 SEASON (THE FIRST SEASON AT 43.4° BRIX)

The all orange FCOJ yield projection on October 1 was 1.37 gallons of 43.4° Brix equivalent and was continued through January. On the mornings of January 13 and 14, the northern one-half of the citrus belt saw the most severe

freeze since 1962. Temperatures were in the high teens and low 20's for long durations in most citrus producing counties except the lower East Coast which escaped with little damage. The all orange FCOJ projection for February 1 was lowered to 1.19 gallons per box. This level was continued until May 1 when the yield was raised to 1.20 gallons. The final early and mid orange yield was 1.21081 with the late yield at 1.20688 gallons. The final all orange FCOJ yield was 1.20935.

#### THE 1981-82 SEASON (THE FIRST SEASON RETURNING TO 42.0° BRIX)

The first FCOJ yield projection for the 1981-82 season on October 1 was 1.42 gallons at 42.0° Brix. This projection was carried until January 1 when the yield was lowered to 1.41 due to slightly lower yield tests. This was the second consecutive year with a severe January freeze. On the morning of January 12, temperatures dropped into the teens in most citrus growing areas, causing considerable damage to both trees and fruit. The February 1 all orange FCOJ projection was lowered to 1.28 gallons per box. The yield was raised to 1.29 gallons per box March 1 but lowered again to 1.28 gallons April 1 with the final yield for all oranges at 1.27730. The final early and mid yield was 1.31576 and the late orange yield was 1.21496 gallons.

#### THE 1982-83 SEASON (42.0° BRIX)

The October 1 all orange FCOJ yield projection was 1.37 gallons per box of 42.0° Brix concentrate. The January 1 yield projection was raised to 1.42 gallons per box. Near perfect growing conditions and excellent soil moisture prevailed throughout the winter which helped the all orange yield finally attain its level of 1.48358 gallons, the highest in many years. The early and midseason orange yield was 1.42625 and the late orange yield was 1.55933 gallons per box.

#### THE 1983-84 SEASON

The all orange October projection for FCOJ was 1.43 gallons of 42.0° Brix. This yield was continued through December but was lowered in January to 1.23 due to the December 25-26 freeze. The February projection was 1.21. The March yield was increased to 1.25 gallons per box. By May forecast time, the all orange yield projection was 1.28 with the final of 1.28931 gallons per box. The early and midseason final was 1.23692 and Valencias were 1.39011 gallons per box.

#### THE 1984-85 SEASON

The first all orange FCOJ yield projection for the 1984-85 season in October was 1.46 gallons of 42.0° Brix. This projection was continued until the February forecast when the yield expectations were lowered to 1.33 due to the January 21-23 freeze which, like the December 1983 freeze, was most severe in the upper portions of the citrus belt. The March 1 all orange yield was raised to 1.36 and was maintained until June when it was increased to 1.38 gallons per box. The final all orange FCOJ was 1.37582 gallons. The final early and midseason yield was 1.39083 and the Valencia final was 1.35988 gallons.

EARLY ORANGES

Maturity and yield test results  
 unadjusted averages for regular bloom fruit  
 from sample groves  
 1976-77 through 1984-85

Crop year	Sample groves	Acid	Soluble solids	Ratio	Juice per box	Solids per box
		Percent	Pounds			
October 1						
1976-77	80	1.22	9.48	7.97	47.82	4.53
1977-78	80	1.34	9.45	7.19	46.26	4.37
1978-79	80	1.42	9.81	7.01	45.54	4.47
1979-80	80	1.34	9.27	6.97	46.42	4.30
1980-81	80	1.34	9.67	7.38	47.95	4.63
1981-82	80	1.32	9.53	7.44	48.75	4.65
1982-83	78	1.04	9.15	9.07	49.38	4.53
1983-84	79	1.46	8.89	6.16	47.46	4.22
1984-85	80	1.16	9.60	8.49	49.14	4.72
November 1						
1976-77	80	1.02	10.75	10.80	49.85	5.35
1977-78	77	1.14	10.45	9.35	49.16	5.13
1978-79	80	1.06	10.56	10.14	49.19	5.19
1979-80	79	1.02	10.45	10.38	50.53	5.28
1980-81	79	1.13	10.40	9.45	50.57	5.26
1981-82	80	1.06	10.34	9.89	50.56	5.23
1982-83	77	0.86	9.79	11.57	50.97	5.00
1983-84	79	1.03	9.89	9.72	51.29	5.07
1984-85	79	0.88	10.43	12.17	50.88	5.31
December 1						
1976-77	75	0.94	11.58	12.53	49.73	5.76
1977-78	70	0.95	11.36	12.22	50.15	5.69
1978-79	74	0.96	11.82	12.49	50.74	5.99
1979-80	73	0.90	11.19	12.61	50.21	5.62
1980-81	73	0.97	11.34	11.90	50.91	5.77
1981-82	78	0.98	11.20	11.64	51.45	5.76
1982-83	70	0.77	11.88	14.41	50.13	5.47
1983-84	79	0.98	10.65	11.06	51.67	5.50
1984-85	72	0.84	10.95	13.25	51.32	5.62

Continued

EARLY ORANGES

Maturity and yield test results  
 unadjusted averages for regular bloom fruit  
 from sample groves  
 1976-77 through 1984-85 (continued)

Crop year	Sample groves	Acid	Soluble solids	Ratio	Juice per box	Solids per box
		Percent			Pounds	
December 15						
1976-77	64	0.93	11.77	12.83	49.21	5.79
1977-78	59	0.94	11.65	12.59	49.37	5.75
1978-79	64	0.91	12.06	13.43	50.99	6.14
1979-80	61	0.90	11.73	13.13	50.79	5.96
1980-81	64	0.99	11.86	12.21	50.96	6.04
1981-82	72	0.98	11.56	12.02	51.30	5.93
1982-83	56	0.72	11.24	15.96	50.70	5.71
1983-84	74	0.95	11.19	11.97	51.53	5.76
1984-85			No test			
January 1						
1976-77	53	0.89	12.10	13.80	49.86	6.04
1977-78	52	0.88	11.96	13.83	48.93	5.86
1978-79	54	0.88	12.25	14.08	49.64	6.08
1979-80	53	0.87	12.20	14.21	49.64	6.06
1980-81	52	0.99	12.11	12.45	49.51	6.00
1981-82	57	0.95	11.76	12.61	49.70	5.85
1982-83	39	0.76	11.50	15.45	50.59	5.85
1983-84	62	0.82	11.13	13.89	45.41	5.06
1984-85	51	0.83	11.90	14.64	50.64	6.03
February 1						
1976-77	25	0.78	12.83	16.95	42.52	5.48
1977-78	23	0.89	12.51	14.56	47.89	6.01
1978-79	26	0.89	13.57	15.49	48.44	6.57
1979-80	34	0.83	13.15	15.88	49.11	6.46
1980-81	23	0.75	12.28	16.96	41.23	5.07
1981-82	19	0.81	12.79	16.47	46.41	5.96
1982-83	1/					
1983-84	1/					
1984-85	18	0.73	12.43	17.33	45.41	5.69

1/ Too few samples to publish.

MIDSEASON ORANGES

Maturity and yield test results  
 unadjusted averages for regular bloom fruit  
 from sample groves  
 1976-77 through 1984-85

Crop year	Sample groves	Acid	Soluble solids	Ratio	Juice per box	Solids per box
Number		Percent			Pounds	
October 1						
1976-77	60	1.40	9.26	6.92	49.43	4.57
1977-78	60	1.56	9.20	6.09	47.71	4.39
1978-79	60	1.58	9.36	6.03	46.40	4.34
1979-80	60	1.53	9.01	5.98	47.51	4.28
1980-81	60	1.54	9.43	6.22	49.68	4.69
1981-82	60	1.44	9.31	6.63	50.51	4.70
1982-83	60	1.19	9.18	8.03	51.71	4.75
1983-84	60	1.61	8.76	5.53	49.13	4.31
1984-85	60	1.30	9.21	7.27	50.79	4.68
November 1						
1976-77	59	1.18	10.53	9.26	51.98	5.47
1977-78	60	1.21	10.20	8.60	51.68	5.27
1978-79	60	1.19	10.25	8.80	50.86	5.21
1979-80	60	1.17	10.12	8.76	52.21	5.28
1980-81	59	1.27	10.39	8.40	52.21	5.42
1981-82	60	1.20	10.36	8.77	51.74	5.35
1982-83	60	1.01	10.04	10.32	53.15	5.34
1983-84	60	1.13	9.89	8.97	53.36	5.28
1984-85	60	1.00	10.19	10.59	53.11	5.41
December 1						
1976-77	59	1.07	11.40	11.09	51.17	5.82
1977-78	60	1.05	11.18	10.95	51.91	5.81
1978-79	59	1.05	11.48	11.21	52.32	6.00
1979-80	60	0.99	11.00	11.24	51.54	5.67
1980-81	59	1.10	11.44	10.72	50.27	5.74
1981-82	59	1.08	11.33	10.75	53.64	6.07
1982-83	59	0.91	11.14	12.76	53.16	5.93
1983-84	59	1.02	10.91	10.92	53.70	5.86
1984-85	60	0.96	10.93	11.71	52.87	5.78

Continued

MIDSEASON ORANGES

Maturity and yield test results  
 unadjusted averages for regular bloom fruit  
 from sample groves  
 1976-77 through 1984-85 (continued)

---

Crop year	Sample groves	Acid	Soluble solids	Ratio	Juice per box	Solids per box
-----------	---------------	------	----------------	-------	---------------	----------------

---

Number

Percent

Pounds

December 15

1976-77	57	1.01	11.53	11.86	51.09	5.88
1977-78	56	1.04	11.60	11.41	51.93	6.02
1978-79	53	0.99	11.81	12.11	52.29	6.17
1979-80	59	1.02	11.54	11.42	52.68	6.08
1980-81	56	1.13	11.84	10.63	52.26	6.19
1981-82	57	1.08	11.76	11.01	52.71	6.20
1982-83	54	0.82	11.54	14.58	52.87	6.11
1983-84	57	1.05	11.39	11.08	53.47	6.09
1984-85			No test			

January 1

1976-77	54	0.99	11.86	12.37	51.41	6.10
1977-78	52	1.00	11.88	12.12	51.99	6.18
1978-79	52	0.98	12.06	12.45	51.36	6.19
1979-80	54	0.93	12.10	13.21	51.83	6.27
1980-81	52	1.12	12.15	11.07	50.93	6.19
1981-82	52	1.01	11.79	11.88	51.83	6.11
1982-83	42	0.89	12.03	13.95	52.94	6.39
1983-84	55	0.89	11.31	13.14	48.75	5.52
1984-85	53	0.89	11.70	13.47	51.82	6.06

February 1

1976-77	35	0.92	12.65	14.19	45.97	5.82
1977-78	34	0.95	12.25	13.03	51.26	6.29
1978-79	30	1.00	13.09	13.33	51.31	6.71
1979-80	37	0.93	13.02	14.10	51.16	6.67
1980-81	32	0.89	12.51	14.64	43.94	5.51
1981-82	31	0.86	12.52	14.84	48.66	6.13
1982-83	12	0.82	12.32	15.59	50.24	6.23
1983-84			No test			
1984-85	16	0.79	12.18	15.89	47.70	5.82

---

LATE ORANGES

Maturity and yield test results  
 unadjusted averages for regular bloom fruit  
 from samples groves  
 1976-77 through 1984-85

Crop year	Sample groves	Acid	Soluble solids	Ratio	Juice per box	Solids per box
Number	Percent				Pounds	
October 1						
1976-77	110	2.65	8.62	3.29	45.18	3.90
1977-78	110	2.80	8.67	3.13	44.73	3.88
1978-79	110	2.84	8.89	3.16	42.51	3.77
1979-80	110	2.68	8.53	3.21	43.43	3.70
1980-81	110	2.77	9.01	3.28	46.80	4.22
1981-82	110	2.56	8.63	3.41	47.37	4.09
1982-83	110	2.22	8.42	3.86	48.68	4.10
1983-84	110	2.79	8.38	3.03	44.53	3.73
1984-85	110	2.37	8.76	3.75	47.75	4.19
November 1						
1976-77	110	2.11	9.39	4.50	49.11	4.61
1977-78	110	2.21	9.36	4.29	48.83	4.57
1978-79	110	2.28	9.68	4.29	48.06	4.65
1979-80	110	2.13	9.12	4.34	49.53	4.51
1980-81	110	2.37	9.66	4.11	50.20	4.85
1981-82	110	2.10	9.20	4.44	50.15	4.62
1982-83	110	1.85	8.74	4.91	51.58	4.62
1983-84	110	2.03	8.84	4.39	49.88	4.41
1984-85	110	1.86	9.33	5.09	52.14	4.86
December 1						
1976-77	110	1.76	10.34	5.93	51.79	5.36
1977-78	110	1.84	10.16	5.59	51.12	5.19
1978-79	110	1.89	10.47	5.62	50.65	5.30
1979-80	110	1.83	9.94	5.47	51.36	5.11
1980-81	110	1.87	10.29	5.57	52.08	5.36
1981-82	110	1.79	9.97	5.67	54.00	5.39
1982-83	110	1.48	9.90	6.84	54.23	5.38
1983-84	110	1.76	9.71	5.58	51.63	5.02
1984-85	110	1.63	9.90	6.15	53.40	5.29

Continued

LATE ORANGES

Maturity and yield test results  
 unadjusted averages for regular bloom fruit  
 from sample groves  
 1976-77 through 1984-85 (continued)

-----  
 Crop : Sample : : Soluble : : Juice : : Solids  
 year : groves : : Acid : : solids : : Ratio : : per box : : per box  
 -----

Number Percent Pounds

January 1

1976-77	110	1.54	10.94	7.20	53.19	5.82
1977-78	110	1.58	10.71	6.85	52.77	5.65
1978-79	110	1.61	11.09	7.00	51.71	5.73
1979-80	110	1.57	10.81	6.97	53.51	5.79
1980-81	110	1.76	10.94	6.35	53.33	5.83
1981-82	110	1.63	10.53	6.54	53.57	5.65
1982-83	110	1.35	10.75	8.09	55.54	5.98
1983-84	110	1.46	10.38	7.22	50.31	5.23
1984-85	110	1.45	10.57	7.40	54.13	5.72

February 1

1976-77	110	1.36	11.47	8.54	49.81	5.72
1977-78	109	1.42	11.30	8.13	53.03	5.99
1978-79	109	1.44	11.96	8.44	52.62	6.28
1979-80	108	1.42	11.72	8.33	53.71	6.29
1980-81	110	1.57	11.40	7.39	50.81	5.80
1981-82	110	1.38	10.97	8.07	51.70	5.69
1982-83	109	1.20	11.25	9.51	54.98	6.19
1983-84	91	1.19	10.86	9.24	45.82	5.01
1984-85	108	1.29	11.04	8.67	52.03	5.76

March 1

1976-77	106	1.27	12.04	9.64	46.38	5.58
1977-78	108	1.35	11.82	8.89	52.52	6.21
1978-79	109	1.31	12.48	9.64	52.08	6.50
1979-80	108	1.31	12.34	9.47	53.71	6.63
1980-81	107	1.38	11.91	8.78	47.22	5.63
1981-82	102	1.18	11.28	9.67	49.32	5.59
1982-83	108	1.15	11.93	10.57	54.00	6.46
1983-84	59	1.17	11.79	10.18	50.79	6.00
1984-85	78	1.16	11.84	10.40	51.72	6.14

-----  
 Continued

LATE ORANGES

Maturity and yield test results  
 unadjusted averages for regular bloom fruit  
 from sample groves  
 1976-77 through 1984-85 (continued)

Crop year	Sample groves	Acid	Soluble solids	Ratio	Juice per box	Solids per box
Number	Percent				Pounds	
April 1						
1976-77	88	1.12	12.34	11.17	45.93	5.67
1977-78	104	1.16	12.34	10.78	51.76	6.39
1978-79	105	1.19	13.08	11.19	53.02	6.93
1979-80	105	1.11	12.85	11.67	52.15	6.70
1980-81	82	1.21	12.07	10.19	47.26	5.71
1981-82	76	1.03	11.33	11.16	50.28	5.71
1982-83	98	1.05	12.21	11.74	53.92	6.60
1983-84	48	1.03	12.14	11.93	52.17	6.35
1984-85	49	1.03	12.27	12.17	51.84	6.37
April 15						
1976-77	67	1.03	12.75	12.55	45.76	5.82
1977-78	100	1.11	12.58	11.57	52.56	6.61
1978-79	94	1.11	13.21	12.11	53.81	7.11
1979-80	90	1.07	12.85	12.21	52.58	6.76
1980-81	65	1.11	12.26	11.16	48.03	5.89
1981-82	68	0.99	11.54	11.84	50.16	5.82
1982-83	91	0.96	12.34	13.01	53.95	6.67
1983-84	42	0.99	12.46	12.70	52.57	6.57
1984-85			No test			
May 1						
1976-77	49	1.00	13.19	13.31	46.78	6.17
1977-78	77	1.03	12.89	12.68	52.96	6.83
1978-79	65	1.06	13.57	13.04	52.67	7.15
1979-80	54	1.00	13.10	13.29	53.33	6.99
1980-81	43	1.05	12.45	11.99	49.75	6.18
1981-82	51	0.89	11.43	13.02	49.21	5.65
1982-83	66	0.95	12.38	13.15	53.79	6.67
1983-84	30	0.95	12.82	13.61	51.61	6.64
1984-85	30	0.86	12.05	14.25	51.68	6.23

Continued

LATE ORANGES

Maturity and yield test results  
 unadjusted averages for regular bloom fruit  
 from sample groves  
 1976-77 through 1984-85 (continued)

Crop year	Sample groves	Acid	Soluble solids	Ratio	Juice per box	Solids per box
Number	Percent	Pounds				
June 1						
1976-77	28	0.92	13.95	15.37	45.74	6.39
1977-78	45	0.91	13.67	15.22	53.60	7.33
1978-79	30	0.90	13.60	15.33	52.89	7.19
1979-80	28	0.92	13.22	14.50	53.66	7.10
1980-81	15	0.92	12.78	14.18	51.94	6.61
1981-82	9	0.82	11.74	14.47	47.44	5.55
1982-83	15	0.87	13.15	15.31	52.02	6.84
1983-84				No test		
1984-85				No test		

EARLY ORANGES

Maturity and yield test results  
 unadjusted matched averages for regular bloom fruit  
 from identical sample trees  
 1976-77 through 1984-85

---

Season and date	: :	Acid	: :	Soluble solids	: :	Ratio	: :	Juice per box	: :	Solids per box
-----------------	--------	------	--------	----------------	--------	-------	--------	---------------	--------	----------------

---

Number	Percent	Pounds
--------	---------	--------

1976-77 (53 groves)

Sep	1	1.78	9.26	5.29	43.67	4.04
Oct	1	1.27	9.55	7.69	47.83	4.56
Nov	1	1.06	10.85	10.38	49.66	5.38
Dec	1	0.97	11.65	12.13	49.74	5.80
Dec	15	0.95	11.85	12.65	49.34	5.85
Jan	1	0.89	12.10	13.80	49.86	6.04

1977-78 (52 groves)

Sep	1	2.08	9.63	4.68	40.91	3.93
Oct	1	1.37	9.45	7.04	45.95	4.34
Nov	1	1.18	10.50	9.07	48.80	5.12
Dec	1	0.97	11.36	11.89	49.87	5.67
Dec	15	0.94	11.62	12.50	49.35	5.73
Jan	1	0.88	11.96	13.83	48.93	5.86

1978-79 (54 groves)

Sep	1	1.95	9.25	4.78	41.59	3.85
Oct	1	1.47	9.82	6.78	45.61	4.47
Nov	1	1.09	10.57	9.86	49.33	5.21
Dec	1	0.97	11.84	12.29	50.73	6.00
Dec	15	0.91	12.15	13.45	50.93	6.18
Jan	1	0.88	12.25	14.08	49.64	6.08

---

Continued

## EARLY ORANGES

Maturity and yield test results  
 unadjusted matched averages for regular bloom fruit  
 from identical sample trees  
 1976-77 through 1984-85 (continued)

Season and date		Acid	Soluble solids	Ratio	Juice per box	Solids per box
Number	Percent	Pounds				
1979-80 (53 groves)						
Sep	1	2.03	9.52	4.72	40.99	3.90
Oct	1	1.37	9.29	6.82	46.22	4.29
Nov	1	1.05	10.45	10.14	50.61	5.29
Dec	1	0.92	11.25	12.35	50.38	5.67
Dec	15	0.90	11.72	13.14	50.86	5.96
Jan	1	0.87	12.20	14.21	49.64	6.06
1980-81 (52 groves)						
Sep	1	2.16	9.65	4.50	39.60	3.82
Oct	1	1.36	9.72	7.26	48.06	4.67
Nov	1	1.16	10.49	9.27	51.14	5.36
Dec	1	0.99	11.40	11.73	51.43	5.86
Dec	15	1.01	11.89	11.97	50.74	6.03
Jan	1	0.99	12.11	12.45	49.51	6.00
1981-82 (57 groves)						
Sep	1	1.94	9.39	4.91	42.81	4.01
Oct	1	1.36	9.57	7.21	48.57	4.65
Nov	1	1.09	10.36	9.65	50.80	5.26
Dec	1	1.01	11.27	11.38	51.34	5.78
Dec	15	1.00	11.66	11.86	51.39	6.00
Jan	1	0.95	11.76	12.61	49.70	5.85

Continued

EARLY ORANGES

Maturity and yield test results  
 unadjusted matched averages for regular bloom fruit  
 from identical sample trees  
 1976-77 through 1984-85 (continued)

---

Season and date	:	:	Soluble solids	:	Ratio	:	Juice per box	:	Solids per box
-----------------	---	---	----------------	---	-------	---	---------------	---	----------------

---

Number	Percent	Pounds
--------	---------	--------

1982-83 (39 groves)

Oct	1	1.06	9.11	8.84	49.62	4.53
Nov	1	0.87	9.78	11.48	51.28	5.02
Dec	1	0.78	10.80	14.13	50.39	5.45
Dec	15	0.70	11.13	16.12	50.01	5.58
Jan	1	0.76	11.50	15.45	50.59	5.85

1983-84 (62 groves)

Oct	1	1.47	8.84	6.09	47.73	4.22
Nov	1	1.03	9.81	9.59	51.38	5.03
Dec	1	0.98	10.58	10.94	51.84	5.48
Dec	15	0.94	11.15	11.97	51.59	5.75
Jan	1	0.82	11.13	13.89	45.41	5.06

1984-85 (51 groves)

Oct	1	1.20	9.74	8.31	48.70	4.74
Nov	1	0.90	10.63	12.12	51.18	5.44
Dec	1	0.84	11.13	13.40	51.31	5.71
Dec	15			No test		
Jan	1	0.83	11.90	14.64	50.64	6.03

---

MIDSEASON ORANGES

Maturity and yield test results  
 unadjusted matched averages for regular bloom fruit  
 from identical sample trees  
 1976-77 through 1984-85

-----  
 Season and : : Soluble : : Juice : : Solids  
 date : : Acid : : solids : : Ratio : : per box : : per box  
 -----

		Number	Percent			Pounds	
1976-77 (35 groves)							
Sep	1		2.11	9.01	4.36	44.66	4.01
Oct	1		1.52	9.36	6.36	49.60	4.63
Nov	1		1.25	10.68	8.74	51.81	5.53
Dec	1		1.17	11.59	10.20	51.45	5.95
Dec	15		1.09	11.73	11.09	51.14	6.00
Jan	1		1.05	12.01	11.65	51.55	6.19
Feb	1		0.92	12.65	14.19	45.97	5.82
1977-78 (34 groves)							
Sep	1		2.33	9.33	4.07	42.32	3.95
Oct	1		1.66	9.26	5.73	47.89	4.44
Nov	1		1.29	10.33	8.14	52.08	5.38
Dec	1		1.13	11.24	10.19	52.30	5.88
Dec	15		1.10	11.67	10.80	52.64	6.14
Jan	1		1.04	11.96	11.78	52.62	6.29
Feb	1		0.95	12.25	13.03	51.26	6.29
1978-79 (30 groves)							
Sep	1		2.19	8.92	4.13	42.55	3.79
Oct	1		1.63	9.34	5.83	47.40	4.43
Nov	1		1.25	10.20	8.32	51.55	5.26
Dec	1		1.12	11.48	10.43	53.27	6.11
Dec	15		1.01	11.68	11.81	53.23	6.22
Jan	1		1.01	12.06	12.15	52.10	6.28
Feb	1		1.00	13.09	13.33	51.31	6.71

-----  
 (Continued)

MIDSEASON ORANGES

Maturity and yield test results  
 unadjusted matched averages for regular bloom fruit  
 from identical sample trees  
 1976-77 through 1984-85 (continued)

---

Season and	:	:	Soluble	:	:	Juice	:	Solids
date	:	Acid	solids	:	Ratio	per box	:	per box

---

Number	Percent				Pounds
--------	---------	--	--	--	--------

1979-80 (37 groves)

Sep	1	2.23	9.29	4.20	40.63	3.77
Oct	1	1.57	9.08	5.86	47.49	4.31
Nov	1	1.20	10.15	8.55	52.09	5.29
Dec	1	1.02	10.96	10.89	51.34	5.63
Dec	15	1.04	11.53	11.19	53.20	6.14
Jan	1	0.95	12.09	12.90	52.35	6.33
Feb	1	0.93	13.02	14.10	51.16	6.67

1980-81 (32 groves)

Sep	1	2.34	9.38	4.05	41.91	3.93
Oct	1	1.58	9.41	6.01	49.49	4.65
Nov	1	1.33	10.38	8.06	52.21	5.42
Dec	1	1.15	11.45	10.22	50.29	5.75
Dec	15	1.17	11.84	10.25	51.88	6.14
Jan	1	1.14	12.10	10.83	50.86	6.15
Feb	1	0.89	12.51	14.64	43.94	5.51

1981-82 (31 groves)

Sep	1	2.14	9.28	4.40	45.52	4.22
Oct	1	1.52	9.44	6.33	50.72	4.78
Nov	1	1.25	10.51	8.57	52.09	5.46
Dec	1	1.10	11.48	10.64	53.79	6.16
Dec	15	1.10	11.92	10.98	53.13	6.33
Jan	1	1.04	11.88	11.65	52.16	6.20
Feb	1	0.86	12.52	14.84	48.66	6.13

---

(Continued)

MIDSEASON ORANGES

Maturity and yield test results  
 unadjusted matched averages for regular bloom fruit  
 from identical sample trees  
 1976-77 through 1984-85 (continued)

---

Season and date	Acid	Soluble solids	Ratio	Juice per box	Solids per box
-----------------	------	----------------	-------	---------------	----------------

---

Number	Percent	Pounds			
--------	---------	--------	--	--	--

1982-83 (12 groves)

Oct	1	1.18	9.21	8.27	52.77	4.87
Nov	1	1.02	10.00	10.27	52.80	5.29
Dec	1	0.90	11.10	13.00	53.35	5.93
Dec	15	0.80	11.32	14.78	52.67	5.98
Jan	1	0.89	12.00	13.90	52.31	6.29
Feb	1	0.82	12.32	15.59	50.24	6.23

1983-84 (55 groves)

Oct	1	1.62	8.77	5.50	49.23	4.32
Nov	1	1.14	9.90	8.91	53.50	5.29
Dec	1	1.03	10.90	10.84	54.02	5.89
Dec	15	1.05	11.39	11.03	53.49	6.09
Jan	1	0.89	11.31	13.14	48.75	5.52

1984-85 (53 groves)

Oct	1	1.30	9.21	7.25	50.88	4.69
Nov	1	1.01	10.22	10.48	53.23	5.44
Dec	1	0.97	11.00	11.65	53.14	5.85
Dec	15			No test		
Jan	1	0.89	11.70	13.47	51.82	6.06

---

Corrected Page: Issued December 31, 1985.

LATE ORANGES

Maturity and yield test results  
 unadjusted matched averages for regular bloom fruit  
 from identical sample trees  
 1976-77 through 1984-85

---

Season and date	Acid	Soluble solids	Ratio	Juice per box	Solids per box
-----------------	------	----------------	-------	---------------	----------------

---

Number		Percent			Pounds	
1976-77 (49 groves)						
Oct	1	2.72	8.74	3.26	44.93	3.92
Nov	1	2.16	9.50	4.45	48.93	4.64
Dec	1	1.83	10.46	5.78	51.53	5.39
Jan	1	1.58	11.04	7.07	53.37	5.89
Feb	1	1.39	11.57	8.41	50.22	5.82
Mar	1	1.30	12.25	9.51	46.49	5.69
Apr	1	1.15	12.57	11.06	46.46	5.84
Apr	15	1.05	12.89	12.36	46.13	5.94
May	1	1.00	13.19	13.31	46.78	6.17

1977-78 (77 groves)						
Oct	1	2.87	8.73	3.07	44.94	3.93
Nov	1	2.25	9.38	4.22	48.90	4.58
Dec	1	1.89	10.16	5.46	51.33	5.22
Jan	1	1.61	10.71	6.72	52.96	5.67
Feb	1	1.44	11.57	7.98	53.22	6.01
Mar	1	1.37	11.85	8.76	52.81	6.26
Apr	1	1.19	12.37	10.58	52.07	6.45
Apr	15	1.12	12.56	11.40	53.08	6.67
May	1	1.03	12.89	12.68	52.96	6.83

1978-79 (65 groves)						
Oct	1	2.90	8.98	3.11	42.13	3.78
Nov	1	2.31	9.78	4.27	47.98	4.69
Dec	1	1.95	10.61	5.51	50.51	5.35
Jan	1	1.65	11.19	6.85	51.61	5.77
Feb	1	1.48	12.04	8.24	52.62	6.32
Mar	1	1.32	12.51	9.60	51.85	6.48
Apr	1	1.21	13.16	11.05	53.04	6.98
Apr	15	1.14	13.33	11.86	53.58	7.14
May	1	1.06	13.57	13.04	52.67	7.15

---

(Continued)

LATE ORANGES

Maturity and yield test results  
 unadjusted matched averages for regular bloom fruit  
 from identical sample trees  
 1976-77 through 1984-85 (continued)

-----  
 Season and : : Soluble : : Juice : : Solids  
 date : Acid : solids : Ratio : per box : per box  
 -----

		Number	Percent			Pounds	
1979-80 (54 groves)							
Oct	1		2.73	8.59	3.18	42.84	3.68
Nov	1		2.18	9.21	4.28	49.26	4.54
Dec	1		1.84	9.96	5.44	50.87	5.06
Jan	1		1.59	10.83	6.88	53.32	5.77
Feb	1		1.43	11.76	8.26	53.52	6.29
Mar	1		1.33	12.38	9.44	53.89	6.67
Apr	1		1.12	12.88	11.64	52.54	6.77
Apr	15		1.07	12.88	12.21	52.98	6.83
May	1		1.00	13.10	13.29	53.33	6.99
1980-81 (43 groves)							
Oct	1		2.78	8.93	3.24	46.53	4.16
Nov	1		2.41	9.72	4.06	50.14	4.88
Dec	1		1.93	10.41	5.47	51.81	5.39
Jan	1		1.82	11.04	6.18	53.11	5.86
Feb	1		1.65	11.61	7.12	52.54	6.10
Mar	1		1.44	12.12	8.52	49.49	6.00
Apr	1		1.24	12.24	10.06	49.31	6.04
Apr	15		1.13	12.33	11.09	49.15	6.06
May	1		1.05	12.45	11.99	49.75	6.18
1981-82 (51 groves)							
Oct	1		2.63	8.72	3.35	47.52	4.14
Nov	1		2.16	9.33	4.36	50.75	4.73
Dec	1		1.86	10.11	5.51	54.53	5.51
Jan	1		1.71	10.70	6.31	53.90	5.77
Feb	1		1.45	11.14	7.80	52.92	5.90
Mar	1		1.25	11.39	9.23	51.02	5.83
Apr	1		1.04	11.42	11.03	51.10	5.84
Apr	15		1.00	11.57	11.78	50.63	5.89
May	1		0.89	11.43	13.02	49.21	5.65

-----  
 (Continued)

LATE ORANGES

Maturity and yield test results  
 unadjusted matched averages for regular bloom fruit  
 from identical sample trees  
 1976-77 through 1984-85 (continued)

Season and date		Acid	Soluble solids	Ratio	Juice per box	Solids per box
Number	Percent	Pounds				
1982-83 (66 groves)						
Oct	1	2.25	8.40	3.78	48.45	4.07
Nov	1	1.87	8.89	4.83	51.59	4.60
Dec	1	1.50	9.83	6.64	54.42	5.35
Jan	1	1.39	10.76	7.85	55.50	5.98
Feb	1	1.21	11.20	9.35	54.88	6.16
Mar	1	1.15	11.84	10.43	54.03	6.42
Apr	1	1.06	12.12	11.57	53.74	6.53
Apr	15	0.97	12.36	12.83	53.96	6.68
May	1	0.95	12.38	13.15	53.79	6.67
1983-84 (30 groves)						
Oct	1	2.83	8.45	3.01	44.56	3.77
Nov	1	2.08	8.87	4.31	50.07	4.45
Dec	1	1.79	9.81	5.55	52.08	5.11
Jan	1	1.55	10.60	6.89	54.05	5.73
Feb	1	1.30	11.33	8.77	52.73	5.97
Mar	1	1.21	12.02	9.98	52.41	6.31
Apr	1	1.06	12.26	11.72	52.27	6.42
Apr	15	1.01	12.59	12.59	52.22	6.59
May	1	0.95	12.82	13.61	51.61	6.64
1984-85 (30 groves)						
Oct	1	2.41	8.85	3.71	47.68	4.22
Nov	1	1.90	9.47	5.05	51.58	4.88
Dec	1	1.72	10.07	5.96	53.34	5.37
Jan	1	1.49	10.78	7.30	53.81	5.80
Feb	1	1.37	11.30	8.37	54.45	6.15
Mar	1	1.19	12.01	10.15	54.04	6.50
Apr	1	1.04	12.25	12.03	52.03	6.38
Apr	15			No test		
May	1	0.86	12.05	14.25	51.68	6.23

EARLY ORANGES

Maturity and yield test results  
 unadjusted matched averages for regular bloom fruit  
 from identical sample trees  
 1976-77 through 1984-85

-----  
 Date : 1976-77:1977-78:1978-79:1979-80:1980-81:1981-82:1982-83:1983-84:1984-85  
 -----

Percent acid

Sep 1	1.78	2.08	1.95	2.03	2.16	1.94	1/	1/	1/
Oct 1	1.27	1.37	1.47	1.37	1.36	1.36	1.06	1.47	1.20
Nov 1	1.06	1.18	1.09	1.05	1.16	1.09	0.87	1.03	0.90
Dec 1	0.97	0.97	0.97	0.92	0.99	1.01	0.78	0.98	0.84
Dec 15	0.95	0.94	0.91	0.90	1.01	1.00	0.70	0.94	2/
Jan 1	0.89	0.88	0.88	0.87	0.99	0.95	0.76	0.82	0.83

Percent soluble solids

Sep 1	9.26	9.63	9.25	9.52	9.65	9.39	1/	1/	1/
Oct 1	9.55	9.45	9.82	9.29	9.72	9.57	9.11	8.84	9.74
Nov 1	10.85	10.50	10.57	10.45	10.49	10.36	9.78	9.81	10.63
Dec 1	11.65	11.36	11.84	11.25	11.40	11.27	10.80	10.58	11.13
Dec 15	11.85	11.62	12.15	11.72	11.89	11.66	11.13	11.15	2/
Jan 1	12.10	11.96	12.25	12.20	12.11	11.76	11.50	11.13	11.90

Ratio

Sep 1	5.29	4.68	4.78	4.72	4.50	4.91	1/	1/	1/
Oct 1	7.69	7.04	6.78	6.82	7.26	7.21	8.84	6.09	8.31
Nov 1	10.38	9.07	9.86	10.14	9.27	9.65	11.48	9.59	12.12
Dec 1	12.13	11.89	12.29	12.35	11.73	11.38	14.13	10.94	13.40
Dec 15	12.65	12.50	13.45	13.14	11.97	11.86	16.12	11.97	2/
Jan 1	13.80	13.83	14.08	14.21	12.45	12.61	15.45	13.89	14.64

-----  
 1/ September test discontinued after 1981-82.  
 2/ No test.

EARLY ORANGES

Maturity and yield test results  
 unadjusted matched averages for regular bloom fruit  
 from identical sample trees  
 1976-77 through 1984-85

-----  
 Date : 1976-77:1977-78:1978-79:1979-80:1980-81:1981-82:1982-83:1983-84:1984-85  
 -----

Pounds juice per box

Sep 1	43.67	40.91	44.59	40.99	39.60	42.81	1/	1/	1/
Oct 1	47.83	45.95	45.61	46.22	48.06	48.57	49.62	47.73	48.70
Nov 1	49.66	48.80	49.33	50.61	51.14	50.80	51.28	51.38	51.18
Dec 1	49.74	49.87	50.73	50.38	51.43	51.34	50.39	51.84	51.31
Dec 15	49.34	49.35	50.93	50.86	50.74	51.39	50.01	51.59	2/
Jan 1	49.86	48.93	49.64	49.64	49.51	49.70	50.59	45.41	50.64

Pounds solids per box

Sep 1	4.04	3.93	3.85	3.90	3.82	4.01	1/	1/	1/
Oct 1	4.56	4.34	4.47	4.29	4.67	4.65	4.53	4.22	4.74
Nov 1	5.38	5.12	5.21	5.29	5.36	5.26	5.02	5.03	5.44
Dec 1	5.80	5.67	6.00	5.67	5.86	5.78	5.45	5.48	5.71
Dec 15	5.85	5.73	6.18	5.96	6.03	6.00	5.58	5.75	2/
Jan 1	6.04	5.86	6.08	6.06	6.00	5.85	5.85	5.06	6.03

-----  
 1/ September test discontinued after 1981-82.

2/ No test.

MIDSEASON ORANGES

Maturity and yield test results  
 unadjusted matched averages for regular bloom fruit  
 from identical sample trees  
 1976-77 through 1984-85

-----  
 Date : 1976-77:1977-78:1978-79:1979-80:1980-81:1981-82:1982-83:1983-84:1984-85  
 -----

Percent acid

Sep 1	2.11	2.33	2.19	2.23	2.34	2.14	1/	1/	1/
Oct 1	1.52	1.66	1.63	1.57	1.58	1.52	1.18	1.62	1.30
Nov 1	1.25	1.29	1.25	1.20	1.33	1.25	1.02	1.14	1.01
Dec 1	1.17	1.13	1.12	1.02	1.15	1.10	0.90	1.03	0.97
Dec 15	1.09	1.10	1.01	1.04	1.17	1.10	0.80	1.05	2/
Jan 1	1.05	1.04	1.01	0.95	1.14	1.04	0.89	0.89	0.89
Feb 1	0.92	0.95	1.00	0.93	0.89	0.86	0.82	2/	2/

Percent soluble solids

Sep 1	9.01	9.33	8.92	9.29	9.38	9.28	1/	1/	1/
Oct 1	9.36	9.26	9.34	9.08	9.41	9.44	9.21	8.77	9.21
Nov 1	10.68	10.33	10.20	10.15	10.38	10.51	10.00	9.90	10.22
Dec 1	11.59	11.24	11.48	10.96	11.45	11.48	11.10	10.90	11.00
Dec 15	11.73	11.67	11.68	11.53	11.84	11.92	11.32	11.39	2/
Jan 1	12.01	11.96	12.06	12.09	12.10	11.88	12.00	11.31	11.70
Feb 1	12.65	12.25	13.09	13.02	12.51	12.52	12.32	2/	2/

Ratio

Sep 1	4.36	4.07	4.13	4.20	4.05	4.40	1/	1/	1/
Oct 1	6.36	5.73	5.83	5.86	6.01	6.33	8.27	5.50	7.25
Nov 1	8.74	8.14	8.32	8.55	8.06	8.57	10.27	8.91	10.48
Dec 1	10.20	10.19	10.43	10.89	10.22	10.64	13.00	10.84	11.65
Dec 15	11.09	10.80	11.81	11.19	10.25	10.98	14.78	11.03	2/
Jan 1	11.65	11.78	12.15	12.90	10.83	11.65	13.90	13.14	13.47
Feb 1	14.19	13.03	13.33	14.10	14.64	14.84	15.59	2/	2/

-----  
 1/ September test discontinued after 1981-82.

2/ No test.

MIDSEASON ORANGES

Maturity and yield test results  
 unadjusted matched averages for regular bloom fruit  
 from identical sample trees  
 1976-77 through 1984-85

-----  
 Date : 1976-77:1977-78:1978-79:1979-80:1980-81:1981-82:1982-83:1983-84:1984-85  
 -----

Pounds juice per box

Sep 1	44.66	42.32	42.55	40.63	41.91	45.52	1/	1/	1/
Oct 1	49.60	47.89	47.40	47.49	49.49	50.72	52.77	49.23	48.70
Nov 1	51.81	52.08	51.55	52.09	52.21	52.09	52.80	53.50	51.18
Dec 1	51.45	52.30	53.27	51.34	50.29	53.79	53.35	54.02	51.31
Dec 15	51.14	52.64	53.23	53.20	51.88	53.13	52.67	53.49	2/
Jan 1	51.55	52.62	52.10	52.35	50.86	52.16	52.31	48.75	50.64
Feb 1	45.97	51.26	51.31	51.16	43.94	48.66	50.24	2/	2/

Pounds solids per box

Sep 1	4.01	3.95	3.79	3.77	3.93	4.22	1/	1/	1/
Oct 1	4.63	4.44	4.43	4.31	4.65	4.78	4.87	4.32	4.69
Nov 1	5.53	5.38	5.26	5.29	5.42	5.46	5.29	5.29	5.44
Dec 1	5.95	5.88	6.11	5.63	5.75	6.16	5.93	5.89	5.85
Dec 15	6.00	6.14	6.22	6.14	6.14	6.33	5.98	6.09	2/
Jan 1	6.19	6.29	6.28	6.33	6.15	6.20	6.29	5.52	6.06
Feb 1	5.82	6.29	6.71	6.67	5.51	6.13	6.23	2/	2/

-----  
 1/ September test discontinued after 1981-82.

2/ No test.

LATE ORANGES

Maturity and yield test results  
 unadjusted matched averages for regular bloom fruit  
 from identical sample trees  
 1976-77 through 1984-85

-----  
 Date : 1976-77:1977-78:1978-79:1979-80:1980-81:1981-82:1982-83:1983-84:1984-85  
 -----

Percent acid

Oct	1	2.72	2.87	2.90	2.73	2.78	2.63	2.25	2.83	2.41
Nov	1	2.16	2.25	2.31	2.18	2.41	2.16	1.87	2.08	1.90
Dec	1	1.83	1.89	1.95	1.84	1.93	1.86	1.50	1.79	1.72
Jan	1	1.58	1.61	1.65	1.59	1.82	1.71	1.39	1.55	1.49
Feb	1	1.39	1.44	1.48	1.43	1.65	1.45	1.21	1.30	1.37
Mar	1	1.30	1.37	1.32	1.33	1.44	1.25	1.15	1.21	1.19
Apr	1	1.15	1.19	1.21	1.12	1.24	1.04	1.06	1.06	1.04
Apr	15	1.05	1.12	1.14	1.07	1.13	1.00	0.97	1.01	1/
May	1	1.00	1.03	1.06	1.00	1.05	0.89	0.95	0.95	0.86

Percent soluble solids

Oct	1	8.74	8.73	8.98	8.59	8.93	8.72	8.40	8.45	8.85
Nov	1	9.50	9.38	9.78	9.21	9.72	9.33	8.89	8.87	9.47
Dec	1	10.46	10.16	10.61	9.96	10.41	10.11	9.83	9.81	10.07
Jan	1	11.04	10.71	11.19	10.83	11.04	10.70	10.76	10.60	10.78
Feb	1	11.57	11.57	12.04	11.76	11.61	11.14	11.20	11.33	11.30
Mar	1	12.25	11.85	12.51	12.38	12.12	11.39	11.84	12.02	12.01
Apr	1	12.57	12.37	13.16	12.88	12.24	11.42	12.12	12.26	12.25
Apr	15	12.89	12.56	13.33	12.88	12.33	11.57	12.36	12.59	1/
May	1	13.19	12.89	13.57	13.10	12.45	11.43	12.38	12.82	12.05

Ratio

Oct	1	3.26	3.07	3.11	3.18	3.24	3.35	3.78	3.01	3.71
Nov	1	4.45	4.22	4.27	4.28	4.06	4.36	4.83	4.31	5.05
Dec	1	5.78	5.46	5.51	5.44	5.47	5.51	6.64	5.55	5.96
Jan	1	7.07	6.72	6.85	6.88	6.18	6.31	7.85	6.89	7.30
Feb	1	8.41	7.98	8.24	8.26	7.12	7.80	9.35	8.77	8.37
Mar	1	9.51	8.76	9.60	9.44	8.52	9.23	10.43	9.98	10.15
Apr	1	11.06	10.58	11.05	11.64	10.06	11.03	11.57	11.72	12.03
Apr	15	12.36	11.40	11.86	12.21	11.09	11.78	12.83	12.59	1/
May	1	13.31	12.68	13.04	13.29	11.99	13.02	13.15	13.61	14.25

-----  
 1/ No test.

LATE ORANGES

Maturity and yield test results  
 unadjusted matched averages for regular bloom fruit  
 from identical sample trees  
 1976-77 through 1984-85

-----  
 Date : 1976-77:1977-78:1978-79:1979-80:1980-81:1981-82:1982-83:1983-84:1984-85  
 -----

Pounds juice per box

Oct	1	44.93	44.94	42.13	42.84	46.53	47.52	48.45	44.56	47.68
Nov	1	48.93	48.90	47.98	49.26	50.14	50.75	51.59	50.07	51.58
Dec	1	51.53	51.33	50.51	50.87	51.81	54.53	54.42	52.08	53.34
Jan	1	53.37	52.96	51.61	53.32	53.11	53.90	55.50	54.05	53.81
Feb	1	50.22	53.22	52.62	53.52	52.54	52.92	54.88	52.73	54.45
Mar	1	46.49	52.81	51.85	53.89	49.49	51.02	54.03	52.41	54.04
Apr	1	46.46	52.07	53.04	52.54	49.31	51.10	53.74	52.27	52.03
Apr	15	46.13	53.08	53.58	52.98	49.15	50.63	53.96	52.22	1/
May	1	46.78	52.96	52.67	53.33	49.75	49.21	53.79	51.61	51.68

Pounds solids per box

Oct	1	3.92	3.93	3.78	3.68	4.16	4.14	4.07	3.77	4.22
Nov	1	4.64	4.58	4.69	4.54	4.88	4.73	4.60	4.45	4.88
Dec	1	5.39	5.22	5.35	5.06	5.39	5.51	5.35	5.11	5.37
Jan	1	5.89	5.67	5.77	5.77	5.86	5.77	5.98	5.73	5.80
Feb	1	5.82	6.01	6.32	6.29	6.10	5.90	6.16	5.97	6.15
Mar	1	5.69	6.26	6.48	6.77	6.00	5.83	6.42	6.31	6.50
Apr	1	5.84	6.45	6.98	6.77	6.04	5.84	6.53	6.42	6.38
Apr	15	5.94	6.67	7.14	6.83	6.06	5.89	6.68	6.59	1/
May	1	6.17	6.83	7.15	6.99	6.18	5.65	6.67	6.64	6.23

-----  
 1/ No test.

WHITE SEEDLESS GRAPEFRUIT

Maturity and yield test results  
 unadjusted averages for regular bloom fruit  
 from sample groves  
 1976-77 through 1984-85

Crop year	Sample groves	Acid	Soluble solids	Ratio	Juice per box	Solids per box
-----						
	Number	Percent			Pounds	
October 1						
1976-77	61	1.53	9.26	6.08	34.11	3.15
1977-78	62	1.52	9.37	6.21	33.79	3.17
1978-79	62	1.62	9.54	5.94	32.43	3.09
1979-80	62	1.51	9.41	6.27	32.89	3.09
1980-81	62	1.55	9.99	6.49	34.04	3.39
1981-82	62	1.48	9.73	6.62	41.67	4.05
1982-83	62	1.29	9.09	7.10	39.04	3.55
1983-84	62	1.59	9.36	5.92	34.64	3.24
1984-85	61	1.51	9.80	6.53	37.97	3.71
November 1						
1976-77	60	1.45	9.65	6.71	37.65	3.64
1977-78	54	1.52	9.76	6.45	37.79	3.69
1978-79	60	1.53	9.92	6.56	36.88	3.65
1979-80	59	1.37	9.46	6.97	38.26	3.61
1980-81	59	1.44	10.29	7.20	42.02	4.32
1981-82	62	1.41	10.09	7.19	45.24	4.56
1982-83	59	1.22	9.11	7.49	38.66	3.52
1983-84	62	1.37	9.46	6.96	42.31	4.00
1984-85	55	1.37	9.88	7.26	42.68	4.21
December 1						
1976-77	58	1.40	9.68	6.94	39.57	3.83
1977-78	51	1.41	9.79	7.03	39.86	3.90
1978-79	53	1.39	10.05	7.30	39.12	3.92
1979-80	54	1.32	9.76	7.47	41.55	4.05
1980-81	53	1.40	10.53	7.59	39.92	4.20
1981-82	59	1.40	10.08	7.27	46.40	4.67
1982-83	51	1.11	9.20	8.30	44.05	4.06
1983-84	59	1.37	9.78	7.18	42.71	4.18
1984-85	54	1.37	9.99	7.33	44.53	4.45

WHITE SEEDLESS GRAPEFRUIT

Maturity and yield test results  
 unadjusted matched averages for regular bloom fruit  
 from identical sample trees  
 1976-77 through 1984-85

-----  
 Date : 1976-77:1977-78:1978-79:1979-80:1980-81:1981-82:1982-83:1983-84:1984-85  
 -----

Percent acid

Sep	1	1.78	1.82	1.78	1.84	1.84	1.71	1/	1/	1/
Oct	1	1.54	1.54	1.63	1.52	1.57	1.48	1.30	1.60	1.53
Nov	1	1.45	1.53	1.54	1.38	1.45	1.41	1.23	1.37	1.36
Dec	1	1.40	1.41	1.39	1.32	1.40	1.40	1.11	1.37	1.37

Percent soluble solids

Sep	1	9.47	9.72	9.15	9.74	10.22	9.96	1/	1/	1/
Oct	1	9.29	9.46	9.57	9.46	10.08	9.77	9.18	9.36	9.86
Nov	1	9.70	9.75	9.97	9.50	10.35	10.14	9.21	9.47	9.86
Dec	1	9.68	9.79	10.05	9.76	10.53	10.08	9.20	9.78	9.99

Ratio

Sep	1	5.33	5.38	5.16	5.29	5.57	5.85	1/	1/	1/
Oct	1	6.04	6.17	5.91	6.24	6.44	6.64	7.09	5.89	6.48
Nov	1	6.70	6.43	6.54	6.94	7.20	7.22	7.52	6.94	7.27
Dec	1	6.94	7.03	7.30	7.47	7.59	7.27	8.30	7.18	7.33

Pounds juice per box

Sep	1	29.26	28.91	27.40	26.98	31.78	36.58	1/	1/	1/
Oct	1	33.98	33.59	32.36	32.73	34.17	41.66	39.00	34.58	38.07
Nov	1	37.71	37.79	36.82	38.12	41.96	45.37	38.49	42.31	42.75
Dec	1	39.57	39.86	39.12	41.55	39.92	46.40	44.05	42.71	44.53

Pounds solids per box

Sep	1	2.77	2.81	2.50	2.62	3.24	3.63	1/	1/	1/
Oct	1	3.15	3.18	3.09	3.09	3.43	4.07	3.58	3.24	3.74
Nov	1	3.66	3.68	3.66	3.61	4.34	4.59	3.54	4.00	4.21
Dec	1	3.83	3.90	3.92	4.05	4.20	4.67	4.06	4.18	4.45

-----  
 1/ September tests discontinued after 1981-82.

PINK SEEDLESS GRAPEFRUIT

Maturity and yield test results  
unadjusted averages for regular bloom fruit  
from sample groves  
1976-77 through 1984-85

Crop year	Sample groves	Acid	Soluble solids	Ratio	Juice per box	Solids per box
Number	Percent				Pounds	
October 1						
1976-77	52	1.53	9.52	6.27	33.73	3.21
1977-78	52	1.57	9.68	6.24	32.98	3.19
1978-79	52	1.63	9.69	5.99	32.18	3.12
1979-80	52	1.50	9.45	6.33	32.69	3.09
1980-81	51	1.59	10.15	6.43	34.30	3.48
1981-82	50	1.53	9.92	6.54	41.24	4.09
1982-83	51	1.26	9.18	7.30	40.33	3.71
1983-84	52	1.63	9.65	5.95	37.18	3.58
1984-85	51	1.51	10.02	6.65	37.79	3.79
November 1						
1976-77	49	1.45	9.98	6.94	37.47	3.74
1977-78	49	1.51	10.15	6.84	37.17	3.76
1978-79	49	1.49	10.12	6.86	36.87	3.72
1979-80	49	1.40	9.72	7.01	38.17	3.70
1980-81	45	1.44	10.40	7.30	42.80	4.45
1981-82	49	1.50	10.29	6.93	44.52	4.57
1982-83	45	1.19	9.31	7.86	40.11	3.73
1983-84	49	1.40	9.91	7.12	42.25	4.18
1984-85	49	1.39	10.16	7.32	42.79	4.34
December 1						
1976-77	46	1.39	10.06	7.37	39.25	3.95
1977-78	44	1.46	10.47	7.30	39.42	4.12
1978-79	45	1.34	10.15	7.63	38.95	3.95
1979-80	44	1.34	9.93	7.46	40.82	4.05
1980-81	37	1.41	10.73	7.70	40.03	4.29
1981-82	47	1.41	10.50	7.52	47.62	5.01
1982-83	34	1.06	9.53	9.01	45.56	4.44
1983-84	43	1.37	10.27	7.52	43.63	4.48
1984-85	42	1.38	10.35	7.56	44.18	4.58

PINK SEEDLESS GRAPEFRUIT

Maturity and yield test results  
 unadjusted matched averages for regular bloom fruit  
 from identical sample trees  
 1976-77 through 1984-85

-----  
 Date : 1976-77: 1977-78: 1978-79: 1979-80: 1980-81: 1981-82: 1982-83: 1983-84: 1984-85  
 -----

Percent acid

Sep	1	1.80	1.91	1.80	1.88	1.90	1.76	1/	1/	1/
Oct	1	1.37	1.59	1.64	1.52	1.62	1.53	1.28	1.64	1.54
Nov	1	1.46	1.52	1.49	1.41	1.44	1.51	1.21	1.41	1.41
Dec	1	1.39	1.46	1.34	1.34	1.41	1.41	1.06	1.37	1.38

Percent soluble solids

Sep	1	9.69	10.11	9.33	9.84	10.33	10.09	1/	1/	1/
Oct	1	9.55	9.78	9.73	9.53	10.23	9.93	9.31	9.70	10.13
Nov	1	9.99	10.18	10.14	9.76	10.46	10.30	9.37	9.93	10.23
Dec	1	10.06	10.47	10.15	9.93	10.73	10.50	9.53	10.27	10.35

Ratio

Sep	1	5.41	5.37	5.22	5.24	5.45	5.75	1/	1/	1/
Oct	1	6.24	6.24	5.97	6.29	6.35	6.53	7.30	5.94	6.61
Nov	1	6.94	6.82	6.85	6.96	7.31	6.90	7.79	7.11	7.28
Dec	1	7.37	7.30	7.63	7.46	7.70	7.52	9.01	7.52	7.56

Pounds juice per box

Sep	1	28.32	27.59	27.91	26.94	31.31	36.01	1/	1/	1/
Oct	1	33.89	32.70	32.02	32.46	34.32	41.39	40.58	37.26	37.42
Nov	1	37.64	37.16	36.81	38.12	43.29	44.45	40.28	41.88	42.47
Dec	1	39.25	39.42	38.95	40.82	40.03	47.62	46.56	43.63	44.18

Pounds solids per box

Sep	1	2.74	2.78	2.51	2.64	3.22	3.62	1/	1/	1/
Oct	1	3.23	3.19	3.12	3.09	3.50	4.10	3.78	3.60	3.79
Nov	1	3.76	3.77	3.73	3.71	4.52	4.57	3.78	4.15	4.34
Dec	1	3.95	4.12	3.95	4.05	4.29	5.01	4.44	4.48	4.58

-----  
 1/ September tests discontinued after 1981-82.