

FLORIDA AGRICULTURAL STATISTICS

Vegetable Summary

Florida Department of Agriculture
and Consumer Services
Bob Crawford, Commissioner
Tallahassee, Florida

Florida Agricultural
Statistics Service

Robert L. Freie, State Statistician
Orlando, Florida

Division of Marketing
and Development

Nelson L. Pugh, Director
Tallahassee, Florida

Cooperating with

U.S. Department of Agriculture
Agricultural Marketing Service
and
National Agricultural Statistics Service

University of Florida
Institute of Food & Agricultural Sciences
Agricultural Experiment Stations
Department of Food & Resource Economics

ACKNOWLEDGMENTS


The acreage, production, and value statistics in this bulletin are official State and USDA estimates prepared by the Florida Agricultural Statistics Service. Extended commodity coverage and county and area detail were made possible through the participation of the Department of Food and Resource Economics, University of Florida, in the estimating program. The Bureau of State Farmers' Markets, Florida Department of Agriculture, and the County Extension Agents of the Cooperative Extension Service were also very helpful in supplying area and county information. Shipment statistics were provided by the Market News Section of the Florida Department of Agriculture and the USDA Agricultural Marketing Service.

Growers, shippers, and processors volunteered most of the basic data used in developing these statistics. The public spirited cooperation of these individuals and groups is appreciated. Grower organizations have provided valuable assistance and data throughout the season. These groups include the Florida Celery Committee, Florida Tomato Committee, Florida Sweet Corn Exchange, South Florida Vegetable Exchange, Zellwood Sweet Corn Exchange, and North Florida Growers Exchange. Sales agencies and transportation firms provided additional data.

Field personnel A.J. Wilson, Parrish; E.J. Hutchins, Deerfield Beach; Charles Robertson, Homestead; Carl Ouzts, Orlando; and Robert McClelland of Immokalee collected much of the basic acreage and production data in this bulletin. This report was assembled by Wade Adams, Shirley Zonner, and Bernie Albrecht of the Florida Agricultural Statistics Service, and H.B. Buchanan, Market News Section. The authors also wish to thank Marcelo Diaz, Kitty Hildreth, Pat Quittance, Iris Solis, and others of the Florida Agricultural Statistics Service who assisted in compiling and preparing this report.

For more information call: (407) 648-6020

Published May 1995



**PRINCIPAL VEGETABLES
BY
PRODUCING AREAS**

- 1. WEST**
 - A. Holmes-Jackson-Washington counties - Butter beans, field peas, watermelons.
 - B. Gadsden County - Pole beans, squash, sweet corn, tomatoes.
- 2. NORTH**
 - C. Suwannee Valley - Beans, corn, greens, peas, potatoes, squash, watermelons.
 - D. Starke-Brooker-Lake Butler - Lima beans, snap beans, blueberries, cucumbers, green peppers, squash, strawberries.
 - E. Hastings - Cabbage, potatoes.
 - F. Gainesville-Alachua - Blueberries, bush beans, cucumbers, peppers, potatoes, squash.
 - G. Island Grove-Hawthorne - Blueberries, cucumbers, peppers, sweet corn, squash, watermelons.
- 3. NORTH CENTRAL**
 - H. Oxford-Pedro - Tomatoes, watermelons.
 - I. Sanford-Oviedo-Zellwood - Cabbage, carrots, celery, sweet corn, cucumbers, escarole, greens, lettuce, peppers, radishes, spinach.
 - J. Webster - Cucumbers, eggplant, peppers.
- 4. WEST CENTRAL**
 - K. Plant City-Balm - Blueberries, bush and pole beans, lima beans, cabbage, cucumbers, eggplant, field peas, greens, squash, strawberries, watermelons.
 - L. Palmetto-Ruskin - Cabbage, cauliflower, potatoes, strawberries, tomatoes, watermelons.
 - M. Sarasota - Cabbage, celery, sweet corn, escarole, lettuce, radishes.
 - N. Wauchula - Blueberries, cucumbers, eggplant, peppers, tomatoes, watermelons.
- 5. EAST CENTRAL**
 - O. Ft. Pierce - Tomatoes, watermelons.
- 6. SOUTHWEST**
 - P. Ft. Myers-Immokalee - Sweet corn, cucumbers, eggplant, peppers, potatoes, squash, tomatoes, watermelons.
- 7. EVERGLADES**
 - Q. Bush beans, cabbage, celery, Chinese cabbage, sweet corn, escarole, greens, lettuce, potatoes, radishes.
- 8. SOUTHEAST**
 - R. Martin County - Cabbage, potatoes, tomatoes, watermelons.
 - S. Pompano - Bush beans, lima beans, sweet corn, cucumbers, eggplant, peppers, squash, tomatoes.
 - T. Homestead - Bush and pole beans, cabbage, sweet corn, cucumbers, potatoes, squash, strawberries, tomatoes.

 **Commercial Vegetables**
 **Watermelons**

Usual dates for planting and harvesting vegetables,
melons, potatoes, and strawberries

Crop	Planting Dates ^{1/}	Usual Harvest Dates		
		Begins	Most active	Ends
Snap Beans ^{2/}	Aug 15 - Apr 1	Oct 15	Nov 1 - May 1	Jun 15
Blueberries		Apr 15	May 1 - May 25	Jun 10
Cabbage	Sep 1 - Mar 15	Oct 25	Jan 1 - Apr 15	Jun 15
Carrots	Aug 15 - Feb 15	Nov 1	Dec 15 - May 25	June 10
Cantaloupes	Jan 15 - Mar 15	Mar 10	May 15 - Jun 20	Jul 10
Cauliflower	Sep 15 - Jan 1	Dec 15	Jan 1 - Mar 15	Apr 15
Celery	Aug 1 - Apr 15	Oct 25	Dec 15 - Jun 1	Jul 10
Chinese Cabbage	Sep 1 - Apr 1	Oct 20	Nov 15 - May 15	Jun 1
Sweet Corn	Jul 25 - May 10	Sep 25	Nov 15 - June 15	Jun 15
Cucumbers	Aug 1 - Apr 1	Sep 20	Nov 1 - Dec 15 Apr 20 - Jun 1	Jul 1
Eggplant	Jul 15 - Apr 1	Oct 1	Nov 15 - Jul 1	Aug 1
Escarole and Endive	Aug 25 - Apr 1	Oct 20	Nov 15 - May 25	Jun 1
Lettuce and Romaine	Aug 25 - Apr 1	Oct 20	Dec 1 - May 1	Jun 1
Parsley	Aug 25 - Apr 1	Oct 20	Nov 15 - May 25	Jun 1
Green Peppers	Aug 1 - Mar 15	Oct 20	Nov 15 - Jun 15	Jul 1
Potatoes	Sep 15 - Mar 1	Dec 26	Feb 1 - Jun 1	Jul 1
Radishes	Sep 1 - May 15	Sep 20	Nov 15 - May 1	Jun 15
Spinach (Proc.)	Nov 1 - Jan 1	Jan 15	Feb 1 - Mar 1	Mar 15
Squash ^{3/}	Aug 15 - Apr 1	Sep 1	Nov 15 - May 15	Jul 1
Strawberries	Oct 1 - Nov 15	Dec 15	Feb 1 - Apr 1	May 15
Tomatoes	Jul 25 - Mar 15	Oct 15	Nov 15 - Jun 1	Jul 1
Watermelons	Dec 15 - Apr 1	Apr 1	May 1 - Jul 1	Jul 15

^{1/} Usual date direct seeded or transplanted. ^{2/} Includes Pole Beans. ^{3/} A small acreage of summer squash is marketed locally during July and August.

CONTENTS

ITEM	PAGE
Definitions and Explanations	1
Narrative Summary of 1993-94 Crop Year	2
Narrative Summaries of Individual Crops, 1993-94 Crop Year	3-11
Summary of Acreage, Production, and Value by Crops, 1992-93 and 1993-94 Crop Years	12
Summary of Harvested Acreage and Value, 1979-80 through 1993-94	13
Confidentiality of Collected Data and Release Distribution Policy	74
State Farmers Markets	75

Individual Crop Data	Narrative Summary	Acreage, Production and Value	Shipments	Unloads
Snap Beans	3	14	56	67
Blueberries	3	--	--	--
Cabbage	3	17	57	67
Cantaloupes	10	--	--	67
Carrots	4	19	57	67
Cauliflower	11	--	58	68
Celery	4	21	58	68
Chinese Cabbage	11	--	58	68
Sweet Corn	4	23	59	68
Cucumbers	5	26	59	69
Eggplant	6	30	60	69
Escarole-Endive	6	32	60	69
Greens	11	--	60	69
Lettuce	7	34	61	70
Okra	11	--	61	70
Dry Onions	11	--	62	--
Parsley	11	--	62	--
Peas	11	--	64	73
Bell Peppers	7	37	62	71
Potatoes	8	40	63	71
Radishes	8	43	63	72
Squash	9	44	64	72
Strawberries	9	47	64	72
Tomatoes	9	49	65	73
Cherry Tomatoes	--	--	65	73
Watermelons	10	54	66	73
Other Vegetables	--	--	66	--
Summary of Shipments by Crops, by Months, 1993-94	--	--	56	--

DEFINITIONS AND EXPLANATIONS

SEASONAL GROUPS--State level estimates for most crops are estimated on a six month seasonal basis. These statistics are published in January. The periods are for the crop year July through December and January through June. The two six month periods were combined in this publication into a crop year total for all crops. Production sold or utilized is shown by months.

PLANTED ACREAGE is the total acreage which has been planted for harvest during the crop year. Acreage lost and replanted to the same crop in time for harvest in the same quarter is counted only once. Acreage harvested and planted again to the same crop is counted twice.

HARVESTED ACREAGE is the acreage partially or completely harvested. Acreage lost before or at maturity through natural or economic causes is not included in the acreage for harvest.

YIELD is the average production per harvested acre of merchantable quality harvested and sold or utilized.

PRODUCTION is the quantity actually harvested and sold or utilized.

UNIT VALUE for fresh market sales is the equivalent price received, f.o.b. shipping point basis and encompasses all grades and sizes marketed or utilized. Included are packing charges, selling charges, precooling, top ice, or other costs which contribute to the value of the product at shipping point. The value per unit for quantities sold to processors is the average value paid for usable quantities, on a "delivered to plant door" basis. This value includes transportation and other normal costs incident to delivery at plant door.

TOTAL VALUE is the equivalent value of production sold or utilized based on the unit value. Cullage and

other quantities not sold or utilized because of natural or economic factors are excluded.

OTHER COUNTIES include harvested acreage for all counties for which either published data would result in the disclosure of individual operations or acreage totals for specific commodities are of minor importance in the State.

All shipments and unloads, rail, truck, air, and boat, are recorded nationally in 10,000 pound units each day. Annual releases are in 1,000 cwt. In this publication, shipments and unloads for some commodities were converted to most common trading units. Rail and piggyback weights and conversion factors were determined by several Market News Service field offices. Mixed car (rail) loadings by stations have been prorated by commodities.

Where possible, the national Market News Service in Washington, D. C. has established a single uniform weight per commodity to be used nationally in converting to weight units for the various means of transportation. Weights per common container used and number of units per rail car or truck may be obtained by writing Federal-State Market News, 775 Warner Lane, Orlando, Florida 32803.

PRODUCTION AND PRICE UNIT--The official USDA vegetable crop estimates are published on a weight basis. For this bulletin, the official estimates for most vegetable crops have been converted to what is believed to be the most commonly used containers. If changes in container weights are necessary, all data pertaining to the production of the commodity in question are revised to maintain comparability between years. The table below gives the net weight used per container and the number of containers per hundredweight for Florida produce.

Most common unit, estimated net weight, and units per hundredweight, Florida produce, 1993-94 crop season

Commodity	Unit	Est. net weight	No. of units per cwt	Commodity	Unit	Est. Net weight	No of units per cwt
Pounds				Pounds			
Snap Beans	Bushel	30	3.333	Lettuce, Romaine	Carton	40	2.500
Blueberries	Flat	11	9.090	Lettuce, Leaf	Carton	25	4.000
Cabbage	Crate	50	2.000	Okra	Bushel	30	3.333
Carrots	Sack	48	2.083	Parsley	Crate	21	4.762
Cauliflower	Carton	25	4.000	Green Pepper	Bushel	28	3.571
Celery	Crate	60	1.667	Potatoes	Sack	100	--
Chinese Cabbage	Crate	50	2.000	Radishes	Carton	15	6.667
Sweet Corn	Crate	42	2.381	Squash	Bushel	42	2.381
Cucumbers	Bushel 1 1/9	55	1.818	Strawberries	Flat	12	8.333
Eggplant	Bushel	33	3.030	Tomatoes	Carton	25	4.000
Escarole	Crate	25	4.000	Watermelons	Cwt	100	--
Lettuce, Iceberg	Carton	50	2.000				

SUMMARY OF THE 1993-94 SEASON

Acreage planted to vegetables, melons, potatoes, and berries during the 1993-94 season in Florida totaled 386,339 acres, down almost two percent from the 392,313 acres planted during the 1992-93 season. The total 1993-94 harvested acreage of 371,729 acres, increased almost one percent from the previous season acreage of 371,518 acres. Although strong winds and low temperatures again arrived in Florida during March 1994, the severity was much less than the March 1993 "blizzard" causing less acreage abandonment. Increases in the area harvested for sweet corn, eggplant, lettuce, Bell peppers, squash, tomatoes, other vegetables, potatoes, and blueberries offset acreage declines for the remaining six commercial vegetables estimated. Harvested acreage for escarole, watermelons, and strawberries did not change from the previous season.

The average yield per harvested acre was higher than the previous year for cabbage, Bell peppers, radishes, squash, other vegetables, watermelons, potatoes, strawberries, and blueberries, did not change for snap beans, and was lower for the remaining seven commercial vegetables estimated.

Production increases for eight of the seventeen leading vegetables and berries estimated in 1993-94, plus an increase for the other vegetables not estimated separately, caused a rise in overall production of over three percent from 6.83 billion pounds during 1992-93, to 7.06 billion pounds in the 1993-94 season. Production of blueberries in 1993-94 totaled three times higher than the previous season's crop which was shortened by the March 1993 "blizzard". Sweet corn, eggplant, Bell peppers, squash, watermelons, potatoes, strawberries, and other vegetables showed production increases, while production of the remaining ten vegetables estimated dropped.

The value of vegetables, watermelons, potatoes and berries produced during the 1993-94 season totaled \$1.58 billion, down 11 percent from the previous season value of \$1.78 billion. The value of the 1993-94 production of sweet corn, eggplant, and Bell peppers reached record highs. The value of the 1993-94 squash production was the third highest of record. The remaining twelve crops estimated showed value declines.

WEATHER HIGHLIGHTS

Above normal temperatures during most of the 1993-94 season increased the number of growing degree days which made the time between planting and the start of harvest shorter than usual for most crops. Producers started preparing land for the planting of fall crops

between showers after mid-July in northern, central, and some southern production regions. Planting was well underway by mid-August in the North and around the Everglades as field preparations started in the East Coast area. Mostly clear weather allowed planting to progress on schedule until heavy precipitation fell in the Southwest region before mid-September. Crops in the West Central area escaped damage from the rain, hail and high winds that occurred near the end of September. Cooler, drier conditions helped growers get back on schedule in early October. Heavy rains during mid-October hampered fieldwork in the Everglades and along the southeastern coast. Freezing temperatures at the end of October and during early November ended most commercial harvesting in the North, while strong winds damaged some crops in the Southwest and West Central areas. Heavy rain slowed Dade County harvesting around mid-November. Frost damaged a very limited amount of acreage at the end of November in the North Central region. Vegetables benefitted from warm, dry weather in early December and fieldwork increased in most southern regions. Strong winds burned some leaves and scarred some fruit along the southeastern coast and in Dade County during early December. Freezing temperatures hurt West Central crops in late December as harvest of most crops neared completion. Winds in late December and early January caused plant damage and scarred fruit in the southern region. Generally cooler temperatures during most of January slowed plant growth while moderate rainfall occasionally hampered fieldwork. Dry, warm weather during most of February provided nearly ideal conditions for crop development. A downpour during the last week in February temporarily halted normal field activities. An early March windstorm scarred fruit, tore plant leaves, blew blooms off plants, and delayed harvest in southern areas with sweet corn, cucumber, tomato, squash and watermelon plants sustaining the most damage. Although temperatures dipped to near freezing after mid-March in the North, plant damage was minimal. The Central, Everglades, and East Coast areas needed rain going into April. Wind caused slight damage to watermelons in the West Central area in early April. Warm temperatures accelerated crop growth during most of April. Heavy rains and strong winds caused crop damage in the southern areas during late April and early May. Some East Coast acreage received hail damage in early May. Mostly hot, dry weather persisted for most of May and June. Heavy rains caused by Tropical Storm Alberto hampered the harvest in the northern production area during late June and early July. (See the map on page ii to determine areas within counties that are included in the principal producing areas cited.)

SNAP BEANS

Growers produced 4.4 million bushels of snap beans for fresh market during the 1993-94 season, down over six percent from the 4.7 billion produced last season. Harvested acreage fell by 1,700 acres, from 27,200 for last season to 25,700 during the 1993-94 season. The 1993-94 yield of 174 bushels per acre equaled the 1992-93 yield. The f.o.b. price of \$12.63 per bushel fell \$2.22 below the record high 1992-93 price of \$14.85 per bushel. Value of the 1993-94 crop at \$56.0 million dropped twenty percent below the previous season's value of \$70.5 million which was the second highest of record.

Bush beans are grown in most areas of the State. The southeastern area, mainly Dade and Palm Beach counties, continued as the major production area. Pole beans are grown primarily in Dade County with a small amount grown in some northern counties.

Central and northern area producers began planting during late summer. Wet soils during late August and most of September caused poor germination in some west central fields with growers replanting acreage. The wet soils also delayed ground preparation and seeding along the southeastern coast and in some southwestern localities. Dade County growers started planting in mid-September, while East Coast producers began seedings during late September. Picking of the northern crop started in late September and early October. Rainy weather during most of October in Dade County boosted germination and promoted plant growth and bean development. However, the October rainfall leached fertilizer in Dade County which affected vine growth in some low lying fields. Heavy showers around mid-October in East Coast localities caused plant stress, delayed bed preparation, slowed planting, and caused blooms to fall off plants. Dade County growers and producers along the southeastern coast started picking in late October. A cold front in late October brought wind and rain to southwestern and West Central areas, resulting in some crop damage. Cold winds scorched some plant leaves in the North Central area during late October with producers finishing harvest by early November. Picking began in the Southwest in early November and in the West Central region about mid-month. Planting in Dade County became quite active in late November with growers replanting fall crop fields for harvest in early 1994. Wind blown sand scarred some young beans and cold winds yellowed some vines in fields located in unprotected areas of Dade County during both early and late December and into early January. Harvest in the East Coast region slowed seasonally during December. Frost during late December caused some production loss in the West Central area. Sand blown by strong winds damaged some fields in the

Southwest area around mid-January. Cool temperatures slowed plant growth and bean development during the last half of January in the East Coast area. Dade County growers irrigated and fertilized fields during late January to aid crop recovery from the earlier wind damage. Rain reduced the effectiveness of pesticides in Dade County fields during early February. Warmer, drier weather aided crop recovery from the earlier adverse conditions in Dade County and over the southeastern coast. Average yields in Dade County were very low during late February due to increased grade out of wind-scarred beans. Winds during early March caused leaves to burn and beans to scar in East Coast and Southwest fields. The incidence of disease increased in Dade County fields during the last half of March which lowered yields and affected plant growth. Milder weather during April boosted crop development in all regions. By late April, disease was reducing yields in Central areas. Northern growers started picking the spring crop in early May. Southwestern and Dade County producers completed commercial harvesting in late May, while East Coast and West Central growers finished picking by early June. Northern producers continued commercial harvesting through most of June.

BLUEBERRIES

The acreage of blueberries harvested in 1993-94 was 1,300 acres. Production was an estimated 3,000,000 pounds, with a yield per acre of 2,310 pounds. The value per pound was \$1.90 and the total value of the crop was \$5,690,000. Harvesting of blueberries occurs between mid-April and early June. The majority of the acreage is in northern counties of the Peninsula with significant production also in Hardee, Hillsborough, and Manatee counties, as well as in the Panhandle. Both fresh use and processing blueberries are produced.

CABBAGE

Cabbage growers in Florida produced 5.88 million crates and bags of cabbage during the 1993-94 season, up 3 percent from the previous season. The gross value of sales was \$31.2 million, down 26 percent from a year earlier. This reflects a decrease in season average price, from \$7.37 the previous year to \$5.30 in 1993-94.

Planted acreage totaled 9,900 acres, down 500 acres from a year earlier and continuing a trend that started in the mid 80s. Harvested acreage amounted to 9,300 acres, down 500 acres from the previous year and

the lowest since the 1936-37 season. The average yield of 632 crates per acre was up 46 crates from the previous year. The east and west central area leads the State in production, accounting for 39 percent of the State's production during the 1993-94 season. Manatee County, for the sixth consecutive year, was the leading cabbage producing county with 3,200 acres.

Planting was underway by mid-September in the central areas and by late September in the Hastings area. By early October, planting was underway in most other production areas. Heavy rains in mid-October hampered field work in the southern growing areas. Planting was complete in all areas by the end of February. The fall growing season was generally conducive to good growth and development.

Cutting was underway by the third week of December with good volume by the end of the month. Harvest was complete in all areas by the end of June. There was no major storm damage to the crop during the harvest season.

CARROTS

Florida produced 851,000 cwt of carrots during the 1993-94 season, down 36 percent from the previous year. The area harvested was 7,400 acres, down 400 acres from 1992-93. Most Florida carrots are grown in the central area with a small amount in the Everglades area.

The value of carrots sold was \$10,808,000, down 52 percent from the previous year. The average farm gate price was \$12.70 per cwt, down \$4.20 from 1992-93. The price at the beginning of the season in November was \$23.00 per cwt and closed in June at \$14.40 per cwt. The 1993-94 growing season was quite normal. Planting began in September and harvest started in early November. Planting and harvest operations continued at a steady pace until mid-February when planting ended. Harvesting wound down after mid-April and was complete by mid-June.

CELERY

Value of production in 1993-94, at \$25.0 million, fell 60 percent below the previous value of \$63.3 million, due to a drop in production and a plunge in the average price growers received. The 1993-94 production totaled 4,143,000 crates, down 21 percent from the 5,273,000 crates produced during 1992-93. The value per crate averaged \$6.05 during 1993-94, which was \$5.96 per

crate below the 1992-93 average of \$12.01. Prices were below the previous season in all months except November. Producers harvested 7,000 acres in 1993-94 compared with 7,700 acres the previous season. Growers averaged 592 crates per acre during 1993-94, 93 crates below the 1992-93 average. The Everglades area produced 80 percent of the crop. Producers sold over half of the crop during the months of January, February, and March.

Transplanting started by early September in the Central and Everglades production areas. Scattered rains delayed some planting during September and October. Harvest started about mid-November. Frost during late November around Lake Apopka damaged a very limited acreage located in areas protected from the wind. Weather during December through February mostly favored crop development. The early March windstorm lowered the quality for a limited amount of the crop due to sand scarring. Producers completed planting during early April and finished harvesting in early-to-mid-June.

During the 1993-94 season, celery growers marketed the crop under a Federal Marketing order administered by the Florida Celery Committee. Field supervisors provided acreage and production data. In cooperation with the committee, the Florida Agricultural Statistics Service published this information in weekly and annual reports with final results published in this annual summary. The marketing order disbanded beginning with the 1994-95 season due to the limited number of producers growing celery.

SWEET CORN

Value of the 1993-94 sweet corn crop reached a record high \$106,270,000, nine percent above the previous record value of \$97,540,000 for the 1992-93 crop. Although production was only two percent higher than the previous season, the value per crate averaged a record high \$9.25, sixty cents above the 1992-93 average. Growers received record high prices in all months except February, March, and April. Prices during 1993-94 ranged from the October high of \$11.55 per crate to the February low of \$7.39.

Florida growers continue to lead the Nation in the production of sweet corn with 11,487,000 crates produced during 1993-94. Producers harvested 43,400 acres in 1993-94, 900 acres more than in 1992-93. Estimated yield, at 265 crates per acre, was one crate below the previous season. Growers harvested fifteen percent of production, or 1,714,000 crates, during the fall months of September, October, November, and December, and the rest from January through late July.

Producers in the Everglades region picked almost half of all production, while growers in central areas harvested over a fourth of the crop.

Northern producers and growers in the Zellwood and Everglades areas began to prepare fields during late July with planting active by early August. Dry soils in late August delayed some planting in central localities. Zellwood producers flooded some muck fields for the control of insects and disease during late August. Warm temperatures increased plant growth and ear development in September. Picking in the Everglades and Zellwood areas began by early October. Wet fields delayed planting around the Everglades and along the southeastern coast in early October. Heavy rainfall for most of October held up the start of planting in the East Coast region until late in the month. Dade County producers started winter crop planting in late October as Everglades producers completed planting. Northern growers finished harvest of the fall crop as freezing temperatures arrived in late October. Zellwood growers ended the fall crop harvest by mid-November. Heavy rainfall in November prompted Dade County producers to replant some fields. Warm, wet weather along the southeastern coast improved germination during November. Plants began tasseling in Dade County and in the East Coast region about mid-to-late December with growers beginning harvest in early January. Dade County producers finished planting around mid-January. Showers in early February slowed planting and picking along the southeast coast and in Dade County. Spring crop planting was active around the Everglades in early February and in Zellwood and northern areas after mid-month. Warm and mostly dry weather during most of March helped plants in East Coast and Dade County fields to recover from being laid over by strong winds and heavy rains during early March. Growers in the Everglades completed spring crop plantings and started picking in late March. Youngest plants were "knee high" by late March around Zellwood. Northern producers planted most fields by mid-April. Dade County growers completed winter crop harvest by late April. Wet fields slowed picking along the southeastern coast during late April. Producers in the Zellwood region finished planting and began light harvesting by the first of May. Northern growers commenced pulling after mid-May. Harvest in the East Coast region ended in late May. Everglades producers concluded harvest in early June and Zellwood growers concluded harvest by July 1. Northern growers picked fields until late July.

CUCUMBERS

Fresh market cucumber production totaled 5.7 million bushels during 1993-94, 26 percent below the 7.7

million bushels harvested during the 1992-93 season. Both a drop in acreage harvested, from 15,200 to 11,600 acres, and a reduced yield, from 505 to 493 bushels per acre, caused the drop in production. The value of the 1993-94 crop fell almost 7 percent below the previous season, from \$64.8 million to \$60.5 million. The price received by growers during 1993-94 averaged \$10.59 per bushel, \$2.16 above the \$8.43 per bushel received for the 1992-93 crop. The 1993-94 average price is the second highest of record and compares with the record high of \$11.16 per bushel averaged during the 1990-91 season. Growers marketed over half of the crop during April and May 1994. Southeastern growers harvested 48 percent of the State's acreage with 42 percent of the total acreage located in Palm Beach County. Producers in the Southwest and West Central regions picked 44 percent of the acreage.

Planting in northern and central areas began in the summer with harvest underway by early September. East Coast producers started planting by early September. Growers around Palmetto-Ruskin completed planting of the fall crop about mid-September. Frequent rains caused some field work delays in southern areas during most of September, while dry soils slowed germination and plant growth in northern and central areas. Southeastern growers began picking in early October with numerous showers again interrupting progress. Harvest in the Palmetto-Ruskin area began about mid-October and along the southeastern coast in late October. Rain over the Southwest during late October caused growers to replant some fields due to poor development. The cold winds of late October caused very limited damage to the southern crop due to foliage growth being low to the ground. Virtually all acreage recovered by mid-November. Freezing temperatures brought the northern harvest to an end by early November. Drier weather during most of November over the main production areas allowed planting and harvest to increase in most localities. Cold winds blowing over a very limited amount of unprotected acreage in early December broke young plant stems and burned leaves on plants of all ages in the East Coast region. Southeastern growers used freeze covers to protect most acreage from low temperatures during late December and early January. Producers in the West Central region completed picking of the fall crop by early January. By mid-January, all fields in the Southwest area showed some damage from the cold winds of the previous weeks. West Central producers started spring crop planting in early February. Heavy rains and strong winds over the East Coast and Southwest areas in mid-February and in early March lowered crop prospects and delayed field work in fields without wind breaks. Harvest gained momentum around Wauchula during late March as growers around the Palmetto-Ruskin area finished plant-

ing. Warm, dry weather for most of April accelerated the spring crop harvest in most southern localities. Hail damaged some mature fruit in the West Central area at the end of April. East Coast producers picked some acreage twice then mowed it down due to a low market during early-to-mid May. Picking of the northern crop became very active by mid-May. Southwestern growers ended harvesting by late May. Producers in the East Coast and West Central regions finished the commercial harvest by early June. Northern growers virtually completed commercial harvest by the end of June with picking for local sales continuing over the summer months.

EGGPLANT

Eggplant production during the 1993-94 season totaled 2,001,000 bushels, the second highest production of record. This was eight percent below the record high of 2,174,000 bushels harvested during the 1991-92 season. The 1993-94 production increased 527,000 bushels or 36 percent from the previous season. Fall production was 16 percent above the fall 1992 crop, while the combined winter and spring crops were 50 percent higher than the amount harvested during January through June 1993. Yield averaged 834 bushels per acre, 97 bushels more than the previous season's yield. Acres harvested totaled 2,400 compared with the 2,000 harvested the previous season. The value of production at \$18,717,000 reached a record level, and rose 68 percent above the 1992-93 value of \$11,164,000. The price growers received for the 1993-94 crop averaged a record high \$9.35 per bushel, \$1.78 per bushel higher than the previous season average price of \$7.57. Prices were higher than the 1992-93 prices in all months except June. The October average monthly price reached a record high.

The Southeast continued to dominate eggplant production with 71 percent of the crop, or 1,414,000 bushels produced in the area. Eastern areas of Palm Beach County accounted for 46 percent, or 1,100 acres of the total acreage harvested. Other counties in the southeastern region and those in other regions accounted for the remaining 1,300 acres.

In the East Coast area, planting began by early August with harvest underway in late September and early October. Rains during November slowed some fieldwork, but aided crop development. Wind-born sand during early December burned foliage in a few unprotected fields. Cooler temperatures during early January slowed fruit set and sizing. Winds in late December and early January scarred some fruit. Scattered rainfall

slowed field activities for a few days in February. The early March winds caused some leaf burn with only the tops of older plants affected by the adverse weather. Warmer, drier weather for most of March and April aided plant recovery and accelerated harvesting. Most fields escaped damage from a hail storm in early May. Producers finished cutting by late June.

In the Southwest area, producers started harvest of summer plantings about mid-October. Growers continued transplanting of a limited acreage during late October. Mild weather during most of November aided plant recovery from the strong winds of late October. Light cuttings continued through December and January. In mid-January, strong winds caused some light damage to young plants. Light harvesting proceeded throughout February. The early March winds caused some bloom loss and scarred some fruit which caused some field losses due to grade-out. Producers continued picking a light volume from March until about mid-May.

In Dade County, growers began planting in limited acreage in late September. Harvest started in late December. Wind-scarred fruit reduced some yields during the season. About mid-February, producers mowed some acreage to produce a second eggplant crop. Growers finished cutting by late April.

ESCAROLE-ENDIVE

Escarole production during the 1993-94 season totaled 947,000 crates, down 18 percent from the previous season's production of 1,156,000 crates. Although fall production was only one percent lower than the amount harvested during 1992-93, winter and spring production was 23 percent below the previous season. Acres harvested during 1993-94 totaled 2,500, equal to the previous season. Significant declines in both yield and the average price growers received caused the value of production to decline by 48 percent from the 1992-93 value. The yield, at 379 crates per acre, dropped by 83 crates or 18 percent from the 1992-93 yield of 462 crates per acre. The price producers received averaged \$4.27 per crate, \$2.45 below the previous season's average.

Escarole and endive grows mainly in two areas of muck soils, the Central area northeast of Lake Apopka, and the Everglades area around the southeast side of Lake Okeechobee. Harvest started near the end of October. Adverse weather during the season lowered yields. Growers in the Everglades region finished planting by the end of March. Harvest continued through mid-to-late May.

LETTUCE

Production during 1993-94 totaled 116,800,000 pounds, ten percent below the 130,000,000 pounds produced the previous season. The Everglades, Sarasota, and Lake Placid mucklands accounted for 93 percent of the production with the rest from the Zellwood mucklands around Lake Apopka. Acreage harvested, at 9,720 acres for 1993-94, increased by 820 acres from the 8,900 acres harvested in 1992-93. Yield per acre fell by 2,600 pounds, from the 14,600 pounds per acre averaged during 1992-93 to the 12,000 pounds per acre in 1994-94. The value of production for the 1993-94 crop totaled \$12,143,000, a decline of 55 percent from the 1992-93 value of \$26,972,000. The price producers realized for the 1993-94 crop averaged 10.4 cents per pound, about half the amount averaged during 1992-93. The 1993-94 average price is the lowest since the 10.35 cents per pound growers received for the 1975-76 crop. Heavy rainfall near mid-October held up planting in the Everglades with some fields replanted in late October. Harvesting became active in all regions during late October and early November. Low temperatures and frost during mid-December and the early March winds damaged outer leaves, which growers discarded prior to marketing. Producers completed harvest by mid-to-late May.

BELL PEPPERS

The 1993-94 Bell pepper production totaled a record high 23.7 million bushels, 32 percent above the previous season and eight percent higher than the previous record crop of 22.1 million bushels grown during the 1991-92 season. The Southwest region accounted for 46 percent of production, followed by the Southeast with 37 percent, and the West Central area with 11 percent. The West, North, North Central, and East Central areas made up the remaining six percent. Both acreage harvested and average yield per acre reached new record highs. The acres picked totaled 21,600 compared with 20,400 acres in 1992-93 and the previous high of 20,900 acres harvested during the 1988-89 season. Yield averaged 1,099 bushels per acre, 217 bushels more than in 1992-93 and 28 bushels more than the previous high of 1,071 bushels per acre attained during 1991-92. The development of new, higher yielding varieties in recent years is allowing growers to establish new yield records. Value of the 1993-94 production also reached a new record high of \$235.4 million, 33 percent higher than the 1992-93 value of \$176.8 million, and 13 percent more than the previous record of \$208.6 million for the 1991-92 crop.

The value per bushel averaged \$9.91, eight cents higher than last season. Prices averaged higher than the previous season in all months except February, March, and April.

In the Southwest area, transplanting of a limited acreage began during August. Heavy rain in early September caused some bloom loss and delayed some field work. Drier conditions during late September allowed field work to progress normally. Fruit began to set by early October with light harvest underway by the end of the month. Strong winds in late October and early November damaged some fields. Growers replanted acreage affected by the adverse weather. Warmer and drier weather accelerated transplanting for most of November. Cool nights, warm days, and mostly clear skies during December and early January allowed harvest to proceed at a steady pace. Strong winds during mid-January and late in the month caused blooms and fruit to drop off plants, while blowing sand scarred some young fruit. Rain during early February boosted plant growth and fruit development. Mild conditions during February allowed steady picking. The strong winds of early March caused heavy bloom loss and blowing sand scarred young fruit which reduced spring yields. Heavy rain in late April slowed picking and reduced yield. Light harvesting continued through May with growers finished by early June.

In the East Coast area, transplanting began by early August with blooms showing in oldest fields by early September. Heavy rain during mid-September caused some bloom loss. Early October rains slowed transplanting. Harvest started about mid-October. Cooler temperatures in early November aided fruit development. Strong winds blowing over unprotected fields during early December caused light damage to some young plants and burned leaves of older plants. Growers got up to five picks per field by mid-December. Rain delayed transplanting in mid-January. Cool temperatures slowed crop development, and strong winds broke the stems of some young plants during January. Rainy, cool weather in early February slowed harvest. Warmer temperatures in late February improved growth. Pollination problems began to appear in some fields by late February. The strong winds of early March broke some plant limbs, burned some leaves, and blew blooms off some plants. Milder weather for the rest of March accelerated picking, while scattered rains replenished soil moisture, especially in drier localities. Mostly dry and warmer weather for most of April improved the crop condition. Rain in late April damaged some fruit. Hail and heavy rain in early May hurt some acreage. Hot temperatures stressed some plants during May. Producers made the initial pick of all acreage by early June with last picks made about mid-June.

In the North and Central areas, planting started during the summer with most finished by mid-September.

Harvest started in late September in northern localities. Picking began by late October in the West Central area as northern growers finished harvesting. Producers got four or more picks per field by late November. Picking of a limited acreage continued through December. Spring crop planting in West Central localities started in late January with virtually all fields planted by early April. The strong winds of early March slowed plant growth in oldest fields. Picking of West Central fields began by early April. Northern producers started harvesting by early May as West Central picking reached peak levels. Hail during early May damaged a limited amount of West Central acreage. Commercial harvests ended by early June in West Central localities. Northern growers continued picking throughout June with most commercial harvests finished by early July.

POTATOES

Potato production in Florida during 1994, including both winter and spring, totaled 9.94 million cwt. This was 31 percent greater than the 1993 crop. This increase was due in part to increased acreage in spring potato crop and no freeze damage in the Hastings area. A total of 47,600 acres were planted for harvest in 1994, 6 percent more than the previous year. Out of this total, 46,400 acres were dug, 11 percent more than 1993. The value of the crop was placed at \$118.7 million, down 7 percent from the previous year's record high. The price received for all potatoes averaged \$11.94 per cwt compared with \$17.00 in 1993. The yield for all potatoes was 215 cwt per acre, up 34 cwt from the previous year. The first winter potatoes were planted in the southwest area around mid-October and planting was completed by mid-December. Dade County potato planting started in late October and was completed by mid-January. Harvest started in the southwest in late January and was completed by mid-May. Wet conditions delayed the start of the Dade County potato harvest until mid-February. Harvest was completed by the first week of May.

In the Hastings area, the largest area of potato production, planting was underway by the first week in January and was completed by mid-March. Harvest of the Hastings crop started in early April and was completed in late June. In 1994, the Hastings area did not receive a late frost as it did in 1993. Late blight was a problem in the State in 1994.

In the other spring production areas, planting started in November and continued into March. Harvest started in mid-March and continued into mid-June.

The "red-skinned" varieties are the dominant potato grown for winter harvest in south Florida. Most of the

winter crop is sold for table stock. In the Hastings and other spring areas, the "white-skinned" varieties dominate. Most of this production goes to the potato chip industry. The Hastings production is used to produce the Memorial Day chips.

RADISHES

Production of radishes in Florida total 4.75 million cartons in 1993-94, down 24 percent from last season. (A carton of radishes is 15 pounds). This is the lowest production of record starting with the 1965-66 season. The area for harvest was 17,400 acres, down 27 percent from the previous year. This is also the lowest acreage of record. The yield was 273 cartons per acre, up 12 cartons from 1992-93.

The average season value per carton was \$5.45, down 50 cents from last year. The value of annual production was \$25.89 million, down 30 percent from the previous year.

Seedings for the 1993-94 crop were underway by early September in the central/Zellwood and Everglades areas. Harvest started in the central area in late September and in early October in the Everglades area. Planting and harvesting were interrupted occasionally by wet weather. Harvesting in the Everglades area was complete by the end of May and by the end of June in the central area.

SQUASH

The harvested area of squash in the 1993-94 season was 13,300 acres, up 2,800 acres from the previous year. Production reached 4,549,000 bushels. (A bushel of squash equals 42 pounds.) The yield was 342 bushels per acre. Shipments to out-of-state markets had two peaks, a fall season peak in December and a spring season peak in April.

The average price for the season was \$9.50 per bushel. The price peaked in November with two smaller peaks in January and March. The total value of the crop was \$43,216,000.

Florida produces acorn, butternut, yellow crookneck, yellow straightneck, white and zucchini squash. The southeast region accounted for 40 percent of the State's production, with the southwest area producing 32 percent of the total.

The planting of the fall crop was active in early September in the central production areas and in the Dade/Homestead area by the end of the month. The

harvest of the summer varieties was active by early October. Harvest of the winter varieties started in the northern areas in late October and finished there in mid-November. Harvest of the summer varieties (yellow and zucchini varieties) continued and was complete in southern regions in mid-May and in the North by the end of June.

Heavy rains in mid-October hampered harvest and lowered yields. High winds hurt plants and scarred fruit several times during late December, mid-January, and early March. Cooler than normal temperature also slowed germination and plant growth for the winter and spring crops.

STRAWBERRIES

Production of strawberries reached a record 14,017,000 flats in the 1993-94 season, up from 13,533,000 flats in the 1992-93 season. Area harvested was 5,800 acres, the same as the previous year. Yield was 2,417 flats per acre, up from the 2,333 flats per acre last year. (A flat of strawberries equals 12 pounds.)

The value of the 1993-94 strawberry crop was \$101,425,000, down 16 percent from the 1992-93 crop value. The value per flat averaged \$7.24, down sharply from the 1992-93 value per flat of \$8.96. The price per flat was highest at the beginning of the season, in December, at nearly \$17.00. The price declined as the season progressed, reaching around \$4.80 per flat in April, 1994.

The major production area continues to be in Hillsborough County, centered in the Plant City-Dover area. A significant amount of U-Pic acreage is grown in Dade County and the East Coast area. Planting began in late September and was completed by the beginning of November. Major varieties (in order) were Oso Grande, Selva, and Sweet Charlie. Harvesting started in late November, peaked in March, and continued into May.

TOMATOES

The value of the 1993-94 Florida fresh market tomato crop totaled \$472 million, down over \$152 million from the 1992-93 season, and the lowest value since the 1989-90 crop which totaled \$440.4 million. Although acreage harvested increased by 1,200 acres from the previous season, yield per acre dropped by 143 bushels, from 1,483 cartons per acre the previous season to 1,340 cartons. Fall storms and strong winds during January and early March contributed to the lower yield.

The value per carton at \$7.10, f. o. b. basis, was \$1.60 lower than the price growers received for the 1992-93 crop. Low prices during February through May offset high prices received during November through January.

Growers in the Quincy area began transplanting about mid-July with all acreage planted by mid-August. Southwestern, West Central, and East Coast fall crop plantings started in early August, while Dade County transplanting got underway from mid-September through early October. Northern producers started harvest of plum or pear (Italian) varieties in late September, and round varieties during early October. Wet weather delayed some laying of plastic and transplanting over the southern Peninsula during late August through mid-September, especially along the southeastern coast. Drier weather over the West Central and Southwest regions during late September through most of October allowed transplanting to progress on schedule. Heavy rain continued to hamper transplanting in East Coast localities during most of October. Harvest started in West Central localities about mid-October with southwestern and southeastern harvests underway about a week later. At the end of October freezing temperatures in most northern localities severely damaged plants and ended the fall crop harvest. Cool winds accompanying this cold front battered plants in most southern production areas. Warm and mostly dry weather in November permitted picking to advance rapidly. Gusty winds tossed plants and plastic, burned some leaves, and blew blooms off plants with wind-borne sand scarring some young fruit during early December in Dade County and along the southeastern coast, and again during late December in Dade County. Cool temperatures, enhanced by steady winds over most southern Peninsula localities from mid-December through January, slowed plant growth. The Dade County harvest started in late December. Palmetto-Ruskin growers began spring crop transplanting in early January as Dade County producers finished winter crop plantings. Scattered frost about mid-January caused no significant damage to southern acreage. Warmer temperatures arriving at the end of January boosted fruit development over the southern Peninsula. Wet, cool weather delayed laying of plastic around Quincy in early February, while intermittent showers delayed some fieldwork in southern areas. Above normal temperatures over the southern Peninsula during most of February caused some plants to set fruit about five weeks after transplanting. Southwestern growers completed transplanting in late February as Quincy area growers delayed transplanting due to the threat of freezing temperatures. Storms along the south-east coast and in Dade County produced damaging wind and heavy rain in late February. During early March heavy rains and strong winds over southern fields caused bloom losses, scarred fruit, burned foliage, broke some

young plant limbs, and reduced the effectiveness of pesticides. Low prices during February and early March prompted some growers to delay third picks until late March when prices rose above production costs. Quincy growers began transplanting in early March with all acreage planted before mid-April. Palmetto-Ruskin and southeastern growers finished transplanting in late March to early April. Frost in mid-March around Quincy damaged less than one percent of acreage. Light frosts during early April in the Quincy area burned a very limited amount of foliage with affected plants recovering well. Harvest of the spring crop in the Palmetto-Ruskin region began about mid-April. Hail and wind partially damaged some fields around Palmetto-Ruskin in late April. Heavy rains and a low market brought Dade County harvesting to an end and slowed picking in all other southern areas during late April and early May. West Central picking reached the peak level during the first half of May. Northern producers started harvesting in late May. Southwestern and East Coast growers finished picking about mid-June, while northern producers made second picks. Palmetto-Ruskin growers scrapped fields into early July. Northern producers continued harvesting until mid-to-late July.

WATERMELONS

Production during the 1993-94 season totaled 851 million pounds, two percent above the 832.5 million pounds produced during the 1992-93 season. Although acreage harvested at 37,000 acres showed no change from the previous season, yield increased 500 pounds per acre, from 22,500 pounds for the 1992-93 season to 23,000 pounds in 1993-94. Yield increased in all growing areas except in the western Panhandle counties, which showed a decline of 500 pounds per acre. Northern counties accounted for 41 percent of production with over eight percent of the harvested acreage located in Alachua County. Thirty-one percent of production came from southern counties with about 11 percent of the harvested acreage located in Collier County. Central counties contributed 22 percent of production with about eight percent of the acres in Manatee County. The western Panhandle counties produced the remaining six percent of the 1993-94 crop. Value of production was \$57.9 million, down 13 percent from the previous season value of \$66.6 million. Growers received 6.8 cents per pound for the 1993-94 crop, over a penny below the 1992-93 average of eight cents per pound.

A small acreage for harvest during the fall is grown in southern localities and in scattered areas of central Florida. These melons are harvested in October, Novem-

ber and December depending on weather conditions. This acreage and production is included in the spring crop.

Fall crop plantings began during the summer of 1993 around Palmetto-Ruskin and in the northern counties. Fall crop harvesting in the northern region was in full-swing by mid-October as cutting began in the Palmetto-Ruskin area. Growers finished the West Central harvest by early December as southwestern producers began spring crop planting. Producers around Palmetto-Ruskin started spring crop planting by early January. Plants in southwestern localities escaped damage from strong winds in mid-January with all acreage planted by late February. Strong winds during early March caused bloom loss and scarred some fruit in southwestern fields. Northern growers started spring crop transplanting after mid-March as they finished direct seedings. Small melons began to appear in fields around Palmetto-Ruskin by early April. Light harvest began in the Southwest about mid-April. Heavy rainfall during late April and early May damaged some fields in the West Central and Southwest regions. Cutting started in the West Central area during early May. Harvest in northern counties became active by late May. Producers in southwestern counties finished cutting by early June. Growers around Palmetto-Ruskin ended harvest about mid-June. Rainfall during late June hampered harvesting in some northern areas with commercial picking virtually finished by late July.

OTHER CROPS

Cantaloupes are grown in Florida primarily in the spring and summer in the Southwest and North Central areas. Some cantaloupes also are grown during the fall months in the Southwest and West Central areas. The peak harvest period is normally May and June. Much of the production is sold through roadside stands and local markets. This minor crop is not included in the survey program for vegetable and melon statistics. No shipment data is available.

Cauliflower is grown in the North Central and West Central areas. Supplies are available from late November through early May. Shipment information is recorded by the Market News Service. In the 1993-94 season, there were 23,000 hundredweight (92,000 25-pound cartons) shipped out of the State. Shipments were up considerably from 14,500 hundredweight in the previous year.

Tropical vegetable production is centered in Dade County where available land continues to be a limiting factor for all agricultural production. The most common tropical vegetables, followed by the scientific name, in

factor for all agricultural production. The most common tropical vegetables, followed by the scientific name, in italics, and other names in parentheses are: boniato-*Ipomea batata* (sweet potato); calabaza-*Cucurbita* (pumpkin); malanga-*Xanthosoma caracu* or *Colocasia esculenta* (dasheen, yautia); and cassava-*Manihot esculenta* (crantz, yucca, tapioca). Boniato, calabaza, and malanga constitute the bulk of production. Peak production of malanga occurs in February through April. Efforts are being made to provide more even supplies throughout the year. Miami and the Tampa Bay areas are important points of consumption for the Florida production. The supplies shipped out of State are primarily for the New York City and Philadelphia areas.

Collard, turnip, mustard, and other greens are grown throughout the State and centered around large population areas and in the muck soils of the Everglades and Zellwood areas. Supplies are available for local consumption throughout the year. Shipments to other States were reported from December through early May. Shipments totaled 19,250 hundredweight during the 1993-94 season, up from 13,000 hundredweight a year earlier.

Okra is grown in many areas of the State. Dade County produces okra for local use as well as for shipments to other States. Peak production was in May and June with a good supply in October and November. Shipments of out-of-State markets during the 1993-94 season totaled 56,700 hundredweight. This was up considerably from the previous year when the August hurricane destroyed much of the crop.

Green onions and leeks are produced in the North Central and West Central areas. Supplies are marketed primarily at roadside stands and markets for local use, but there are several large producers who ship to other

States. Shipments of green onions in 1993 calendar year were 10,500 hundredweight.

Most of the dry onions are produced in southern and west central areas of the State. Dry onion shipments totaled 6,000 hundredweight during the 1993-94 season.

Parsley is available in both the curly and plain types. The bulk of the commercial volume shipped to other States is produced in the Everglades and Zellwood areas. Light supplies sold for local use are available from Sarasota, Lake Placid, and other areas. Shipments to out-of-State markets totaled 50,000 hundredweight (238,000 21-pound cartons). Most of the shipments occurred from November through May.

Southern peas are grown primarily in the West, North, West Central, and Everglades areas of Florida. Dade County also produces a considerable amount of southern peas. Light supplies are generally available from September through December. Heavy movement is spread out from November through May. A high percentage of the crop is utilized for processing, though a part of the crop is sold through local markets for fresh use. Market News Service shipment data for out-of-State markets show 16,250 hundredweight for fresh market during the 1993-94 season, up 63 percent from the previous year.

Chinese Cabbage is grown primarily on the mucklands in the Everglades area with minor production in the Zellwood/West Central areas. Harvest began in October and continued through early June. The peak production occurred February and March. Shipments for 1993-94 totaled 184,000 crates (50-pound), down from 246,000 crates the previous year and 157,000 crates in the 1991-92 crop year.

VEGETABLES, WATERMELONS, POTATOES, AND BERRIES: Acreage, yield, production and value, Florida, crop years 1992-93 and 1993-94

Crop	Planted acreage		Harvested acreage		Yield per acre	
	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94
	Acres				Cwt	
Vegetables:						
Snap beans ^{1/}	28,800	28,700	27,200	25,500	52	52
Cabbage	10,400	9,900	9,800	9,300	293	316
Carrots ^{1/}	8,000	7,600	7,800	7,400	170	115
Celery	7,900	7,200	7,700	7,000	411	355
Sweet corn	46,700	45,000	42,400	43,300	112	111
Cucumbers ^{1/}	15,800	12,700	15,200	11,600	278	271
Eggplant	2,200	2,500	2,000	2,400	243	275
Escarole	2,600	2,500	2,500	2,500	116	95
Lettuce	9,200	9,870	8,900	9,720	146	120
Bell peppers	21,500	22,400	20,400	21,600	247	308
Radishes	24,900	18,000	23,800	17,400	39	41
Squash	11,200	13,800	10,500	13,300	141	144
Tomatoes	48,400	49,600	48,400	49,600	371	335
Total	237,600	229,770	226,600	220,620	--	--
Other vegetables ^{2/}	62,213	63,169	59,218	60,609	94	114
Watermelons	42,000	40,000	37,000	37,000	225	230
Potatoes	44,700	47,600	41,900	46,400	181	214
Strawberries	5,800	5,800	5,800	5,800	280	290
Blueberries	--	--	1,000	1,300	10	23
Total, all crops	392,313	386,339	371,518	371,729	--	--

Crop	Production		Value per cwt		Total value	
	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94
	1,000 cwt		Dollars per cwt		1,000 dollars	
Vegetables:						
Snap beans ^{1/}	1,424	1,331	49.50	42.10	70,466	56,041
Cabbage	2,869	2,941	14.70	10.60	42,277	31,196
Carrots ^{1/}	1,326	851	16.90	12.70	22,409	10,808
Celery	3,164	2,486	20.00	10.10	63,329	25,073
Sweet corn	4,735	4,825	20.60	22.00	97,540	106,270
Cucumbers ^{1/}	4,223	3,145	15.30	19.20	64,767	60,539
Eggplant	486	660	23.00	28.30	11,164	18,717
Escarole	289	237	26.90	17.10	7,768	4,045
Lettuce	1,300	1,168	20.70	10.40	26,972	12,143
Bell peppers	5,037	6,649	35.10	35.40	176,761	235,377
Radishes	932	713	39.70	36.30	36,961	25,888
Squash	1,478	1,911	25.80	22.60	38,170	43,216
Tomatoes	17,942	16,610	34.80	28.40	624,235	471,867
Total	45,204	43,526	--	--	1,282,819	1,101,180
Other vegetables ^{2/}	5,592	6,916	31.30	28.50	175,276	197,130
Watermelons	8,325	8,510	8.00	6.80	66,600	57,868
Potatoes ^{3/}	7,540	9,939	17.00	11.90	128,194	118,655
Strawberries	1,624	1,682	74.70	60.30	121,313	101,425
Blueberries	10	30	130.00	189.70	1,300	5,690
Total, all crops	68,295	70,603	--	--	1,775,502	1,581,948

^{1/} Fresh and processing. ^{2/} Other fresh and processing vegetables, and cantaloupes. ^{3/} Production sold.

**VEGETABLES, WATERMELONS, POTATOES, AND BERRIES: Harvested acreage, Florida, crop years
1979-80 through 1993-94 ^{1/}**

Crop year	Harvested acreage				
	Vegetables	Watermelons	Potatoes	Berries ^{2/}	Total
	Acres				
1979-80	324,800	42,500	27,300	2,500	397,100
1980-81	315,500	49,000	29,900	3,200	397,600
1981-82	304,470	48,000	31,900	5,000	389,370
1982-83	318,190	49,000	31,300	5,400	403,890
1983-84	317,390	60,000	33,600	5,100	416,090
1984-85	320,780	54,000	35,100	5,300	415,180
1985-86	312,300	47,550	32,600	4,900	397,350
1986-87	309,625	46,100	35,700	4,900	396,325
1987-88	313,800	49,800	36,100	5,000	404,700
1988-89	306,750	50,000	42,600	5,300	404,650
1989-90	272,380	45,000	44,700	5,300	367,380
1990-91	272,410	36,000	43,000	5,500	356,910
1991-92	289,655	45,000	40,100	5,900	380,655
1992-93	285,818	37,000	41,900	6,800	371,518
1993-94	281,229	37,000	46,400	7,100	371,729

**VEGETABLES, WATERMELONS, POTATOES, AND BERRIES: Value of production, Florida, crop
years 1979-80 through 1993-94 ^{1/}**

Crop year	Value of production				
	Vegetables	Watermelons	Potatoes	Berries ^{2/}	Total
	1,000 dollars				
1979-80	678,194	46,549	36,033	27,930	788,706
1980-81	709,148	52,714	72,628	27,888	862,378
1981-82	759,940	54,648	61,969	52,358	928,915
1982-83	926,317	58,212	55,748	52,531	1,092,808
1983-84	887,505	62,124	70,188	38,842	1,058,659
1984-85	830,987	53,336	74,323	61,268	1,019,914
1985-86	980,231	54,506	67,315	50,157	1,152,209
1986-87	1,107,614	69,774	113,859	67,062	1,358,309
1987-88	1,147,068	62,556	45,966	73,875	1,329,465
1988-89	1,325,550	45,050	128,323	92,188	1,591,111
1989-90	1,439,317	64,350	139,914	75,324	1,718,905
1990-91	1,353,302	80,767	163,964	84,876	1,682,909
1991-92	1,526,689	66,150	92,359	108,810	1,794,008
1992-93	1,568,095	66,600	128,194	122,613	1,775,502
1993-94	1,298,310	57,868	118,655	107,115	1,581,948

^{1/} Vegetable crops include snap beans, cabbage, carrots, celery, sweet corn, cucumbers, eggplant, escarole, lettuce, green peppers, squash, tomatoes, radishes, spinach, other fresh and processing vegetables, and cantaloupes. ^{2/} Berries for years 1991-94 include strawberries and blueberries.

**SNAP BEANS: Acreage and yield, Florida, crop
years 1979-80 through 1993-94**

Crop year	Planted			Harvested			Yield per acre		
	Total	Fresh	Proc	Total	Fresh	Proc	Fresh & proc	Fresh	Proc
	Acres						30-lb bushel		
1979-80	56,900	48,900	8,000	54,300	47,000	7,300	94	89	129
1980-81	50,800	49,100	1,700	42,600	41,100	1,500	86	85	133
1981-82	52,600	50,400	2,200	48,300	46,300	2,000	83	82	100
1982-83	49,350	48,700	650	47,000	46,400	600	90	90	100
1983-84	48,900	46,200	2,700	46,500	44,000	2,500	97	96	100
1984-85	49,600	48,200	1,400	46,900	45,700	1,200	87	87	100
1985-86	39,800	39,500	300	38,170	37,900	270	107	106	133
1986-87	35,350	35,100	250	34,250	34,000	250	127	127	100
1987-88	31,350	30,400	950	30,350	29,400	950	150	150	134
1988-89	30,400	28,200	2,200	28,100	25,900	2,200	140	138	167
1989-90	26,500	24,900	1,600	21,300	19,700	1,600	185	188	150
1990-91	22,550	21,750	800	21,550	20,950	600	175	178	83
1991-92	^{1/}	30,900	^{2/}	^{1/}	29,450	^{2/}	^{1/}	192	^{2/}
1992-93	^{1/}	28,800	^{2/}	^{1/}	27,200	^{2/}	^{1/}	174	^{2/}
1993-94	^{1/}	28,700	^{2/}	^{1/}	25,500	^{2/}	^{1/}	174	^{2/}

**SNAP BEANS: Production and value, Florida, crop
years 1979-80 through 1993-94**

Crop year	Production		Value per bushel		Total value	
	Fresh	Proc	Fresh	Proc	Fresh	Proc
	1,000 30-lb bushels		Dollars		1,000 dollars	
1979-80	4,173	939	8.11	2.97	33,861	2,790
1980-81	3,473	200	10.39	3.45	36,089	690
1981-82	3,786	200	10.33	3.00	39,112	600
1982-83	4,154	60	10.60	3.00	44,041	180
1983-84	4,210	250	9.22	4.50	38,824	1,125
1984-85	3,960	120	8.99	4.50	35,592	540
1985-86	4,028	36	10.23	3.19	41,194	115
1986-87	4,321	25	11.46	2.96	49,536	74
1987-88	4,419	127	12.20	3.17	53,897	403
1988-89	3,568	367	14.85	4.33	52,977	1,588
1989-90	3,707	240	11.05	3.84	40,948	921
1990-91	3,729	50	13.54	3.44	50,495	172
1991-92	5,653	^{2/}	12.97	^{2/}	73,319	^{2/}
1992-93	4,746	^{2/}	14.85	^{2/}	70,466	^{2/}
1993-94	4,438	^{2/}	12.63	^{2/}	56,041	^{2/}

^{1/} Not available. ^{2/} Processing not published due to disclosure of individual operations.

**SNAP BEANS: Production sold, for fresh market monthly, Florida,
crop years 1989-90 through 1993-94**

Crop year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 30-lb bushels										
1989-90	74	559	464	12	266	861	833	611	27	3,707
1990-91	71	483	602	606	485	438	664	368	12	3,729
1991-92	102	594	735	693	672	1,088	1,036	677	56	5,653
1992-93	49	392	490	602	703	652	904	954	^{1/}	4,746
1993-94	^{2/}	654	564	589	628	786	707	510	^{1/}	4,438
Percent										
1989-90	2.0	15.1	12.5	0.3	7.2	23.2	22.5	16.5	0.7	100.0
1990-91	1.9	13.0	16.1	16.3	13.0	11.7	17.8	9.9	0.3	100.0
1991-92	1.8	10.5	13.0	12.3	11.9	19.2	18.3	12.0	1.0	100.0
1992-93	1.0	8.3	10.4	12.7	14.8	13.7	19.0	20.1	^{1/}	100.0
1993-94	^{2/}	14.7	12.7	13.3	14.2	17.7	15.9	11.5	^{1/}	100.0

^{1/} June combined with May. ^{2/} October combined with November.

**SNAP BEANS: Average value per bushel for fresh market sales, monthly,
Florida, crop years 1989-90 through 1993-94**

Crop year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Average
Dollars										
1989-90	11.30	11.60	12.00	14.20	13.80	10.50	11.50	8.75	9.40	11.05
1990-91	10.50	14.60	14.50	11.20	11.90	13.30	16.70	11.80	12.80	13.54
1991-92	5.94	14.22	12.93	12.96	14.16	12.33	12.06	14.22	12.84	12.97
1992-93	13.95	14.97	19.80	16.38	14.16	14.28	13.89	13.14	^{1/}	14.85
1993-94	^{2/}	13.86	12.84	12.03	11.94	11.16	14.64	11.85	^{1/}	12.63

^{1/} June combined with May. ^{2/} October combined with November.

**SNAP BEANS: Acreage and production for fresh market by areas,
Florida, crop years 1992-93 and 1993-94**

Areas	Planted		Harvested		Yield per acre		Production	
	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94
	Acres				30-lb bushel		1,000 bushels	
West	350	300	350	300	223	206	78	62
North ^{1/}	2,600	2,000	2,500	1,900	190	170	475	323
West Central	800	1,600	750	1,500	256	184	192	276
Southeast ^{2/}	25,050	24,800	23,600	21,800	169	173	4,001	3,777
State	28,800	28,700	27,200	25,500	174	174	4,746	4,438
Oct - Dec	5,300	8,000	4,900	7,300	190	167	931	1,218
Jan - Jul	23,500	20,700	22,300	18,200	171	177	3,815	3,220

^{1/} Includes North Central and East Central. ^{2/} Includes Southwest and Everglades.

**SNAP BEANS: Acreage harvested for fresh market by selected counties,
Florida, crop years 1988-89 through 1993-94**

Counties	1988-89	1989-90	1990-91	1991-92	1992-93	1993-94
	Acres					
Alachua	1,500	1,400	1,400	1,500	900	800
Broward	300	^{1/}	^{1/}	^{1/}	^{1/}	^{1/}
Dade (bush)	16,500	10,600	13,100	16,000	18,800	15,500
Dade (pole)	2,000	1,400	1,500	2,500	2,000	2,200
Gadsden	150	650	500	^{1/}	^{1/}	^{1/}
Hillsborough	1,100	900	650	550	^{1/}	^{1/}
Palm Beach (East)	1,650	1,250	1,000	^{2/}	^{2/}	^{2/}
Palm Beach (West)	^{1/}	^{1/}	^{1/}	^{2/}	^{2/}	^{2/}
Palm Beach (all)	^{3/}	^{3/}	^{3/}	3,300	2,500	3,300
Suwannee	^{1/}	1,800	1,900	1,000	800	1,000
Other counties	2,700	1,700	900	6,100	2,200	2,700
State	25,900	19,700	20,950	29,450	27,200	25,500

^{1/} Included with other counties. ^{2/} Included with Palm Beach (all) to avoid disclosure of individual operations.

^{3/} Not estimated for 1988-89 through 1990-91 crops.

**CABBAGE: Acreage, production, and value, Florida,
crop years 1979-80 through 1993-94**

Crop year	Acreage		Yield per acre	Production	Value per crate	Total value
	Planted	Harvested				
	Acres		50-lb crate	1,000 crates	Dollars	1,000 dollars
1979-80	18,600	15,800	481	7,600	2.88	21,866
1980-81	17,600	15,800	487	7,696	3.52	27,115
1981-82	16,500	14,200	436	6,191	5.43	33,611
1982-83	16,300	14,700	464	6,824	3.32	22,687
1983-84	19,000	11,000	449	4,937	8.25	40,736
1984-85	19,600	16,650	491	8,174	6.21	50,775
1985-86	18,850	14,400	409	5,891	4.53	26,714
1986-87	16,600	13,300	427	5,677	4.62	26,202
1987-88	17,100	15,600	421	6,560	4.51	29,559
1988-89	15,900	15,500	418	6,480	4.70	30,433
1989-90	14,300	12,900	430	5,548	6.95	38,575
1990-91	12,700	11,950	478	5,716	5.03	28,731
1991-92	13,000	12,300	467	5,745	5.41	31,100
1992-93	10,400	9,800	586	5,738	7.37	42,277
1993-94	9,900	9,300	632	5,882	5.30	31,196

**CABBAGE: Production sold, monthly, Florida, crop
years 1989-90 through 1993-94**

Crop year	Nov ^{1/}	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 50-lb crates									
1989-90	59	541	618	648	1,692	1,559	424	7	5,548
1990-91	29	630	1,268	1,086	1,509	1,023	160	11	5,716
1991-92	34	304	882	1,035	1,695	1,351	327	17	5,745
1992-93	58	230	1,176	1,062	1,468	1,274	453	17	5,738
1993-94	63	187	902	1,352	1,840	1,296	226	17	5,882
Percent									
1989-90	1.1	9.8	11.1	11.7	30.5	28.1	7.6	.1	100.0
1990-91	.5	11.0	22.2	19.0	26.4	17.9	2.8	.2	100.0
1991-92	.6	5.3	17.1	18.0	29.5	23.5	5.7	.3	100.0
1992-93	1.0	4.0	20.5	18.5	25.6	22.2	7.9	.3	100.0
1993-94	1.1	3.2	15.3	23.0	31.3	22.0	3.8	.3	100.0

^{1/} Includes October shipments.

**CABBAGE: Average value per crate for fresh market sales, monthly,
Florida, crop years 1989-90 through 1993-94**

Crop year	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Average
Dollars									
1989-90	4.25	7.00	11.50	11.40	6.85	4.10	4.70	8.00	6.95
1990-91	6.10	6.00	5.30	4.20	4.55	5.40	6.40	6.40	5.03
1991-92	6.05	6.00	5.95	5.40	5.45	5.00	4.70	4.00	5.41
1992-93	4.20	5.20	6.50	6.85	8.20	7.60	9.00	8.00	7.37
1993-94	6.25	6.60	6.25	4.70	5.25	5.05	5.65	5.50	5.30

**CABBAGE: Acreage and production by areas, Florida,
crop years 1992-93, 1993-94**

Areas	Planted		Harvested		Yield per acre		Production	
	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94
	Acres				50-lb crate		1,000 crates	
Hastings	4,200	3,600	4,000	3,500	580	650	2,320	2,275
Other North & West	450	350	400	300	533	553	213	166
North Central	1,500	1,450	1,400	1,100	550	570	770	627
East & West Central	3,150	3,550	3,000	3,500	625	660	1,875	2,310
South	1,100	950	1,000	900	560	560	560	504
State	10,400	9,900	9,800	9,300	586	632	5,738	5,882


**CABBAGE: Acreage harvested by selected counties, Florida,
crop years 1988-89 through 1993-94**

Counties	1988-89	1989-90	1990-91	1991-92	1992-93	1993-94
Acres						
Flagler	2,500	2,100	1,900	1,700	2,000	1,800
Manatee	3,400	5,000	3,600	3,900	2,400	3,200
Putnam & St. Johns	1,800	1,300	1,850	1,600	2,000	1,700
Other counties	7,800	4,500	4,600	3,600	3,400	2,600
State	15,500	12,900	11,950	12,300	9,800	9,300

**CARROTS: Acreage, production and value, Florida,
crop years 1984-85 through 1993-94**

Crop year	Acreage		Yield per acre	Production	Value per cwt	Total value
	Planted	Harvested				
	Acres		Cwt	1,000 cwt	Dollars	1,000 dollars
1984-85	12,500	11,500	92	1,058	10.30	10,897
1985-86	13,000	12,300	69	849	13.00	11,037
1986-87	12,600	12,100	88	1,065	10.80	11,502
1987-88	12,700	12,200	97	1,183	11.40	13,486
1988-89	9,700	9,400	100	940	16.00	15,040
1989-90	9,900	7,200	150	1,080	16.30	17,604
1990-91	9,400	9,000	115	1,035	21.80	22,563
1991-92	9,400	9,000	145	1,305	15.50	20,228
1992-93	8,000	7,800	170	1,326	16.90	22,409
1993-94	7,600	7,400	115	851	12.70	10,808


**CARROTS: Harvested acreage and value of production,
crop years 1984-85 through 1993-94**



**CARROTS: Average value per hundredweight for fresh market sales,
monthly, Florida, crop years 1989-90 through 1993-94**

Crop year	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Season total
	Dollars								
1989-90	30.40	12.30	16.30	19.30	18.10	14.80	15.60	16.00	16.30
1990-91	23.70	17.60	22.20	19.90	21.30	25.60	24.90	19.60	21.80
1991-92	29.70	17.80	15.35	14.45	15.95	12.65	16.15	22.15	15.50
1992-93	30.20	13.80	14.40	17.10	20.80	16.80	17.90	12.60	16.90
1993-94	23.00	11.10	13.80	10.80	11.70	11.40	15.40	14.40	12.70

CARROTS: Five-year average monthly price and percent sold, crop years 1989-90 through 1993-94



CARROTS: Production sold, monthly, Florida, crop years 1989-90 through 1993-94

Crop year	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Season total
	1,000 cwt								
1989-90	11	151	76	184	205	216	194	43	1,080
1990-91	10	114	228	217	217	186	52	11	1,035
1991-92	13	78	222	222	287	248	157	78	1,305
1992-93	13	53	265	172	239	239	226	119	1,326
1993-94	8	34	145	136	153	187	145	43	851
	Percent								
1989-90	1.0	14.0	7.0	17.0	19.0	20.0	18.0	4.0	100.0
1990-91	1.0	11.0	22.0	21.0	21.0	18.0	5.0	1.0	100.0
1991-92	1.0	6.0	17.0	17.0	22.0	19.0	12.0	6.0	100.0
1992-93	1.0	4.0	20.0	13.0	18.0	18.0	17.0	9.0	100.0
1993-94	1.0	4.0	17.0	16.0	18.0	22.0	17.0	5.0	100.0

**CELERY: Acreage, production and value, Florida,
crop years 1979-80 through 1993-94**

Crop year	Acreage		Yield per acre	Production	Value per crate	Total value
	Planted	Harvested				
	Acres		60-lb crate	1,000 crates	Dollars	1,000 dollars
1979-80	12,700	12,200	673	8,210	5.70	46,774
1980-81	11,700	10,400	605	6,291	7.09	44,613
1981-82	10,100	9,500	537	5,097	7.58	38,639
1982-83	9,700	9,400	666	6,257	8.77	54,880
1983-84	9,500	9,200	672	6,180	10.44	64,546
1984-85	9,300	8,600	665	5,720	6.38	36,515
1985-86	9,400	8,500	695	5,910	7.36	43,519
1986-87	9,100	8,500	705	5,993	7.09	42,494
1987-88	8,900	7,900	757	5,980	8.00	47,858
1988-89	8,800	8,300	716	5,939	9.25	54,915
1989-90	8,900	7,900	620	4,898	6.99	34,237
1990-91	8,600	7,800	646	5,035	8.02	40,395
1991-92	8,000	7,700	733	5,644	7.01	39,564
1992-93	7,900	7,700	685	5,273	12.01	63,329
1993-94	7,200	7,000	592	4,143	6.05	25,073

**CELERY: Production sold, monthly, Florida, crop
years 1989-90 through 1993-94**

Crop year	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
	1,000 60-lb crates								
1989-90	164	568	329	651	909	854	1,169	254	4,898
1990-91	208	957	950	368	656	883	837	176	5,035
1991-92	128	743	724	740	934	993	1,153	230	5,664
1992-93	117	622	680	442	833	981	1,229	369	5,273
1993-94	41	220	667	812	758	787	750	108	4,143
	Percent								
1989-90	3.3	11.6	6.7	13.3	18.6	17.4	23.9	5.2	100.0
1990-91	4.1	19.0	18.9	7.3	13.0	17.6	16.6	3.5	100.0
1991-92	2.3	13.2	12.8	13.1	16.5	17.6	20.4	4.1	100.0
1992-93	2.2	11.8	12.9	8.4	15.8	18.6	23.3	7.0	100.0
1993-94	1.0	5.3	16.1	19.6	18.3	19.0	18.1	2.6	100.0


CELERY: Average value per crate for fresh market sales, monthly,
Florida, crop years 1989-90 through 1993-94

Crop year	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Average
Dollars									
1989-90	10.32	7.20	10.08	7.98	5.07	5.22	7.38	8.88	6.99
1990-91	8.94	6.42	7.98	8.10	6.12	7.38	11.16	11.16	8.02
1991-92	10.76	7.73	5.48	5.24	5.09	7.16	8.66	9.68	7.01
1992-93	9.72	9.06	13.68	19.32	15.59	9.84	10.02	10.14	12.01
1993-94	10.20	8.58	7.20	5.10	4.86	4.92	7.38	6.78	6.05

CELERY: Acreage and production by areas, Florida
crop years 1992-93, 1993-94

Areas	Planted		Harvested		Yield per acre		Production	
	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94
	Acres				60-lb crate		1,000 crates	
Central	1,790	1,465	1,780	1,425	752	588	1,338	838
Everglades	6,110	5,735	5,920	5,575	665	593	3,935	3,305
State	7,900	7,200	7,700	7,000	685	592	5,273	4,143


CELERY: Price per crate and percent sold per month, 1993-94



**SWEET CORN: Acreage, production, and value, Florida,
crop years 1979-80 through 1993-94**

Crop year	Acreage		Yield per acre	Production	Value per crate	Total value
	Planted	Harvested				
	Acres	Acres	Crates	1,000 crates	Dollars	1,000 dollars
1979-80	57,200	51,800	215	11,157	5.03	56,138
1980-81	57,800	51,900	217	11,259	4.82	54,246
1981-82	55,400	50,100	215	10,764	5.68	61,167
1982-83	62,500	57,700	196	11,281	5.74	64,745
1983-84	59,900	55,200	198	10,936	5.58	61,016
1984-85	61,500	51,900	215	11,162	6.05	67,581
1985-86	59,500	50,200	211	10,598	5.69	60,270
1986-87	54,900	51,100	224	11,466	6.05	69,350
1987-88	59,100	55,300	232	12,812	5.58	71,551
1988-89	58,700	48,400	236	11,426	7.30	83,380
1989-90	58,200	51,300	275	14,094	6.35	89,559
1990-91	50,800	48,200	249	11,982	7.90	94,695
1991-92	52,800	50,100	243	12,181	6.38	77,688
1992-93	46,700	42,400	266	11,274	8.65	97,540
1993-94	45,000	43,300	265	11,487	9.25	106,270

**SWEET CORN: Harvested acreage and value of production,
crop years 1979-80 through 1993-94**



**SWEET CORN: Production sold, monthly, Florida,
crop years 1984-85 through 1993-94**

Crop year	Oct ^{1/}	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
1,000 crates											
1984-85	770	1,115	446	357	^{2/}	^{2/}	1,327	4,504	2,465	178	11,162
1985-86	597	792	709	337	165	248	849	3,751	2,995	155	10,598
1986-87	449	894	652	343	247	450	1,689	3,560	2,931	251	11,466
1987-88	445	808	419	337	274	646	1,479	4,858	3,289	257	12,812
1988-89	262	433	429	260	331	431	680	5,320	3,046	234	11,426
1989-90	857	804	463	^{2/}	^{2/}	1,057	3,017	4,610	3,004	282	14,094
1990-91	1,078	827	982	539	252	443	1,642	4,098	1,809	312	11,982
1991-92	1,152	449	328	268	244	244	2,206	4,036	2,523	731	12,181
1992-93	169	475	487	472	236	590	1,179	4,128	3,066	472	11,274
1993-94	532	709	473	319	532	744	2,867	3,611	1,700	^{3/}	11,487
Percent											
1984-85	6.9	10.0	4.0	3.2	^{2/}	^{2/}	11.9	40.3	22.1	1.6	100.0
1985-86	5.6	7.5	6.7	3.2	1.6	2.3	8.0	35.4	28.2	1.5	100.0
1986-87	3.9	7.8	5.7	3.0	2.2	3.9	14.7	31.0	25.6	2.2	100.0
1987-88	3.5	6.3	3.3	2.6	2.1	5.0	11.6	37.9	25.7	2.0	100.0
1988-89	2.3	3.8	3.8	2.3	2.9	3.8	6.0	46.5	26.6	2.0	100.0
1989-90	6.1	5.7	3.3	^{2/}	^{2/}	7.5	21.4	32.7	21.3	2.0	100.0
1990-91	9.0	6.9	8.2	4.5	2.1	3.7	13.7	34.2	15.1	2.6	100.0
1991-92	9.5	3.7	2.7	2.2	2.0	2.0	18.1	33.1	20.7	6.0	100.0
1992-93	1.5	4.2	4.3	4.2	2.1	5.2	10.5	36.6	27.2	4.2	100.0
1993-94	4.6	6.2	4.1	2.8	4.6	6.5	25.0	31.4	14.8	^{3/}	100.0

^{1/} September included. ^{2/} Sales under 0.1 percent of total sales for season. ^{3/} July included with June.

**SWEET CORN: Average monthly value per crate for fresh market sales,
Florida, crop years 1984-85 through 1993-94**

Crop year	Oct ^{1/}	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
Dollars											
1984-85	4.85	4.75	5.85	6.45	--	--	6.15	7.05	5.05	6.95	6.05
1985-86	4.75	4.49	4.41	9.24	11.21	10.25	8.19	5.46	5.04	4.49	5.69
1986-87	8.06	5.67	5.17	6.59	11.68	8.02	6.72	5.59	5.54	4.24	6.05
1987-88	5.12	4.03	6.55	6.43	10.29	7.48	8.02	4.24	5.71	8.40	5.58
1988-89	9.22	9.55	6.23	10.63	8.36	11.26	11.00	6.22	6.93	8.95	7.30
1989-90	6.05	5.84	7.14	--	--	7.39	6.47	6.59	5.63	6.34	6.35
1990-91	6.09	7.81	5.54	6.68	6.26	12.52	8.95	8.19	8.11	8.06	7.90
1991-92	8.23	7.85	7.43	11.05	9.20	11.84	6.80	6.05	4.49	4.62	6.38
1992-93	10.58	9.49	9.49	9.79	16.46	10.58	9.87	8.74	6.97	5.80	8.65
1993-94	11.55	7.48	9.58	11.26	7.39	11.09	7.48	9.45	11.13	^{2/}	9.25

^{1/} September included. ^{2/} July included with June.


**SWEET CORN: Acreage and production by areas, Florida,
crop years 1992-93 and 1993-94**

Areas	Planted		Harvested		Yield per acre		Production	
	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94
	Acres				42-lb crate		1,000 crates	
West & North	5,100	4,700	4,600	4,675	284	292	1,305	1,365
Central	9,600	8,300	9,250	8,050	272	389	2,517	3,130
Everglades	24,650	25,850	22,200	24,600	259	229	5,756	5,645
Southeast & Southwest	7,350	6,150	6,350	5,975	267	225	1,696	1,347
State	46,700	45,000	42,400	43,300	266	265	11,274	11,487
Sep thru Dec	8,000	9,300	7,800	8,700	145	197	1,131	1,714
Jan thru Jul	38,700	35,700	34,600	34,600	293	282	10,143	9,773

**SWEET CORN: Acreage and production by areas, Florida,
crop years 1990-91 and 1991-92**

Areas	Planted		Harvested		Yield per acre		Production	
	1990-91	1991-92	1990-91	1991-92	1990-91	1991-92	1990-91	1991-92
	Acres				42-lb crate		1,000 crates	
West & North	4,700	4,100	4,600	3,900	188	232	863	905
Central	12,700	12,400	12,300	11,800	259	246	3,186	2,903
Everglades	25,600	28,100	24,000	26,700	256	243	6,144	6,487
Southeast & Southwest	7,800	8,200	7,300	7,700	245	245	1,789	1,886
State	50,800	52,800	48,200	50,100	249	243	11,982	12,181
Sep thru Dec	10,500	9,500	10,000	8,100	289	238	2,887	1,929
Jan thru July	40,300	43,300	38,200	42,000	238	244	9,095	10,252

**SWEET CORN: Five-year average monthly price and percent
sold, crop years 1989-90 through 1993-94**



**CUCUMBERS: Acreage and yield, Florida, crop years
1979-80 through 1993-94**

Crop year	Planted			Harvested			Yield per acre		
	Total	Fresh	Proc	Total	Fresh	Proc	Fresh & Proc	Fresh	Proc
	Acres						55-lb bushel		
1979-80	23,100	15,400	7,700	21,700	14,500	7,200	235	280	145
1980-81	21,200	15,800	5,400	19,900	14,900	5,000	241	273	145
1981-82	1/	16,100	1/	1/	15,300	1/	1/	308	1/
1982-83	1/	15,900	1/	1/	15,000	1/	1/	316	1/
1983-84	21,100	16,000	5,100	19,800	15,100	4,700	273	307	164
1984-85	22,000	16,800	5,200	20,900	16,100	4,800	293	326	182
1985-86	22,600	17,900	4,700	21,300	16,900	4,400	287	310	200
1986-87	21,200	17,200	4,000	20,000	16,100	3,900	304	324	218
1987-88	21,600	15,600	6,000	20,850	14,850	6,000	337	385	218
1988-89	17,950	15,250	2,700	16,600	13,900	2,700	408	450	193
1989-90	17,100	14,700	2,400	16,100	13,700	2,400	427	464	215
1990-91	16,350	14,550	1,800	15,750	13,950	1,800	475	504	254
1991-92	1/	17,400	1/	1/	16,500	1/	1/	552	1/
1992-93	1/	15,800	1/	1/	15,200	1/	1/	505	1/
1993-94	1/	12,700	1/	1/	11,600	1/	1/	493	1/


1/ Data for the processing crop are not published to avoid disclosure of individuals. The processing crop is included in "other" vegetables.

**CUCUMBERS: Production and value, Florida, crop
years 1979-80 through 1993-94**


Crop year	Production		Value per bushel		Total value	
	Fresh	Proc	Fresh	Proc	Fresh	Proc
	1,000 55-lb bushels		Dollars		1,000 dollars	
1979-80	4,056	1,047	8.67	10.01	35,168	10,483
1980-81	4,072	727	8.85	8.09	36,054	5,880
1981-82	4,707	1/	7.00	1/	32,970	1/
1982-83	4,742	1/	7.77	1/	36,851	1/
1983-84	4,635	769	7.33	8.28	33,971	6,366
1984-85	5,242	873	7.13	7.56	37,353	6,600
1985-86	5,239	880	6.86	7.65	35,920	6,728
1986-87	5,224	851	9.37	8.69	48,974	7,394
1987-88	5,717	1,309	9.58	8.25	54,778	10,800
1988-89	6,255	521	9.89	10.02	61,837	5,223
1989-90	6,362	516	9.73	10.43	61,873	5,381
1990-91	7,030	458	11.16	11.28	78,489	5,166
1991-92	9,105	1/	9.71	1/	88,372	1/
1992-93	7,679	1/	8.43	1/	64,767	1/
1993-94	5,718	1/	10.59	1/	60,539	1/

1/ Data for the processing crop are not published to avoid disclosure of individuals. The processing crop is included in "other" vegetables.

FRESH MARKET CUCUMBERS: Harvested acreage and value of production, crop years 1979-80 through 1993-94



FRESH MARKET CUCUMBERS: Five-year monthly price and percent sold, crop years 1989-90 through 1993-94



CUCUMBERS: Production sold, for fresh market, monthly, Florida,
crop years 1989-90 through 1993-94

Crop year	Oct ^{1/}	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun ^{2/}	Total
1,000 55-lb bushels										
1989-90	503	970	503	118	205	898	1,433	1,567	165	6,362
1990-91	603	1,285	772	385	178	476	1,614	1,563	154	7,030
1991-92	865	1,601	1,074	310	145	921	1,735	2,027	427	9,105
1992-93	459	832	1,188	411	209	483	1,096	2,403	598	7,679
1993-94	489	590	339	418	179	418	1,672	1,374	239	5,718
Percent										
1989-90	7.9	15.2	7.9	1.9	3.2	14.1	22.5	24.7	2.6	100.0
1990-91	8.6	18.3	11.0	5.5	2.5	6.8	22.9	22.2	2.2	100.0
1991-92	9.5	17.6	11.8	3.4	1.6	10.1	19.1	22.2	4.7	100.0
1992-93	6.0	10.8	15.5	5.4	2.7	6.3	14.3	31.3	7.7	100.0
1993-94	8.6	10.3	5.9	7.3	3.1	7.3	29.3	24.0	4.2	100.0

^{1/} August and September included. ^{2/} July included.

CUCUMBERS: Average value per bushel for fresh market sales, monthly,
Florida, crop years 1989-90 through 1993-94

Crop year	Oct ^{1/}	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun ^{2/}	Average
Dollars										
1989-90	11.10	12.60	11.30	13.50	10.40	9.00	10.70	6.50	6.30	9.73
1990-91	5.45	8.60	9.50	14.30	13.80	21.00	11.60	11.90	10.00	11.16
1991-92	6.73	7.37	8.42	17.27	19.91	16.78	10.40	8.64	5.78	9.71
1992-93	6.66	5.56	7.87	10.07	12.38	13.92	12.27	7.26	5.67	8.43
1993-94	8.31	23.38	19.09	9.85	7.37	8.20	7.92	8.47	10.45	10.59

^{1/} August and September included. ^{2/} July included.

**CUCUMBERS: Acreage and production for fresh market by areas,
crop years Florida, 1992-93 and 1993-94**

Areas	Planted		Harvested		Yield per acre		Production	
	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94
	Acres				55-lb bushel		1,000 bushels	
North ^{1/}	950	700	900	500	490	495	441	248
North Central	450	450	450	400	482	491	217	196
West Central ^{2/}	4,300	2,700	4,150	2,600	393	400	1,629	1,040
Southwest ^{3/}	4,100	2,650	3,950	2,500	563	568	2,224	1,420
Southeast	6,000	6,200	5,750	5,600	551	502	3,168	2,814
State	15,800	12,700	15,200	11,600	505	493	7,679	5,718

^{1/} Includes West. ^{2/} Includes East Central. ^{3/} Includes Everglades.

**CUCUMBERS: Acreage harvested for fresh market by selected counties,
Florida, crop years 1988-89 through 1993-94**

Counties	1988-89	1989-90	1990-91	1991-92	1992-93	1993-94
	Acres					
Alachua	800	650	600	500	^{1/}	^{1/}
Collier	1,350	1,300	1,000	1,750	1,330	800
Dade	550	400	650	900	^{1/}	600
DeSoto	350	400	^{1/}	^{1/}	^{1/}	^{1/}
Hardee	1,600	1,400	950	2,150	^{1/}	^{1/}
Hendry	1,600	1,650	1,150	1,400	1,150	900
Hillsborough	1,100	500	400	600	400	700
Lee	1,450	1,650	1,700	1,500	1,450	^{1/}
Manatee	1,300	1,200	1,700	1,750	1,500	1,100
Palm Beach (East)	2,550	2,600	4,150	4,400	4,300	4,900
Seminole	200	300	350	450	^{1/}	^{1/}
Sumter	250	300	^{1/}	^{1/}	^{1/}	^{1/}
Other counties	800	1,350	1,300	1,100	5,070	2,600
State	13,900	13,700	13,950	16,500	15,200	11,600

^{1/} Not published to avoid disclosure of individuals.

**EGGPLANT: Acreage, production, and value, Florida,
crop years 1979-80 through 1993-94**

Crop year	Acreage		Yield per acre	Production	Value per bushel	Total value
	Planted	Harvested				
	Acres		33-lb bushel	1,000 bushels	Dollars	1,000 dollars
1979-80	3,100	2,800	600	1,679	4.36	7,328
1980-81	3,100	2,800	592	1,658	5.67	9,394
1981-82	2,640	2,530	657	1,661	5.76	9,568
1982-83	2,590	2,500	666	1,666	5.06	8,429
1983-84	2,300	2,100	710	1,491	5.84	8,713
1984-85	2,680	2,500	658	1,646	4.30	7,075
1985-86	2,500	2,350	675	1,586	5.73	9,093
1986-87	2,400	2,300	689	1,585	6.08	9,634
1987-88	2,200	2,100	668	1,403	7.31	10,253
1988-89	2,100	2,000	810	1,619	7.05	11,413
1989-90	2,050	1,950	815	1,589	8.52	13,537
1990-91	2,050	1,950	806	1,571	8.26	12,974
1991-92	2,650	2,550	853	2,174	7.91	17,186
1992-93	2,200	2,000	737	1,474	7.57	11,164
1993-94	2,500	2,400	834	2,001	9.35	18,717

**EGGPLANT: Production sold, monthly, Florida, crop
years 1989-90 through 1993-94**

Crop year	Oct ^{1/}	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
1,000 33-lb bushels											
1989-90	168	229	142	36	40	221	250	339	157	7	1,589
1990-91	141	221	214	202	109	130	177	250	127	^{2/}	1,571
1991-92	180	281	287	234	207	209	294	317	165	^{2/}	2,174
1992-93	119	313	183	168	121	111	131	228	100	--	1,474
1993-94	142	301	269	180	163	212	310	326	98	--	2,001
Percent											
1989-90	10.6	14.4	8.9	2.3	2.5	13.9	15.7	21.4	9.9	0.4	100.0
1990-91	9.0	14.0	13.6	12.9	6.9	8.3	11.3	15.9	8.1	^{2/}	100.0
1991-92	8.3	12.9	13.2	10.8	9.5	9.6	13.5	14.6	7.6	^{2/}	100.0
1992-93	8.1	21.2	12.4	11.4	8.2	7.5	8.9	15.5	6.8	--	100.0
1993-94	7.1	15.0	13.4	9.0	8.2	10.6	15.5	16.3	4.9	--	100.0

^{1/} September included. ^{2/} July included with June.

**EGGPLANT: Average value per bushel for fresh market sales, monthly,
Florida, crop years 1989-90 through 1993-94**

Crop year	Oct ^{1/}	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
Dollars											
1989-90	6.70	7.50	13.50	25.70	23.50	12.20	6.35	5.25	5.30	5.40	8.52
1990-91	4.55	4.10	6.90	5.80	9.40	13.00	10.20	11.60	10.70	^{2/}	8.26
1991-92	5.94	3.80	6.04	7.43	10.86	11.55	9.57	10.43	4.82	^{2/}	7.91
1992-93	4.98	6.53	5.21	6.30	5.91	9.31	13.53	9.17	9.01	--	7.57
1993-94	7.89	7.46	7.36	8.75	14.49	11.58	11.42	8.71	6.11	--	9.35

^{1/} September included. ^{2/} July included with June.

**EGGPLANT: Acreage and production by areas, Florida,
crop years 1992-93 and 1993-94**

Areas	Planted		Harvested		Yield per acre		Production	
	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94
	Acres				33-lb bushel		1,000 bushels	
Southeast	1,500	1,700	1,400	1,600	754	884	1,056	1,414
Other Areas	700	800	600	800	697	734	418	587
State	2,200	2,500	2,000	2,400	737	834	1,474	2,001

**EGGPLANT: Acreage harvested by selected counties, Florida,
crop years 1988-89 through 1993-94**

Counties	1988-89	1989-90	1990-91	1991-92	1992-93	1993-94
Acres						
Alachua	200	200	150	100	^{1/}	^{1/}
Broward	100	100	100	^{1/}	^{1/}	^{1/}
Palm Beach (East)	800	800	800	1,050	1,000	1,100
Other counties	900	850	900	1,400	1,000	1,300
State	2,000	1,950	1,950	2,550	2,000	2,400

^{1/} Not published to avoid disclosure of individuals operations. Included with other counties.

**ESCAROLE: Acreage, production, and value, Florida,
crop years 1979-80 through 1993-94**

Crop year	Acreage		Yield per acre	Production	Value per crate	Total value
	Planted	Harvested				
	Acres		25-lb crate	1,000 crates	Dollars	1,000 dollars
1979-80	7,500	6,300	481	3,028	3.72	11,263
1980-81	7,500	6,200	470	2,912	3.91	11,376
1981-82	5,900	5,300	512	2,712	6.65	18,024
1982-83	6,200	5,600	519	2,908	5.17	15,039
1983-84	6,250	5,700	505	2,876	4.92	14,136
1984-85	6,300	5,700	500	2,852	4.83	13,786
1985-86	6,100	5,500	480	2,640	5.42	14,296
1986-87	5,500	5,100	479	2,442	4.96	12,123
1987-88	4,900	4,700	547	2,573	4.90	12,619
1988-89	4,500	4,250	551	2,343	4.10	9,607
1989-90	4,000	3,500	483	1,690	4.70	7,945
1990-91	3,300	2,950	559	1,650	6.44	10,633
1991-92	3,000	2,800	580	1,624	4.84	7,868
1992-93	2,600	2,500	462	1,156	6.72	7,768
1993-94	2,500	2,500	379	947	4.27	4,045

**ESCAROLE: Florida production sold, by month, crop
years 1989-90 through 1993-94**

Crop year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Total
1,000 25-lb crates									
1989-90	30	201	208	155	279	384	294	139	1,690
1990-91	7	182	295	346	255	264	237	64	1,650
1991-92	14	224	246	255	247	279	247	112	1,624
1992-93	--	106	154	190	191	191	191	133	1,156
1993-94	--	116	141	159	168	177	142	44	947
Percent									
1989-90	1.8	11.9	12.3	9.2	16.5	22.7	17.4	8.2	100.0
1990-91	0.4	11.0	17.9	21.0	15.4	16.0	14.4	3.9	100.0
1991-92	0.9	13.8	15.1	15.7	15.2	17.2	15.2	6.9	100.0
1992-93	--	9.2	13.3	16.5	16.5	16.5	16.5	11.5	100.0
1993-94	--	12.2	14.9	16.8	17.8	18.7	15.0	4.6	100.0

**ESCAROLE: Average monthly value per crate for fresh market sales,
Florida, crop years 1989-90 through 1993-94**

Crop year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Average
Dollars									
1989-90	6.50	5.45	3.85	9.00	4.05	3.35	3.45	7.40	4.70
1990-91	5.10	4.65	3.40	5.35	6.60	6.95	11.10	11.70	6.44
1991-92	4.43	4.99	3.79	4.20	4.19	5.00	5.23	8.60	4.84
1992-93	--	4.82	4.80	7.55	9.50	6.38	7.15	5.15	6.72
1993-94	--	5.10	3.78	3.35	3.35	3.63	5.40	9.45	4.27

**ESCAROLE: Acreage and production by areas, Florida,
1992-93, 1993-94 crop years**

Areas	Planted		Harvested		Yield per acre		Production	
	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94
	Acres				25-lb crate		1,000 crates	
Central	700	550	700	550	371	362	260	199
Everglades	1,900	1,950	1,800	1,950	498	383	896	748
State	2,600	2,500	2,500	2,500	462	379	1,156	947


**ESCAROLE: Acreage harvested by areas, Florida, crop
years 1988-89 through 1993-94**

Areas	1988-89	1989-90	1990-91	1991-92	1992-93	1993-94
Acres						
Central	1,050	950	750	600	700	550
Everglades	3,200	2,500	2,200	2,200	1,800	1,950
State	4,250	3,500	2,950	2,800	2,500	2,500

LETTUCE: Acreage, production, and value, Florida, crop years 1979-80 through 1993-94

Crop year	Acreage		Yield per acre	Production	Value per cwt	Total value
	Planted	Harvested				
	Acres		Cwt	1,000 cwt	Dollars	1,000 dollars
1979-80	15,400	13,900	193	2,688	13.67	36,750
1980-81	16,700	14,200	188	2,671	13.39	35,759
1981-82	14,100	12,300	183	2,250	25.16	56,599
1982-83	14,400	12,900	190	2,451	18.83	46,151
1983-84	15,600	13,000	179	2,328	16.84	39,210
1984-85	16,050	13,500	170	2,295	15.90	36,491
1985-86	16,000	14,400	163	2,350	19.13	44,949
1986-87	15,100	13,400	150	2,015	15.32	30,868
1987-88	12,600	11,700	203	2,380	25.11	59,768
1988-89	11,800	11,000	198	2,180	19.06	41,558
1989-90	10,600	8,000	192	1,536	20.26	31,115
1990-91	9,650	7,450	186	1,387	21.27	29,499
1991-92	9,350	8,400	171	1,440	14.02	20,194
1992-93	9,200	8,900	146	1,300	20.75	26,972
1993-94	9,870	9,720	120	1,168	10.40	12,143

LETTUCE: Harvested acreage and value of production, crop years 1979-80 through 1993-94




**LETTUCE: Acreage and production by areas, Florida,
1992-93, 1993-94 crop years**

Areas	Planted		Harvested		Yield per acre		Production	
	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94
	Acres				Cwt		1,000 cwt	
Central	1,300	670	1,300	670	138	115	179	77
Everglades	7,900	9,200	7,600	9,050	148	121	1,121	1,091
State	9,200	9,870	8,900	9,720	146	120	1,300	1,168

**LETTUCE: Acreage harvested by areas, Florida, crop
years 1988-89 through 1993-94**

Areas	1988-89	1989-90	1990-91	1991-92	1992-93	1993-94
	Acres					
Central	1,300	750	1,100	1,050	1,300	670
Everglades	9,700	7,250	6,350	7,350	7,600	9,050
State	11,000	8,000	7,450	8,400	8,900	9,720

**FLORIDA HEAD, LEAF, AND ROMAINE LETTUCE
Percent sold by month 1993-94**



LETTUCE: Florida production sold monthly, crop years 1991-92 through 1993-94

Crop year	Type	Nov	Dec	Jan	Feb	Mar	Apr	May	Total
1,000 cwt									
1991-92	Head	62	211	286	181	207	245	35	1,227
	Leaf	5	16	13	16	18	12	1	81
	Romaine	21	24	40	27	40	31	4	187
1992-93	Head	51	129	131	223	203	244	101	1,082
	Leaf	7	14	12	10	9	8	3	63
	Romaine	19	19	24	33	17	30	13	155
1993-94	Head	72	127	325	325	58	66	--	973
	Leaf	8	13	12	17	8	4	--	62
	Romaine	20	31	26	23	13	15	5	133
Percent									
1991-92	Head	5.0	17.2	23.3	14.7	16.9	20.0	2.9	100.0
	Leaf	6.2	19.8	16.0	19.8	22.2	14.8	1.2	100.0
	Romaine	11.2	12.8	21.4	14.4	21.4	16.6	2.1	100.0
1992-93	Head	4.7	11.9	12.1	20.6	18.8	22.6	9.3	100.0
	Leaf	11.1	22.2	19.0	15.9	14.3	12.7	4.8	100.0
	Romaine	12.2	12.2	15.5	21.3	11.0	19.4	8.4	100.0
1993-94	Head	7.4	13.0	33.4	33.4	6.0	6.8	--	100.0
	Leaf	12.9	21.0	19.4	27.4	12.9	6.5	--	100.0
	Romaine	15.0	23.3	19.5	17.3	9.8	11.3	3.8	100.0

LETTUCE: Florida fresh market sales average value per cwt, monthly, crop years 1991-92 through 1993-94


Crop year	Type	Nov	Dec	Jan	Feb	Mar	Apr	May	Average
Dollars									
1991-92	Head	20.60	17.60	13.20	12.70	17.60	14.60	13.50	15.24
	Leaf	16.50	14.50	12.20	12.40	17.80	17.80	22.60	15.16
	Romaine	17.40	15.00	12.20	10.00	14.20	22.30	18.30	15.06
1992-93	Head	14.80	19.00	18.40	20.70	19.00	24.10	15.60	19.91
	Leaf	16.00	20.90	23.20	48.70	24.50	21.20	18.60	25.65
	Romaine	11.30	33.30	23.90	36.70	18.80	20.30	19.40	24.60
1993-94	Head	12.50	10.50	9.00	9.30	9.30	9.40	--	9.60
	Leaf	18.30	15.20	14.50	13.00	15.70	16.40	--	15.00
	Romaine	18.60	15.00	13.50	13.60	10.20	12.60	10.10	14.08

**BELL PEPPERS: Acreage, production, and value, Florida,
crop years 1979-80 through 1993-94 ^{1/}**


Crop year	Acreage		Yield per acre	Production	Value per bushel	Total value
	Planted	Harvested				
	Acres	Acres	28-lb bushel	1,000 bushels	Dollars	1,000 dollars
1979-80	18,700	17,300	414	7,156	7.13	51,035
1980-81	20,400	18,300	435	7,968	8.10	64,516
1981-82	21,500	19,300	412	7,944	7.00	55,592
1982-83	21,400	19,700	482	9,492	9.45	89,687
1983-84	23,000	20,700	467	9,660	7.75	74,833
1984-85	22,700	20,800	507	10,540	6.59	69,460
1985-86	21,100	19,200	586	11,250	6.83	76,786
1986-87	20,100	18,500	617	11,423	12.00	137,033
1987-88	21,500	20,400	649	13,232	7.03	93,044
1988-89	21,900	20,900	673	14,068	7.83	110,181
1989-90	23,100	20,200	655	13,235	8.41	111,246
1990-91	20,700	20,000	718	14,358	12.09	173,628
1991-92	21,400	20,600	1,071	22,066	9.45	208,633
1992-93	21,500	20,400	882	17,988	9.83	176,761
1993-94	22,400	21,600	1,099	23,748	9.91	235,377

^{1/} The 1979-80 through 1990-91 crops include a small amount of hot varieties.

BELL PEPPERS: Harvested acreage and value of production, crop years 1979-80 through 1993-94



BELL PEPPERS: Five-year average monthly price and percent sold, crop years 1989-90 through 1993-94



BELL PEPPERS: Production sold, monthly, Florida, crop years 1989-90 through 1993-94 ^{1/}

Crop year	Oct ^{2/}	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun ^{3/}	Total
1,000 28-lb bushels										
1989-90	250	1,002	1,688	582	304	1,886	3,278	3,582	663	13,235
1990-91	199	1,228	2,041	2,093	1,333	1,999	2,704	2,380	381	14,358
1991-92	530	2,254	3,802	2,073	1,896	2,933	3,639	3,594	1,345	22,066
1992-93	602	1,722	2,596	2,697	2,570	2,489	2,278	2,489	545	17,988
1993-94	946	2,752	4,134	2,274	2,728	3,638	4,093	2,728	455	23,748
Percent										
1989-90	1.9	7.6	12.8	4.4	2.3	14.3	24.7	27.0	5.0	100.0
1990-91	1.4	8.6	14.2	14.6	9.3	13.9	18.8	16.6	2.6	100.0
1991-92	2.4	10.2	17.2	9.4	8.6	13.3	16.5	16.3	6.1	100.0
1992-93	3.3	9.6	14.4	15.0	14.3	13.8	12.8	13.8	3.0	100.0
1993-94	4.0	11.6	17.4	9.6	11.5	15.3	17.2	11.5	1.9	100.0

^{1/} The 1979-80 through 1990-91 crops include a small amount of hot varieties. ^{2/} Includes September.

^{3/} Includes July.

**BELL PEPPERS: Average value per bushel for fresh market sales, monthly,
Florida, crop years 1989-90 through 1993-94 ^{1/}**

Crop year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Average
Dollars per bushel										
1989-90	16.30	10.00	7.85	24.90	27.40	8.65	5.95	5.90	6.30	8.41
1990-91	13.80	12.30	9.10	8.70	11.60	12.50	13.50	15.90	11.00	12.09
1991-92	7.43	6.98	5.69	9.30	15.96	17.08	9.80	5.88	8.12	9.45
1992-93	8.76	8.68	8.51	7.42	9.55	9.86	15.51	10.56	6.89	9.83
1993-94	9.44	10.70	10.42	10.16	7.76	9.30	10.39	10.92	7.70	9.91

^{1/} The 1989-90 and 1990-91 crops include a small amount of hot varieties.

**BELL PEPPERS: Acreage and production by areas, Florida,
crops years 1992-93 and 1993-94**

Areas	Planted		Harvested		Yield per acre		Production	
	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94
	Acres				28-lb bushel		1,000 bushels	
North ^{1/}	600	600	500	500	600	885	300	443
North Central ^{2/}	1,100	1,150	1,000	1,000	818	993	818	993
West Central	3,600	3,650	3,400	3,400	659	736	2,241	2,502
Southwest	9,500	9,450	9,300	9,500	942	1,155	8,760	10,976
Southeast	6,700	7,550	6,200	7,200	947	1,227	5,869	8,834
State	21,500	22,400	20,400	21,600	882	1,099	17,988	23,748

^{1/} Includes West. ^{2/} Includes East Central.

**BELL PEPPERS: Acreage harvested by selected counties, Florida,
crop years 1988-89 through 1993-94 ^{1/}**

Counties	1988-89	1989-90	1990-91	1991-92	1992-93	1993-94
Acres						
Alachua	1,000	800	700	600	^{2/}	^{2/}
Collier	5,100	5,200	5,400	4,500	5,700	6,000 ^{2/}
Hardee	550	550	^{2/}	^{2/}	^{2/}	
Hendry	3,000	2,500	1,900	2,150	2,100	3,000
Hillsborough	1,800	1,900	1,000	1,350	1,400	1,950
Lee	1,800	1,600	1,650	1,600	1,400	1,350
Manatee	1,350	1,000	1,700	1,400	1,800	1,100
Palm Beach (East)	4,200	4,350	5,200	5,500	5,600	6,300 ^{2/}
Seminole	200	200	^{2/}	^{2/}	^{2/}	^{2/}
Sumter	700	700	600	500	^{2/}	
Other counties	1,200	1,400	1,850	3,000	2,400	1,900
State	20,900	20,200	20,000	20,600	20,400	21,600

^{1/} The 1988-89 through 1990-91 crops include a small amount of hot varieties. ^{2/} Included in other counties to avoid disclosure of individual operations.

**POTATOES: Acreage, production and value, Florida,
crop years 1980 through 1994**

Crop year	Acreage		Yield per acre	Production	Production sold	Value per cwt	Value of sales
	Planted	Harvested					
	Acres		Cwt	1,000 cwt		Dollars	1,000 dollars
WINTER:							
1989	7,600	7,600	190	1,444	1,435	24.30	34,871
1990	8,000	7,700	140	1,078	1,072	38.20	40,950
1991	7,600	7,600	195	1,482	1,473	29.20	43,012
1992	8,100	8,100	200	1,620	1,610	22.00	35,420
1993	8,700	8,400	180	1,512	1,503	28.10	42,234
1994	8,400	7,800	180	1,404	1,396	39.10	54,584
SPRING (HASTINGS):							
1989	28,500	28,000	195	5,460	5,437	11.90	64,700
1990	29,000	28,700	240	6,888	6,859	8.25	56,587
1991	27,500	27,000	190	5,130	5,108	16.80	85,814
1992	26,000	25,000	240	6,000	5,975	5.05	30,174
1993	28,000	26,000	180	4,680	4,660	11.00	51,260
1994	29,500	29,000	220	6,380	6,353	6.50	42,295
SPRING (OTHER):							
1989	7,500	7,000	200	1,400	1,389	20.70	28,752
1990	8,500	8,300	220	1,826	1,811	23.40	42,377
1991	8,600	8,400	175	1,470	1,458	24.10	35,138
1992	7,100	7,000	250	1,750	1,738	15.40	26,765
1993	8,000	7,500	185	1,388	1,377	25.20	34,700
1994	9,700	9,600	230	2,208	2,190	10.40	22,776
ALL SEASONS:							
1980	29,600	27,300	194	5,304	5,279	6.80	36,033
1981	30,500	29,900	220	6,565	6,534	11.10	72,628
1982	32,800	31,900	219	6,989	6,957	8.90	61,969
1983	32,100	31,300	193	6,045	6,018	9.25	55,748
1984	34,900	33,600	236	7,924	7,888	8.90	70,188
1985	35,700	35,100	226	7,930	7,894	9.40	74,323
1986	33,400	32,600	262	8,543	8,505	7.90	67,315
1987	36,500	35,700	196	6,987	6,954	16.40	113,859
1988	36,900	36,100	226	8,173	8,134	5.65	45,966
1989	43,600	42,600	195	8,304	8,261	15.50	128,323
1990	45,500	44,700	219	9,792	9,742	14.40	139,914
1991	43,700	43,000	188	8,082	8,039	20.40	163,964
1992	41,200	40,100	234	9,370	9,323	9.90	92,359
1993	44,700	41,900	181	7,580	7,580	17.00	128,194
1994	47,600	46,400	215	9,992	9,939	11.94	118,655

**POTATOES: Production sold, monthly, Florida,
crop years 1990 through 1994**

Crop year	Jan	Feb	Mar	Apr	May	Jun ^{1/}	Total
1,000 cwt							
1990	32	32	418	3,548	4,159	1,553	9,742
1991	74	222	766	1,331	5,004	642	8,039
1992	32	225	909	2,772	3,608	1,777	9,323
1993	38	204	542	1,162	3,475	2,119	7,540
1994	14	251	1,238	2,335	4,403	1,698	9,939
Percent							
1990	0.3	0.3	4.3	36.4	42.7	16.0	100.0
1991	0.9	2.8	9.5	16.6	62.2	8.0	100.0
1992	0.3	2.4	9.8	29.7	38.7	19.1	100.0
1993	0.5	2.7	7.2	15.4	46.1	28.1	100.0
1994	0.1	2.5	12.5	23.5	44.3	17.1	100.0

^{1/} Includes small quantities sold in July.

**POTATOES: Average value per cwt for all sales, monthly,
Florida, crop years 1990 through 1994**

Crop year	Jan	Feb	Mar	Apr	May	Jun	Average
Dollars							
1990	42.00	42.00	44.60	19.90	8.70	7.60	14.40
1991	34.00	33.80	26.30	25.30	16.50	16.10	20.40
1992	25.00	25.00	24.20	14.80	4.60	3.60	9.90
1993	25.00	24.20	29.10	28.40	17.00	6.80	17.00
1994	43.60	42.20	35.80	9.30	6.00	8.80	11.94

**POTATOES: Acreage and production by areas, Florida,
crop years 1992-93, 1993-94**

Areas	Planted		Harvested		Yield per acre		Production	
	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94
	Acres				Cwt		1,000 cwt	
Spring								
Hastings	28,000	29,500	26,000	29,000	180	220	4,680	6,380
Other spring ^{1/}	8,000	9,700	7,500	9,600	185	230	1,388	2,208
Winter								
Southwest	3,350	3,500	3,350	3,400	200	180	670	612
Southeast	5,350	4,900	5,050	4,400	165	180	842	792
State	44,700	47,600	41,900	46,400	181	215	7,540	9,992

^{1/} Includes West, North, Central, and Marion County.

**POTATOES: Acreage harvested by selected counties,
Florida, crop years 1989 through 1994**

Counties	1989	1990	1991	1992	1993	1994
	Acres					
Dade	5,100	4,800	4,800	4,900	4,700	4,300
Flagler	3,000	3,100	2,500	1,975	2,500	2,600
Putnam	4,500	4,900	4,200	4,800	4,900	5,400
St. Johns	20,500	20,700	20,300	18,225	18,600	21,000
Other counties	9,500	11,200	11,200	10,200	11,200	13,100
Winter total	7,600	7,700	7,600	8,100	8,400	7,800
Spring total	35,000	37,000	35,400	32,000	33,500	38,600
State total	42,600	44,700	43,000	40,100	41,900	46,400

**RADISHES: Acreage, production, and value, Florida,
crop years 1984-85 through 1993-94**

Crop year	Acreage		Yield per acre	Production	Value per carton	Total value
	Planted	Harvested				
	Acres		15-lb carton	1,000 cartons	Dollars	1,000 dollars
1984-85	29,100	25,600	247	6,313	2.96	18,656
1985-86	29,400	26,100	216	5,638	3.78	21,312
1986-87	29,700	27,000	207	5,589	3.15	17,605
1987-88	28,000	26,300	192	5,050	3.70	18,685
1988-89	28,200	27,000	235	6,345	3.15	19,987
1989-90	29,000	23,000	350	8,050	3.54	28,497
1990-91	26,100	25,000	285	7,125	4.95	35,269
1991-92	24,900	22,800	269	6,130	3.52	21,578
1992-93	24,900	23,800	261	6,212	5.95	36,961
1993-94	18,000	17,400	273	4,750	5.45	25,888

**RADISHES: Production sold, monthly, Florida, crop
years 1989-90 through 1993-94**

Crop year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 15-lb cartons										
1989-90	344	1,113	1,083	896	927	1,125	1,156	1,302	104	8,050
1990-91	371	974	1,206	952	644	933	1,042	847	156	7,125
1991-92	213	853	931	673	707	787	905	922	139	6,130
1992-93	112	826	1,006	727	683	895	982	882	99	6,212
1993-94	90	499	755	689	708	969	608	266	166	4,750
Percent										
1989-90	4.3	13.8	13.4	11.1	11.5	14.0	14.4	16.2	1.3	100.0
1990-91	5.2	13.7	16.9	13.4	9.0	13.1	14.6	11.9	2.2	100.0
1991-92	3.5	13.9	15.2	11.0	11.5	12.8	14.8	15.0	2.3	100.0
1992-93	1.8	13.3	16.2	11.7	11.0	14.4	15.8	14.2	1.6	100.0
1993-94	1.9	10.5	15.9	14.5	14.9	20.4	12.8	5.6	3.5	100.0


**RADISHES: Average value per carton for fresh market sales, monthly,
Florida, crop years 1989-90 through 1993-94**

Crop year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Average
Dollars										
1989-90	5.20	3.20	3.90	5.60	3.40	2.50	2.70	3.40	3.50	3.54
1990-91	3.80	3.40	2.80	4.65	8.35	7.25	6.35	4.15	3.00	4.95
1991-92	4.00	3.65	3.00	3.35	3.35	4.05	3.40	3.75	3.35	3.52
1992-93	7.00	4.95	5.90	6.30	8.00	5.70	6.10	5.20	4.70	5.95
1993-94	8.20	7.30	5.35	4.95	4.30	4.25	4.75	8.50	10.70	5.45


**SQUASH: Acreage, production, and value, Florida,
crop years 1979-80 through 1993-94**

Crop year	Acreage		Yield per acre	Production	Value per bushel	Total value
	Planted	Harvested				
	Acres		42-lb bushel	1,000 bushels	Dollars	1,000 dollars
1979-80	14,000	13,500	174	2,350	9.30	21,855
1980-81	15,600	14,800	159	2,357	9.72	22,904
1981-82	17,400	16,600	168	2,788	9.69	27,029
1982-83	16,700	16,100	179	2,874	11.12	31,949
1983-84	17,700	16,800	177	2,981	10.12	30,173
1984-85	17,700	16,500	172	2,829	11.00	31,119
1985-86	16,700	15,800	202	3,192	12.60	40,219
1986-87	16,100	15,200	198	3,010	12.30	37,023
1987-88	14,700	14,000	243	3,402	11.80	40,144
1988-89	15,200	13,650	277	3,785	9.50	35,958
1989-90	13,600	11,700	340	3,978	9.20	36,598
1990-91	12,500	11,800	320	3,776	13.30	50,221
1991-92	14,300	13,300	346	4,602	10.75	49,472
1992-93	11,200	10,500	335	3,518	10.85	38,170
1993-94	13,800	13,300	342	4,549	9.50	43,216

**SQUASH: Harvested acreage and value of production,
crop years 1979-80 through 1993-94**



SQUASH: Five-year average monthly price and percent sold, crop years 1979-80 through 1993-94



SQUASH: Production sold, by month, Florida, crop years 1989-90 through 1993-94

Crop year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 42-lb bushels										
1989-90	231	702	465	71	384	841	826	417	41	3,978
1990-91	242	678	542	409	311	499	709	350	36	3,776
1991-92	327	350	496	682	542	688	870	542	105	4,602
1992-93	124	481	501	337	388	431	553	622	81	3,518
1993-94	182	616	692	527	602	742	849	339	--	4,549
Percent										
1989-90	5.8	17.6	11.7	1.8	9.7	21.1	20.8	10.5	1.0	100.0
1990-91	6.4	18.0	14.3	10.8	8.2	13.2	18.8	9.3	1.0	100.0
1991-92	7.1	7.6	10.8	14.8	11.8	14.9	18.9	11.8	2.3	100.0
1992-93	3.5	13.7	14.2	9.6	11.0	12.3	15.7	17.7	2.3	100.0
1993-94	4.0	13.5	15.2	11.6	13.2	16.3	18.7	7.5	--	100.0

**SQUASH: Average value per bushel for fresh market sales, monthly,
Florida, crop years 1989-90 through 1993-94**

Crop year	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Average
Dollars										
1989-90	16.80	9.90	12.20	14.30	8.65	7.30	8.40	5.90	5.65	9.20
1990-91	14.40	13.00	11.20	12.50	11.40	14.80	15.40	12.70	12.60	13.30
1991-92	7.50	8.40	8.40	13.05	9.45	14.90	10.75	10.75	4.30	10.75
1992-93	7.49	10.77	10.90	11.78	12.78	15.37	11.46	6.97	4.66	10.85
1993-94	7.95	16.83	6.37	10.87	6.54	10.80	7.43	8.92	--	9.50

**SQUASH: Acreage and production by areas, Florida,
crop years 1992-93, 1993-94**

Areas	Planted		Harvested		Yield per acre		Production	
	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94
	Acres				42-lb bushel		1,000 bushels	
West and North	600	600	500	500	294	210	147	105
North Central	600	600	500	500	280	310	140	155
East and West Central	2,700	2,800	2,600	2,700	277	370	720	999
Southwest	2,500	3,800	2,400	3,700	390	395	936	1,461
Southeast	4,800	6,000	4,500	5,900	350	310	1,575	1,829
State	11,200	13,800	10,500	13,300	335	342	3,518	4,549

**SQUASH: Acreage harvested by selected counties, Florida,
crop years 1988-89 through 1993-94**

Counties	1988-89	1989-90	1990-91	1991-92	1992-93	1993-94
Acres						
Alachua	700	600	550	200	150	150
Collier	1,000	700	550	1,200	1,000	1,100
Dade	4,500	3,400	4,600	5,400	3,700	5,300
Gadsden	300	300	200	"	"	"
Hardee	800	950	750	200	"	"
Hillsborough	600	600	500	600	400	400
Lee	900	900	750	1,000	1,100	2,200
Marion	300	400	400	200	150	150
Palm Beach (East)	1,500	800	600	500	400	400
Other counties	3,050	3,050	2,900	3,800	3,500	3,600
State	13,650	11,700	11,800	13,300	10,500	13,300

^{1/} Included in other counties.

**STRAWBERRIES: Acreage, production, and value, Florida,
crop years 1979-80 through 1993-94**

Crop year	Acreage		Yield per acre	Production	Value per flat	Total value
	Planted	Harvested				
	Acres		12-lb flat	1,000 flats	Dollars	1,000 dollars
1979-80	2,500	2,500	1,583	3,958	7.06	27,930
1980-81	3,200	3,200	1,750	5,600	4.98	27,888
1981-82	5,000	5,000	1,625	8,125	6.44	52,358
1982-83	5,400	5,400	1,583	8,550	6.14	52,531
1983-84	5,200	5,100	1,417	7,225	5.38	38,842
1984-85	5,300	5,300	1,667	8,833	6.94	61,268
1985-86	5,000	4,900	1,543	7,558	6.64	50,157
1986-87	4,900	4,900	1,876	9,192	7.30	67,062
1987-88	5,000	5,000	2,083	10,417	7.09	73,875
1988-89	5,300	5,300	2,167	11,483	8.03	92,188
1989-90	5,400	5,300	1,833	9,717	7.75	75,324
1990-91	5,500	5,500	2,000	11,000	7.72	84,876
1991-92	5,400	5,400	2,500	13,500	8.06	108,810
1992-93	5,800	5,800	2,333	13,533	8.96	121,313
1993-94	5,800	5,800	2,417	14,017	7.24	101,425

**STRAWBERRIES: Production sold, monthly, Florida, crop
years 1989-90 through 1993-94**

Crop year	Dec ^{1/}	Jan	Feb	Mar	Apr	May	Total
1,000 12-lb flats							
1989-90	777	875	2,818	4,373	777	97	9,717
1990-91	1,650	1,870	2,200	4,510	770	^{2/}	11,000
1991-92	1,350	1,755	3,240	5,400	1,755	^{2/}	13,500
1992-93	1,083	2,707	2,165	5,413	2,165	^{2/}	13,533
1993-94	981	1,682	3,084	7,569	701	^{2/}	14,017
Percent							
1989-90	8.0	9.0	29.0	45.0	8.0	1.0	100.0
1990-91	15.0	17.0	20.0	41.0	7.0	^{2/}	100.0
1991-92	10.0	13.0	24.0	40.0	13.0	^{2/}	100.0
1992-93	8.0	20.0	16.0	40.0	16.0	^{2/}	100.0
1993-94	7.0	12.0	22.0	54.0	5.0	^{2/}	100.0

^{1/} November included. ^{2/} Combined with April. Less than 0.5 percent.

**STRAWBERRIES: Average value per flat for fresh market sales, monthly,
Florida, crop years 1989-90 through 1993-94**

Crop year	Dec	Jan	Feb	Mar	Apr	May	Average
1989-90	13.93	11.14	8.46	5.71	6.59	7.92	7.75
1990-91	9.24	11.16	9.60	5.04	6.36	^{1/}	7.72
1991-92	11.40	11.88	8.76	6.60	4.92	^{1/}	8.06
1992-93	15.96	10.56	10.92	7.08	6.24	^{1/}	8.96
1993-94	16.92	9.71	7.08	5.69	4.84	^{1/}	7.24

^{1/} Combined with April.

**STRAWBERRIES: Acreage and production by areas, Florida,
crop years 1992-93, 1993-94**

Areas	Planted		Harvested		Yield per acre		Production	
	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94
	Acres				12-lb flat		1,000 flats	
North	300	300	300	300	2,100	2,150	630	645
Central	5,200	5,200	5,200	5,200	2,357	2,445	12,258	12,712
South	300	300	300	300	2,150	2,200	645	660
State	5,800	5,800	5,800	5,800	2,333	2,417	13,533	14,017

**STRAWBERRIES: Acreage harvested by selected counties, Florida,
crop years 1988-89 through 1993-94**

Counties	1988-89	1989-90	1990-91	1991-92	1992-93	1993-94
	Acres					
Dade & Broward	200	200	200	200	200	200
Hillsborough & Manatee	4,700	4,700	4,900	4,800	5,100	5,100
Other counties	400	400	400	400	500	500
State	5,300	5,300	5,500	5,400	5,800	5,800

**TOMATOES: Acreage and production, Florida, crop
years 1979-80 through 1993-94**

Crop year	Acreage		Yield per acre			Production		
	Planted	Harvested	Fresh & proc	Fresh	Proc	Total	Fresh	Proc
	Acres		25-lb carton			1,000 cartons		
1979-80	42,900	42,200	1,133	1,102	31	47,812	46,492	1,320
1980-81	47,000	46,300	1,043	1,003	40	48,272	46,432	1,840
1981-82	41,300	40,500	1,293	1,250	43	52,360	50,632	1,728
1982-83	45,600	45,600	1,186	1,154	32	54,080	52,640	1,440
1983-84	49,300	47,600	1,157	1,128	29	55,056	53,712	1,344
1984-85	49,400	47,400	1,250	1,223	27	59,224	57,976	1,248
1985-86	48,700	48,200	1,267	1,243	24	61,056	59,904	1,152
1986-87	53,600	53,300	1,259	1,241	18	67,083	66,123	960
1987-88	57,000	56,800	1,362	1,344	19	77,389	76,333	1,056
1988-89	62,500	60,700	1,225	1,207	17	74,344	73,288	1,056
1989-90 ^{1/}	55,800	51,600	1,184	1,169	15	61,114	60,336	778
1990-91	50,500	50,400	1,296	1,278	18	65,313	64,430	883
1991-92	52,000	52,000	^{2/}	1,591	^{2/}	^{2/}	82,736	^{2/}
1992-93	48,400	48,400	^{2/}	1,483	^{2/}	^{2/}	71,767	^{2/}
1993-94	49,600	49,600	^{2/}	1,340	^{2/}	^{2/}	66,440	^{2/}


^{1/} Excludes 5,200,000 cartons not harvested due to low spring prices. ^{2/} Data for the processing crop are not published to avoid disclosure of individual operations. The processing crop is included in "other vegetables".

**TOMATOES: Production and value, Florida, crop
years 1979-80 through 1993-94**


Crop year	Production			Value per carton		Total value
	Total	Fresh	Proc	Fresh	Proc	
	1,000 25-lb cartons			Dollars		1,000 dollars
1979-80	47,812	46,492	1,320	5.23	0.74	244,240
1980-81	48,272	46,432	1,840	5.49	1.00	256,584
1981-82	52,360	50,632	1,728	5.23	0.94	266,306
1982-83	54,080	52,640	1,440	7.39	0.94	390,612
1983-84	55,056	53,712	1,344	6.83	0.95	367,955
1984-85	59,224	57,976	1,248	5.74	0.94	334,091
1985-86	61,056	59,904	1,152	7.62	0.94	457,823
1986-87	67,083	66,123	960	7.78	0.98	515,685
1987-88	77,389	76,333	1,056	7.00	0.96	535,489
1988-89	74,344	73,288	1,056	9.37	0.96	687,900
1989-90 ^{1/}	61,114	60,336	778	7.29	0.96	440,434
1990-91	65,313	64,430	883	9.40	0.93	606,324
1991-92	^{2/}	82,736	^{2/}	8.81	^{2/}	728,594
1992-93	^{2/}	71,767	^{2/}	8.70	^{2/}	624,235
1993-94	^{2/}	66,440	^{2/}	7.10	^{2/}	471,867

^{1/} Excludes 5,200,000 cartons not harvested due to low spring prices. ^{2/} Data for the processing crop are not published to avoid disclosure of individual operations. The processing crop is included in "other vegetables".

FRESH MARKET TOMATOES: Harvested acreage and value of production, crop years 1979-80 through 1993-94



FRESH MARKET TOMATOES: Five-year average monthly price and percent sold, crop years 1989-90 through 1993-94



**TOMATOES: Production, monthly, for fresh market, Florida,
crop years 1984-85 through 1993-94**

Crop year	Oct ^{1/}	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 25-lb cartons										
1984-85	1,976	7,904	8,080	8,404	3,600	1,200	10,404	14,408	2,000	57,976
1985-86	1,752	7,612	7,100	6,780	4,578	5,237	10,132	14,495	2,218	59,904
1986-87	1,691	8,239	10,437	8,449	4,593	4,064	9,331	15,877	3,442	66,123
1987-88	1,035	9,027	10,543	9,143	6,480	7,093	13,767	14,799	4,446	76,333
1988-89	512	10,277	8,983	8,116	5,684	13,457	7,894	17,007	1,458	73,288
1989-90 ^{2/}	723	10,125	8,980	1,509	906	8,874	13,462	15,274	483	60,336
1990-91	1,544	6,367	12,541	10,198	5,737	6,692	7,011	11,791	2,549	64,430
1991-92	3,312	7,287	10,103	11,427	7,346	7,346	17,141	14,692	4,082	82,736
1992-93	1,398	4,965	15,035	6,386	6,678	11,032	7,403	9,435	9,435	71,767
1993-94	3,066	6,772	8,433	6,939	6,400	7,950	10,577	11,452	4,851	66,440
Percent										
1984-85	3.4	13.6	14.0	14.5	6.2	2.1	17.9	24.9	3.4	100.0
1985-86	2.9	12.7	11.9	11.4	7.6	8.7	16.9	24.2	3.7	100.0
1986-87	2.6	12.5	15.8	12.8	6.9	6.1	14.1	24.0	5.2	100.0
1987-88	1.4	11.8	13.8	12.0	8.5	9.3	18.0	19.4	5.8	100.0
1988-89	0.6	13.9	12.3	11.1	7.8	18.4	10.8	23.1	2.0	100.0
1989-90	1.2	16.8	14.9	2.5	1.5	14.7	22.3	25.3	0.8	100.0
1990-91	2.4	9.9	19.5	15.8	8.9	10.4	10.9	18.3	3.9	100.0
1991-92	4.0	8.8	12.2	13.8	8.9	8.9	20.7	17.8	4.9	100.0
1992-93	1.9	6.9	20.9	8.9	9.3	15.4	10.3	13.2	13.2	100.0
1993-94	4.6	10.2	12.7	10.4	9.6	12.0	15.9	17.3	7.3	100.0

^{1/} Includes September. ^{2/} Excludes 5,200,000 cartons not harvested due to low spring prices.

**TOMATOES: Average value per carton for fresh market sales, monthly,
Florida, crop years 1984-85 through 1993-94**

Crop year	Oct ^{1/}	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Average
Dollars										
1984-85	4.90	4.20	4.70	6.30	9.35	14.55	8.30	3.70	4.60	5.74
1985-86	8.65	8.45	10.85	8.55	5.70	6.28	7.53	6.70	4.50	7.62
1986-87	10.00	9.45	9.60	7.08	6.45	8.03	6.73	6.95	7.20	7.78
1987-88	10.70	11.60	5.55	7.88	4.85	7.15	7.48	5.53	4.83	7.00
1988-89	9.00	7.20	3.93	10.85	11.30	8.53	13.95	10.90	7.73	9.37
1989-90	9.15	6.70	10.23	29.00	24.40	8.08	3.65	5.50	5.50	7.29
1990-91	6.08	6.20	7.35	5.78	7.90	11.00	12.33	14.15	13.05	9.40
1991-92	7.21	6.00	3.85	10.13	19.00	20.18	8.10	4.18	4.50	8.81
1992-93	14.90	10.05	8.58	9.58	5.48	5.30	11.30	14.43	5.13	8.70
1993-94	4.45	7.05	14.40	10.38	4.83	6.13	4.13	5.13	7.15	7.10

^{1/} Includes September.


TOMATOES: Acreage and fresh market production by areas and crop years, Florida, 1992-93 and 1993-94

Areas	Planted		Harvested		Yield per acre		Production	
	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94
	Acres				25-lb carton		1,000 Cartons	
West, North, and North Central	3,900	4,100	3,900	4,100	1,846	1,493	7,199	6,120
Palmetto-Ruskin	13,100	12,800	13,100	12,800	1,711	1,533	22,417	19,623
East Coast	5,950	6,100	5,950	6,100	1,657	1,515	9,859	9,239
Southwest	19,850	21,500	19,850	21,500	1,260	1,143	25,012	24,578
Dade	5,600	5,100	5,600	5,100	1,300	1,349	7,280	6,880
State	48,400	49,600	48,400	49,600	1,483	1,340	71,767	66,440
Oct thru Dec	13,300	17,700	13,300	17,700	1,609	1,032	21,398	18,271
Jan thru Jul	35,100	31,900	35,100	31,900	1,435	1,510	50,369	48,169

TOMATOES: Acreage and fresh market production by areas and crop years, Florida, 1990-91 and 1991-92

Areas	Planted		Harvested		Yield per acre		Production	
	1990-91	1991-92	1990-91	1991-92	1990-92	1991-92	1990-91	1991-92
	Acres				25-lb carton		1,000 Cartons	
West, North, and North Central	4,600	3,600	4,600	3,600	1,325	1,560	6,093	6,195
Palmetto-Ruskin	14,800	16,000	14,800	16,000	1,094	1,518	16,184	24,280
East Coast	5,700	6,000	5,600	6,000	1,349	1,659	7,552	9,953
Southwest	19,800	21,300	19,800	21,300	1,325	1,516	26,235	32,286
Dade	5,600	5,100	5,600	5,100	1,494	1,965	8,366	10,022
State	50,500	52,000	50,400	52,000	1,278	1,591	64,430	82,736
Oct thru Dec	18,000	13,800	18,000	13,800	1,136	1,500	20,452	20,702
Jan thru Jul	32,500	38,200	32,400	38,200	1,357	1,624	43,978	62,034

PRINCIPAL TOMATO PRODUCING AREAS



**TOMATOES: Acreage harvested, for fresh market, selected counties,
Florida, crop years 1988-89 through 1993-94**

Counties	1988-89	1989-90	1990-91	1991-92	1992-93	1993-94
Acres						
Broward	680	350	380	500	450	550
Collier (Ground)	270	50	--	--	--	--
Collier (Staked)	14,980	13,700	13,660	14,100	12,900	12,700
Dade (Ground)	660	50	50	--	--	--
Dade (Staked)	7,340	5,750	5,550	5,100	5,600	5,100
DeSoto	330	^{1/}	^{1/}	^{1/}	^{1/}	^{1/}
Gadsden	2,500	3,600	4,000	3,000	3,000	2,950
Hardee	690	720	415	^{1/}	^{1/}	^{1/}
Hendry	3,270	2,550	3,830	4,700	3,950	5,100
Hillsborough	8,360	5,800	4,670	3,100	3,025	2,550
Lee	1,540	1,350	2,310	2,200	2,800	2,950
Manatee	14,540	11,900	9,425	12,000	9,200	9,450
Martin	940	1,100	1,120	1,200	1,100	1,100
Palm Beach	3,410	3,175	3,650	3,500	3,450	2,800
Sarasota	450	320	175	300	^{1/}	^{1/}
St Lucie	^{1/}	^{1/}	^{1/}	400	500	1,200
Other counties	740	1,185	765	1,500	1,975	3,150
State	60,700	51,600	50,400	52,000	48,400	49,600

^{1/} Included in other counties.

**TOMATOES: Percent of acreage harvested, by variety, by growing
area, south Florida, 1992-93 and 1993-94 ^{1/}**

Variety	All areas		Dade		East Coast		Southwest		Palmetto-Ruskin	
	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94
Percent										
Agriset	28.6	41.0	--	--	4.9	7.0	34.4	61.9	43.7	38.3
Sunny	29.5	18.4	1.4	--	78.5	78.3	34.0	12.4	11.0	7.7
Solar set	10.2	9.1	12.0	4.4	0.6	11.2	8.2	4.9	17.5	17.2
Bonita	8.6	6.6	62.1	52.2	--	--	--	--	2.5	2.5
Sunbeams	4.7	4.7	--	--	6.7	2.3	3.4	3.0	8.1	10.6
BHN 26	4.7	4.1	--	--	--	--	10.2	8.6	--	--
Merced	1.8	3.1	--	--	--	--	3.7	6.5	0.5	--
Cobia	1.3	2.3	0.7	20.0	1.1	--	2.3	--	--	--
Solar Mars	--	1.5	--	--	--	0.3	--	0.1	--	5.2
BHN 22	2.5	1.0	--	--	--	--	--	--	9.2	3.5
Olympia	0.7	0.9	--	--	--	--	0.2	0.4	2.1	2.6
Heatwave	2.1	0.8	--	--	8.2	0.7	1.9	1.4	0.3	0.2
Colonial	0.9	0.8	--	--	--	--	1.0	0.6	1.6	1.8
Harlee	--	0.4	--	--	--	--	--	--	--	1.3
Duke	0.9	0.2	6.8	1.9	--	--	--	--	--	--
Other ^{2/}	3.5	5.1	17.0	21.5	--	0.2	0.7	0.2	3.5	9.1
All varieties	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

^{1/} Excludes cherry and pear or plum varieties. ^{2/} Includes one or more of the following: experimental varieties, varieties with less than 15 acres, and any proprietary varieties.

**WATERMELONS: Acreage, production, and value, Florida,
crop years 1979-80 through 1993-94**

Crop year	Acreage		Yield per acre	Production	Value per cwt	Total value
	Planted	Harvested				
	Acres		Cwt	1,000 cwt	Dollars	1,000 dollars
1979-80	45,000	42,500	185	7,863	5.92	46,549
1980-81	54,000	49,000	165	8,085	6.52	52,714
1981-82	56,000	48,000	165	7,920	6.90	54,648
1982-83	59,000	49,000	165	8,085	7.20	58,212
1983-84	64,000	60,000	167	10,020	6.20	62,124
1984-85	59,000	54,000	166	8,964	5.95	53,336
1985-86	53,550	47,550	184	8,749	6.23	54,506
1986-87	54,900	46,100	157	7,238	9.64	69,774
1987-88	57,500	49,800	185	9,213	6.79	62,556
1988-89	58,000	50,000	170	8,500	5.30	45,050
1989-90	53,000	45,000	200	9,000	7.15	64,350
1990-91	46,000	36,000	195	7,011	11.52	80,767
1991-92	53,000	45,000	200	9,000	7.35	66,150
1992-93	42,000	37,000	225	8,325	8.00	66,600
1993-94	40,000	37,000	230	8,510	6.80	57,868

**WATERMELONS: Production sold, monthly, Florida, crop
years 1989-90 through 1993-94**

Crop year	Apr	May	Jun	Jul	Total
	1,000 cwt				
1989-90	1,128	4,924	2,893	55	9,000
1990-91	290	3,840	2,767	114	7,011
1991-92	90	3,546	4,833	531	9,000
1992-93	--	2,164	5,162	999	8,325
1993-94	681	3,829	3,915	85	8,510
	Percent				
1989-90	12.6	54.7	32.1	0.6	100.0
1990-91	4.1	54.8	39.5	1.6	100.0
1991-92	1.0	39.4	53.7	5.9	100.0
1992-93	--	26.0	62.0	12.0	100.0
1993-94	8.0	45.0	46.0	1.0	100.0

**WATERMELONS: Average value per cwt for fresh market sales, monthly,
Florida, crop years 1989-90 through 1993-94**

Crop year	Apr	May	Jun	Jul	Average
	Dollars				
1989-90	9.40	8.00	4.90	4.30	7.15
1990-91	12.00	11.90	11.20	5.00	11.52
1991-92	15.00	10.20	4.80	3.50	7.35
1992-93	--	12.50	6.65	5.35	8.00
1993-94	8.00	7.50	5.90	7.00	6.80

**WATERMELONS: Acreage and production by areas, Florida,
crop years 1992-93 and 1993-94**

Areas	Planted		Harvested		Yield per acre		Production	
	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94	1992-93	1993-94
	Acres				Cwt		1,000 cwt	
West	4,100	3,500	3,100	2,900	185	180	574	522
North	18,900	17,400	16,600	16,200	208	213	3,457	3,450
Central	9,400	8,500	8,300	8,000	230	232	1,909	1,865
South	9,600	10,600	9,000	9,900	265	270	2,385	2,673
State	42,000	40,000	37,000	37,000	225	230	8,325	8,510

**WATERMELONS: Acreage harvested by selected counties, Florida,
crop years 1988-89 through 1993-94**

Counties	1988-89	1989-90	1990-91	1991-92	1992-93	1993-94
	Acres					
Alachua	3,800	3,000	2,500	3,000	3,000	3,000
Bradford	300	400	400	400	1/	1/
Calhoun	400	300	300	300	1/	1/
Charlotte	900	700	300	700	1,200	1,500
Citrus	450	400	400	500	1/	1/
Collier	4,600	4,700	3,300	4,000	3,600	4,000
Columbia	900	800	1,000	1,100	1,500	1,500
DeSoto	2,500	2,100	1,700	1,200	2,000	1,900
Dixie	700	600	500	800	700	600
Gilchrist	3,000	2,500	2,000	2,500	2,700	2,700
Hardee	1,800	1,500	1,200	2,100	1,200	1,100
Hendry	2,500	2,200	1,900	2,300	2,500	2,900
Hillsborough	500	400	300	400	1/	1/
Holmes	1,000	800	700	1,400	500	500
Jackson	1,800	1,600	1,000	1,100	1,600	1,500
Jefferson	1,400	1,000	800	1,000	900	700
Lafayette	2,500	1,900	1,500	700	900	900
Lake	500	400	400	400	1/	1/
Lee	1,100	900	900	900	1,600	1,400
Levy	2,900	2,400	2,200	2,700	2,600	2,500
Madison	500	400	400	500	1/	1/
Manatee	1,400	3,200	2,600	3,200	2,700	3,000
Marion	2,100	1,800	1,200	2,500	1,200	1,000
Okeechobee	400	300	300	400	1/	1/
Polk	500	400	300	400	1/	1/
Sarasota	200	400	300	400	1/	1/
Sumter	1,800	1,500	1,200	1,500	2,300	1,900
Suwannee	4,500	3,000	1,900	2,500	2,000	1,800
Union	700	500	400	500	1/	1/
Washington	800	1,900	2,000	1,200	900	800
Other counties	3,550	3,000	2,100	4,400	1,400	1,800
State	50,000	45,000	36,000	45,000	37,000	37,000

1/ Included in other counties.

Shipments to other States and Canada and exports to other countries by months and all methods of shipment for Florida, crop year 1993-94

Commodity	1993			1994							
	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
Vegetables:	1,000 cwt										
Snap beans	8	131	122	104	114	142	130	95	1	0	847
Cabbage	0	0	4	32	196	288	409	287	52	0	1,268
Carrots	0	0	36	133	151	187	220	91	28	0	846
Cauliflower	0	6	6	5	6	0	0	0	0	0	23
Celery	0	13	58	142	196	202	190	142	41	0	984
Chinese cabbage	0	3	6	18	18	21	17	10	1	0	94
Sweet corn	84	118	82	98	146	206	810	1,105	441	26	3,116
Cucumbers	240	277	163	152	73	176	614	496	64	0	2,255
Eggplant	23	49	49	34	29	40	56	60	19	1	360
Endive-Escarole	0	14	16	20	24	24	20	6	0	0	124
Greens	0	0	7	7	2	3	1	0	0	0	20
Lettuce	0	27	56	98	119	123	42	4	0	0	469
Okra	5	6	2	1	1	2	5	18	11	7	58
Dry onions	0	0	0	0	0	2	1	3	0	0	6
Parsley	0	5	7	8	8	9	9	4	0	0	50
Green peppers	41	245	407	297	353	454	537	385	47	1	2,767
Radishes	4	23	24	28	26	29	25	11	5	0	175
Southern peas	0	5	2	3	2	1	2	2	0	0	17
Squash	72	252	234	213	233	250	338	117	11	0	1,720
Tomatoes	620	1,308	1,385	1,478	1,348	1,369	2,163	2,365	1,194	40	13,270
Cherry tomatoes	1	5	4	4	3	3	5	5	2	0	32
Other vegetables	3	3	1	0	0	5	11	6	4	2	35
Total vegetables	1,101	2,490	2,671	2,875	3,048	3,536	5,605	5,212	1,921	77	28,536
Potatoes	0	0	0	7	95	531	1,770	3,252	856	0	6,511
Strawberries	0	0	41	75	131	330	28	0	0	0	605
Watermelons	0	0	93	0	0	0	455	2,810	2,544	51	5,953
Total	1,101	2,490	2,805	2,957	3,274	4,397	7,858	11,274	5,321	128	41,605

SNAP BEANS: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 bushels											
1990-91	Truck										
	Fresh	66	425	534	550	426	372	563	311	9	3,256
	For proc.	--	14	--	--	15	--	4	32	--	65
	Total	66	439	534	550	441	372	567	343	9	3,321
1991-92	Total ^{1/}	67	406	493	450	435	704	675	439	38	3,707
1992-93	Total ^{1/}	29	279	339	326	369	335	458	510	29	2,674
1993-94	Total ^{1/}	28	436	405	345	379	473	433	316	3	2,818

^{1/} No breakout for processing or fresh in 1992-94. All shipments via truck.

CABBAGE: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 crates											
1990-91	Piggy-back Truck	--	--	1	1	1	10	7	--	--	20
	Fresh	--	9	233	755	651	882	608	94	5	3,237
	For proc.	--	--	1	4	12	20	29	5	--	71
	Total	--	9	235	760	664	912	644	99	5	3,328
1991-92	Piggy-back Truck	--	--	--	--	--	11	--	--	--	11
	Fresh	--	15	211	669	717	1,175	140	226	12	3,165
	For proc.	--	--	--	--	--	--	--	--	--	--
	Total	--	15	211	669	717	1,186	140	226	12	3,176
1992-93	Piggy-back Truck	--	--	--	1	--	3	--	--	--	4
	Fresh	--	10	127	656	591	835	713	253	10	3,195
	For Proc.	--	--	--	--	--	--	--	--	--	--
	Total	--	10	127	657	591	838	713	253	10	3,199
1993-94	Piggy-back Truck	--	--	--	--	--	1	2	--	--	3
	Fresh	--	--	8	63	391	574	815	573	104	2,528
	For Proc.	--	--	--	--	--	--	--	--	--	--
	Total	--	--	8	63	391	575	817	573	104	2,531

CARROTS: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 sacks ^{1/}											
1990-91	Piggy-back Truck	--	--	4	9	14	4	31	2	--	64
	Fresh-mini	5	17	94	133	112	110	98	50	14	633
	Fresh-other	1	7	99	205	189	214	146	50	15	926
	For Proc.	--	--	10	40	42	38	33	9	--	172
	Total	6	24	207	387	357	366	308	111	29	1,795
1991-92	Piggy-back Truck	--	--	7	22	21	35	32	9	1	127
	Fresh-mini	3	13	76	129	139	157	137	99	37	790
	Fresh-other	3	5	92	28	271	358	307	197	97	1,358
	For Proc.	--	--	--	--	--	--	--	--	--	--
	Total	6	18	175	179	431	550	476	305	135	2,275
1992-93	Piggy-back Truck	--	7	11	14	4	15	10	2	2	65
	Fresh-mini	--	5	46	81	61	75	73	61	35	437
	Fresh-other	--	--	46	186	139	205	201	147	89	1,013
	For Proc.	--	--	--	--	--	--	--	--	--	--
	Total	--	12	103	281	204	295	284	210	126	1,515
1993-94	Piggy-back Truck	--	--	--	26	24	17	18	10	3	98
	Fresh-mini	--	--	27	91	107	102	188	23	15	553
	Fresh-other	--	1	47	160	184	270	252	157	41	1,112
	For Proc.	--	--	--	--	--	--	--	--	--	--
	Total	--	1	74	277	315	389	458	190	59	1,763

^{1/} Fresh-mini sack equals 15 pounds, fresh-other equals 48 pounds. Piggyback varies according to mix of these varieties.

CAULIFLOWER: Shipments to other States and Canada by months and methods
of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 cartons											
1990-91	Total ^{1/}	--	14	26	30	10	40	19	--	--	139
1991-92	Total ^{1/}	--	21	42	15	16	22	11	6	--	133
1992-93	Total ^{1/}	--	14	18	23	3	--	--	--	--	58
1993-94	Total ^{1/}	--	23	24	20	24	1	--	--	--	92

^{1/} All shipments via truck.

CELERY: Shipments to other States and Canada by months and methods
of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
1,000 crates											
1990-91	Piggy-back	8	18	27	10	33	37	30	15	--	178
	Truck	90	399	508	192	344	467	432	85	--	2,517
	Total	98	417	535	202	377	504	462	100	--	2,695
1991-92	Piggy-back	2	32	24	32	35	61	70	20	--	276
	Truck	66	323	408	386	448	576	544	203	--	2,954
	Total	68	355	432	418	483	637	614	223	--	3,230
1992-93	Piggy-back	2	21	14	14	21	32	68	13	--	185
	Truck	34	215	346	207	338	436	604	201	--	2,381
	Total	36	236	360	221	359	468	672	214	--	2,566
1993-94	Piggy-back	1	8	15	19	17	23	20	8	--	111
	Truck	20	88	221	308	319	293	217	60	--	1,526
	Total	21	96	236	327	336	316	237	68	--	1,637

CHINESE CABBAGE: Shipments to other States and Canada by months and methods
of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 crates											
1990-91	Total ^{1/}	--	4	25	32	31	33	21	9	--	155
1991-92	Total ^{1/}	--	6	15	31	30	32	30	11	2	157
1992-93	Total ^{1/}	--	4	25	45	37	48	42	24	21	246
1993-94	Total ^{1/}	--	6	12	36	35	41	33	20	1	184

^{1/} All shipments via truck.

SWEET CORN: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Oct ^{1/}	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
1,000 crates												
1990-91	Piggy-back	--	--	--	--	--	--	--	50	26	3	79
	Truck	473	350	415	419	195	346	1,269	3,125	1,383	201	8,176
	Total	473	350	415	419	195	346	1,269	3,175	1,409	204	8,255
1991-92	Piggy-back	--	2	--	--	--	--	15	57	68	5	147
	Truck	309	407	311	216	349	347	1,969	3,115	2,201	288	9,512
	Total	309	409	311	216	349	347	1,984	3,172	2,269	293	9,659
1992-93	Piggy-back	--	--	--	--	--	1	5	68	29	1	104
	Truck	119	222	191	313	131	377	763	2,481	1,836	275	6,708
	Total	119	222	191	313	131	378	768	2,549	1,865	276	6,812
1993-94	Piggy-back	--	--	--	--	--	--	9	33	14	--	56
	Truck	200	282	196	233	347	491	1,920	2,597	1,037	61	7,364
	Total	200	282	196	233	347	491	1,929	2,630	1,051	61	7,420

^{1/} Includes September shipments.

CUCUMBERS: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Oct ^{1/}	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 cartons											
1990-91	Piggy-back	--	4	--	--	--	--	1	--	--	5
	Truck										
	Fresh	560	1,110	657	331	67	387	1,409	1,439	136	6,096
	For proc.	36	32	3	--	--	1	26	50	6	154
	Total	596	1,146	660	331	67	388	1,436	1,489	142	6,255
1991-92	Piggy-back ^{2/}	--	1	5	--	--	--	2	--	--	8
	Truck										
	Fresh	530	933	622	225	99	654	1,229	1,434	301	6,027
	Total	530	934	627	225	99	654	1,231	1,434	301	6,035
1992-93	Piggy-back ^{2/}	--	4	1	--	--	4	4	6	2	21
	Truck										
	Fresh	277	788	375	307	122	340	850	1,821	426	5,306
	Total	277	792	376	307	122	344	854	1,827	428	5,327
1993-94	Piggy-back ^{2/}	--	--	--	--	--	1	1	3	--	5
	Truck										
	Fresh	436	504	297	277	133	319	1,115	899	117	4,097
	Total	436	504	297	277	133	320	1,116	902	117	4,102

^{1/} Includes September shipments. ^{2/} Process included in fresh.

**EGGPLANT: Shipments to other States and Canada by months and methods
of shipment from Florida, crop years 1990-91 through 1993-94**

Crop year	Method of shipment	Oct ^{1/}	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
1,000 cartons												
1990-91	Total ^{2/}	121	184	177	168	91	107	147	207	101	--	1,303
1991-92	Total ^{2/}	110	201	169	153	126	110	198	202	137	5	1,411
1992-93	Total ^{2/}	77	144	127	176	126	117	135	242	108	--	1,252
1993-94	Total ^{2/}	71	148	149	103	87	121	171	181	58	2	1,091

^{1/} Includes September shipments. ^{2/} All shipments via truck.

**ENDIVE-ESCAROLE: Shipments to other States and Canada by months and methods
of shipment from Florida, crop years 1990-91 through 1993-94**

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 crates											
1990-91	Total ^{1/}	4	105	166	150	117	119	106	24	--	791
1991-92	Total ^{1/}	4	128	132	128	126	136	122	57	1	834
1992-93	Total ^{1/}	4	61	91	99	98	100	103	78	--	634
1993-94	Total ^{1/}	--	55	64	78	95	97	80	22	--	491

^{1/} All shipments via truck.

**GREENS: Shipments to other States and Canada by months and methods
of shipment from Florida, crop years 1990-91 through 1993-94**

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 crates											
1990-91	Total ^{1/}	1	--	5	16	38	12	14	1	--	87
1991-92	Total ^{1/}	--	3	7	12	12	6	8	4	1	53
1992-93	Total ^{1/}	--	1	5	9	14	10	8	5	--	52
1993-94	Total ^{1/}	--	1	26	28	8	10	4	--	--	77

^{1/} All shipments via truck.

LETTUCE: Shipments to other States and Canada and exports to other countries by months and methods of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 cartons ^{1/}											
1990-91	Piggy-back	--	--	--	--	--	1	--	--	--	1
	Truck										
	Iceberg	--	35	215	163	87	139	114	3	--	756
	Romaine	2	41	78	56	16	23	30	1	--	247
	Other	--	33	69	65	33	31	45	5	--	281
	Total	2	109	362	284	136	194	189	9	--	1,285
1991-92	Piggy-back	--	--	--	--	--	--	--	--	--	--
	Truck										
	Iceberg	--	17	173	201	115	126	173	23	--	828
	Romaine	1	61	62	46	32	47	34	8	--	291
	Other	1	39	64	64	82	96	63	12	--	421
	Total	2	117	299	311	229	269	270	43	--	1,540
1992-93	Piggy-back	--	--	--	--	1	--	--	--	--	1
	Truck										
	Iceberg	--	19	64	84	182	150	125	98	--	722
	Romaine	--	23	30	26	35	18	30	15	--	177
	Other	1	24	41	44	66	36	45	14	--	271
	Total	1	66	135	154	283	204	200	127	--	1,170
1993-94	Piggy-back	--	--	--	--	--	--	--	--	--	--
	Truck										
	Iceberg	--	17	52	139	186	178	50	2	--	624
	Romaine	--	20	21	20	17	25	10	3	--	116
	Other	--	17	39	37	35	42	23	2	--	195
	Total	--	54	112	196	238	245	83	7	--	935

^{1/} Average weight per carton estimated at: Iceberg, 50 pounds; Romaine, 40 pounds; and other, 16 pounds.

OKRA: Shipments to other States and Canada by months and methods of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Oct ^{1/}	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul ^{2/}	Total
1,000 bushels												
1990-91	Total ^{3/}	59	47	19	7	8	9	43	68	52	19	331
1991-92	Total ^{3/}	25	19	7	3	2	2	16	40	26	33	173
1992-93	Total ^{3/}	1	11	7	4	4	3	6	18	23	11	88
1993-94	Total ^{3/}	15	20	7	2	4	6	16	59	38	22	189

^{1/} Includes September shipments. ^{2/} Includes any August shipments. ^{3/} All shipments via truck.

DRY ONIONS: Shipments to other States and Canada by months and methods
of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 sacks											
1990-91	Total ^{1/}	--	--	--	--	--	--	1	--	--	1
1991-92	Total ^{1/}	--	--	1	1	1	1	5	3	3	15
1992-93	Total ^{1/}	--	--	--	--	--	1	--	4	--	5
1993-94	Total ^{1/}	--	--	--	--	--	4	2	6	--	12

^{1/} All shipments via truck.

PARSLEY: Shipments to other States and Canada by months and methods
of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 crates											
1990-91	Total ^{1/}	2	50	98	90	66	70	53	14	--	443
1991-92	Total ^{1/}	--	41	73	68	68	84	75	28	1	438
1992-93	Total ^{1/}	2	32	56	61	42	44	53	30	4	324
1993-94	Total ^{1/}	1	26	32	36	38	43	45	17	--	238

^{1/} All shipments via truck.

GREEN PEPPERS: Shipments to other States and Canada by months and methods
of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
1,000 crates												
1990-91	Piggy-back	--	--	--	7	1	1	14	7	--	--	30
	Truck	128	788	1,526	1,476	959	1,492	2,039	1,798	262	--	10,468
	Total	131	788	1,526	1,483	960	1,493	2,053	1,805	262	--	10,501
1991-92	Piggy-back	--	6	17	1	--	--	6	3	--	--	33
	Truck	195	965	126	1,205	1,059	1,651	2,138	2,213	781	29	10,362
	Total	195	971	143	1,206	1,059	1,651	2,144	2,216	781	29	10,395
1992-93	Piggy-back	--	--	--	--	--	--	4	1	4	--	9
	Truck	140	865	1,329	1,358	1,008	1,206	1,332	1,395	584	--	9,217
	Total	140	865	1,329	1,358	1,008	1,206	1,336	1,396	588	--	9,226
1993-94	Piggy-back	--	--	4	9	13	17	15	9	3	--	70
	Truck	146	876	1,448	1,051	1,246	1,604	1,904	1,365	164	4	9,808
	Total	146	876	1,452	1,060	1,259	1,621	1,919	1,374	167	4	9,878

IRISH POTATOES: Shipments to other States and Canada by months and methods
of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun ^{1/}	Total
1,000 cwt											
1990-91	Piggy-back	--	--	--	1	5	12	66	10	1	95
	Truck	--	10	39	144	529	1,690	3,175	283	--	5,870
	Total	--	10	39	145	534	1,702	3,241	293	1	5,965
1991-92	Piggy-back	1	--	1	--	7	4	12	47	12	84
	Truck	--	--	--	19	169	430	1,679	3,290	1,706	7,293
	Total	1	--	1	19	176	434	1,691	3,337	1,718	7,377
1992-93	Piggy-back	--	--	--	--	--	--	4	27	5	36
	Truck	--	--	--	28	145	309	746	2,457	1,651	5,336
	Total	--	--	--	28	145	309	750	2,484	1,656	5,372
1993-94	Piggy-back	--	--	--	--	--	1	32	102	11	146
	Truck	--	--	--	7	95	530	1,738	3,150	845	6,365
	Total	--	--	--	7	95	531	1,770	3,252	856	6,511

^{1/} Includes July shipments.

RADISHES: Shipments to other States and Canada by months and methods
of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Total
1,000 cwt											
1990-91	Piggy-back	31	51	40	40	19	30	36	25	12	284
	Truck	14	36	54	43	34	44	52	39	4	320
	Total	45	87	94	83	53	74	88	64	16	604
1991-92	Piggy-back	4	39	37	12	--	--	--	16	7	115
	Truck	10	36	52	46	56	71	73	72	5	421
	Total	14	75	89	58	56	71	73	88	12	536
1992-93	Piggy-back	--	46	41	30	32	32	33	43	--	257
	Truck	9	31	39	36	31	42	49	46	8	291
	Total	9	77	80	66	63	74	82	89	8	548
1993-94	Piggy-back	4	33	23	33	28	31	32	8	11	203
	Truck	6	24	38	37	37	42	30	20	2	236
	Total	10	57	61	70	65	73	62	28	13	439

SOUTHERN PEAS: Shipments to other States and Canada by months and methods
of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Oct ^{1/}	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun ^{2/}	Total
1,000 bushels											
1990-91	Total ^{3/}	4	8	9	8	7	5	12	10	6	69
1991-92	Total ^{3/}	6	11	7	9	10	10	7	10	5	75
1992-93	Total ^{3/}	3	3	2	6	4	5	6	6	5	40
1993-94	Total ^{3/}	--	19	8	10	8	5	7	8	--	65

^{1/} Includes September shipments. ^{2/} Includes any July shipments. ^{3/} All shipments via truck.

SQUASH: Shipments to other States and Canada by months and methods
of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Oct ^{1/}	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
1,000 bushels												
1990-91	Total ^{2/}	227	628	499	379	287	462	655	323	28	--	3,488
1991-92	Total ^{2/}	216	540	580	452	482	571	684	426	44	--	3,995
1992-93	Total ^{2/}	113	429	381	315	335	315	485	568	65	1	3,007
1993-94	Total ^{2/}	171	600	557	507	554	596	805	278	27	--	4,095

^{1/} Includes September shipments. ^{2/} All shipments via truck.

STRAWBERRIES: Shipments to other States and Canada and exports to other countries by months and
methods of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Dec ^{1/}	Jan	Feb	Mar	Apr	May	Total
1,000 flats								
1990-91	Air	9	1	--	--	--	--	10
	Truck	723	803	941	1,931	268	9	4,675
	Export	3	--	--	--	--	--	3
	Total	735	804	941	1,931	268	9	4,688
1991-92	Air	2	5	2	--	--	--	9
	Truck	540	677	1,327	2,187	693	22	5,446
	Export	9	6	17	11	--	--	43
	Total	551	688	1,346	2,198	693	22	5,498
1992-93	Air	2	2	--	1	--	--	5
	Truck	355	910	745	1,849	807	21	4,687
	Export	20	17	17	10	5	4	73
	Total	377	929	762	1,860	812	25	4,765
1993-94	Air	7	--	4	--	--	--	11
	Truck	334	610	1,079	2,742	231	--	4,996
	Export	4	17	12	4	--	--	37
	Total	345	627	1,095	2,746	231	--	5,044

^{1/} Includes November shipments.

TOMATOES: Shipments to other States and Canada by months and methods
of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Oct ^{1/}	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
1,000 cartons												
1990-91	Piggy-back	1	65	80	56	36	35	56	36	3	--	368
	Truck	1,968	5,361	7,576	8,902	4,662	6,030	6,106	9,547	2,471	12	52,635
	Total	1,969	5,426	7,656	8,958	4,698	6,065	6,162	9,583	2,474	12	53,003
1991-92	Piggy-back	34	70	171	66	88	34	250	299	118	21	1,151
	Truck	2,903	5,690	7,923	7,332	6,138	7,344	10,820	11,975	6,332	547	67,004
	Total	2,937	5,760	8,094	7,398	6,226	7,378	11,070	12,274	6,450	568	68,155
1992-93	Piggy-back	5	45	83	46	75	102	149	85	173	--	763
	Truck	2,932	4,530	7,677	6,453	4,998	6,662	6,247	8,421	8,323	106	56,349
	Total	2,937	4,575	7,760	6,499	5,073	6,764	6,396	8,506	8,496	106	57,112
1993-94	Piggy-back	32	48	48	43	66	96	219	216	106	13	887
	Truck	2,447	5,185	5,490	5,869	5,324	5,380	8,434	9,245	4,670	148	52,192
	Total	2,479	5,233	5,538	5,912	5,390	5,476	8,653	9,461	4,776	161	53,079

^{1/} Includes September shipments.

CHERRY TOMATOES: Shipments to other States and Canada by months and methods
of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Oct ^{1/}	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
1,000 cwt												
1990-91	Total ^{2/}	30	54	47	24	12	19	24	61	25	1	297
1991-92	Total ^{2/}	16	60	51	25	25	23	40	65	41	3	349
1992-93	Total ^{2/}	7	29	34	23	21	18	18	36	41	1	228
1993-94	Total ^{2/}	9	30	27	26	19	17	36	36	16	1	217

^{1/} Includes September shipments. ^{2/} All shipments via truck.

WATERMELONS: Shipments to other States and Canada by months and methods
of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Dec ^{1/}	Jan	Feb	Mar	Apr	May	Jun	Jul ^{2/}	Total
Loads ^{3/}										
1990-91	Piggy-back	--	--	--	--	1	69	108	1	179
	Truck	179	--	--	--	221	5,591	4,755	283	11,029
	Total	179	--	--	--	222	5,660	4,863	284	11,208
1991-92	Piggy-back	2	--	--	--	--	406	298	8	714
	Truck	263	104	46	--	90	5,396	7,412	840	14,151
	Total	265	104	46	--	90	5,802	7,710	848	14,865
1992-93	Piggy-back	--	--	--	--	--	145	334	32	511
	Truck	199	18	6	1	22	3,284	7,468	1,417	12,415
	Total	199	18	6	1	22	3,429	7,802	1,449	12,926
1993-94	Piggy-back	1	--	--	--	39	291	117	2	450
	Truck	205	--	--	--	972	5,954	5,536	112	12,779
	Total	206	--	--	--	1,011	6,245	5,653	114	13,229

^{1/} Includes shipments prior to December. ^{2/} Includes any August shipments. ^{3/} 45,000 pounds per load.

OTHER FRESH VEGETABLES: Shipments to other States and Canada by months and methods
of shipment from Florida, crop years 1990-91 through 1993-94

Crop year	Method of shipment	Oct ^{1/}	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul ^{2/}	Total
1,000 cwt												
1990-91	Total ^{3/}	40	54	64	60	50	59	59	38	18	20	462
1991-92	Total ^{3/}	34	48	68	44	4	4	6	1	--	1	210
1992-93	Total ^{3/}	20	30	26	25	19	16	17	18	7	8	186
1993-94	Total ^{3/}	10	10	2	--	--	20	42	23	17	6	130

^{1/} Includes September shipments. ^{2/} Includes August shipments. ^{3/} All shipments via truck.

SNAP BEANS: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 bushels received from --						City	1,000 bushels received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	157	--	74	--	231	Miami	--	22	--	16	--	38
Balt-Wash	--	176	--	79	--	255	New Orleans	--	22	--	7	--	29
Boston	--	170	2	79	2	249	New York-Newark	--	492	1	194	1	686
Buffalo	--	29	--	5	--	34	Philadelphia	--	97	--	49	--	146
Chicago	--	255	--	64	--	319	Pittsburgh	--	37	--	14	--	51
Cincinnati	--	58	--	35	--	93	St. Louis	--	59	--	13	--	72
Columbia, S.C.	--	33	--	57	--	90	San Antonio	--	--	--	--	--	--
Dallas	--	48	--	54	--	102	San Fran-Oakland	--	9	--	268	--	277
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	58	--	58
Detroit	--	120	--	68	--	188							
Los Angeles	--	8	--	259	--	267	Total U.S.	--	1,792	3	1,393	3	3,185

CABBAGE: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 crates received from --						City	1,000 crates received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	172	--	567	--	739	Miami	--	64	--	95	--	159
Balt-Wash	1	148	--	392	1	540	New Orleans	--	1	--	120	--	121
Boston	--	116	3	319	3	435	New York-Newark	1	325	5	704	6	1,029
Buffalo	--	15	--	113	--	128	Philadelphia	--	97	3	256	3	353
Chicago	--	78	41	730	41	808	Pittsburgh	--	68	--	227	--	295
Cincinnati	--	26	--	342	--	368	St. Louis	--	--	--	230	--	230
Columbia, S.C.	--	75	--	71	--	146	San Antonio	--	--	--	--	--	--
Dallas	--	--	--	285	--	285	San Fran-Oakland	--	--	--	417	--	417
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	238	--	238
Detroit	--	31	--	256	--	287							
Los Angeles	--	--	--	732	--	732	Total U.S.	2	1,216	52	6,094	54	7,310

CANTALOUPE: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 crates received from --						City	1,000 crates received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	20	--	491	--	511	Miami	--	--	--	178	--	178
Balt-Wash	--	--	12	541	12	541	New Orleans	--	2	--	94	--	96
Boston	--	--	82	662	82	662	New York-Newark	--	--	164	1,125	164	1,125
Buffalo	--	--	2	114	2	114	Philadelphia	--	1	65	408	65	409
Chicago	--	--	159	895	159	895	Pittsburgh	--	--	2	231	2	231
Cincinnati	--	--	--	338	--	338	St. Louis	--	--	--	179	--	179
Columbia, S.C.	--	36	--	132	--	170	San Antonio	--	--	--	--	--	--
Dallas	--	--	--	228	--	228	San Fran-Oakland	--	--	--	704	--	704
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	526	--	526
Detroit	--	--	--	509	--	509							
Los Angeles	--	--	--	1,534	--	1,534	Total U.S.	--	61	486	8,889	486	8,950

CARROTS: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 bags received from --						City	1,000 bags received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	124	--	332	--	456	Miami	--	63	130	165	130	228
Balt-Wash	11	47	81	288	92	335	New Orleans	--	28	--	62	--	90
Boston	2	94	582	320	584	414	New York-Newark	84	151	1,053	798	1,137	949
Buffalo	--	10	43	167	43	177	Philadelphia	--	102	288	249	288	351
Chicago	--	141	417	755	417	896	Pittsburgh	--	30	30	294	30	324
Cincinnati	--	29	--	371	--	400	St. Louis	--	14	25	282	25	296
Columbia, S.C.	--	15	--	27	--	42	San Antonio	--	--	--	--	--	--
Dallas	--	8	--	300	--	308	San Fran-Oakland	--	--	--	803	--	803
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	489	--	489
Detroit	--	4	30	544	30	548							
Los Angeles	--	--	--	990	--	990	Total U.S.	97	860	2,679	7,236	2,776	8,096

CAULIFLOWER: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 cartons received from --						City	1,000 cartons received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	1	--	196	--	196	Miami	--	7	--	61	--	68
Balt-Wash	--	--	8	352	8	352	New Orleans	--	2	--	80	--	82
Boston	--	4	158	294	158	298	New York-Newark	--	8	287	565	287	573
Buffalo	--	--	--	108	--	108	Philadelphia	--	18	146	241	146	259
Chicago	--	2	466	671	466	673	Pittsburgh	--	--	--	263	--	263
Cincinnati	--	--	--	258	--	258	St. Louis	--	--	--	266	--	266
Columbia, S.C.	--	2	--	15	--	17	San Antonio	--	--	--	--	--	--
Dallas	--	--	--	171	--	171	San Fran-Oakland	--	--	--	369	--	369
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	292	--	292
Detroit	--	--	--	545	--	545							
Los Angeles	--	--	--	562	--	562	Total U.S.	--	44	1,065	5,308	1,065	5,352

CELERY: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 crates received from --						City	1,000 crates received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	97	--	155	--	252	Miami	--	35	--	77	--	112
Balt-Wash	--	54	43	335	43	389	New Orleans	--	32	--	67	--	99
Boston	27	24	306	146	333	170	New York-Newark	51	45	556	556	607	601
Buffalo	--	4	14	152	14	156	Philadelphia	19	100	267	200	286	300
Chicago	--	29	609	542	609	571	Pittsburgh	--	36	16	228	16	264
Cincinnati	--	23	--	216	--	239	St. Louis	--	7	--	191	--	198
Columbia, S.C.	--	15	--	9	--	24	San Antonio	--	--	--	--	--	--
Dallas	--	3	--	214	--	217	San Fran-Oakland	--	--	--	407	--	407
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	289	--	289
Detroit	--	--	--	464	--	464							
Los Angeles	--	--	--	961	--	961	Total U.S.	97	504	1,811	5,209	1,908	5,713

CHINESE CABBAGE: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 crates received from --						City	1,000 crates received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	2	--	28	--	30	Miami	--	4	--	8	--	12
Balt-Wash	--	3	--	21	--	24	New Orleans	--	--	--	5	--	5
Boston	--	13	--	20	--	33	New York-Newark	--	11	--	36	--	47
Buffalo	--	--	--	5	--	5	Philadelphia	--	4	--	20	--	24
Chicago	--	2	--	84	--	86	Pittsburgh	--	1	--	7	--	8
Cincinnati	--	4	--	23	--	27	St. Louis	--	--	--	10	--	10
Columbia, S.C.	--	--	--	4	--	4	San Antonio	--	--	--	--	--	--
Dallas	--	--	--	14	--	14	San Fran-Oakland	--	--	--	111	--	111
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	39	--	39
Detroit	--	1	--	41	--	42							
Los Angeles	--	1	--	290	--	291	Total U.S.	--	46	--	766	--	812

CORN: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 crates received from --						City	1,000 crates received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	332	--	33	--	365	Miami	--	75	--	1	--	76
Balt-Wash	--	257	--	104	--	361	New Orleans	--	41	--	6	--	47
Boston	7	267	--	103	7	370	New York-Newark	6	559	--	123	6	682
Buffalo	--	84	--	4	--	88	Philadelphia	40	308	--	64	40	372
Chicago	--	425	--	77	--	502	Pittsburgh	--	167	--	1	--	168
Cincinnati	--	235	--	44	--	279	St. Louis	--	192	--	22	--	214
Columbia, S.C.	--	58	--	26	--	84	San Antonio	--	--	--	--	--	--
Dallas	--	134	--	31	--	165	San Fran-Oakland	--	51	--	551	--	602
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	24	--	182	--	206
Detroit	--	195	--	42	--	237							
Los Angeles	--	169	--	913	--	1,082	Total U.S.	53	3,573	--	2,327	53	5,900

CUCUMBERS: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 crates received from --						City	1,000 crates received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	202	--	75	--	277	Miami	--	67	--	19	--	86
Balt-Wash	--	209	--	259	--	468	New Orleans	--	34	--	50	--	84
Boston	--	278	4	456	4	734	New York-Newark	4	671	--	515	4	1,186
Buffalo	--	66	--	39	--	105	Philadelphia	3	172	--	159	3	331
Chicago	--	367	--	263	--	630	Pittsburgh	--	196	--	134	--	330
Cincinnati	--	105	--	89	--	194	St. Louis	--	71	--	131	--	202
Columbia, S.C.	--	66	--	47	--	113	San Antonio	--	--	--	--	--	--
Dallas	--	36	--	162	--	198	San Fran-Oakland	--	9	--	414	--	423
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	2	--	175	--	177
Detroit	--	154	--	402	--	556							
Los Angeles	--	30	--	583	--	613	Total U.S.	7	2,735	4	3,972	11	6,707

EGGPLANT: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 cartons received from --						City	1,000 cartons received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	29	--	9	--	38	Miami	--	35	--	3	--	38
Balt-Wash	--	72	--	25	--	97	New Orleans	--	21	--	23	--	44
Boston	--	110	--	82	--	192	New York-Newark	6	484	--	200	6	684
Buffalo	--	18	--	6	--	24	Philadelphia	--	72	--	33	--	105
Chicago	--	204	--	79	--	283	Pittsburgh	--	22	--	8	--	30
Cincinnati	--	15	--	10	--	25	St. Louis	--	18	--	5	--	23
Columbia, S.C.	--	8	--	2	--	10	San Antonio	--	--	--	--	--	--
Dallas	--	13	--	35	--	48	San Fran-Oakland	--	--	--	225	--	225
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	48	--	48
Detroit	--	56	--	38	--	94							
Los Angeles	--	11	--	395	--	406	Total U.S.	6	1,188	--	1,226	6	2,414

ESCAROLE: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 crates received from --						City	1,000 crates received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	2	--	10	--	12	Miami	--	6	--	8	--	14
Balt-Wash	--	13	--	7	--	20	New Orleans	--	--	--	3	--	3
Boston	--	34	--	12	--	46	New York-Newark	--	218	--	99	--	317
Buffalo	--	9	--	9	--	18	Philadelphia	--	27	--	12	--	39
Chicago	--	52	--	90	--	142	Pittsburgh	--	17	--	9	--	26
Cincinnati	--	2	--	8	--	10	St. Louis	--	4	--	2	--	6
Columbia, S.C.	--	--	--	--	--	--	San Antonio	--	--	--	--	--	--
Dallas	--	--	--	4	--	4	San Fran-Oakland	--	--	--	9	--	9
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	6	--	6
Detroit	--	28	--	17	--	45							
Los Angeles	--	--	--	42	--	42	Total U.S.	--	412	--	347	--	759

GREENS: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 bushels received from --						City	1,000 bushels received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	12	--	464	--	476	Miami	--	5	--	40	--	45
Balt-Wash	--	2	--	391	--	393	New Orleans	--	--	--	52	--	52
Boston	--	2	4	320	4	322	New York-Newark	--	66	--	886	--	952
Buffalo	--	--	--	59	--	59	Philadelphia	--	4	--	274	--	278
Chicago	--	12	--	368	--	380	Pittsburgh	--	1	--	73	--	74
Cincinnati	--	3	--	302	--	305	St. Louis	--	--	--	138	--	138
Columbia, S.C.	--	--	--	69	--	69	San Antonio	--	--	--	--	--	--
Dallas	--	3	--	282	--	285	San Fran-Oakland	--	--	--	201	--	201
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	100	--	100
Detroit	--	--	--	306	--	306							
Los Angeles	--	--	--	450	--	450	Total U.S.	--	110	4	4,775	4	4,885

LETTUCE--ICEBERG: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 cartons received from --						City	1,000 cartons received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	6	--	1,483	--	1,489	Miami	--	100	--	337	--	437
Balt-Wash	--	14	130	1,346	130	1,360	New Orleans	--	1	--	328	--	329
Boston	--	--	1,021	1,636	1,021	1,636	New York-Newark	--	--	1,954	1,808	1,954	1,808
Buffalo	--	--	54	493	54	493	Philadelphia	--	12	908	1,077	908	1,089
Chicago	--	--	1,707	2,112	1,707	2,112	Pittsburgh	--	2	62	864	62	866
Cincinnati	--	--	--	960	--	960	St. Louis	--	--	--	812	--	812
Columbia, S.C.	--	17	--	174	--	191	San Antonio	--	--	--	--	--	--
Dallas	--	--	--	586	--	586	San Fran-Oakland	--	--	--	1,139	--	1,139
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	754	--	754
Detroit	--	--	--	1,676	--	1,676							
Los Angeles	--	--	--	3,123	--	3,123	Total U.S.	--	152	5,836	20,708	5,836	20,860

LETTUCE--ROMAINE: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 crates received from --						City	1,000 crates received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	--	--	327	--	327	Miami	--	8	--	224	--	232
Balt-Wash	--	2	--	496	--	498	New Orleans	--	--	--	71	--	71
Boston	--	2	149	803	149	805	New York-Newark	--	15	188	1,217	188	1,232
Buffalo	--	--	--	82	--	82	Philadelphia	--	13	71	500	71	513
Chicago	--	--	306	531	306	531	Pittsburgh	--	8	--	100	--	108
Cincinnati	--	1	--	208	--	209	St. Louis	--	--	--	184	--	184
Columbia, S.C.	--	1	--	23	--	24	San Antonio	--	--	--	--	--	--
Dallas	--	4	--	280	--	284	San Fran-Oakland	--	--	--	920	--	920
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	508	--	508
Detroit	--	--	--	677	--	677							
Los Angeles	--	--	--	1,044	--	1,044	Total U.S.	--	54	714	8,195	714	8,249

LETTUCE--OTHER: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 crates received from --						City	1,000 crates received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	4	--	235	--	239	Miami	--	20	--	173	--	193
Balt-Wash	--	10	--	384	--	394	New Orleans	--	--	--	49	--	49
Boston	--	1	56	617	56	618	New York-Newark	1	67	3	959	4	1,026
Buffalo	--	1	--	71	--	72	Philadelphia	--	6	--	279	--	285
Chicago	--	3	--	602	--	605	Pittsburgh	--	14	--	209	--	223
Cincinnati	--	12	--	253	--	265	St. Louis	--	3	--	186	--	189
Columbia, S.C.	--	4	--	21	--	25	San Antonio	--	--	--	--	--	--
Dallas	--	--	--	274	--	274	San Fran-Oakland	--	--	--	963	--	963
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	506	--	506
Detroit	--	5	--	513	--	518							
Los Angeles	--	--	--	1,150	--	1,150	Total U.S.	1	150	59	7,444	60	7,594

OKRA: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 bushels received from --						City	1,000 bushels received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	30	--	9	--	39	Miami	--	6	--	3	--	9
Balt-Wash	--	3	--	3	--	6	New Orleans	--	2	--	6	--	8
Boston	--	5	--	2	--	7	New York-Newark	--	30	--	42	--	72
Buffalo	--	1	--	--	--	1	Philadelphia	--	5	--	3	--	8
Chicago	--	12	--	6	--	18	Pittsburgh	--	--	--	--	--	--
Cincinnati	--	1	--	3	--	4	St. Louis	--	1	--	2	--	3
Columbia, S.C.	--	10	--	1	--	11	San Antonio	--	--	--	--	--	--
Dallas	--	1	--	25	--	26	San Fran-Oakland	--	--	--	10	--	10
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	--	--	--
Detroit	--	7	--	13	--	20							
Los Angeles	--	--	--	24	--	24	Total U.S.	--	114	--	152	--	266

PEPPERS--BELL: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 bushels received from --						City	1,000 bushels received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	449	--	189	--	638	Miami	--	203	--	40	--	243
Balt-Wash	--	497	--	259	--	756	New Orleans	--	93	--	106	--	199
Boston	--	1,115	64	530	64	1,645	New York-Newark	49	1,559	45	700	94	2,259
Buffalo	--	137	--	56	--	193	Philadelphia	6	649	22	243	28	892
Chicago	--	906	34	537	34	1,443	Pittsburgh	--	334	--	160	--	494
Cincinnati	--	343	--	174	--	517	St. Louis	--	155	--	141	--	296
Columbia, S.C.	--	95	--	25	--	120	San Antonio	--	--	--	--	--	--
Dallas	--	97	--	245	--	342	San Fran-Oakland	--	110	5	686	5	796
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	21	--	352	--	373
Detroit	--	275	--	543	--	818							
Los Angeles	--	69	18	1,208	18	1,277	Total U.S.	55	7,107	188	6,194	243	13,301

PEPPERS--OTHER: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 bushels received from --						City	1,000 bushels received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	14	--	11	--	25	Miami	--	9	--	7	--	16
Balt-Wash	--	12	1	12	1	24	New Orleans	--	3	--	5	--	8
Boston	--	50	2	14	2	64	New York-Newark	--	138	--	102	--	240
Buffalo	--	4	--	--	--	4	Philadelphia	--	19	--	5	--	24
Chicago	--	83	--	101	--	184	Pittsburgh	--	14	--	4	--	18
Cincinnati	--	12	--	7	--	19	St. Louis	--	4	--	--	--	4
Columbia, S.C.	--	4	--	1	--	5	San Antonio	--	--	--	--	--	--
Dallas	--	12	--	37	--	49	San Fran-Oakland	--	--	--	99	--	99
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	32	--	32
Detroit	--	28	--	7	--	35							
Los Angeles	--	3	--	523	--	526	Total U.S.	--	409	3	967	3	1,376

POTATOES: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 cwt received from --						City	1,000 cwt received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	98	328	957	328	1,055	Miami	--	70	338	374	338	444
Balt-Wash	--	76	261	820	261	896	New Orleans	--	19	130	357	130	376
Boston	--	48	598	2,024	598	2,072	New York-Newark	14	84	1,958	2,630	1,972	2,714
Buffalo	--	7	30	200	30	207	Philadelphia	1	88	568	739	569	827
Chicago	--	26	1,395	1,857	1,395	1,883	Pittsburgh	--	50	274	1,391	274	1,441
Cincinnati	--	23	287	731	287	754	St. Louis	--	18	384	975	384	993
Columbia, S.C.	--	32	24	144	24	176	San Antonio	--	--	--	--	--	--
Dallas	--	12	117	934	117	946	San Fran-Oakland	--	59	--	1,228	--	1,287
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	25	--	310	--	935
Detroit	--	69	134	1,195	134	1,264							
Los Angeles	--	32	63	3,407	63	3,439	Total U.S.	15	836	6,889	20,873	6,904	21,709

POTATOES--CHIPPER: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 cwt received from --						City	1,000 cwt received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	92	--	282	--	374	Miami	--	--	--	--	--	--
Balt-Wash	--	--	--	73	--	73	New Orleans	--	--	--	--	--	--
Boston	--	--	--	25	--	25	New York-Newark	--	--	--	--	--	--
Buffalo	--	--	--	--	--	--	Philadelphia	--	--	--	--	--	--
Chicago	--	--	--	--	--	--	Pittsburgh	--	--	--	--	--	--
Cincinnati	--	18	--	152	--	170	St. Louis	--	--	--	--	--	--
Columbia, S.C.	--	--	--	--	--	--	San Antonio	--	--	--	--	--	--
Dallas	--	--	--	637	--	637	San Fran-Oakland	--	--	--	277	--	277
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	279	--	279
Detroit	--	200	--	504	--	704							
Los Angeles	--	--	--	--	--	--	Total U.S.	--	310	--	2,229	--	2,539

RADISHES: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 cartons received from - -						City	1,000 cartons received from - -					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	69	--	66	--	135	Miami	--	32	--	8	--	40
Balt-Wash	--	96	--	89	--	185	New Orleans	--	18	--	5	--	23
Boston	--	98	--	136	--	234	New York-Newark	--	218	--	285	--	503
Buffalo	--	25	--	20	--	45	Philadelphia	--	90	--	68	--	158
Chicago	--	597	--	214	--	811	Pittsburgh	--	82	--	56	--	138
Cincinnati	86	100	--	112	86	212	St. Louis	--	48	--	18	--	66
Columbia, S.C.	--	17	--	3	--	20	San Antonio	--	--	--	--	--	--
Dallas	--	33	--	126	--	159	San Fran-Oakland	--	5	--	667	--	672
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	378	--	378
Detroit	--	98	--	332	--	430							
Los Angeles	--	4	--	1,066	--	1,070	Total U.S.	86	1,630	--	3,649	86	5,279

SPINACH: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 bushels received from - -						City	1,000 bushels received from - -					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	--	--	141	--	141	Miami	--	1	--	29	--	30
Balt-Wash	--	4	--	63	--	67	New Orleans	--	--	--	10	--	10
Boston	--	--	--	203	--	203	New York-Newark	--	35	--	428	--	463
Buffalo	--	--	--	130	--	130	Philadelphia	--	1	--	51	--	52
Chicago	--	--	--	439	--	439	Pittsburgh	--	--	--	34	--	34
Cincinnati	--	--	--	41	--	41	St. Louis	--	--	--	45	--	45
Columbia, S.C.	--	--	--	3	--	3	San Antonio	--	--	--	--	--	--
Dallas	--	--	--	94	--	94	San Fran-Oakland	--	--	--	268	--	268
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	108	--	108
Detroit	--	--	--	234	--	234							
Los Angeles	--	--	--	456	--	456	Total U.S.	--	41	--	2,777	--	2,818

SQUASH: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 bushels received from - -						City	1,000 bushels received from - -					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	131	--	99	--	230	Miami	--	34	--	19	--	53
Balt-Wash	--	113	--	221	--	334	New Orleans	--	24	--	45	--	69
Boston	--	209	--	724	--	933	New York-Newark	--	295	--	465	--	760
Buffalo	--	25	--	23	--	48	Philadelphia	--	74	--	121	--	195
Chicago	--	200	--	328	--	528	Pittsburgh	--	21	--	28	--	49
Cincinnati	--	55	--	90	--	145	St. Louis	--	29	--	70	--	99
Columbia, S.C.	--	42	--	46	--	88	San Antonio	--	--	--	--	--	--
Dallas	--	61	--	253	--	314	San Fran-Oakland	--	--	--	881	--	881
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	345	--	345
Detroit	--	34	--	298	--	332							
Los Angeles	--	1	--	1,417	--	1,418	Total U.S.	--	1,348	--	5,473	--	6,821

STRAWBERRIES: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 flats received from - -						City	1,000 flats received from - -					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	274	--	858	--	1,132	Miami	--	70	--	116	--	186
Balt-Wash	--	217	12	878	12	1,095	New Orleans	--	35	--	141	--	176
Boston	--	99	47	995	47	1,094	New York-Newark	--	489	--	1,968	--	2,457
Buffalo	--	8	--	168	--	176	Philadelphia	--	487	11	1,420	11	1,907
Chicago	1	438	12	1,562	13	2,000	Pittsburgh	--	157	--	665	--	822
Cincinnati	--	124	--	992	--	1,116	St. Louis	--	51	--	700	--	751
Columbia, S.C.	--	52	--	32	--	84	San Antonio	--	--	--	--	--	--
Dallas	--	22	--	587	--	609	San Fran-Oakland	--	3	7	1,207	7	1,210
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	1,012	--	1,012
Detroit	--	192	4	1,160	4	1,352							
Los Angeles	4	--	22	2,139	26	2,139	Total U.S.	5	2,718	115	16,600	120	19,318

TOMATOES: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 cartons received from --						City	1,000 cartons received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	2,436	--	480	--	2,916	Miami	--	642	--	83	--	725
Balt-Wash	--	1,502	11	579	11	2,081	New Orleans	--	508	--	223	--	731
Boston	37	2,924	146	680	183	3,604	New York-Newark	560	3,469	153	1,444	713	4,913
Buffalo	--	300	2	136	2	436	Philadelphia	141	2,252	85	952	226	3,204
Chicago	--	2,594	202	1,402	202	3,996	Pittsburgh	--	762	--	248	--	1,010
Cincinnati	--	1,290	--	623	--	1,913	St. Louis	--	543	--	262	--	806
Columbia, S.C.	--	1,148	--	237	--	1,385	San Antonio	--	--	--	--	--	--
Dallas	--	922	--	1,220	--	2,142	San Fran-Oakland	--	221	1	2,407	1	2,628
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	171	--	986	--	1,157
Detroit	--	1,712	--	1,366	--	3,078							
Los Angeles	102	2,256	15	5,163	117	7,419	Total U.S.	840	25,652	615	18,491	1,455	44,143

TOMATOES--CHERRY: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 cartons received from --						City	1,000 cartons received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	164	--	48	--	212	Miami	--	43	--	3	--	46
Balt-Wash	--	89	1	67	1	156	New Orleans	--	11	--	15	--	26
Boston	--	91	3	358	3	449	New York-Newark	--	236	1	232	1	468
Buffalo	--	12	--	25	--	37	Philadelphia	--	78	--	248	--	326
Chicago	--	117	--	205	--	322	Pittsburgh	--	31	--	25	--	56
Cincinnati	--	92	--	185	--	277	St. Louis	--	28	--	55	--	83
Columbia, S.C.	--	47	--	6	--	53	San Antonio	--	--	--	--	--	--
Dallas	--	27	--	185	--	212	San Fran-Oakland	--	--	--	289	--	289
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	134	--	134
Detroit	--	53	--	311	--	364							
Los Angeles	--	--	--	439	--	439	Total U.S.	--	1,119	5	2,830	5	3,949

PEAS (OTHER THAN GREEN): Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 bushels received from --						City	1,000 bushels received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	3	--	8	--	11	Miami	--	--	--	--	--	--
Balt-Wash	--	--	--	--	--	--	New Orleans	--	--	--	--	--	--
Boston	--	--	--	--	--	--	New York-Newark	--	--	--	3	--	3
Buffalo	--	--	--	--	--	--	Philadelphia	--	--	--	--	--	--
Chicago	--	--	--	2	--	2	Pittsburgh	--	--	--	--	--	--
Cincinnati	--	--	--	--	--	--	St. Louis	--	--	--	--	--	--
Columbia, S.C.	--	2	--	7	--	9	San Antonio	--	--	--	--	--	--
Dallas	--	--	--	13	--	13	San Fran-Oakland	--	--	--	3	--	3
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	--	--	--
Detroit	--	--	--	--	--	--							
Los Angeles	--	--	--	12	--	12	Total U.S.	--	5	--	48	--	53

WATERMELONS: Rail and truck arrivals from Florida and other States, October 1993 through June 1994

City	1,000 cwt received from --						City	1,000 cwt received from --					
	Florida		Other States		Total			Florida		Other States		Total	
	Rail	Truck	Rail	Truck	Rail	Truck		Rail	Truck	Rail	Truck	Rail	Truck
Atlanta	--	241	--	103	--	344	Miami	--	26	--	32	--	58
Balt-Wash	2	205	1	110	3	315	New Orleans	--	31	--	51	--	82
Boston	--	120	2	180	2	300	New York-Newark	125	1,031	15	659	140	1,690
Buffalo	--	54	--	38	--	92	Philadelphia	29	135	1	82	30	217
Chicago	1	160	2	233	3	393	Pittsburgh	--	249	--	99	--	348
Cincinnati	--	137	--	79	--	216	St. Louis	--	62	--	48	--	110
Columbia, S.C.	--	224	--	98	--	322	San Antonio	--	--	--	--	--	--
Dallas	--	--	--	417	--	417	San Fran-Oakland	--	--	--	337	--	337
Denver	--	--	--	--	--	--	Seattle-Tacoma	--	--	--	187	--	187
Detroit	--	60	--	118	--	178							
Los Angeles	--	--	--	907	--	907	Total U.S.	157	2,735	21	3,778	178	6,513

CONFIDENTIALITY OF COLLECTED DATA

All information collected from individual agricultural producers is held strictly confidential. Data provided by individual producers or other agricultural firms are used only to compile and publish statistics at the county, State, and national levels. Statistics at the county and State level are not published if they will potentially disclose information about an individual or operation. In addition, all names and addresses obtained by this office are held confidential.

RELEASE DISTRIBUTION POLICY

Florida Agricultural Statistics Service (FASS) publications are provided free of charge to all Florida agricultural producers and other respondents to FASS surveys. Also entitled to free FASS publications are news media that use agricultural statistics in their publications, cooperating State agencies, and other USDA agencies that have an essential need for this information. Publications picked up at the FASS office will be provided at no charge.

Other persons or entities will be assessed a nominal charge to receive individual publications or to be placed on distribution list for future FASS publications.

BUREAU OF STATE FARMERS' MARKETS

Richard Gunnels, Chief
Mayo Building, Room 519
Tallahassee, Florida 32399-0800
904/487-4322
FAX: 904/488-9006

ARCADIA

Phil Turner
1999 N.E. Livingston St.
Arcadia, FL 33821
813/494-3737

BONIFAY

Wendell Moore, Sr. Market Manager
Connie Johnson, Secretary
P.O. Box 716, Hwy 90
Bonifay, FL 32425
904/547-2540 FAX: 547-3181

FLORIDA CITY

Paul Cardwell, Sr. Market Manager
Patricia Bouchard, Secretary Specialist
300 No. Krome Avenue
Florida City, FL 33034
305/246-6335 FAX: 246-7012

FORT MYERS

Clad Brockett, Sr. Market Manager
Dee James, Secretary Specialist
P.O. Box 187, 2744 Edison Ave.
Ft. Myers, FL 33902
813/332-6910 FAX: 332-6995

FORT PIERCE

Pete Serra, Sr. Market Manager
Rina R. Uruena, Secretary Specialist
P.O. Box 856, 3479 South Federal Hwy.
Ft. Pierce, FL 34954
407/468-3917 FAX: 468-4002

GADSDEN

Wesley Cox, Sr. Market Manager
Rt. 4 Box 1228-F
Quincy, FL 32351
904/627-6484 FAX: 875-2662

IMMOKALEE

Jerry Hubbard, Sr. Market Manager
Louise King, Secretary Specialist
424 New Market Road
Immokalee, FL 33934
813/657-3112 FAX: 657-5851

PALATKA

Terry Driggers, Sr. Market Manager
Thelma Hutcherson, Secretary
225 Highway 17 South
East Palatka, FL 32131
904/329-3713 FAX: 246-7012

PLANT CITY

Tom Martino, Sr. Market Manager
Cindy Suszko, Secretary Specialist
P.O. Box 637, 1305 W. Haines Street
Plant City, FL 33564
813/757-9027 FAX: 757-9030

POMPANO

Cecilia Frau, Sr. Market Manager
Ceil Smedley, Secretary Specialist
1255 Atlantic Blvd.
Pompano Beach, FL 33069
305/946-6570 FAX: 783-8414

SANFORD

Sid Blanton, Sr. Market Manager
Elsie O'Neil, Secretary Specialist
1300 - 1A So. French Avenue
Sanford, FL 32771
407/330-6783 FAX: 330-6786

STARKE

Bob Allen, Sr. Market Manager
Lisa Carter, OPS Secretary
2222 North Temple Hwy
Starke, FL 32091
904/964-6951 FAX: 964-7825

SUWANNEE VALLEY-WHITE SPRINGS

VACANT, Market Manager
Edey Buchanan, Sr. Clerk
Rt. 1 Box 3135, SR 136
White Springs, FL 32096
904/963-5903 FAX: 963-3391

TRENTON

Bob Allen, Sr. Market Manager
P.O. Box 157
Trenton, FL 32693
904/463-2361

WAUCHULA

Diana Durrance, Sr. Market Manager
Dada O'Neal, Secretary Specialist
P.O. Box 157
Wauchula, FL 33873
813/773-9850 FAX: 773-3802