### Appendix A. Census of Agriculture Methodology

The purpose of a census is to enumerate all objects with a defined characteristic. For the census of agriculture, that goal is to account for "any place from which \$1,000 or more of agricultural products were produced and sold, or normally would have been sold, during the census year." To do this, NASS creates a Census Mail List (CML) of agricultural operations that potentially meet the farm definition, collects agricultural information from those operations, reviews the data, corrects or completes the requested information, and combines the data to provide information on the characteristics of farm operations and farm producers at the national, State, and county levels. In this appendix, these census processes are described.

#### THE CENSUS POPULATION

#### The Census Mail List

The National Agricultural Statistics Service (NASS) maintains a list of farmers and ranchers from which the CML is compiled. The goal is to build as complete a list as possible of agricultural places that meet the farm definition. The CML compilation begins with the list used to define sampling populations for NASS surveys conducted for the agricultural estimates program. Each record on the list includes name, address, telephone number, and email plus additional information that is used to efficiently administer the census of agriculture and agricultural estimates programs.

NASS builds and improves the list on an ongoing basis by obtaining outside source lists. Sources include State and federal government lists, producer association lists, seed grower lists, pesticide applicator lists, veterinarian lists, marketing association lists, and a variety of other agriculturerelated lists. NASS also obtains special commodity lists to address specific list deficiencies. These outside source lists are matched to the NASS list using record linkage programs. Most names on newly acquired sources are already on the NASS list. Records not on the NASS list are treated as potential farms until NASS can confirm their existence as a qualifying farm. Staff in NASS regional and field offices routinely contact these potential farms to determine whether they meet the farm definition. For the 2017 Census of Agriculture, NASS made a concerted effort to work with community-based organizations not only to improve list coverage for minorities but also to increase census awareness and participation.

List building activities for developing the 2017 CML started in 2014 by updating list information from respondents to the 2012 Census of Agriculture. Between 2015 and 2017, NASS conducted a series of National Agricultural Classification Surveys (NACS) on approximately 1.6 million records, which included nonrespondents from the 2012 census and newly added records from outside list sources. The NACS report forms collected information that was used to determine whether an operation met the farm definition. If the definition was met, the operation was added to the NASS list and subsequently to the CML. Addressees that were nonrespondents to a NACS were also added to the CML and identified with a special status code.

Measures were taken to improve name and address quality. Additional record linkage programs were run to detect and remove duplicate records both within each State and across States. List addresses were processed through software programs that utilize the United States Postal Service's National Change of Address System and the Locatable Address Conversion System to improve mail delivery. Records on the list with missing or invalid phone numbers were matched against a nationally available telephone database to obtain as many phone numbers as possible. To reduce costs, operations with characteristics that indicated they were unlikely to be farms, according to the farm definition, were removed from the list. The official CML for the 2017 Census of Agriculture was established on September 3, 2017. The list contained 2,999,098 records. Of these, 2,259,750 records were thought to meet the NASS farm definition and 739,348 were potential farm records, which included NACS nonrespondents, other records added to the CML by the NASS regional field offices after the record linkage process, and late adds to the CML that were not included in any previous NACS or State screening survey.

#### Not on the Mail List (NML)

Extensive efforts are directed toward developing a CML that includes all farms in the U.S. However, some farms are not on the list, and some agricultural operations on the list are not farms. NASS uses its June Area Survey (JAS) to quantify the number and types of farms not on the CML. The records in the JAS that are not on the CML are said to be in the Noton-the-Mail List (NML) domain. If a JAS record in the NML domain is determined to be a farm during the census, it is an NML farm. The NML farms are used to measure coverage associated with the census.

The JAS is based on an area frame, which covers all land in the U.S. and includes all farms. The land in the U.S. is stratified by characteristics of the land. A probability sample of segments is drawn within each stratum for the JAS. Segments of approximately equal size are delineated within each stratum and designated on aerial photographs. The JAS sample of segments is allocated to strata to provide accurate measures of acres planted to widely grown crops, farm numbers, and inventories of cattle. Sampled segments in the JAS are personally enumerated. Each operation identified within a segment boundary is known as a tract.

The 2017 JAS sample was increased to improve the farm counts for operations that produced specialty commodities or had socially disadvantaged or minority producers. The total JAS sample consisted of 13,972 segments of which 3,012 were additional segments. This set of additional segments is referred to as the Agricultural Coverage Evaluation Survey (ACES) segments. The ACES segments were selected using a multivariate sampling design that targeted specific items at the U.S. level. The 2017 JAS

consisted of sample segments from all States, with the exception of Alaska where NASS does not maintain an area frame.

During the JAS/ACES enumeration process, each tract is identified as either agricultural or nonagricultural. Each JAS/ACES agricultural tract is identified as a farm or non-farm in June based on the farm definition of \$1,000 of sales or potential sales of agricultural products. Non-agricultural tracts are further classified into categories: with farm potential, with unknown farm potential, or with no farm potential. The names and addresses collected in the 2017 JAS/ACES were matched to the CML. Those from the 2017 JAS/ACES that did not match were determined to be in the NML domain and sent a yellow census report form so that they could be differentiated from the green report form sent to those addressees on the CML. Instructions on the census report form directed any respondent who received duplicate forms to complete the CML form and to mail all duplicate forms back together. Those who returned a CML and an NML form had been misclassified as NML and were removed from the NML domain.

The initial NML mailout consisted of 42,430 records. A total of 41,787 NML records were summarized of which 2,799 records were confirmed to be NML and in-scope.

The farm/nonfarm status of each NML domain operation was determined based on the reported data in the census form. An operation in the NML domain that was determined to be a farm is referred to as an NML farm. Characteristics of NML farms and their producers provided a measure of the undercoverage of farms on the CML. The percentage of farms not represented on the CML varied by State. In general, NML farms tended to be small in acreage, production, and sales of agricultural products. Farm operations were missing from the CML for various reasons, including the possibility that the operation started after development of the CML, the operation was so small that it did not appear in any agriculture-related source list, or the operation was misclassified as a nonfarm prior to census mailout. The CML was used with the NML in a capture-recapture framework to represent all farming operations across all States in the JAS sample.

#### DATA COLLECTION OUTREACH AND PROMOTIONAL EFFORTS

NASS planned and executed a multi-phase strategic communications campaign for the 2017 Census of Agriculture, to increase the level of awareness and response among all U.S. agricultural producers.

- Phase 1 ran from December 2016 June 2017. It raised awareness about the census and list building, encouraged producers to sign up in response to NASS mailings and at community, association, and other stakeholder meetings where NASS partners reached out.
- Phase 2 ran from July 2017 December 2017. It notified farm producers and agricultural organizations that the census would be mailed in December, and encouraged communications regarding the census.
- Phase 3 ran from December 2017 July 2018. It focused on census data collection with messaging urging response, reminding producers that it was not too late to respond.
- Phase 4 ran from August 2018 February 2019. It thanked producers for their participation and NASS partners for their support, and informed all of the February 2019 data release plan.

The communications campaign focused on these primary areas: partnership building, local-level outreach, public relations, media relations, paid media, and social media. Some external support was provided by a private communications agency (i.e. primarily assistance with paid media/advertising strategy and ad creation) and a freelance writer.

The unifying force behind the 2017 communications campaign was the theme "Your Voice. Your Future. Your Opportunity." This was accompanied by supporting messages and artwork that created a census consistent look and feel for all communications. All messages and materials served the purpose of inspiring action: Grow Your Farm Future - Shape Your Farm Programs - Boost Your Rural Services - Fill out your Census of Agriculture -Do your part to be counted - The Census of Agriculture is Your Voice, Your Future, Your Opportunity.

#### Partnership and Local-Level Outreach

At the national level, NASS officials met with leaders from dozens of agricultural organizations, State Departments of Agriculture, and other USDA agencies to successfully secure their support in promoting the census among their constituencies. Stakeholders partnered with NASS to promote the 2017 Census of Agriculture through publications (e.g. newsletters), special mailings, speeches, social media, websites, and other communications. In addition, through grassroots-level outreach and efforts, NASS partnered with a number of community-based organizations to reach minority and limited-resource farmers and ranchers. National-level outreach was encouraged and mirrored at the regional, State, and local levels. Among the highlights of these partnership efforts was the production of multiple television and radio public service announcements featuring the U.S. Secretary of Agriculture, State secretaries. directors, and commissioners agriculture and leaders from community-based organizations.

# Coverage of American Indian and Alaska Native Farm Producers

To maximize coverage of American Indian and Alaska Native agricultural producers, special procedures were followed in the census. A concerted effort was made to get individual reports from every American Indian and Alaska Native farm or ranch producer in the country. If this was not possible within some reservations, a single reservation-level census report was obtained from knowledgeable reservation officials. These reports covered agricultural activity on the entire reservation. NASS staff reviewed these data and removed duplication with any data reported by American Indian or Alaska Native producers who responded on an individual census report form. Additionally NASS obtained, from knowledgeable reservation officials, the count of American Indian and Alaska Native producers (on reservations) who were not counted through individual census report forms, but whose agricultural activity was included in the reservation-level report form.

Table D, American Indian and Alaska Native Producers: 2017 provides the number of producers (1) reported as American Indian or Alaska Native in the race category, either as a single race or in combination with other races, on the individual census report forms (for up to four per farm) and (2) identified as American Indian or Alaska Native producers farming on reservations by reservation officials. The count from the individual report forms is summarized in the "Individually reported" column. It includes up to four producers on or off reservations. The "Other" column provides counts of producers on reservations as reported by a reservation or tribal official. The "Total" column is simply a sum of the "Individually reported" and the "Other" columns. Tables in other parts of the publication count the reservation-level reports as single farms.

#### **Public Relations**

In the public relations arena, NASS worked with internal and external stakeholders to equip them with communications tools and resources to deliver the census communications message to their audiences. NASS utilized its Intranet and the Partner Tools page on the census website to deliver materials to the 12 regional and 46 field offices as well as to external stakeholders. The materials included but were not limited to: customizable news releases, public service announcement scripts, and a PowerPoint template; Secretary of Agriculture video public service announcements, and drop-in advertisements; informational, instructional, and testimonial videos; website buttons and banners; brochures in multiple languages; flyers; posters; FAQ sheets, talking points, and more. In addition, at the national level, NASS issued six news releases during data collection (three more were produced before data collection to inform and prepare producers) citing department and agency spokespeople, published half a dozen timely and relevant pieces to the USDA blog highlighting the census, and conducted three social media campaigns. These public relations efforts at the national and locallevels helped ensure that NASS' message about the census was continually in the media, including print and online publications, a variety of social media, radio, and some television programs. Media outlets included both those specializing in agriculture and more general outlets.

#### Paid Media

Even with increasingly limited budgets and resources, NASS was able to apply a small portion of funds toward paid media. For the 2017 Census of Agriculture, NASS strategically advertised in regional print publications, online, and with national agriculture news services (i.e. TV, radio) to bolster reach both in general and within geographicallyspecific, previously under-represented populations and lower response areas.

#### DATA COLLECTION

#### Method of Enumeration

Data collection was accomplished primarily by mail, Computer-Assisted Self Interview (CASI) on the Internet, and personal enumeration for special classes of records in the census operations. Personal enumeration (interviewing) involved the use of both Computer-Assisted Telephone Interview (CATI) and Computer-Assisted Personal Interview (CAPI) data collection instruments. Enumerators at the five NASS Data Collection Centers conducted CATI data collection. In addition, enumerators under contract with NASS through the National Association of State Departments of Agriculture (NASDA) conducted phone and personal interviews with respondents. For the 2017 Census of Agriculture, NASS implemented a pre-notification strategy in an effort to increase awareness, improve overall responses, and encourage respondents to report early to avoid continued correspondence. All records with an e-mail address received an e-mail message marketing the improved web form and announcing the census mail packets were coming.

#### **Report Forms**

Four versions of report forms were used for the 2017 Census of Agriculture:

- General form (17-A100)
- Short form (17-A200)
- Hawaii form (17-A101)
- American Indian form (17-A300)

The general form facilitated reporting crops and livestock most commonly grown and raised in the U.S. The short form expedited reporting specific crops or livestock for pre-identified farms and ranches in the U.S. The Hawaii form targeted crops and livestock specifically grown or raised on farms and ranches in Hawaii. The American Indian form focused on crops and livestock for farms and ranches on reservations in Arizona, New Mexico, and Utah. All of the report forms allowed respondents to write in specific commodities that were not prelisted on their report form.

#### **Report Form Mailings**

Pre-notification of census data collection began on November 17, 2017. Approximately 600.000 producers with an active e-mail address on the census mail list received a message informing them of the upcoming census data collection period and encouraging them to utilize the new census web form. Between November 27 and November 30, 2017, approximately 1 million producers received a letter with their survey code and instructions for completing their census online. The letter encouraged producers to report online early to avoid receiving mail and phone follow-up. Approximately 3 million mail packets were mailed in December 2017 and January 2018. Each packet contained a cover letter, instruction sheet, a labeled report form, and a return envelope. The Census Bureau's National Processing Center (NPC) in Jeffersonville, IN was contracted to perform mail packet preparation, initial mailout, and two follow-up mailings to nonrespondents.

The initial mailout was followed by a thank-you reminder postcard that was delivered in January 2018 to all operations that received mail packets. First follow-up mail packets were mailed in mid-February 2018 to approximately 1.5 million nonrespondents. Second follow-up mail packets were mailed in mid-March 2018 to approximately 1 million nonrespondents.

#### Nonresponse Follow-up

Operating concurrently with NPC's mail data collection efforts, NASS Data Collection Centers targeted selected groups of census nonrespondents for telephone enumeration. NASS regional field offices targeted selected groups of census nonrespondents for in-person enumeration. These efforts were referred to as:

• Must Case Follow-up

- American Indian Producer Follow-up
- National Nonresponse Follow-up
- Not on Mail List (NML) Follow-up

Must Case Follow-up. Must cases are known large or unique operations, the absence of which could have significantly affected the accuracy of census results. For the 2017 Census of Agriculture, 125,697 records were categorized as Must cases. Each active Must operation was accounted for by mail receipt, phone interview, or personal enumeration; if an operation was no longer in business, its nonfarm status was documented. Call centers conducted CATI calling of nonrespondent Must cases from March 2018 through May 2018, after the initial and first follow-up mailings. Following the CATI calling, the remaining nonresponse Must cases were assigned to regional field offices for personal enumeration. Because of the potential importance of Must cases, they were all accounted for and therefore not eligible for nonresponse weighting adjustment.

American Indian Producer Follow-up. The American Indian report form (17-A300) was mailed to all operations in Arizona, New Mexico and Utah thought to have an American Indian producer. It was included in the initial mailout, but due to poor mail response, a personal enumeration data collection strategy was utilized with no additional mail followup. A concerted effort was made to get individual reports from every American Indian farm producer in the country. If this was not possible within a reservation, a single reservation-level census report was obtained from knowledgeable reservation officials. These reports covered agricultural activity on the entire reservation. NASS staff reviewed these data and removed any duplicate data reported by American Indian producers from that reservation who responded on an individual census report form. Additionally NASS obtained, from knowledgeable reservation officials, the count of American Indian farm producers (on the reservations) who were not counted through individual census report forms, but whose agricultural activity was included in the reservation-level report form.

National Nonresponse Follow-up (Excludes Must Records). The National Nonresponse follow-up activity was designed to focus nonresponse follow-up in a manner that would both reflect the characteristics of the nonresponders and increase response rates. In April 2018, a sample of 249,521 nonrespondents was selected from the remaining 864,260 nonrespondents using a stratified random design. The strata were based on State, county, size of farm, type of farm, producer race, and propensity to respond. Beginning in mid-April 2018 and continuing through July 2018, extensive efforts were made to collect data for the sampled records, including an additional CASI push, autodial calls, CATI, and CAPI. Records in the same stratum received the same set of collection methods. Of the 80,504 responses, 51,846 records were identified as being in-scope, resulting in a weighted farm count of 143,847 from the sample.

Not-on-the-Mail List (NML) Follow-up. To account for farming operations not on the CML, NASS used its 2017 JAS sample from the NASS area frame, augmented with the ACES segments. Because the NASS area frame covers all land in the U.S. with the exception of Alaska, it includes all farms. As previously described, NASS conducted a record linkage operation between the CML records and the records from the 2017 JAS/ACES. Those 2017 JAS records that did not match records on the CML were designated as "Not-on-the-Mail List" (NML) records. These records were mailed a yellow census form so that it could be differentiated from the green forms mailed to CML records. The NML records were mailed at the same time as the census mailing and received the same follow-up procedures as the census mailing through the first follow-up in mid-February 2018. Beginning in March 2018, CATI was used for nonresponse follow-up for NML nonrespondents.

#### **REPORT FORM PROCESSING**

#### **Data Capture**

The Census Bureau's National Processing Center (NPC) in Jeffersonville, IN was contracted to process returned mail packets. NASS staff on site at the NPC provided technical guidance and monitored NPC processing activities. All report forms returned to the NPC were immediately checked in, using bar codes printed on the mailing label, and removed from follow-up report form mailings. All forms with any data were scanned and an image was made of each page of a report form. Optical Mark Recognition (OMR) was used to capture categorical responses and to identify the other answer zones in which some type

of mark was present.

Data entry operators keyed data from the scanned images using OMR results that highlighted the areas of the report forms with respondent entries. The keyer evaluated the contents and captured pertinent responses. Ten percent of the captured data were keyed a second time for quality control. If differences existed between the first keyed value and the second, an adjudicator handled resolution. The decision of the adjudicator was used to grade the performance of the keyers, who were required to maintain a certain accuracy level.

The images and the captured data were transferred to NASS's centralized network and became available to NASS analysts on a flow basis. The images were available for use in all stages of review.

#### **Editing Data**

Captured data were processed through a computer formatting program that verified that records were valid – that the record ID number was on the list of census records, that the reported counties of operation and production were valid, and other related criteria. Rejected records were referred to analysts for correction. Accepted records were sent to a complex computer batch edit process. Each execution of the computer edit in batch mode consisted of records from only one State and flowed as the data were received from NPC, the NASS Computer-Assisted Self Interview (CASI), or the Computer-Assisted Telephone Interview (CATI) applications.

The computer edit determined whether a reporting operation met the qualifying criteria to be counted as a farm (in-scope). The edit examined each in-scope record for reasonableness and completeness and determined whether to accept the recorded value for each data item or take corrective action. Such corrective actions included removing erroneously reported values, replacing an unreasonable value with one consistent with other reported data, or providing a value for an item omitted by the respondent. To the extent possible, the computer edit determined a replacement value. Strategies for determining replacement values are discussed in the next section. Operations failing to meet the qualifying criteria for being classified as a farm were categorized as out-ofscope for the census. Records that NASS had reason to believe might have been erroneously classified as out-of-scope (indications of recent and/or significant agricultural activity reported on NASS surveys, for example) were referred to analysts for verification.

The edit systematically checked reported data sectionby-section with the overall objective of achieving an internally consistent and complete report. NASS subject-matter experts had previously defined the criteria for acceptable data. Problems that could not be resolved within the edit were referred to an analyst for intervention. Prior to the census mail-out, NASS established a group of analysts in a Census Editing Unit in the National Operations Center in St. Louis, MO who examined the scanned images, consulted additional sources of information, and determined an appropriate action. Regional field office analysts also participated using an interactive version of the edit program to submit corrected data and immediately reedit the record to ensure a satisfactory solution.

#### **Short Form Editing**

From the CML, 400,000 records were selected to receive a short form; this short form was derived from the full census report form by reducing a number of sections to a 'total' question - for example, instead of asking the respondent to report the acreage for each specific type of fruit or vegetable, the short form only asked for total fruit acreage or total vegetable acreage. In some cases, the same questions were asked on the general form, in which case the edit treated the short form responses as though they were incomplete general forms, as described in the previous paragraphs. In other cases, several items on the general form were collapsed – for example, total acres of Christmas trees and short rotation woody crops were asked as a single item on the short form, instead of separately as on the general form. In such cases, different approaches were taken in the edit to create a general form item or items from the short-form specific items. Any short form record that reported values above a certain threshold (in practice this threshold was 0 for almost all items) for these shortform-specific questions was 'flagged' by the edit; these records were later called back and the respondent asked for additional information about the items reported – for example, a producer reporting 10 acres of fruit on the short form was called back and asked for the total, bearing, and nonbearing acres for each type of fruit grown, as was asked on the general form. If the producer was successfully contacted and these additional data collected, the information was added to the record as additional reported data, and the edit was 'reset to original' – that is, the effects of the previous edit were undone – and the record was reedited with the new additional information. A flag was passed to the edit so that the short form record was not flagged for callback in such cases. In many cases, of course, it was not possible to recontact the respondent. In such cases, a flag was passed to the edit system, and the record was unlocked and available for review.

#### **Imputing Data**

The edit determined the best value to impute for reported responses that were deemed unreasonable and for required responses that were absent. If an item could not be calculated directly from other current responses, the edit determined whether acreage, production, or inventory items had been reported for that farm on a recent NASS crop or livestock survey. For producers who had not changed in five years, demographics such as race and gender were taken from the previous census. Administrative data from the Farm Service Agency were used for a few items, such as Conservation Reserve Program acreage. When deterministic edit logic and previouslyreported data sources were unable to provide a current value, data from a reporting farm of similar type, size, and location were considered. In cases where automated imputation was unable to provide a consistent report, the record was referred to an analyst for resolution.

Separate system processes were established to efficiently provide data from a similar farm to the edit when donor imputation was required. The farm characteristics used to define similarity between a recipient record and its donor record were determined dynamically by the edit logic. Euclidean distance was used for similarity computations, with each contributing similarity characteristic scaled appropriately. The most similar farm based on this criterion (the "nearest neighbor") was identified and returned to the edit for use as a donor. The calculated distance between the centroids of the principal counties of production of the donor and recipient was always included as one of the measures of similarity.

To provide donors to the automated edit, a pool of successfully edited records was maintained for each section of the report form. These donor pools began with 2012 census data, reconfigured to emulate 2017 data and then edited using 2017 logic. Data from the 2015 Census Content Test were similarly remapped and edited before being added to the original donor pools. As 2017 records were successfully processed, they were added to the donor pools, which maintained the most recent data for each farm. Donor pools were updated approximately every other week, as determined by edit processing schedules. After several updates, all initial data records were dropped, leaving only 2017 records in the donor pools. After each update, donor pool records were grouped into strata containing farms in the same State of similar type and size, using a data-driven algorithm to define strata. Certain American Indian farms were treated as a separate group, effectively having their own donor pool.

In response to each donor request issued by the edit, a dedicated system process would search the appropriate stratum and respond with the most similar donor, while giving preference to more recent donors. In relatively rare instances where it was unable to provide a donor, the donor selection process issued an appropriate failure message to the edit. Imputation failures occurred for several different reasons. The requirement that an imputed value be positive could have ruled out all available donors, as could have the necessity for the donor record to satisfy a particular constraint – say, that the donor record has cattle, but no milk cows. In general, an imputation failure occurred if there were no satisfactory donors in the same profile as the report being edited. Records with imputation failures were either held until more records were available in the donor pool or referred to an analyst. In addition, when such a failure occurred in finding a donor for expenditure data, donor pool averages were provided in lieu of an individual donor, wherever possible. This "failover" utility was first introduced for the 2012 census imputation process, and significantly reduced the number of imputation failures among the expenditure and labor variables. During the early stages of editing, records requiring imputation for production (and hence yields) of field crops or hay, land values, or certain expenditure variables, were set aside or "parked." These records were edited when the donor pools contained only 2017 records, ensuring that 2017 data were used in the

imputations for the variables.

After receiving a donor's data, the edit substituted the values into the edited record. In many cases, the donor record's data value was scaled using another data field specified in the edit logic. In such cases, the size of the auxiliary field's value in the edited record, relative to its value in the donor record's value for the field to be imputed. The imputed data were then validated by the same edit logic to which reported data were subject. Since imputation was conducted independently for each occurrence, reports requiring multiple imputations may have drawn from multiple donors.

Substantial changes were introduced to the Personal Characteristics section of the form in 2017. Information on an additional (fourth) producer was collected, and several new questions were added for each producer - specifically, whether or not the person was considered a "principal producer," whether the person was a spouse of a principal producer, and whether the person was involved in any of five types of decisions with respect to the operation. These changes necessitated a new imputation process for records reporting three or more persons as producers. Records with one or two persons reported as producers had these data edited and imputed using the decision logic table edit and donor pool imputation process. Records with three or more persons reported as producers, and for which it was determined that these data were inconsistent or missing, had these data imputed using a fully conditional specification method. During the edit for records reporting three or more producers, the items needing imputation were marked, and the record was flagged. Periodically the data for these records (both the items needing to be imputed and the other variables needed by the model) were pulled and run through the imputation program. The resulting imputed values were loaded back to the records, and the records were made available for review. This process was conducted 19 times for the CML, and 6 times for the NML, during census production editing.

#### **Data Analysis**

The complex edit ensured the full internal consistency of the record. Successfully completing the edit did not provide insight as to whether the report was reasonable compared to other reports in the county. Analysts were provided an additional set of tools, in the form of listings and graphs, to review record-level data across farms. These examinations revealed extreme outliers, large and small, or unique data distribution patterns that were possibly a result of reporting, recording, or handling errors. Potential problems were investigated and, when necessary, corrections were made and the record interactively edited again.

When NASS summarizes data from the census of agriculture, each individual report is typically assigned to a single "principal" county. The principal county is the county in which the majority of an operation's agricultural products are produced, as reported by the producer. For large operations that have significant production in multiple counties, their reports may be broken up into multiple source counties to more accurately summarize the data. Similarly, for large farms operating in more than one State, separate report forms are completed by State in order to assign the proper portion of the farm's total agricultural production to each State in which the farm operates.

#### ACCOUNTING FOR UNDERCOVERAGE, NONRESPONSE, AND MISCLASSIFICATION

Although much effort was expended making the CML as complete as possible, the CML did not include all U.S. farms, resulting in list undercoverage. Some farm producers who were on the CML did not respond to the census, despite numerous attempts to contact them. In addition, although each operation was classified as a farm or a nonfarm based on the responses to the census report form, some were misclassified; that is, some nonfarms were classified as farms and some farms were classified as nonfarms. NASS's goal was to produce agricultural census totals for publication at the county level that were fully adjusted for list undercoverage, nonresponse, and misclassification.

In 2012 NASS used capture-recapture methodology to adjust for undercoverage, nonresponse, and misclassification. This same methodology was implemented for the 2017 Census of Agriculture. To implement capture-recapture methods, two independent surveys were required. The 2017 Census of Agriculture (based on the CML) and the 2017 JAS (based on the area frame) were those two surveys. Historically, NASS has been careful to maintain the independence of these two surveys.

A second assumption was that the proportion of JAS farms with a given set of characteristics captured by the census was equal to the proportion of U.S. farms with those same characteristics captured by the census.

For a farm to be identified as a farm, and thus captured by the census, it must be on the CML, respond to the census report form and, based on the census response, be classified as a farm. Only those nonrespondents included in the nonresponse sample had an opportunity to be captured and had a probability  $\pi_s$  of being included in the sample; respondents prior to drawing the nonresponse sample had  $\pi_s = 1$ . Thus, the capture probability  $\pi_c$  is of interest:

#### $\pi_{\rm C} = \pi$ (CML, Responded, Farm on Census|Farm) $\pi_{\rm s}$

Two types of classification error can occur. First, a farm can be misclassified as a nonfarm. This type of misclassification is accounted for in determining the probability of capture  $\pi_c$ . The second type of classification error results when a response to the census is classified as a farm operation when it does not meet the definition of a farm. That is, some farms on the CML may be misclassified from their census report response and may be nonfarms. To account for the misclassification of a farm on the census being classified correctly must be estimated; that is,

 $\pi_{CCFC} = \pi(\text{Farm} | \text{Farm on Census})$ 

where *CCFC* represents Correct Census Farm Classification. To adjust for undercoverage, nonresponse, and misclassification, each CML record classified as a farm based on its response to the census report form was given a weight of the ratio of the estimated probability of correct classification of a farm on the census and the estimated probability of capture  $(\hat{\pi}_{cCFC}/\hat{\pi}_c$  where the hat symbol (^) denotes an estimate). To estimate the number of farms with a given set of characteristics, the weights of CML records responding as farms on the census and having that set of characteristics were summed. This estimator is referred to as the capture-recapture estimator (*CR*):

$$CR = \sum_{i \in F} \frac{\hat{\pi}_{_{CCFC,i}}}{\hat{\pi}_{_{C,i}}}$$

where F is the set of all CML records classified as farms based on their responses to the census report form.

To estimate the capture and correct census farm classification probabilities, a matched dataset consisting of JAS records and census records was created. Records in the 2017 JAS sample were matched to the 2017 census using probabilistic record linkage. The CML records that matched with JAS tracts represent the Census Sample.

Note: The Census Sample is a subset of the CML records and includes only those records matching a JAS tract. Both agricultural and non-agricultural tracts were included in the matched dataset.

#### **Resolving Farm Status**

The farm status based on census responses to either the CML or NML census data collection and the JAS agreed in most cases; these records are referred to as having resolved farm status. However, in other cases, a record was identified as a farm (nonfarm) on the JAS and as a nonfarm (farm) by the census through either the CML or the NML. Such records are said to have conflicting or unresolved farm status. An operation identified as a farm is referred to as inscope; an operation identified as a nonfarm is referred to as out-of-scope. From the set of matched records, two groups with conflicting farm status were identified: 1) in-scope JAS records that were out-ofscope on the census and 2) census in-scope and JAS out-of-scope records. The records with conflicting farm status were sent to NASS regional field offices for review. In each case, efforts were made to determine whether (1) the status had changed between June and December when the census was conducted, (2) the JAS farm status was correct, (3) the census farm status was correct, (4) the records were incorrectly matched, or (5) the farm status could not be resolved. Not all of the records with conflicting farm status could be resolved. In 2017, 8.1 percent of

the records in the Census Sample had unresolved farm status.

The probability an operation is a farm was estimated for the records with unresolved farm status. Using the 2017 matched dataset, a logistic model of the probability an operation is a farm based on the records with resolved farm status was developed; that is, the operations where the farm (or nonfarm) status agreed between the JAS and the census were used to develop a missing data model, which was then used to resolve farm status. The final missing data model was used to impute the probability that each of the agricultural operations with unresolved farm status is a farm. For the resolved farms and nonfarms, the probability of the operation being a farm was 1 and 0, respectively. Five-fold cross-validation was used to develop and to compare competing models. The accuracy of the model was thereby not overstated due to fitting and evaluating the model on the same set of data. To ensure that each of the cross-validation samples covered the U.S., the five cross-validation samples of JAS segments were drawn within State-stratum combinations. Characteristics of the JAS tracts were considered as potential covariates in the model. Because limited information is available for JAS nonfarm tracts, other covariates considered included county-level socio-demographic variables from the most recent U.S. population census, segment-level data from the Cropland Data Layer, the county-level rural-urban code, state-level response rates, an indicator for records that are thought to be out-ofbusiness, and an indicator for records in the national nonresponse sample. The sample weight associated with each JAS tract was multiplied by the probability of being a farm. This adjusted weight was used in all subsequent modeling.

#### **Capture Probabilities**

Recall that, for a farm to be identified as a farm, and thus captured, by the census, it must be on the CML, respond to the census report form and, based on the census response, be classified as a farm. These adjustments are dependent. Further, those nonrespondents at the time the nonresponse sample was drawn had a known probability  $\pi_s$  of being included in the sample; respondents before the sample was drawn had  $\pi_s = 1$ . Therefore, the probability of capture  $\pi_c$  may be written as

 $\pi_c = \pi$ (CML, Responded, Farm on Census|Farm)  $\pi_s$ =  $\pi$ (CML|Farm) $\pi$ (Responded|CML, Farm) $\pi$ (Farm on Census|CML, Responded, Farm)  $\pi_s$ 

The probability of being included in the sample  $\pi_s$  is known for all responding farms. The other terms in the probability of capturing a farm depend on the characteristics of the farm. Using five-fold crossvalidation, three logistic models were developed based on the matched dataset. The first model estimated the probability of a farm being on the CML. The second model estimated the probability that a farm on the CML responded to the census report form. The final model estimated the probability that a farm that was on the CML and responded to the census was identified as a farm based on its response. The probability that a farm is captured by the census of agriculture is then the product of the three conditional probabilities that a farm is on the CML, responds, and is identified as a farm.

Note 1: Responses were required for Must cases. These operations were only excluded in modeling the probability of a farm responding given that it was on the CML.

Note 2: Because Alaska is not included in the JAS and thus has no area frame, the Alaskan agricultural operations were not included in the capture-recapture process. No adjustments were made for undercoverage or misclassification. To account for nonresponse, the CML records were divided into three groups: (1) the Must records, (2) the Criteria Records, and (3) the remaining CML records. The must records received a weight of one, thereby receiving no adjustment for nonresponse. The probability of response for each of the other two groups was the proportion of responders within the group. Each record within the group was then given a weight equal to the reciprocal of the probability of response.

#### **Misclassification**

An operation is misclassified if: (1) it meets the definition of a farm, but is classified as a nonfarm on the census or (2) it does not meet the definition of a farm, but is classified as a farm on the census. The first type of misclassification is accounted for when modeling the probability of capture. An adjustment is

still needed for the misclassification of nonfarms as farms. As with farm status and capture, the probability of this misclassification depends on an operation's characteristics. Thus, a final logistic model was developed. Given that an operation was classified as a farm on the CML, the probability of its being a farm was modeled based on its characteristics. Five-fold cross-validation was used to ensure that the model was not over-fitted.

#### CALIBRATION

Each operation identified as being in-scope on the CML was given a weight equal to the probability of misclassification divided by the probability of capture. This weight accounted for undercoverage, nonresponse, both types of misclassification, and the nonresponse sample.

The record weighting processes were initially applied at the State level to produce adjusted estimates of farm numbers and land in farms for 63 different categories of 8 characteristics of the farm operation or the farm producer -- value of agricultural sales (9); age (2); female; race (3); Hispanic origin of principal farm producer; 4 sales categories for each of 10 major commodities (40); and farm type groups (7). The State-level number of farms and land in farms were two additional adjusted estimates, resulting in 65 categories. To reduce the intercensal variation at the State level, the State targets were smoothed by averaging the 2017 estimates from capture-recapture and the published 2012 State estimates with the restrictions that the smoothed targets were within two standard errors of the capture-recapture estimates. The smoothed State targets were rescaled so that they summed to the national capture-recapture estimates.

These State estimates were general purpose in that they did not provide any control over expected levels of commodity production of the individual farm operation. As a result of this limitation, the procedures could have over-adjusted or under-adjusted for commodity production. To address this, a second set of variables, known as commodity targets, was added to the calibration algorithm. These targets were commodity totals from administrative sources or from NASS surveys of nonfarm populations (e.g. USDA Farm Service Agency program data, Agricultural Marketing Service market orders, livestock slaughter data, cotton ginning data). The introduction of these commodity coverage targets strengthened the overall adjustment procedure by ensuring that major commodity totals remained within reasonable bounds of established benchmarks.

Each State was calibrated separately. The calibration algorithm addressed commodity coverage. The algorithm was controlled by the 65 State farm operation coverage targets and the State commodity coverage targets. Because calibration targets are estimates subject to uncertainty, NASS allowed some tolerance in the determination of the adjusted weights. Rather than forcing the total for each calibration variable computed using the adjusted weights to equal a specific amount, NASS allowed the estimated total to fall within a tolerance range.

Tolerance ranges for the farm operation coverage targets were determined differently from the commodity targets. The tolerance range for the 65 State farm operation coverage targets was the estimated smoothed State total for the variable plus or minus one standard error of the capture-recapture estimate. This choice limited the cumulative deviation from the estimated total for a variable when State totals were summed to a U.S. total. Commodity coverage targets with acceptable ranges were established based on the administrative source for each State. Ranges were not necessarily symmetric around the target value.

To ensure that all subdomains for which NASS publishes summed to their grand total, integer weights were produced by a discrete calibration algorithm. This eliminated the need for rounding individual cell values and ensured that marginal totals always added correctly to the grand total. If a weight was initially not in the interval [1,6], it was trimmed so that in was in that interval. That is, adjusted weights less than 1 were set to 1, and those greater than 6 were set to 6. The remaining non-integer weights were then rounded sequentially to reduce the distance of the estimated totals from the targets.

Calibration adjustments began with the computation of a priority index for each record. The priority index was the absolute value of the gradient of the relative error associated with increasing or decreasing a record's weight by one. The record with the highest priority index was then selected as a candidate to increase or decrease its weight by one to reduce the

cumulative distance from the targets as measured by the relative error. If the new value produced an improvement and satisfied the range restrictions, the weight was updated and new priorities were assigned; otherwise, the record with the next highest priority index was processed. This process was iteratively performed until convergence was attained. Because census data collection was assumed to be complete for very large and unique farms, their weights were controlled to 1 during the calibration adjustment process. For all other farms, the final census record weights were forced to be an integer number in the interval [1, 6]. The calibration process considered all targets simultaneously through the priority index. Although calibration was seldom able to adjust weights so that all State targets were met, all targets were brought collectively as close to the targets as possible.

The proportions of selected census data items that were due to coverage, response, and classification adjustments are displayed in Tables A and C.

#### **DISCLOSURE REVIEW**

After tabulation and review of the aggregates, a comprehensive disclosure review was conducted. NASS is obligated to withhold, under Title 7, U.S. Code, any total that would reveal an individual's information or allow it to be closely estimated by the public. Farm counts are not considered sensitive and are not subject to disclosure controls. Cell suppression was used to protect the cells that were determined to be sensitive to a disclosure of information.

Based on agency standards, data cells were determined to be sensitive to a disclosure of information if they failed either of two rules. The threshold rule failed if the data cell contained less than three operations. For example, if only one farmer produced turkeys in a county, NASS could not publish the county total for turkey inventory without disclosing that individual's information. The dominance rule failed if the distribution of the data within the cell allowed a data user to estimate any respondent's data too closely. For example, if there are many farmers producing turkeys in a county and some of them were large enough to dominate the cell total, NASS could not publish the county total for turkey inventory without risking disclosing an individual respondent's data. In both of these

situations, the data were suppressed and a "(D)" was placed in the cell in the census publication table. These data cells are referred to as primary suppressions.

Since most items were summed to marginal totals, primary suppressions within these summation relationships were protected by ensuring that there were additional suppressions within the linear relationship that provided adequate protection for the primary. A detailed computer routine selected additional data cells for suppression to ensure all primary suppressions were properly protected. These data cells are referred to as complementary suppressions. These cells are not themselves sensitive to a disclosure of information but were suppressed to protect other primary suppressions. A "(D)" was also placed in the cell of the census publication table to indicate a complementary suppression. A data user cannot determine whether a cell with a (D) represents a primary or a complementary suppression.

Regional field office analysts reviewed all complementary suppressions to ensure no cells had been withheld that were vital to the data users. In instances where complementary suppressions were deemed critically important to a State or county, analysts requested an override and a different complementary cell was chosen.

#### **CENSUS QUALITY**

The purpose of the census of agriculture is to account for "any place from which \$1,000 or more of agricultural products were produced and sold, or normally would have been sold, during the census year." To accomplish this, NASS develops a CML that contains identifying information for operations that have an indication of meeting the census definition, develops procedures to collect agricultural information from those records, establishes criteria for analyst review of the data, creates computer routines to correct or complete the requested information, and provides census estimates of the characteristics of farms and farm producers with associated measures of uncertainty.

It is not likely that either the CML includes all operations that meet the definition of a farm or that all those that do meet the definition of a farm respond to the census inquiry. The goal is to publish data with a high level of quality. The quality of a census may be measured in many ways. One of the first indicators used is a measure of the response to the census data collection as it has generally been thought that a high response rate indicates more complete coverage of the population of interest. This is a valid assumption if the enumeration list, the CML here, has complete coverage of the population of interest. In the case of the census of agriculture, the definition requiring advance knowledge of sales makes achieving a high level of coverage difficult. To ensure that the census of agriculture is as complete as possible, records are included that might not meet the census definition of a farm – in fact, almost 50 percent more records than the anticipated number of qualifying farm operations were included in the 2017 CML. A second indicator of quality then is the coverage of the farm population by the CML. Other indicators of quality relate to the accuracy and completeness of the data, and the validity of the procedures used in processing the data.

In some cases, NASS was able to produce measures of quality – such as the response rate to the data collection, the coverage of the census mail list, and the variability of the final adjusted estimates. In other cases, measures were not produced but descriptions of procedures that NASS used to reduce errors from the procedures were subsequently provided.

#### Census Response Rate

The response rate is one indicator of the quality of a data collection. It is generally assumed that if a response rate is close to a full participation level of 100 percent, the potential for nonresponse bias is small, although this has been questioned in the literature. The response rate for the 2017 Census of Agriculture CML was 71.8 percent, as compared with the 2012 Census of Agriculture's response rate of 74.6 percent and 78.2 percent for the 2007 Census of Agriculture.

The 2017 Census of Agriculture's response rate used the fourth response rate formula (RR4) from the American Association of Public Opinion Research's Response Rate Standard Definitions manual:

$$RR4 = \frac{C_{adj}}{C_{adj} + R + NC + O + Replicated + e(U)} (100)$$

#### where

 $C_{adj}$  = number of fully and partially completed records, excluding replicated records

R = number of explicit refusals

NC = number of non-contacted operations known to be eligible

O = number of other types of nonrespondents Replicated = number of replicated records U = number of operations of unknown eligibility e(U) = estimated number of operations of unknown eligibility assumed to be eligible

Records were classified into the above variables based on the combination of their active status (AS) codes, in-scope status, and replication status. Active status refers to the eligibility status of records for selection on the CML. All replicated records were considered to be a form of nonresponse and were classified into other nonrespondents; in-scope status was considered immaterial.

Certain active status classifications indicated records of unknown agricultural status. These classifications included records to be removed from the CML but had data from outside sources indicating agricultural activity, new records from outside data sources, nonrespondents and refusals to the NACS, records for regional office handling only, and records with Farm Service Agency or Conservation Reserve Program data on operations that are not owned by the principal producer. These records were stratified (grouped) based on their probabilities of being in-scope had they responded. The estimated number of in-scope nonrespondents was calculated for the *h*th stratum (group) by the following formula:

$$e(U_h) = \left(\frac{C_{in-scope,h}}{C_h}\right) U_h$$

where

 $e(U_h)$  = estimated number of operations of unknown eligibility assumed to be eligible in the *h*th group  $C_{in-scope,h}$  = the number of completed and in-scope census records in the *h*th group

 $C_h$  = the number of completed census records in the *h*th group

 $U_h$  = number of operations of unknown eligibility in the *h*th group

#### **Census Coverage**

As a side-product of the statistical adjustment used to account for undercoverage, nonresponse of farms on the CML, and misclassification of responses to the census, the proportion of the adjustments due to each of those factors can be derived. The percentages of final census estimates due to adjustments for undercoverage, nonresponse, and misclassification as well as the total percent adjustment for selected items are displayed in Tables A and C.

# MEASURED ERRORS IN THE CENSUS PROCESS

Although the census of agriculture does not inherently rely on a sample, NASS used a national nonresponse sample as part of its follow-up efforts in 2017. In addition to the uncertainty introduced by the nonresponse sample. NASS uses statistical procedures in compiling the CML, in its data collection procedures, in data editing and processing, and in compiling the final data. Additionally, it uses statistical procedures to both measure errors in the various processes and in making adjustments for those errors in the final data. One example is the statistical process used to account for undercoverage, nonresponse of farms on the CML, and misclassification of responses to the census. The basis of the undercoverage adjustment is the capturerecapture procedure that uses the area sample enumeration from the JAS. The largest contributors to error in the census estimates are due to the adjustments for nonresponse, undercoverage. misclassification, calibration, and integerization.

# Variability in Census Estimates due to Statistical Adjustment

In conducting the 2017 Census of Agriculture, efforts were initiated to measure error associated with the adjustments for farm operations that were not on the CML, for farm operations that were on the CML but did not respond to the census report form, and for farms and nonfarms that were misclassified as nonfarms and farms, respectively, for calibration. These error measurements were developed from the standard error of the estimates at the national, State, and county levels and were expressed as coefficients of variation (CVs) at the national and State levels and as generalized coefficients of variation (GCVs) at the county levels.

The standard error of an estimate is an estimate of the standard deviation of the sampling distribution of the estimator. Because Alaska was modeled separately from the other States, the variances of a national-level data item for this State was computed separately and added to the variance of that data item for the rest of the U.S. The standard error was then the square root of the total variance. In each case, standard errors were computed using an approach based on a combination of group jackknife and bootstrap methodologies. To conduct the jackknifing, k = 10mutually exclusive and exhaustive groups of JAS segments were formed. The groups were selected using a stratified random design so that each group reflected the survey design, including State and agricultural strata within a State. The weight of record *i* in jackknife group *j* is  $CR_i^{(j)}$  for j = 1, 2, ..., k. Based on these weights, a group jackknife estimator to estimate the variance would account for the uncertainty associated with modeling the capturerecapture probabilities. To account for the additional uncertainty due to calibration, the weights within each jackknife group were transformed through bootstrap simulation; these transformed weights are called calibration-adjusted-jackknife weights. The full dataset, which is composed of the records of all responding farms on the CML, is calibrated as described in the Calibration section, and the final calibration-adjusted weight of record i is denoted by  $\hat{w}_i$ . For each record *i* in jackknife group *k*, the calibration-adjusted-jackknife weights of that record can be approximated as  $w_i^{(j)} = a_i^{(j)} C R_i^{(j)}$  where  $a_i^{(j)} \sim$  $N(1, (\hat{w}_i - 1) / \hat{w}_i)$ . The bootstrap process simulated the value of the adjustment  $a_i^{(j)}$  for each record on the CML to obtain the calibration-adjusted-jackknife weights. For a given data item, such as the number of farms, the estimate  $T^{(j)}$  was computed at the specified geographical level, such as nation, State, or county, using the (k-1) groups remaining after deleting the calibration-adjusted jackknife group *i*. Estimates of the variance and standard error associated with the estimator  $T_i$  are then, respectively,

$$\sigma_i^2 = \frac{k-1}{k} \sum_{j=1}^k \left( T_i^{(j)} - \sum_{l=1}^k \frac{T_i^{(l)}}{k} \right)^2; \quad SE(T_i) = \sqrt{\sigma_i^2}$$

Increasing k improves the estimate of the variance but, as k increases, the observations become too sparse to reflect the survey design and to provide countrywide coverage. Ten (10) calibration-adjusted jackknife groups were used to provide standard errors for 2017 State and national estimates. For the estimate of the number of farms with a given set of characteristics, only the CML records with those characteristics were used to obtain the overall estimate as well as the estimates from each calibration-adjusted jackknife group.

Note that the calibrated jackknife groups were only constructed once, and different subsets of the records were used to compute estimates and standard errors for the data items.

The CV is a measure of the relative amount of error associated with the sample estimate:

$$CV_i = \frac{SE(T_i)}{T_i} 100\%$$

where  $SE(T_i)$  is the standard error of the capturerecapture estimate for data item *i*. This relative measure allows the reliability of a range of estimates to be compared. For example, the standard error is often larger for large population estimates than for small population estimates, but the large population estimates may have a smaller CV, indicating a more reliable estimate. For county-level estimates, a generalized coefficient of variation (GCV) was determined for each estimate within a State. A generalized variance function relates a function of the variance of an estimator to a function of the estimator. Within a State, the standard error of an estimate for a data item was often found to be linearly related to the estimate of that item with an intercept of zero. Based on this modeled relationship, the GCV is the slope of the line relating the standard error to the estimate, multiplied times 100 to represent the GCV as a percentage.

The standard error is the product of the CV (or GCV for county estimates) and the estimate divided by 100. As an example, if the GCV for a State is 25 percent and a county's estimate is 4, then the standard error is 25(4)/100 = 1. The standard error of an estimated data item from the census provides a measure of the error variation in the value of that estimated data item based on the possible outcomes of the census collection,

including variants as to who was on the CML, who returned a census form, who was misclassified either as a farm or as a nonfarm, and the uncertainty associated with calibration and integerization. With 95 percent confidence, an estimate is within two standard errors of the true value being estimated. For this example, with 95 percent confidence, the estimate of 4 is within 2(1) = 2 of the true county value.

Table B presents the fully adjusted estimates with the coefficient of variation for selected items.

## NONMEASURED ERRORS IN THE CENSUS PROCESS

As noted in the previous section, sampling errors can be introduced from the coverage, nonresponse and misclassification adjustment procedures. This error is measureable. However, nonsampling errors are imbedded in the census process that cannot be directly measured as part of the design of the census but must be contained to ensure an accurate count. Extensive efforts were made to compile a complete and accurate mail list for the census, to elicit response to the census, to design an understandable report form with clear instructions, to minimize processing errors through the use of quality control measures, to reduce matching error associated with the capture-recapture estimation process, and to minimize error associated with identification of a respondent as a farm operation (referred to as classification error). The weight adjustment and tabulation processes recognize the presence of nonsampling errors; however, it is assumed that these errors are small and that, in total, the net effect is zero. In other words, the positive errors cancel the negative errors.

#### **Respondent and Enumerator Error**

Incorrect or incomplete responses to the census report form or to the questions posed by an enumerator can introduce error into the census data. Steps were taken in the design and execution of the census of agriculture to reduce errors from respondent reporting. Poor instructions and ambiguous definitions lead to misreporting. Respondents may not remember accurately, may estimate responses, or may record an item in the wrong cell. To reduce reporting and recording errors, the report form was tested prior to the census using industry accepted cognitive testing procedures. Detailed instructions for completing the

report form were provided to each respondent. Questions were phrased as clearly as possible based on previous tests of the report form. Computerassisted telephone interviewing software included immediate integrity checks of recorded responses so suspect data could be verified or corrected. In addition, each respondent's answers were checked for completeness and consistency by the complex edit and imputation system.

#### **Processing Error**

Processing of each census report form was another potential source of nonsampling error. All mail returns that included multiple reports, respondent remarks, or that were marked out of business and report forms with no reported data were sent to an analyst for verification and appropriate action. Integrity checks were performed by the imaging system and data transfer functions. Standard quality control procedures were in place that required that randomly selected batches of data keyed from image be re-entered by a different operator to verify the work and evaluate key entry operators. All systems and programs were thoroughly tested before going on-line and were monitored throughout the processing period.

Developing accurate processing methods is complicated by the complex structure of agriculture. Among the complexities are the many places to be included, the variety of arrangements under which farms are operated, the continuing changes in the relationship of producers to the farm operated, the expiration of leases and the initiation or renewal of leases, the problem of obtaining a complete list of agriculture operations, the difficulty of contacting and identifying some types of contractor/contractee relationships, the producer's absence from the farm during the data collection period, and the producer's opinion that part or all of the operation does not qualify and should not be included in the census. During data collection and processing of the census, all operations underwent a number of quality control checks to ensure results were as accurate as possible.

#### **Item Nonresponse**

All item nonresponse actions provide another opportunity to introduce measurement errors. Regardless of whether it was previously reported data, administrative data, the nearest neighbor algorithm, the fully conditional specification method, or manually imputed by an analyst, some risk exists that the imputed value does not equal the actual value. Previously reported and administrative data were used only when they related to the census reference period. A new nearest neighbor was randomly selected for each incident to eliminate the chance of a consistent bias.

#### **Record Matching Error**

The process of building and expanding the CML involves finding new list sources and checking for names not on the list. An automated processing system compared each new name to the existing CML names and "linked" like records for the purpose of preventing duplication. New names with strong links to a CML name were discarded and those with no links were added as potential farms. Names with weak links, possible matches, were reviewed by staff to determine whether the new name should be added. Despite this thorough review, some new names may have been erroneously added or deleted. Additions could contribute to duplication (overcoverage) whereas deletions could contribute to undercoverage. As a result, some names received more than one report form, and some farm producers did not receive a report form. Respondents were instructed to complete one form and return all forms so the duplication could be removed.

Another chance for error came when comparing June Area Survey tract producer names to the CML. Area producers whose names were not found on the CML were part of the measure of list incompleteness, or NML. Mistakes in determining overlap status resulted in overcounts (including a tract whose producer was on the CML) or undercounts (excluding a tract whose producer was not on the CML). All tracts determined to not be on the list were triple checked to eliminate, or at least minimize, any error. NML tract producers were mailed a report form printed in a different color. In order to attempt to identify duplication, all respondents who received multiple report forms were instructed to complete the CML version and return all forms so duplication could be removed.

Records in the 2017 JAS were matched to the 2017 census using probabilistic record linkage. The records of operations with differing farm status were sent out to be reviewed by NASS regional field offices. If farm status could not be resolved, the probability of an operation being a farm was imputed using a missing data model. The uncertainty associated with this estimate, with the exception of model uncertainty, was accounted for, but errors not found through this process were not.

#### Table A. Summary of State Coverage, Nonresponse, and Misclassification Adjustments: 2017

[For meaning of abbreviations and symbols, see introductory text.]

Item	Total	Standard error	Adjustment as percent of total	Percent of total adjustment from coverage	Percent of total adjustment from nonresponse	Percent of total adjustment from misclassification
Farmsnumber	29,968	717	36.5	8.5	20.7	7.3
Land in farmsacres	43,243,742	1,100,330	29.5	2.4	22.0	5.0
Farms by size: 1 to 9 acresfarms	1,237	291	54.7	22.3	19.1	13.3
acres	6,103	1,865	56.6	24.5	16.5	15.6
10 to 49 acres	4,546	603	41.6	15.3	16.0	10.4
acres	119,583	13,413	39.9	14.0	14.7	11.2
50 to 69 acresfarms	1,114	97	36.1	12.3	15.8	8.0
acres	65,020	5,685	36.1	12.1	15.9	8.1
70 to 99 acres	1,580	539	34.2	7.5	15.8	10.9
acres	128,395	43,571	33.9	7.4	15.6	10.9
100 to 139 acres	1,263	130	33.4	10.7	13.0	9.7
acres	147,099	15,401	33.2	10.8	12.7	9.7
140 to 179 acresfarms	1,952	116	33.3	8.1	15.6	9.6
acres	308,188	18,176	33.3	8.1	15.7	9.6
180 to 219 acres	809	106	28.8	7.8	16.9	4.1
acres	159,781	21,015	28.9	7.8	17.0	4.2
220 to 259 acresfarms	734	101	27.4	7.6	15.4	4.4
acres	174,747	23,742	27.3	7.6	15.3	4.4 6.2
260 to 499 acresfarms	3,416	252	32.7	6.4	20.1	
acres	1,266,925	103,636	32.7	6.2	20.3	6.2
500 to 999 acresfarms	3,713	271	34.0	6.1	24.2	3.7
acres	2,673,226	201,243	34.1	5.8	24.7	3.6
1,000 to 1,999 acres	3,757	307	36.5		27.0	6.8
acres	5,280,193	429,762	37.2	2.8	27.6	6.9
2,000 acres or more	5,847	265	37.2	1.8	32.3	3.1
2,000 acres of more acres	32,914,482	1,262,456	27.7	1.8	21.3	4.7
Irrigated land use: Harvested croplandfarms	1,757	116	36.7	8.7	23.1	5.0
acres Pastureland and other landfarms	482,823	62,479	36.0	2.7	29.1	4.2
	128	24	36.4	13.0	17.0	6.4
acres	9,629	1,864	31.5	9.3	16.6	5.6
Market value of agricultural products sold (see text)\$1,000	9,721,522	323,047	29.0	2.2	23.1	3.7
Farms by value of sales: Less than \$1,000 (see text)farms	6,368	547	37.1	13.5	12.6	11.0
\$1,000	528	169	54.1	19.4	20.2	14.4
\$1,000 to \$2,499farms	1,100	166	41.4	17.5	15.8	8.2
\$1,000	1,840	268	41.6	17.7	15.9	8.1
\$2,500 to \$4,999farms	1,204	172	47.0	21.7	16.3	9.0
\$1,000	4,348	648	47.1	21.5	16.7	8.9
\$5,000 to \$9,999farms	1,469	599	48.8	15.8	18.3	14.7
\$1,000	10,637	3,346	48.5	16.8	17.9	13.8
\$10,000 to \$19,999farms	1,649	143	34.2	11.6	15.9	6.6
\$1,000	23,519	1,975	34.2	11.7	15.9	6.6
\$20,000 to \$24,999farms	579	75	35.0	8.4	20.7	5.9
\$1,000	12,946	1,579	35.0	8.4	20.7	5.8
\$25,000 to \$39,999farms	1,391	195	34.7	6.1	22.4	6.2
\$1,000	44,078	6,140	34.6	6.1	22.5	6.1
\$40,000 to \$49,999farms	737	90	32.8	7.1	19.8	6.0
\$1,000	32,845	3,908	32.7	7.1	19.7	5.9
\$50,000 to \$99,999farms	2,733	299	32.3	5.4	21.3	5.6
\$1,000	199,106	17,418	32.3	5.4	21.5	5.4
\$100,000 to \$249,999farms	4,352	425	33.5	2.7	25.6	5.1
\$1,000	736,090	70,797	34.7	2.6	27.0	5.1
\$250,000 to \$499,999farms	3,580	229	36.2	2.2	29.7	4.3
\$1,000	1,280,737	80,276	36.5	2.2	30.1	4.2
\$500,000 to \$999,999farms	2,570	214	38.0	1.2	34.6	2.2
\$1,000	1,832,663	149,480	38.9	1.2	35.5	2.2
\$1,000,000 or morefarms	2,236	139	33.3	1.8	27.9	3.5
\$1,000	5,542,185	230,772	23.0	2.4	16.5	4.1
Legal status for tax purposes (see text): Family or individualfarms	24,925	1,005	37.4	9.2	20.9	7.3
acres	28,669,472	1,000,911	33.8	2.6	26.7	4.6
Partnershipfarms	2,306	532	34.0	3.9	21.9	8.3
Corporation:	6,234,668	557,545	25.3	1.6	19.4	4.3
Family heldfarms acres	1,741	182	32.5	5.2	22.3	5.0
	4,772,610	520,338	25.9	1.6	19.4	4.9
Other than family heldfarms acres	167	52	22.1	7.9	8.1	6.1
	187,518	15,028	13.0	4.0	3.0	5.9
Other - estate or trust, prison farm, grazing association, American Indian Reservation, etcfarms acres	829 3,379,474	160 239,708	28.6 6.6	8.4 1.8	11.4 0.5	8.8 4.3
Tenure:						
Full ownersfarms acres	15,400	534	35.6	10.9	15.4	9.3
	10,225,555	481,632	24.5	3.3	14.6	6.7
Part ownersfarms	11,764	411	36.1	3.8	27.8	4.5
acres	29,905,605	922,076	30.8	1.9	24.4	4.5
Tenantsfarms acres	2,804	248	43.1	9.2	28.8	5.1
	3,112,582	436,918	33.9	3.4	27.7	2.8
All principal producer characteristics by <sup>1</sup> - Sex of operator: Male	27,801	984	36.4	8.0	21.8	6.7
acres	41,748,883	1,213,232	29.7	2.4	22.4	4.9
Femalefarms	8,028	556	35.9	8.7	18.2	9.1
acres	9,795,747	695,034	26.5	2.1	19.8	4.7
Primary occupation: Farmingfarms	22,100	786	35.2	4.6	24.9	5.6
Otherfarms See footnote(s) at end of table.	17,036	1,747	37.4	10.6	17.2	9.6 continued

See footnote(s) at end of table.

--continued

## Table A. Summary of State Coverage, Nonresponse, and Misclassification Adjustments: 2017 (continued) [For meaning of abbreviations and symbols, see introductory text.]

All principal product duratements by '- Con.	Item	Total	Standard error	Adjustment as percent of total	Percent of total adjustment from coverage	Percent of total adjustment from nonresponse	Percent of total adjustment from misclassification
Spent norm foot test         mem         211         229, 98         45.2         127         220         45           Part Assam have         mem         130, 98         45.2         127         20         45           Assam have         mem         130, 98         45.2         42.2         42         42           Assam have         mem         130, 98         45.2         42.2         42         42           Assam have         mem         130, 98         2.29         43         42         43         42           Assam have         mem         130, 98         2.29         10	All principal producer characteristics by 1 Con.						
America Indian or Alasta Native         Test         464         464         464         244 <th< td=""><td>Spanish origin (see text) farms</td><td></td><td></td><td></td><td></td><td></td><td></td></th<>	Spanish origin (see text) farms						
Asian         arrow         3.550 %         4.52         2.2         19.3         4.52         2.2         19.3         4.55	American Indian or	745	68	46.4	8.8	28.4	9.2
Name         Asset         3.907         2.040         2.14         8.6         3.4         9.5           Other Face/Isolate/         anno         4.0         3.007         1.12.946         3.02         1.02         0.01<	acres Asianfarms acres	15	4	46.7 48.9	27.5 14.9	11.5 28.4	7.7 5.6
White         Arms         2001         001	Native Hawaiian or	9 3,967		21.4	8.6	3.4	9.5
More than one cace reported         arrow area         40072/073         1,120.061         30.1         2.5         2.24         0.5           Millary parking four sack?         more sported         more sported         33.7         21.9         7.6           Brown and the max in the sported set sporte	acres			(D)	(D)	(D)	(D)
Mass server (we box): Sever arred:         patheters         34,71         1.88         36.8         7.9         7.8           Mass server (we box): Under 3 wars	acres More than one race reportedfarms	40,072,573 177	1,129,891 81	30.1 40.8	2.5 8.5	22.4 25.6	5.2 6.7
Under Zysistic         forms         6.75         316         4.50         6.66         30.6         7.8           35 b 4 Jean         forms         6.75         316         4.50         6.6         30.6	Never served producers		1,818				
25 16 4 years       6mm       4.465       73       4.60       10.6       27.6       32.7       44.5         36 16 4 years       6mm       14.02       699       35.0       75       20.3       74       44.5         36 16 4 years       6mm       14.02       699       35.0       75       20.3       74       44.5       84	All producers by age group 1:	075	010	45.0		00.0	7.0
Net atom income of contaions (see tox): 	25 to 34 years       farms         35 to 44 years       farms         45 to 54 years       farms         55 to 64 years       farms         55 to 64 years       farms         65 to 74 years       farms	4,496 6,205 8,139 14,402 10,299	731 445 692 609 459	48.0 40.6 37.7 35.0 32.4	10.6 9.1 6.5 7.5 7.9	27.8 27.3 23.7 20.3 14.5	9.6 4.2 7.4 7.2 10.0
Farms with gains of 4- Less then \$1000         mms         510         (H)         0.6         4.4         (T, 1)           \$1,000         \$1,000         \$1,000         \$1,000         \$1,000         \$1,438         73         38.4         14.5         14.1         7.6           \$5,000 to \$3,999         \$1,000         1,438         73         38.4         14.5         14.1         7.6           \$5,000 to \$3,999         \$1,000         1,0471         620         33.7         9.2         17.8         67.7           \$5,000 to \$3,099         \$1,478         \$3,116         222         31.4         7.0         7.6           \$5,000 to \$4,099         \$1,478         \$3,146         13.2         28.9         4.9         17.7         62.0           \$50,000 or more         \$1,000         \$13,468         10.82.0         28.9         4.9         17.9         61.1           Less that \$1,000         \$1,000         \$24         59         43.7         20.0         13.9         10.5           \$10,000 to \$24.999         \$1,000         \$24         59         43.7         20.0         13.9         10.5           \$25,000 to \$3,999         \$1,000         \$3,000         \$1,277         2.2		4,097	249	20.0	0.4	13.2	0.4
\$1.000 to \$4.999       1.438       73       38.4       14.5       14.1       7.8         \$5.000 to \$3.999       \$1.000       4.24       20       35.7       34       14.5       7.7         \$5.000 to \$40.999       \$1.000       5.67       1.44       7.7 </td <td>Farms with gains of <sup>2</sup>- Less than \$1,000farms</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Farms with gains of <sup>2</sup> - Less than \$1,000farms						
S5.000 to \$9.999       tame       1.434       99       33.7       9.4       17.5       6.8         \$10.000 to \$24.999       \$1.000       52.667       4.638       31.5       6.7       17.8       7.7         \$25.000 to \$4.999       \$1.000       113.493       10.800       22.83       4.9       17.7       6.2         \$50.000 or more       \$1.000       113.493       10.800       23.3       2.0       23.5       3.8         Farme with loazes of -       \$1.000       farme       50.000       2.703.860       87       44.3       20.0       13.6       10.5	\$1,000 to \$4,999 farms	1,438	73	36.4	14.5	14.1	7.8
\$10.000 is \$24.999         farms         3.118         252         3.6         7.0         17.6         7.0           \$25.000 is \$49.999         \$1.000         13.458         10.820         22.8         4.3         17.9         6.1           \$50.000 or more         \$1.000         13.458         10.820         22.8         4.3         17.9         6.1           \$50.000 or more         \$1.000         22.03.800         125.709         22.3         2.0         22.5         3.8           Furms with isses of -	\$5,000 to \$9,999 farms	1,434	99	33.7	9.4	17.5	6.8
\$25,000 to \$49,999       frams       3.145       317       28.6       4.9       17.7       6.2         \$50,000 or more       .1ams       10.473       393       33.3       2.0       25.8       4.7         Less fins 10.00       .1ams       10.473       393       33.3       2.0       25.8       4.7         Less fins 10.00       .1ams       559       97       44.3       200       13.9       10.5         \$1,000 to \$4,999       \$1,000       5.778       10.63       46.2       18.4       17.3       10.5         \$1,000 to \$24,999       \$1,000       32.71       2.585       44.5       16.3       19.9       11.2         \$10,000 to \$24,999       \$1,000       32.660       4.772       4.37       13.6       20.7       15.5         \$25,000 to \$49,99       \$1,000       36.680       4.762       44.5       16.3       19.9       11.9       10.5       15.5       55.000 to \$4.999       10.3       10.5       12.2       16.4       11.7       10.7       22.9       82.2       82.5       14.5       16.3       10.8       22.9       82.5       14.5       16.3       10.5       14.8       10.8       22.9       82.5       <	\$10,000 to \$24,999 farms	3,118	252	31.6	7.0	17.6	7.0
\$\$50,000 or more       10,473       3985       33.1       2.7       25.8       4.7         Farms with losses of -       12,000       2203       200       23.5       38.8         Farms with losses of -       12,5709       29.3       200       13.5       10.2         St 1,000 to \$4,999       1,1ams       1572       273       46.2       118.4       165       10.2         \$5,000 to \$4,999       5,1ams       1,227       2,566       48.7       16.7       20.1       12.2         \$50,000 to \$4,999       5,1ams       1,227       2,566       48.7       16.7       20.1       12.2         \$25,000 to \$49,999       5,1000       14,277       4.264       13.5       20.9       10.1         \$25,000 to \$49,999       \$1,000       46,770       4.336       41.8       10.8       22.9       82.2         \$50,000 more       \$1,000       33,1596       40.382       39.3       39       31.3       4.1         Livestok and poulty:                         <	\$25,000 to \$49,999 farms	3,145	317	28.8	4.9	17.7	6.2
Less than \$1,000         farms         559         87         44.3         20.0         13.9         10.5           \$1,000         \$4,999         farms         1.977         2.75         44.2         18.1         16.5         10.2           \$5,000 to \$3,999         farms         1.322         357         44.2         18.1         16.5         10.2           \$5,000 to \$24,999         farms         1.322         357         44.3         10.5         20.9         11.2           \$50,000 to \$24,999         \$1,000         13.271         2.566         44.7         16.9         19.9         11.9           \$25,000 to \$24,999         \$1,000         331,596         44.37         13.6         20.9         95.5           \$50,000 to \$49,999         \$1,000         331,596         40.382         91         33.6         5.1         29.7         44.8           \$200 to \$24,999         farms         1.382         91         33.6         5.1         29.7         44.8           \$200 to \$24,999         farms         1.382         91         36.6         5.1         29.7         44.8           \$200 to \$24,999         farms         1.2613         767         36.6         5.2	\$50,000 or more farms	10,473	395	33.1	2.7	25.8	4.7
\$1,000 to \$4,999       farms       1,972       272       46.2       19,1       16.5       105.         \$5,000 to \$9,999       farms       1,822       357       48.9       166.7       20.1       122.2         \$10,000 to \$24,999       \$1,000       35,000       35,000       36,860       4762       43.7       16.6       20.9       95.5         \$25,000 to \$49,999       farms       1,321       154       41.7       10.08       22.9       82.2       95.5       35.5	Less than \$1,000 farms						
\$\$,000 to \$9,999       . farms       1,822       357       48.9       16.7       20.1       12.2         \$\$10,000 to \$24,999       . farms       2,294       327       44.5       13.3       20.9       10.1         \$\$25,000 to \$49,999       . farms       2,294       327       44.5       13.3       20.9       10.1         \$\$25,000 to \$49,999       . farms       1,3271       1.56       41.7       10.9       22.3       82.2         \$\$50,000 or more       . farms       1,3271       45.6       41.3       10.6       22.7       85.2         \$\$50,000 or more       \$\$1,000       331,596       40,382       39.3       3.9       31.3       4.1         Livestock and poultry:       . farms       13,928       809       38.8       5.7       28.1       4.9         Gate and calves inventory      farms       12,873       17.9660       34.9       2.2       27.9       4.9         Hig and pigs inventory      farms       12,878       17.970       36.4       4.6       4.6       4.6       4.6       4.6       4.6       4.6       4.6       4.6       4.6       4.6       4.6       4.6       4.6       4.6       4.6 <td< td=""><td>\$1,000 to \$4,999 farms</td><td>1,972</td><td>272</td><td>46.2</td><td>19.1</td><td>16.5</td><td>10.5</td></td<>	\$1,000 to \$4,999 farms	1,972	272	46.2	19.1	16.5	10.5
\$10.000       \$24.999       farms       2.294       327       44.5       13.5       20.9       10.1         \$25.000       \$49.999       farms       1.321       154       41.7       10.7       22.9       82.2         \$50.000       or more       farms       1.321       154       41.7       10.7       22.9       82.2         \$50.000       or more       farms       1.886       91       33.6       5.1       21.7       4.8         Livestock and poultry:       Cattle and calves inventory       farms       13.928       809       38.8       5.7       28.1       4.9         Beef cows inventory       farms       13.928       809       38.8       5.7       28.1       4.9         Milk cows inventory       farms       13.928       809       38.8       5.7       28.1       4.9         Hog and pigs inventory       farms       13.928       809       38.8       5.7       28.1       4.9         Layers inventory       farms       13.928       809       34.3       12.2       16.3       5.7         Hog and pigs inventory       farms       1.27       5.94       4.6       3.0       3.2       4.5	\$5,000 to \$9,999 farms	1,822	357	48.9	16.7	20.1	12.2
\$25,000 to \$49,999         farms         1,321         154         41.7         10.7         22.9         82.2           \$50,000 or more         farms         1,882         91         33.6         5.1         29.7         4.8           \$50,000 or more         farms         1,882         91         33.6         5.1         29.7         4.8           Livestock and poultry:         farms         13.928         800         38.8         5.7         28.1         4.9           Catle and calves inventory         farms         13.928         800         38.6         5.7         28.1         4.9           Beef cows inventory         mumber         17.99.801         95.914         36.9         2.0         28.2         4.7           Milk cows inventory         mumber         127.325         6.945         7.6         3.0         3.2         1.5           Layers inventory         farms         1.644         319         50.1         15.1         26.4         8.5           Broilers sold         farms         11.6         14.1         33.5         3.3         22.7         4.9           Aquacuture sold         farms         11.6         14.1         1.7         1.80	\$10,000 to \$24,999 farms	2,294	327	44.5	13.5	20.9	10.1
\$50,000 or more         i ams \$1,000         i 1,882         91         39,6         5.1         29,7         4.8           Livestock and poultry: Cattle and calves inventory <td< td=""><td>\$25,000 to \$49,999 farms</td><td>1,321</td><td>154</td><td>41.7</td><td>10.7</td><td>22.9</td><td>8.2</td></td<>	\$25,000 to \$49,999 farms	1,321	154	41.7	10.7	22.9	8.2
Cattle and calves inventory         farms         13,228         809         38.8         5.7         28.1         4.9           Beef cows inventory         farms         12,613         767         38.6         5.2         27.9         4.9           Milk cows inventory         farms         12,613         767         38.6         5.2         28.6         4.9           Milk cows inventory         farms         509         81         42.5         7.2         30.8         4.6           Hog and pigs inventory         farms         571         123         34.3         12.2         16.3         5.7           Layers inventory         farms         560.522         77.90         22.3         7.7         6.2         8.4           Broilers sold         farms         1044         319         50.1         15.1         26.4         8.5           Broilers sold         farms         101         67         50.5         12.9         32.7         4.9           Aquaculture sold         farms         101         67         50.5         12.9         32.7         4.9           Durum wheat for grain         farms         5,274,250         26,379         34.0         13	\$50,000 or more farms	1,882	91	39.6	5.1	29.7	4.8
Beef cows inventory         farms         1,2613         767         38.6         5.2         28.6         4.9           Milk cows inventory         number         1,799,801         95,914         35.9         2.0         29.2         4.7           Milk cows inventory         number         127.325         6,945         7.6         30.0         3.2         1.5           Hog and pigs inventory         number         127.325         6,945         7.7         6.2         8.4           Layers inventory         number         1,606,522         7.7,920         22.3         7.7         6.2         8.4           Layers inventory         number         1,604         319         50.1         15.1         2.6.4         8.5           Broilers sold         number         146,197         7.152         3.6         1.2         0.9         1.5           Aquaculture sold          farms         16         (H)         25.7         1.7         18.0         6.0           Corn for grain         farms         5,274,250         246,379         33.5         3.3         25.4         4.8           Durum wheat for grain (see text)         farms         5,274,250         246,379 <td< td=""><td>Cattle and calves inventory farms</td><td></td><td></td><td></td><td></td><td></td><td></td></td<>	Cattle and calves inventory farms						
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Beef cows inventory farms	12,613	767	38.6	5.2	28.6	4.9
Hog and pigs inventory         farms         571         123         34.3         12.2         16.3         5.7           Layers inventory         farms         1,560,522         77,920         22.3         7.7         6.2         8.4           Layers inventory         farms         1,644         319         50.1         15.1         26.4         8.5           Broilers sold         farms         101         6.7         50.5         12.9         32.7         4.9           Aquaculture sold         farms         101         6.7         50.5         12.9         32.7         4.9           Aquaculture sold         farms         16         (H)         25.7         1.7         18.0         6.0           Selected crops harvested:         farms         11.219         563         33.5         3.3         25.4         4.8           Durum wheat for grain         farms         1.940         129         23.2         2.3         18.0         2.9           Winter wheat for grain (see text)         farms         1.940         129         23.2         2.3         18.0         2.9           Winter wheat for grain         farms         1.940         129         23.2         2.1<	Milk cows inventory farms	509	81	42.5	7.2	30.8	4.6
Layers inventory         farms number         1.644 2,708,331         319 92,496         50.1         15.1         26.4         85.5           Broilers sold         namber         2,708,331         92,496         0.6         0.4         (Z)         0.2           Broilers sold         namber         146,197         7,152         3.6         1.2         0.9         1.5           Aquaculture sold         farms         16         (H)         25.7         1.7         18.0         6.0           Selected crops harvested:         strong         1.57         (Z)	Hog and pigs inventory farms	571	123	34.3	12.2	16.3	5.7
Broilers sold         farms         101         67         50.5         12.9         32.7         4.9           Aquaculture sold         number         146,197         7,152         3.6         1.2         0.9         1.5           Aquaculture sold	Layers inventory farms	1,644	319	50.1	15.1	26.4	8.5
Aquaculture sold       farms       16       (H)       25.7       1.7       18.0       60         Selected crops harvested:	Broilers soldfarms	101	67	50.5	12.9		4.9
Selected crops harvested:         11,219         563         33.5         3.3         25.4         4.8           Corn for grain         acres         5,274,250         246,379         34.0         1.9         28.7         3.4           Durum wheat for grain         farms         20         15         40.0         4.0         31.5         4.6           Other spring wheat for grain (see text)         farms         1,940         129         23.2         2.3         18.0         2.9           Winter wheat for grain         farms         1,410         97         22.2         2.1         17.2         2.8           Sorghum for grain         farms         1,410         97         22.2         2.1         17.2         2.8           Sorghum for grain         farms         1,410         97         22.2         2.1         17.2         2.8           Sorghum for grain         farms         152,525         24,682         25.3         1.5         11.3         30.0           Soybeans for beans         farms         10,829         715         33.6         3.4         25.2         5.0         3.4         25.2         19.6         32.2           Soybeans for beans         farms	Aquaculture soldfarms	16	(H)	25.7	1.7	18.0	6.0
Durum wheat for grain         farms acres         20 5,820         15 2,080         40,0         4.0         31.5         4.6           Other spring wheat for grain (see text)         farms acres         1,940         129         23.2         2.3         18.0         2.99           winter wheat for grain         farms         1,940         129         23.2         2.3         18.0         2.99           winter wheat for grain         farms         1,410         97         22.2         2.1         17.2         2.8           Sorghum for grain         farms         4,410         97         22.2         2.1         17.2         2.8           Sorghum for grain         farms         449         39         25.3         1.5         11.3         3.0           Soybeans for beans         farms         10,829         715         33.6         3.4         20.4         3.4           Rice         farms         0,829         715         33.6         3.4         25.2         5.0           Cotton         acres         5,631,742         387,964         35.9         1.9         30.6         3.4           Rice         farms         -         -         -         -	Corn for grain farms			33.5	3.3	25.4	
Other spring wheat for grain (see text)         farms         1,940         129         23.2         2.3         18.0         2.9           Winter wheat for grain         acres         713,181         25,556         20.0         1.8         15.0         3.2           Winter wheat for grain         farms         1,410         97         22.2         2.1         17.2         2.8           Sorghum for grain         acres         542,013         28,233         15.9         1.5         11.3         3.0           Sorghum for grain         farms         459         39         25.3         2.5         19.6         3.2           Soybeans for beans         acres         15,252         24,682         25.3         1.4         20.4         3.4           Rice         farms         10,829         715         33.6         3.4         25.2         5.0           Rice         farms         10,829         715         33.6         3.4         25.2         5.0           Cotton         acres         5,631,742         387,964         35.9         1.9         30.6         3.4           Rice         farms         -         -         -         -         -         - <td>Durum wheat for grain farms</td> <td>20</td> <td>15</td> <td>40.0</td> <td>4.0</td> <td>31.5</td> <td>4.6</td>	Durum wheat for grain farms	20	15	40.0	4.0	31.5	4.6
Winter wheat for grain         farms         1,410         97         22.2         2.1         17.2         2.8           Sorghum for grain         acres         542,013         28,233         15.9         1.5         11.3         3.0           Sorghum for grain         farms         459         39         25.3         2.5         19.6         3.2           Soybeans for beans         farms         10,829         715         33.6         3.4         25.2         50.0           Rice         farms         10,829         715         33.6         3.4         25.2         50.0           Acres         5,631,742         387,964         35.9         1.9         30.6         3.4           Rice         farms         - <td>Other spring wheat for grain (see text) farms</td> <td>1,940</td> <td>129</td> <td>23.2</td> <td>2.3</td> <td>18.0</td> <td>2.9</td>	Other spring wheat for grain (see text) farms	1,940	129	23.2	2.3	18.0	2.9
Sorghum for grain         farms         idsp         igsp         igsp <td>Winter wheat for grainfarms</td> <td>1,410</td> <td>97</td> <td>22.2</td> <td>2.1</td> <td>17.2</td> <td>2.8</td>	Winter wheat for grainfarms	1,410	97	22.2	2.1	17.2	2.8
Soybeans for beans         farms acres         10,829 5,631,742         715 387,964         33.6 35.9         3.4         25.2         5.0           Rice	Sorghum for grain farms	459	39	25.3	2.5	19.6	3.2
Rice       -	Soybeans for beans farms	10,829	715	33.6	3.4	25.2	5.0
Cotton         - <td>Ricefarms</td> <td>5,631,742</td> <td>387,964</td> <td>35.9</td> <td>1.9</td> <td>30.6</td> <td>3.4</td>	Ricefarms	5,631,742	387,964	35.9	1.9	30.6	3.4
Peanutsfarms	Cottonfarms	-			-	-	-
acres	Peanutsfarms	:	:	-	-	-	-

See footnote(s) at end of table.

--continued

#### Table A. Summary of State Coverage, Nonresponse, and Misclassification Adjustments: 2017 (continued)

[For meaning of abbreviations and symbols, see introductory text.]

ltem	Total	Standard error	Adjustment as percent of total	Percent of total adjustment from coverage	Percent of total adjustment from nonresponse	Percent of total adjustment from misclassification
Selected crops harvested: - Con.						
Barleyfarms	67	12	33.7	5.6	20.4	7.8
acres Oats acres	11,546 690 67,183	2,038 42 5,106	40.2 17.2 15.0	6.0 1.7 1.4	23.3 11.5 11.4	10.9 4.0 2.2
Forage - land used for all hay and all haylage, grass silage, and						
greenchop (see text)farms acres	14,561 2,846,347	537 166,339	36.8 34.2	7.1 2.6	23.0 27.0	6.7 4.7
Land in vegetables (see text)farms acres	189 750	65 (H)	29.6 14.6	13.6 2.4	12.1 10.8	3.9 1.4
Potatoesfarms acres	54 97	17	24.1 7.1	11.5 4.2	9.9	2.7 1.5
Tomatoes in the openfarms acres	83 33	38	32.3 16.4	4.2 14.8 8.3	13.6 5.9	3.9 2.3
Sweet cornfarms acres	53 139	22 10	18.9 4.5	7.9 2.4	8.6 1.3	2.4 0.8
Lettucefarms acres	35	24	42.9 26.4	15.5 9.7	22.6 13.8	4.7 2.9
Land in orchards (see text)farms acres	146 476	30 144	24.5 4.5	11.7 2.3	8.4	4.4 1.0
Applesfarms acres	80 252	22	4.3 38.7 6.0	16.0 3.2	15.5 0.6	7.2
Grapesfarms	232 67 176	34 127	10.1 -1.5	5.2 6.3 -0.8	0.8 2.4 -0.6	2.2 1.4 -0.2
acres Oranges acres	-	-	-1.5	-0.8 -	-0.6	-0.2
Almondsfarms acres	3 (D)	2	33.3 (D)	27.7 (D)	1.7 (D)	4.0 (D)
Land in berriesfarms acres	80 126	(Z) 51 89	21.4 14.1	8.4 10.3	10.2 2.2	(D) 2.8 1.6

<sup>1</sup> Data were collected for a maximum of four producers per farm. <sup>2</sup> Farms with total production expenses equal to market value of agricultural products sold, government payments, and farm-related income are included as farms with gains of less than \$1,000.

### Table B. Reliability Estimates of State Totals: 2017 [For meaning of abbreviations and symbols, see introductory text.]

ltem		Total	Coefficient of variation (percent)	Item	Total	Coefficient of variation (percent)
Farms Land in farms		29,968 43,243,742	2.4 2.5	All principal producer characteristics by 1 Con.		
Farms by size:		-, -,	-	Hispanic, Latino, or Spanish origin (see text)farms	211	41.8
1 to 9 acres		1,237	23.5	acres	362,356	76.1
10 to 49 acres	acres	6,103 4,546	30.6 13.3	Race:		
	acres	119,583	11.2	American Indian or		
50 to 69 acres	farms acres	1,114 65,020	8.7 8.7	Alaska Nativefarms acres	745 3,359,916	9.2 4.8
70 to 99 acres	farms	1,580	34.1	Asian farms	15	28.5
100 to 139 acres	acres farms	128,395 1,263	33.9 10.3	acres Black or African Americanfarms	8,397 9	33.8 (H)
140 to 179 acres	acres	147,099	10.5	acres	3,967	(H) 74.8
	acres	1,952 308,188	5.9 5.9	Native Hawaiian or Other Pacific Islander farms	4	73.6
180 to 219 acres	farms acres	809 159,781	13.1 13.2	acres White farms	(D) 29,271	(D) 2.4
220 to 259 acres	farms	734	13.7	acres	40,072,573	2.8
260 to 499 acres	acres farms	174,747 3,416	13.6 7.4	More than one race reported farms acres	177 432,432	45.6 47.6
	acres	1,266,925	8.2		102,102	
500 to 999 acres	acres	3,713 2,673,226	7.3 7.5	Military service (see text): Never servedproducers	34,711	5.2
1,000 to 1,999 acres	farms	3,757	8.2	Served producers	4,425	5.1
2,000 acres or more	acres farms	5,280,193 5,847	8.1 4.5	All producers by age group <sup>1</sup> :		
	acres	32,914,482	3.8	Under 25 years	675	47.1
Irrigated land use:				35 to 44 years farms	4,496 6,205	16.3 7.2
Harvested cropland		1,757 482,823	6.6 12.9	45 to 54 years farms	8,139	8.5 4.2
Pastureland and other land	acres	462,623	12.9	55 to 64 years	14,402 10,299	4.2
	acres	9,629	19.4	75 years and over farms	4,697	4.5 5.3
Market value of agricultural products				Net cash farm income of operations (see text):		
sold (see text)	\$1,000	9,721,522	3.3	Farms with gains of <sup>2</sup> - Less than \$1,000farms	510	(H)
Farms by value of sales:				\$1.000	243	64.7
Less than \$1,000 (see text)	farms \$1,000	6,368 528	8.6 32.1	\$1,000 to \$4,999farms \$1,000	1,438 4,248	5.1 6.1
\$1,000 to \$2,499	farms	1,100	15.1	\$5,000 to \$9,999 farms	1,434	6.9
\$2,500 to \$4,999	\$1,000 farms	1,840 1,204	14.6 14.3	\$1,000 \$10,000 to \$24,999farms	10,671 3,118	5.8 8.1
	\$1.000	4,348	14.9	\$1,000	52,667	8.8
\$5,000 to \$9,999	farms \$1.000	1,469 10,637	40.8 31.5	\$1,000 \$25,000 to \$49,999 \$1,000 \$1,000	3,145 113,458	10.1 9.5
\$10,000 to \$19,999	farms	1,649	8.7	\$50,000 or more farms	10,473	3.8
\$20,000 to \$24,999	\$1,000	23,519 579	8.4 12.9	\$1,000	2,703,680	4.6
\$25,000 to \$39,999	\$1.000	12,946	12.2	Farms with losses of - Less than \$1,000farms	550	45.0
	\$1.000	1,391 44,078	14.0 13.9	\$1,000	559 294	15.6 20.0
\$40,000 to \$49,999	farms \$1.000	737	12.2	\$1,000 to \$4,999	1,972 5,778	13.8
\$50,000 to \$99,999	farms	32,845 2,733	11.9 11.0	\$5,000 to \$9,999 farms	1,822	18.4 19.6
\$100,000 to \$249,999	\$1,000 farms	199,106 4,352	8.7 9.8	\$1,000 \$10,000 to \$24,999farms	13,271 2,294	19.6 14.3
	\$1,000	736,090	9.6	\$1,000	36,980	12.9
\$250,000 to \$499,999	\$1,000	3,580 1,280,737	6.4 6.3	\$25,000 to \$49,999	1,321 46,770	11.6 9.9
\$500,000 to \$999,999	farms	2,570	8.3 8.2	\$50,000 or more farms	1,882	4.8
\$1,000,000 or more	\$1,000 farms	1,832,663 2,236	8.2 6.2	\$1,000	331,596	12.2
	\$1,000	5,542,185	4.2	Livestock and poultry:	10.000	
Legal status for tax purposes (see text):				Cattle and calves inventory farms number	13,928 3,988,183	5.8 5.0
Family or individual	farms	24,925	4.0	Beef cows inventory farms	12,613	6.1
Partnership	acres farms	28,669,472 2,306	3.5 23.1	number Milk cows inventory farms	1,799,801 509	5.3 15.9
	acres	6,234,668	8.9	number	127,325 571	5.5 21.6
Corporation: Family held		1,741	10.5	Hog and pigs inventoryfarms number	1,560,522	5.0
Other than family held	acres	4,772,610 167	10.9 31.3	Layers inventory farms number	1,644 2,708,331	19.4 3.4
	acres	187,518	8.0	Broilers sold farms	2,700,331	66.6
Other - estate or trust, prison farm, grazing association, American Indian Reservation, etc		829	19.2	number Aquaculture soldfarms	146,197 16	4.9 (H)
	acres	3,379,474	7.1	\$1,000	3,110	5.1
Tenure:				Selected crops harvested:		
Full owners		15,400	3.5	Corn for grain farms	11,219	5.0
Part owners	acres farms	10,225,555 11,764	4.7 3.5	acres Durum wheat for grainfarms	5,274,250 20	4.7 75.1
	acres	29,905,605	3.1	acres	5,820	35.7
Tenants	farms acres	2,804 3,112,582	8.8 14.0	Other spring wheat for grain (see text) farms acres	1,940 713,181	6.7 3.6
	25.00	2,112,002		Winter wheat for grain farms	1,410	6.9
All a data data data data data data data				acres Sorghum for grainfarms	542,013 459	5.2 8.5
All principal producer characteristics by <sup>1</sup> - Sex of operator:	-	27,801	3.5	acres	152,525	16.2
						6.6
Sex of operator:	acres	41,748,883 8,028	2.9 6.9	Soybeans for beans farms acres	10,829 5,631,742	6.9
Sex of operator: Male	acres	41,748,883	2.9 6.9 7.1	acres Rice		
Sex of operator: Male	acres farms acres	41,748,883 8,028	6.9	acres		

See footnote(s) at end of table.

--continued

#### Table B. Reliability Estimates of State Totals: 2017 (continued)

[For meaning of abbreviations and symbols, see introductory text.]

Item	Total	Coefficient of variation (percent)	Item	Total	Coefficient of variation (percent)
Selected crops harvested: - Con.			Selected crops harvested: - Con. Land in vegetables (see text) - Con.		
Peanuts farms	-	-	<b>3</b> ( )		
acres	-	-	Sweet cornfarms	53	41.3
Barley farms	67	18.1	acres	139	7.3
acres	11,546	17.6	Lettucefarms	35	68.3
Oatsfarms	690	6.1	acres	9	45.3
acres	67,183	7.6	Land in orchards (see text)farms	146	20.3
			acres	476	30.3
Forage - land used for all hay and all			Applesfarms	80	27.2
haylage, grass silage, and			acres	252	6.9
greenchop (see text) farms	14,561	3.7	Grapesfarms	67	50.9
acres	2,846,347	5.8	acres	176	72.0
Land in vegetables (see text) farms	189	34.2	Orangesfarms	-	-
acres	750	(H)	acres	-	-
Potatoesfarms	54	31.2	Almondsfarms	3	62.6
acres	97	10.9	acres	(D)	(D)
Tomatoes in the open farms	83	45.3	Land in berriesfarms	80	63.1
acres	33	19.1	acres	126	70.6

<sup>1</sup> Data were collected for a maximum of four producers per farm. <sup>2</sup> Farms with total production expenses equal to market value of agricultural products sold, government payments, and farm-related income are included as farms with gains of less than \$1,000.

### Table C. Summary of Coverage, Nonresponse, and Misclassification Adjustments by County: 2017 [For meaning of abbreviations and symbols, see introductory text.]

State Total         29,968         717         36.5         8.5         20.7         7.3           Counties         392         77         39.9         10.7         20.8         8.3           Beadle         744         179         43.5         7.7         28.2         7.5           Bennett         213         50         34.2         7.5         21.2         5.4           Bon Homme         583         89         33.5         9.2         18.7         5.7           Browings         1.034         318         32.6         6.2         17.9         8.5           Brule         394         168         35.2         3.6         20.7         10.9           Butfalo         68         23         39.6         6.9         26.1         6.5           Butfalo         68         23         39.6         6.9         26.1         6.5           Charbeel         249         40         37.8         9.8         19.6         8.4           Charbeel         22.7         6.5         36.6         9.2         16.2         10.0           Coranto         32.2         64         38.4         6.2         25.6	[For meaning of abbreviations and symbols, see introductory text.] Geographic area	Total (number)	Standard error	Adjustment as percent of total	Percent of total adjustment from coverage	Percent of total adjustment from nonresponse	Percent of total adjustment from misclassification
Sach Subato         38.50         7.77         38.5         5.5         32.7         7.3           Contex         7.77         38.5         7.77         38.5         7.75         37.5         7.75         37.5         7.75         37.5         7.75         37.5         7.75         37.5         7.75         37.5	ALL FARMS (NUMBER)						
Control<	State Total						
Approx         177         193         177         193         177         193         177         193         177         193         175         193         175         193         175         193         175         193         175         193         175         193<	South Dakota	29,968	717	36.5	8.5	20.7	7.3
Bank         743         178         415         773         815         784           Bank         188         188         242         182         175         183           Bank         188         188         242         183         175         183           Bank         188         188         242         184         175         184           Bank         188         188         198         188         198         198         175         186         175         186         175         186         175         187	Counties						
Bank         743         176         435         772         245         735           Bank         1355         116         233         62         175         835           Bank         1355         116         233         62         175         835           Bank         1355         116         233         122         184         77           Bank         1355         117         233         122         184         77           Bank         137         77         238         47         277         40           Bank         117         77         238         47         277         40           Chark         471         77         238         47         277         40           Chark         471         471         47         47         40         438         43         277         42         257           Chark         471         47         47         43         43         43         43         43         43         43         44         43         44         43         44         44         44         44         44         44         44         44 </td <td>Aurora</td> <td>392</td> <td>77</td> <td>39.9</td> <td>10.7</td> <td>20.8</td> <td>8.3</td>	Aurora	392	77	39.9	10.7	20.8	8.3
Bo horm         BSD         AP         <	Beadle						
Brown         1014         318         32.0         6.2         17.9         8.5           Brown         350         12.0         37.0         22.1         13.0         77.1           Brown         350         12.0         37.0         22.1         13.0         77.1           Chen Man         350         12.0         37.0         22.2         6.5           Chen Man         350         12.0         37.0         12.0         13.0         10.0 <td>Bon Homme</td> <td>583</td> <td>89</td> <td>33.5</td> <td>9.2</td> <td>18.7</td> <td>5.7</td>	Bon Homme	583	89	33.5	9.2	18.7	5.7
British Conternetif         Sea (1)         Sea (1)         Sea (1) <td>Brown</td> <td>1,034</td> <td>318</td> <td>32.6</td> <td>6.2</td> <td>17.9</td> <td>8.5</td>	Brown	1,034	318	32.6	6.2	17.9	8.5
Bate         Solar         123         124         123         124         124         124           Chaptelin         Solar         F5         F5         Solar         F5         F5         Solar         F5	Brule Buffalo				6.9		
Operation         671         97         33.6         74.7         24.7         45.7           Cont         671         60         56.8         60.5         10.	Butte						
Cark         Cark <thcark< th="">         Cark         Cark         <thc< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></thc<></thcark<>							
Cadagan         Oci         Oci         Oci         Oci         Oci         Oci           Consol         173         35.6         0.5         10.0         Oci         10.0           Dawan         45.9         16.2         42.6         8.1         27.6         10.0           Dawan         45.9         16.2         42.6         8.1         27.6         10.0           Dawan         45.9         173         35.8         0.4         27.6         10.0           Dawan         35.9         0.4         22.6         8.1         27.7         22.8         7.2           Dawan         35.9         10.0         1	Clark	553	75	36.6	7.8	22.7	6.2
Cheler         441         64         456         637         723         131           Daren         644         73         38.2         6.4         23.7         7.2         22.7         7.3           Derel         644         73         38.2         6.4         23.7         7.2         22.7         7.3           Derel         392         22.44         38.6         4.4         27.8         663           Fack         392         22.44         38.6         4.4         27.8         663           Grad         22.9         15         33.9         4.2         22.6         7.6           Fack         7.6         663         4.3         27.8         7.8         7.3         63           Grad         4.3         36.3         32.3         6.5         7.8         7.2         22.2         6.7           Headen         363         14.3         8.6         6.7         22.1         6.5         7.2         7.2         7.2         7.2         7.2         7.2         7.2         7.2         7.2         7.2         7.2         7.2         7.2         7.2         7.2         7.2         7.2         7.2	Codington	601	173	35.8	9.5	16.2	10.0
Denkon         453         192         425         8.3         77.6         8.6           Denko         310         50         42.7         7.2         22.2         7.2           Denko         310         50         42.7         7.2         22.2         7.2           Denko         310         50         42.7         7.2         22.2         7.2           Denko         314         62         22.6         1.2.6         1.6.0         32.2           Denko         314         62         22.6         1.2.6         1.6.0         32.2           Denko         314         62         22.6         62.2         22.6         7.8           Hachn         405         14.4         31.6         42.3         62.4         62.4           Corport         63         30         30.5         9.7         2.3         62.5           Hachn         40.5         14.4         31.6         43.5         43.5         43.5           Hachn         76.7         22.4         63.0         7.5         7.6         7.2         62.2           Hachn         7.7         7.7         7.7         7.7         7.7					19.7		
Debief         634         73         382         84         237         73         282         73         282         73         282         73         282         73         282         73         282         73         282         73         283         73         283         244         364         430	Davison						
Double in the second	Deuel	634	73	38.2	8.4	23.7	6.2
Edminologic         348         88         221         3.0         16.1         3.0           Grant         64         191         125         124         128         130           Grant         64         191         127         124         128         130           Grant         64         191         137         130         130         130           Grant         475         144         310         42         128         64           Handin         475         144         310         42         128         64           Handin         475         144         310         47         13         63           Handin         475         144         310         47         63         166           Handin         174         44         30.0         67         22.0         63           Handin         174         44         30.0         67         22.1         63           Landin         174         44         175         33.1         72.2         44         63           Landin         175         44         123         33.3         12.2         12.4         10.3<							
Fask         291         125         34.9         4.2         28.4         400           Gendry         293         44         36.6         4.6         28.7         53.3           Haakon         293         44         36.6         4.6         28.7         53.3           Haakon         293         44         36.0         6.2         14.4         71.3           Haakon         303         33         35.1         9.7         21.3         52.2           Harding         36.5         58         36.0         4.3         25.3         6.5           Harding         717         120         58.0         7.6         32.3         6.7           Harding         714         135         44.4         6.1         32.8         6.4           Lakewow         244         70         32.7         6.3         10.4         4.7           Lakewow         243         47.6         58         32.8         12.7         10.2           Lakewow         243         47.6         53         32.6         12.7         13.6         62.2           Lakewow         443         46.7         53         33.6         12.7<	Edmunds	348	88	22.1	3.0	16.1	3.0
Grogery,         465         669         426         92         256         78           Hand         465         144         319         43         214         64           Hand         465         144         319         43         213         63           Handrag         265         66         300         43         233         65           Handrag         265         66         300         43         233         65           Handrag         215         59         39.8         99         223         65           Hyde         77         149         300         67         263         62           Hyde         224         76         327         23         144         45           Jeckson         243         46         328         144         45           Jeckson         243         46         323         89         126         16           Javeroo         243         46         323         89         126         16         44         130         140         100         16         16         16         16         16         16         16         16							
Hadon         203         45         366         4.66         22.7         5.3           Handon         333         333         38.1         9.7         2.13         5.3           Hardon         333         333         38.1         9.7         2.23         5.5           Haydres         315         56         38.0         9.3         2.22         6.5           Haydres         315         58         30.0         6.1         2.65         6.7           Hydres         174         49.8         30.0         6.1         2.64         6.4           Jeand         2.24         70         32.7         8.3         19.7         4.7           Jeand         2.24         70         32.7         8.3         19.7         4.7           Jeand         2.25         47         44.1         2.07         12.6         10.8           Link         70         32.7         8.3         17.7         2.44         6.2           Link         70         32.6         12.7         1.3         6.2         10.8           Linch         8.3         10.2         3.3         3.0         5.8         2.66         <							
Hand         466         144         39         4.3         21.3         6.3           Harden         333         33.1         36.1         97         21.3         52           Harden         226         56         38.0         4.3         22.3         65           Harden         315         54         38.8         99         22.2         65           Harden         77         14         49         30.0         67         23.1         62.2         65           Hode         77         14         49         30.0         67         23.1         62.2         65           Janeed         262         76         33.1         72         14.4         65           Krigbury         518         411         30.7         12.6         65         43           Licke         423         467         33.5         12.8         45         45           Licke         751         53         33.5         12.8         46         26         7.1         15.5         49           McPoreson         382         38         10.3         30.0         89         22.0         7.1         16.6 <td< td=""><td>Haakon</td><td>293</td><td>45</td><td>38.6</td><td>4.6</td><td>28.7</td><td>5.3</td></td<>	Haakon	293	45	38.6	4.6	28.7	5.3
Harding         265         55         36.0         4.3         22.3         6.5           Hode         3775         124         35.7         7.6         22.2         6.5           Jackson         314         130         42.7         6.3         32.7         6.7           Jones         314         130         42.7         6.3         32.7         6.7           Jones         314         130         42.7         6.3         32.7         6.7           Jones         275         7         74         44         20.7         12.6         10.8           Lewinne         275         7         44         12.0         12.6         10.8           Lewinne         776         5.3         32.6         12.7         13.7         62.6           McCox         41         20.7         13.8         10.3         1	Hand	405	144	31.9	4.3	21.3	6.3
Hughes         315         58         38.8         9.9         23.2         67           140 chrono         775         12         35.7         76         22.2         55.2           144 chrono         314         155         44.4         6.1         33.8         62           146 chrono         314         155         44.4         6.1         33.8         62           146 chrono         124         70         32.7         6.3         19.4         62           146 chrono         124         75         47         44.1         20.7         13.6         12.6							
Hyde         174         49         33.0         6.7         26.1         62.2           Jackson         144         130         44.4         5.3         32.9         4.4           Jones         152         75         33.1         7.2         24.3         6.7           Jones         152         75         34.1         20.3         23.9         17.2         6.2           Lake         275         47         44.1         20.7         13.7         6.2           Lake         275         47         44.1         20.7         13.7         6.2           Lake         275         47         44.1         20.7         13.7         6.2           Lincoln         766         6.3         32.6         12.7         13.7         6.2           Lincoln         53.2         43.9         39.0         6.9         7.1         25.6         6.9           Marchail         53.2         14.0         16.0         8.3         13.0         7.1         16.8         8.3           Morehane         1.023         201         39.3         14.0         16.4         8.9           Morehane         1.023         201	Hughes	315	58	39.8	9.9	23.2	6.7
Jonat.         244         70         32.7         8.3         19.7         4.7           Jonat.         168         71         331         7.7         24.2         162           Lake         463         463         463         32.3         8.9         17.2         162           Lake         275         47         441         20.7         12.6         10.8           Lincoln         756         53         32.6         12.7         13.7         62.6           McCook         512         46         83.90         6.8         26.6         6.6           McCook         512         46         27.6         7.1         15.5         4.9           McReheso         21.9         47         40.8         7.3         24.2         3.3           Moref         408         34         35.2         11.0         16.0         8.3           Moref         408         34         35.2         10.3         14.3         16.4           Ponnigton         466         167         38.3         13.0         17.3         8.0           Moref         49.0         167         28.5         34.4         10.8	Hyde	174	49	39.0		26.1	6.2
Jones         192         75         38.1         7.2         24.4         6.5           Lake         458         47         421         32.3         8.9         17.2         15.2           Lake         458         47         441         32.3         8.9         17.2         15.2           Lake         57         47         441         32.3         8.9         17.2         16.2           Lincoln         756         6.3         32.6         12.7         13.7         6.2           Lincoln         51         64         30.0         5.8         26.6         6.9           McPherson         342         39         30.0         1.9         1.56         6.9           McParson         342         39         1.0         1.64         8.3         1.0         1.64         8.3           Moreham         1.023         201         33.3         14.0         16.4         8.3           Moreham         1.023         201         33.3         14.0         16.4         8.3           Moreham         1.023         201         33.3         16.0         17.2         10.8           Penington         66							
Lake         463         463         223         8.9         17.2         6.2           Lawrine         275         47         441         20.7         12.6         10.8           Lincoln         756         53         32.6         12.7         13.7         6.2           Lincoln         756         53         32.6         7.1         15.5         4.9           McCook         631         48         33.0         6.6         23.3         7.6           McCook         633         148         33.0         6.6         23.3         7.6           Meda         633         149         47         40.8         7.3         24.2         9.3           Miner         408         249         47         40.8         7.3         24.2         9.3           Moody         140         25.2         11.0         16.4         8.3           Moody         140         24.2         10.3         14.8         70           Oglab Lakota         90         67         43.5         6.0         32.7         10.8           Souton         25.7         72.7         27.7         27.7         10.4         10.2	Jones	192	75	38.1	7.2	24.4	6.5
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	Lake	463	46	32.3	8.9	17.2	6.2
Lyman         414         68         39.0         5.8         25.6         6.6           McCook         512         46         27.6         7.1         15.5         4.9           McPherson         382         38         39.0         6.3         23.0         7.1           McPherson         382         38         39.0         6.3         23.0         7.1           McSok         23.9         47         40.8         17.3         24.2         9.8           Meletia         219         47         40.8         17.3         24.2         9.8           Miner-aha         409         129         39.3         14.0         16.4         8.9           Moody         490         129         32.2         10.3         14.8         7.0           Ogisti Lakata         409         129         32.2         10.3         14.8         7.0           Perkins         21.17         7.3         3.7         28.3         5.3         5.3           Potter         221         27         6.7         16.8         5.1         7.0         8.5         3.4         1.0         8.0         1.1         8.0         1.0							
McPherson         332         33         39.0         8.9         23.0         7.1           Mershall         503         144         30.7         6.0         19.1         5.6           Meade         835         100         40.5         11.3         20.3         8.8           Meade         408         34         435.2         11.0         16.0         8.3           Minerhan         1.023         201         39.3         14.0         16.4         8.9           Mody         1.22         20.3         14.8         7.0         8.6         8.6         9.7         10.8         8.3           Mody         1.22         12.3         14.4         16.4         8.9         9.0         6.7         48.5         6.0         22.7         10.8         8.3         10.0         14.8         7.0         8.6         5.1         7.1         8.6         5.1         7.1         8.6         5.1         7.1         8.6         5.1         7.1         8.6         5.1         7.1         8.6         5.1         7.1         8.6         5.1         7.1         8.6         5.1         7.1         8.6         7.1         8.6         7.1	Lyman	414	68	39.0		26.6	6.6
Marshall         603         144         30.7         6.0         19.1         5.6           Meede         835         100         40.5         11.3         20.3         8.8           Mellette         409         34         352         11.0         16.4         8.3           Moody         409         34         352         11.0         16.4         8.3           Moody         409         129         32.2         10.3         14.8         7.0           Oglata Lakota         190         67         49.5         6.0         32.7         10.8           Perkins         271         2.5         2.84         10.8         17.2         8.0           Perkins         271         2.5         2.84         10.8         17.0         5.1           Sontom         351         195         39.9         5.2         25.5         9.3           Sontom         201         39         36.2         7.0         22.3         6.9           Todo         201         39         32.2         9.2         27.5         9.3           Sontom         256         60         30.8         6.4         11.7         7.5<	McCook McPherson						
Mellette       219       47       40.8       7.3       24.2       9.3         Miner       408       34       35.2       11.0       16.0       8.3         Miner,       409       129       32.2       10.3       14.8       7.0         Oglai Lakota       90       129       32.2       10.3       14.8       7.0         Oglai Lakota       66       65       49.5       6.0       32.7       10.8         Perinigtion       666       65       33.3       13.0       17.2       80.5         Potter       221       127       28.7       6.7       16.8       51.3         Roberts       782       55       34.4       10.8       17.0       65.5         Sonborn       351       195       39.9       5.2       25.5       9.3         Sonk       220       4.0       14.5       3.4       3.4       3.4         Sully       201       39       36.2       20.5       9.3       3.6         Sully       221       23       54       46.6       11.7       22.4       6.4         Turier       265       60       38.6       10.9 <t< td=""><td>Marshall</td><td>503</td><td>148</td><td>30.7</td><td>6.0</td><td>19.1</td><td>5.6</td></t<>	Marshall	503	148	30.7	6.0	19.1	5.6
Minnehaha.       1,023       201       33.3       14.0       16.4       8.9         Moody.       490       129       32.2       10.3       14.8       7.0         Oglala Lakota       663       867       39.3       13.0       14.8       7.0         Oglala Lakota       663       867       39.3       13.0       11.2       8.6         Permington       663       867       39.3       13.0       11.2       8.6         Potter       72       28.7       6.7       7.6.8       6.3       11.7       8.6         Sonborn       351       195       39.9       5.2       25.5       9.3       3.6       14.5       3.4       3.4       3.4       3.4       3.4       3.4       3.4       3.4       3.4       3.4       3.4       3.4       3.4       3.4       3.4       3.4       3.4       3.4       3.5       5.5       5.5       9.3       3.5       5.5       5.4.4       10.8       17.7       2.2       3.6       8.8       19.7       5.1       3.4       1.0.4       1.0.4       1.0.4       1.0.4       1.0.4       1.0.4       1.0.4       1.0.4       1.0.4       1.0.4       1.0.	Mellette	219	47	40.8	7.3	24.2	9.3
Opiala Lakota         190         67         49.5         6.0         32.7         10.8           Pennington         656         85         38.3         13.0         17.2         8.0           Porting         221         107         37.3         3.7         22.3         5.3           Potter	Minnehaha	1,023	201	39.3	14.0	16.4	8.9
Pérnington       666       85       38.3       13.0       17.2       8.0         Portins       421       107       37.3       3.7       28.3       5.3         Potter       221       27       28.7       6.7       16.8       5.1         Roberts       782       55       34.4       10.8       17.0       6.5         Sanborn       351       195       39.9       5.2       25.5       9.3         Sanborn       201       35       36.2       27.7       23.6       6.8       19.7       5.1         Starley       201       35       34.6       6.8       19.7       5.1       3.4       10.4       14.5       3.4       10.4       14.5       3.4       10.4       14.5       3.4       10.4       14.5       3.4       10.4       11.7       7.5	Moody	490	129				
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Oglala Lakota Pennington						
$\begin{array}{c c c c c c c c c c c c c c c c c c c $	Perkins						
Spink	Roberts	782	55	34.4	10.8	17.0	6.5
Sully	Spink	556	56	22.0	4.0	14.5	3.4
Tripp         648         72         39.2         9.2         22.3         7.7           Turner         757         66         36.1         10.9         18.9         6.2           Walworth         557         125         36.0         8.4         21.3         6.3           Walworth         256         60         30.8         6.4         19.3         5.1           Yankton         213         62         39.0         6.8         25.1         7.1           LAND IN FARMS (ACRES)         213         62         39.0         6.8         25.1         7.1           South Dakota         43,243,742         1,100,330         29.5         2.4         22.0         5.0           Gounties         416,23         116,292         40.4         2.9         32.5         5.0           Bendle         810,623         116,292         40.4         2.9         32.5         5.0           Bendle         810,623         116,292         40.4         2.9         32.5         5.0           Bendle         304,914         39,912         36.9         3.9         2.9.1         4.0           Brown         304,914         39,912         36.	Sully	201	39	36.2	7.0	22.3	6.9
Turiner         757         66         36.1         10.9         18.9         6.2           Walworth         557         125         36.0         8.4         21.3         6.3           Yankton         256         60         30.8         6.4         19.3         5.1           Yankton         213         62         39.0         6.8         22.1         7.5           LAND IN FARMS (ACRES)         213         62         39.0         6.8         25.1         7.1           State Total         South Dakota         43,243,742         1,100,330         29.5         2.4         22.0         5.0           Counties         40.623         116,232         40.4         2.9         32.5         5.0           Bennett         66.6917         122.110         26.3         2.5         1.00         3.9         2.9.1         4.0           Brown         304,914         39.912         36.9         3.9         2.9.1         4.0           Brown         1,083,014         225.57         27.4         1.3         22.8         3.2.4           Brute         1,083,014         225.90         28.2         1.5         24.3         24.4	I 000						
Union         557         125         360         8.4         21.3         6.3           Walworth         256         60         30.8         6.4         19.3         5.1           Yankton         213         62         39.0         6.8         21.1         7.5           Zlebach         213         62         39.0         6.8         25.1         7.1           LAND IN FARMS (ACRES)         The second se						22.3 18.9	
Yankton       610       106       39.4       10.8       21.1       7.5         Ziebach       213       62       39.0       6.8       25.1       7.1         LAND IN FARMS (ACRES)       Image: Constraint of the second	Union	557	125	36.0	8.4	21.3	6.3
LAND IN FARMS (ACRES)         State Total         43,243,742         1,100,330         29.5         2.4         22.0         5.0           South Dakota	Yankton	610	106	39.4	10.8	21.1	7.5
State Total         43,243,742         1,100,330         29.5         2.4         22.0         5.0           Counties         354,554         49,394         41.8         5.2         29.9         6.6           Beadle         810,623         116,292         40.4         2.9         32.5         5.0           Bennett         636,917         122,110         26.3         2.5         19.9         4.0           Brookings         439,012         36.9         3.9         29.1         4.0           Brookings         49,501         155,434         40.0         3.5         32.0         4.6           Brule         517,536         52,557         27.4         1.3         24.3         2.4           Buftalo         299,891         71,405         14.3         1.1         9.9         3.3           Butte         215,568         364,914         17.3         1.9         11.3         4.1           Campbell         433,761         163,497         39.7         6.6         25.6         7.5           Charles Mix         685,988         146,128         34.6         2.2         29.8         26.8		213	02	39.0	0.0	25.1	7.1
South Dakota         43,243,742         1,100,330         29.5         2.4         22.0         5.0           Counties         Aurora         354,554         49,394         41.8         5.2         29.9         6.6           Beadle         810,623         116,292         40.4         2.9         32.5         5.0           Bennett         636,917         122,110         26.3         2.5         19.9         4.0           Bronkings         49,501         155,434         40.0         3.5         32.0         4.6           Brown         41,083,014         225,902         28.2         1.5         24.3         24.3           Brule         217,536         52,557         27.4         1.3         22.8         3.2           Buffalo         29,891         71,405         14.3         1.1         9.9         3.3           Butte         21,155,068         364,914         17.3         1.9         11.3         4.1           Campbell         433,761         163,497         39.7         6.6         25.6         7.5           Charles Mix         685,988         146,128         34.6         2.2         29.8         2.6	, ,						
Counties         Aurora         354,554         49,394         41.8         5.2         29.9         6.6           Beadle         810,623         116,292         40.4         2.9         32.5         5.0           Bennett         636,917         122,110         26.3         2.5         19.9         4.0           Bon Homme         304,914         39,912         36.9         3.9         29.1         4.0           Brookings         41,083,014         225,902         28.2         1.5         24.3         2.4           Brule         517,536         52,557         27.4         1.3         22.8         3.2         3.2         3.2         3.2         3.2         3.2         3.2         3.2         3.2         4.0         3.2         3.2         4.0         3.2         4.0         3.3         3.2         3.2         4.6         3.2         4.1         3.3         3.2         4.1         4.0         3.3         3.2         4.1         3.2         3.2         3.2         4.1         3.2         3.2         4.1         3.2         3.2         3.2         3.2         3.2         3.2         3.2         3.2         3.2         3.2         3.2		40.040.740	1 100 220	20.5	2.4	22.0	5.0
Aurora354,55449,39441.85.229.96.6Beadle810,623116,29240.42.932.55.0Bennett636,917122,11026.32.519.94.0Brookings39,91236.93.929.14.0Brookings459,501155,43440.03.532.04.6Brown1,083,014225,90228.21.524.32.4Brule517,53652,55727.41.322.83.2Buffalo29,89171,40514.31.19.93.3Butte1,155,068364,91417.31.911.34.1Campbell685,988146,12834.62.229.82.6		43,243,742	1,100,330	29.5	2.4	22.0	5.0
Beadle         810.623         116.292         40.4         2.9         32.5         5.0           Bennett         636.917         122,110         26.3         2.5         19.9         4.0           Bon Homme         304,914         39,912         36.9         3.9         29.1         4.0           Brookings         459,501         155,434         40.0         3.5         32.0         4.6           Brown         1,083,014         225,902         28.2         1.5         24.3         2.4           Brule         517,536         52,557         27.4         1.3         22.8         3.2           Buffalo         299,891         71,405         14.3         1.1         9.9         3.3           Butte         1155,068         364,914         17.3         1.9         11.3         4.1           Campbell         433,761         163,497         39.7         6.6         25.6         7.5           Charles Mix         685,988         146,128         34.6         2.2         29.8         2.6		05455	10.05				<u> </u>
Bon Homme.         304,914         39,912         36.9         3.9         29.1         4.0           Brookings.         459,501         155,434         40.0         3.5         32.0         4.6           Brown         1,083,014         225,902         28.2         1.5         24.3         2.4           Brule         517,536         52,557         27.4         1.3         22.8         3.2           Buffalo         299,891         71,405         14.3         1.1         9.9         3.3           Butte         1,155,068         364,914         17.3         1.9         11.3         4.1           Campbell         433,761         163,497         39.7         6.6         25.6         7.5           Charles Mix         685,988         146,128         34.6         2.2         29.8         2.6	Beadle	810,623	116,292	40.4	2.9	32.5	5.0
Brookings	Bennett Bon Homme						
Brule         517,536         52,557         27.4         1.3         22.8         3.2           Buffalo         299,891         71,405         14.3         1.1         9.9         3.3           Butfalo         1,155,068         364,914         17.3         1.9         11.3         4.1           Campbell         433,761         163,497         39.7         6.6         25.6         7.5           Charles Mix         685,988         146,128         34.6         2.2         29.8         2.6	Brookings	459,501	155,434	40.0	3.5	32.0	4.6
Butte         1,155,068         364,914         17.3         1.9         11.3         4.1           Campbell         433,761         163,497         39.7         6.6         25.6         7.5           Charles Mix         685,988         146,128         34.6         2.2         29.8         2.6	Brule	517,536	52,557	27.4	1.3	22.8	3.2
Campbell         433,761         163,497         39.7         6.6         25.6         7.5           Charles Mix         685,988         146,128         34.6         2.2         29.8         2.6						11.3	4.1
	Campbell	433,761	163,497	39.7	6.6	25.6	7.5
		100,000	0, .20	00		20.0	

## Table C. Summary of Coverage, Nonresponse, and Misclassification Adjustments by County: 2017 (continued) [For meaning of abbreviations and symbols, see introductory text.]

[For meaning of abbreviations and symbols, see introductory text.] Geographic area	Total (number)	Standard error	Adjustment as percent of total	Percent of total adjustment from coverage	Percent of total adjustment from nonresponse	Percent of total adjustment from misclassification
LAND IN FARMS (ACRES) - Con.						
Counties - Con.						
Clark Clay Codington Corson Custer Davison Day Deuel	602,011 238,940 383,166 1,287,507 611,805 270,256 610,611 335,322	84,819 38,628 34,352 131,328 109,091 63,250 155,389 18,097	41.5 41.4 30.1 27.6 21.8 42.7 37.4 31.6	3.0 4.5 5.3 2.7 4.4 3.6 2.6 2.7	35.0 31.9 17.7 19.1 8.5 34.4 32.0 24.9	3.5 5.0 7.1 5.9 8.9 4.6 2.8 4.0
Dewey	1,136,564	102,781	30.6	3.3	21.4	5.9 2.5
DouglasEdmundsFall RiverFall RiverFall RiverFall KGrantGregoryHaakonHamlinHandHamlinHandHandHandHandHansonHardingHarding	274,755 739,006 898,071 627,164 425,627 562,085 1,157,670 310,025 895,347 270,935 1,467,765	90,265 319,584 88,438 222,409 104,703 75,995 265,639 78,475 115,753 48,255 351,114	48.1 31.2 12.0 35.1 39.4 41.4 30.3 25.3 24.5 40.4 20.1	2.1 1.4 1.6 1.4 2.0 6.1 1.6 2.4 2.2 3.0 1.4	43.4 26.6 4.3 31.0 34.7 28.6 24.2 20.0 18.3 33.6 14.2	2.5 3.2 6.1 2.7 2.8 6.8 4.6 2.9 4.0 3.9 4.5
HughesHuchinson Hutchinson HydeJacksonJerauld Jones KingsburyLakeLawrence Lawrence Lincoln.	435,033 455,628 505,694 1,166,244 341,627 618,468 535,987 272,529 165,012 294,694	81,824 84,155 105,5716 372,770 74,113 300,806 104,486 33,413 (H) 30,113	27.1 39.1 22.2 27.9 26.2 23.4 36.3 30.1 39.4 38.2	1.9 2.8 2.1 1.6 2.7 1.9 2.5 3.4 3.5 4.0	21.9 32.3 16.8 21.2 20.5 17.3 27.0 23.1 32.6 30.1	3.3 4.0 3.3 5.1 3.0 4.3 6.8 3.7 3.4 4.1
Lyman McCook McPherson Marshall Meade Mellette Miner Minnehaha Moody Oglala Lakota	950,795 367,087 723,073 525,474 1,998,775 752,566 351,356 374,666 265,024 1,116,156	111,500 75,921 143,164 94,575 272,482 303,162 47,680 82,460 27,587 195,418	31.5 27.5 38.8 25.0 33.3 34.9 38.4 29.5 20.5	3.2 4.0 2.7 2.3 2.2 4.4 4.1 2.6 1.3	20.5 23.2 29.2 23.3 17.7 23.9 26.0 29.9 22.8 15.5	7.8 2.0 5.6 2.9 7.2 4.6 4.4 4.1 3.7
Pennington Perkins Potter Roberts Sanborn Spink	1,146,586 1,639,705 548,312 595,195 363,599 961,154 812,145 632,859 880,043 1,036,646	350,269 363,884 63,376 89,506 44,558 102,796 109,446 67,046 75,696 133,569	22.0 27.3 23.6 35.1 38.5 33.6 19.4 24.3 31.1 34.1	1.9 1.5 2.8 3.7 4.8 2.7 3.4 2.7 5.4 1.9	14.1 21.8 16.0 27.9 25.4 27.5 10.7 15.0 16.7 28.0	6.0 4.0 3.4 8.3 3.4 5.3 6.5 9.0 4.3
Turner         Union           Walworth         Yankton           Ziebach         Ziebach           SALES (\$1,000)         Yankton	392,794 290,055 453,301 329,607 1,099,454	46,532 94,943 72,360 71,412 240,346	39.9 40.1 25.3 46.2 27.8	3.2 2.8 1.5 3.2 2.6	33.0 33.7 20.9 39.1 19.7	3.8 3.5 2.9 3.9 5.4
State Total South Dakota	9,721,522	323,047	29.0	2.2	23.1	3.7
Counties						
Aurora	138,196 295,269 65,933 152,852 316,332 377,443 153,565 39,513 67,976 96,197	27,189 73,767 14,757 24,723 39,990 77,684 34,152 10,256 11,767 38,678	41.8 33.5 31.3 29.0 24.5 20.9 18.5 20.9 36.6	4.5 1.8 4.5 2.4 5.3 1.2 0.8 1.5 2.3 6.8	31.2 28.1 19.9 27.0 18.8 20.9 17.6 12.6 13.0 24.0	6.1 3.6 6.8 3.7 2.4 2.5 4.4 4.8 5.7
Charles Mix	262,114 267,581 113,093 155,878 116,952 26,632 107,665 183,980 184,909 58,712	50,935 27,456 18,223 18,029 8,162 6,059 25,136 63,734 28,644 9,103	26.7 30.0 39.7 26.8 20.2 24.5 40.9 41.4 26.4 33.3	1.4 3.8 4.1 3.2 2.4 4.4 3.2 1.4 3.1 2.9	23.1 22.9 31.1 18.7 12.3 12.7 33.9 37.7 19.6 25.1	2.2 3.4 4.5 4.8 5.4 7.5 3.8 2.3 3.7 5.4
Douglas Edmunds Fall River Faulk	144,630 237,694 87,087 163,954 235,442	36,562 119,031 6,885 29,493 34,057	40.6 26.0 7.5 32.9 23.6	2.8 0.9 1.6 1.5 2.0	33.9 22.0 3.6 28.3 19.6	3.9 3.1 2.3 3.1 1.9

--continued

## Table C. Summary of Coverage, Nonresponse, and Misclassification Adjustments by County: 2017 (continued) [For meaning of abbreviations and symbols, see introductory text.]

Geographic area	Total (number)	Standard error	Adjustment as percent of total	Percent of total adjustment from coverage	Percent of total adjustment from nonresponse	Percent of total adjustment from misclassification
SALES (\$1,000) - Con.						
Counties - Con.						
Gregory	93,063	15,613	44.5	5.4	32.6	6.6
Haakon	77.337	10.861	32.9	2.2	24.1	6.5
lamlin	179,768	42,968	18.9	1.8	14.6	2.
	224,455	31.427	25.3	1.6	19.7	4.1
land	132,793	25,334	35.1	1.0	30.0	4.
anson						
larding	63,368	22,009	20.5	1.0	15.3	4.
lughes	70,275	11,825	25.4	2.0	19.6	3.
lutchinson	270,014	45,257	34.6	2.0	28.8	3.
lyde	64,899	9,134	20.1	1.9	15.3	3.
ackson	52,439	25,907	34.4	1.5	28.1	4.
erauld	112,543	29,013	24.9	1.9	20.2	2.
ones	57,891	45,270	18.2	1.2	13.7	3.
ingsbury	257,855	41,387	31.6	2.5	24.1	5.
ake	161.876	21.617	22.9	2.4	17.4	3.
awrence	13.083	5.406	43.3	5.9	29.1	8
	204.790	15.035	28.6	3.4	21.8	3
incoln						
yman	97,042	17,073	33.5	2.1	24.5	6
IcCook	195,940	36,441	24.2	1.9	20.5	1
IcPherson	140,212	13,912	29.9	2.7	21.7	5
Narshall	270,689	35,109	17.1	1.9	13.4	1.
Neade	99,167	16,011	24.5	2.0	18.6	3.
Aellette	45,422	10,789	30.8	2.1	22.5	6.
/iner	126,057	11,643	27.8	2.2	22.3	3.
/innehaha	253,779	37,572	32.2	3.4	25.2	3.
Noody	216.079	18.356	17.3	2.4	12.1	ž
Dglala Lakota	38,746	11,708	44.2	1.9	36.2	6
	60.454	17,750	23.8	1.9	18.6	3
Pennington	84,893		23.0			3
Perkins		21,761		0.9	19.5	
Potter	101,891	14,657	25.1	2.2	18.6	4
Roberts	204,389	35,272	33.5	2.4	28.6	2.
Sanborn	112,061	14,030	29.0	3.0	19.4	6
Spink	382,482	45,827	31.7	1.8	26.9	3
tanley	50,611	9,638	18.0	2.3	11.6	4
ully	137,239	13,487	22.2	3.8	11.2	7
odd	53,659	7,380	43.2	5.7	24.3	13
ripp	202,582	21,130	25.4	1.9	19.3	4
	265,710	24,429	25.4	3.2	29.7	4 3
urner						
nion	187,025	63,094	37.0	1.8	32.1	3
Valworth	87,056	12,466	26.2	1.2	22.3	2
ankton	162,378	32,012	43.8	1.6	39.3	3.
liebach	59.911	14.161	33.8	2.5	25.3	6

#### Table D. American Indian or Alaska Native Producers: 2017

[For meaning of abbreviations and symbols, see introductory text.]

	American Indian or Alaska Native farm producers			American Indian or Alaska Native farm producers			
Geographic area	Total	Individually reported 1	Other <sup>2</sup>	Geographic area	Total	Individually reported 1	Other <sup>2</sup>
State Total				Counties - Con.			
South Dakota	1,242	1,242	-	Hyde	1	1	-
Counties				Jackson	101	101	-
Counties				Jones Kingsbury	2	2	-
Bennett	67	67	-	Lake	4	4	-
Bon Homme	7	7	-	Lawrence	6	6	-
Brookings	2	2	-	Lincoln	2	2	-
Brown	10	10	-	Lyman	29	29	-
Brule Buffalo	8	8	-	McPherson Meade	4 21	4 21	-
Butte	10	0 10	-	Meaue	21	21	-
Charles Mix	8	8	-	Mellette	55	55	-
Clark	2	2	-	Miner	1	1	-
Clay	3	3	-	Minnehaha	10	10	-
				Moody	5	5	-
Codington	3	3	-	Oglala Lakota	187	187	-
Corson	76	76	-	Pennington	39	39	-
Custer	2	2	-	Perkins	1	1	-
Day Dewey	198	198	-	Potter Roberts	29	29	-
Edmunds	190	190	-	Stanley	25	23	
Fall River	22	22	-		21	21	
Grant	1		-	Sully	7	7	-
Gregory	8	8	-	Todd	91	91	-
Haakon	7	7	-	Tripp	19	19	-
				Turner	7	7	-
Harding	14	14	-	Union	1	1	-
Hughes	6	6	-	Yankton	3 121	3 121	-
Hutchinson	3	3	-	Ziebach	121	121	-

<sup>1</sup> Data were collected for a maximum of four producers per farm. <sup>2</sup> Data represent American Indian or Alaska Native farm or ranch producers on reservations who did not report individually. Data obtained by reservation officials.