

Floriculture Crops Methodology and Quality Measures

ISSN: 2166-9848

Released June 19, 2014, by the National Agricultural Statistics Service (NASS), Agricultural Statistics Board, United States Department of Agriculture (USDA).

Commercial Floriculture Survey Methodology

Scope and Purpose: The Commercial Floriculture Survey (CFS) is conducted annually and is a census of all floriculture growers that produced and sold \$10,000 or more of product during the previous year. Currently there are 15 States surveyed: California, Florida, Hawaii, Illinois, Maryland, Michigan, New Jersey, New York, North Carolina, Ohio, Oregon, Pennsylvania, South Carolina, Texas, and Washington.

All floriculture growers are surveyed to report production, hired labor, and value of sales. Detailed crop information is collected from operations with \$100,000 or more in sales. The main types of crops included are: cut flowers, annual bedding plants, herbaceous perennials, cut cultivated greens, potted flowering plants and foliage plants for indoor and patio use. Information is also collected for propagative floriculture materials, including cuttings, liners, plug seedlings, pre-finished plants, and tissue cultures. Excluded from this survey are Christmas trees and nursery products such as, but not limited to, deciduous shade trees, fruit and nut trees, evergreen trees, ornamental shrubs and bushes (including roses and azaleas for outdoor landscaping and ornamental purposes), grapevines, and palms for outdoor landscaping. Aquatic and pond plants also are excluded.

Data collected for operations with \$10,000 or more in sales are published for 15 program States as follows: value of all production, number of producers, area used for production, and peak hired workers. The data are published for the current survey year and the previous survey year. Production data for operations with \$100,000 or more in sales are reported by State as relevant. For operations with \$100,000 or more in sales, items published include number of producers, quantity sold, price and wholesale value for annual bedding/garden plants, potted herbaceous plants, potted flowering plants, foliage plants potted, cut flowers, cut cultivated greens, and propagative floriculture materials.

Commercial floriculture data are used by the government to measure the economic impact of the industry and by all segments of the industry to plan future production and marketing strategies.

Survey Timeline: Data are collected for the previous year's production beginning in January with a survey mailing. A telephone follow-up is conducted for non-response records approximately one month after the mailing. Data collection takes place over a period of approximately eight weeks. Field Office staff complete analysis, summarization, and submission of estimates over a period of approximately three weeks. Estimates are released to the public on the date specified by the Agricultural Statistics Board.

Sampling: The target population for the CFS is all commercial floriculture operations which produce and sell, or have the potential to produce and sell, \$10,000 or more of the floriculture crops in one year. Both retail and wholesale sales are considered in determining the dollar value of sales for establishing the population. Floriculture crops do not have to be the primary source of income for a grower to qualify. A greenhouse or nursery with production and sales of floriculture products that meets the \$10,000 lower limit qualifies, even though this may represent only a small portion of the operation's total sales.

The survey population is identified from the NASS list frame population. The CFS is a census; therefore, all operations that qualified are included in the survey.

Data Collection: Sampled floriculture producers receive a pre-survey letter explaining the survey along with a questionnaire to complete and return by mail. If a response is not received by mail, respondents are contacted by phone to obtain the survey data. Personal interviews are limited to large operations or those with special handling arrangements.

Survey Edit: As survey data are collected and captured, they are edited for consistency and reasonableness using automated systems. Reported data are edited as a batch of data when first captured. The edit logic ensures administrative coding follows the methodological rules associated with the survey design.

Relationships between data items (i.e. responses to individual questions) on the current survey are verified. Some data items in the current survey are compared to data items from earlier surveys to ensure certain relationships are logical. The edit will determine the status of each record to be either "dirty" or "clean" (i.e. failing or passing the edit requirements for consistency and reasonableness).

Records that fail edit requirements must be updated. Only records that pass edit requirements are eligible for final summary.

Analysis Tools: Edited floriculture survey data are processed through an interactive analysis tool which displays data for all reports by item. The tool provides scatter plots, tables, charts, and special tabulations that allow the analyst to compare an individual record to similar records. This tool allows atypical responses and unusual data relationships, as well as large changes in the operation, to become evident. Following careful review, data found to be in error are corrected, while correct data are retained.

Nonsampling Errors: Nonsampling errors are present in any survey process. These include reporting, recording, and editing errors. Steps are taken to minimize these errors, such as comprehensive interviewer training, validation and verification of processing systems, application of detailed computer edits, and evaluation of the data via the analysis tools.

Estimators: The CFS is a complete enumeration of all known floriculture operations with \$10,000 or more in sales and new operations are added to the sample when discovered. No coverage adjustment is made to account for list incompleteness. Response to the CFS is voluntary. Producers may refuse to participate in the survey, may not be located during the data collection period, or may submit incomplete reports. The non-response data items and sampling units are imputed by Field Office statisticians. The weights for current items are not adjusted.

Since manual imputation is conducted for all non-response units and items, point estimates are an accounting of all responses and manual imputations. The measurement of error due to sampling in the current survey period is irrelevant for a fully enumerated census. Moreover, standard errors and coefficients of variation (CVs) are zero for all current data items collected.

Estimation: When all samples are accounted for, all responses fully edited, and the analysis material reviewed, each Field Office executes a preliminary summary and a final summary to evaluate and analyze the data. When all Field Offices have executed summaries, Headquarters executes the National summary. The summary results provide multiple point estimates and information used to evaluate the quality of the survey estimates such as response rates and number of usable positive reports.

Field Offices are responsible for performing a detailed review of the survey results. Any irregularities revealed by the preliminary summary must be investigated and, if necessary, resolved. In cases where recommendations deviate from survey results, Field Offices must provide justification.

The review of National estimates is conducted by the Headquarters commodity statistician and a statistician who is selected by the Agricultural Statistics Board (ASB). The selected statistician assists the Headquarters statistician in review of all state level and commodity use level recommendations and establishes official estimates.

Quality Metrics for Floriculture

Purpose and Definitions: Under the guidance of the Statistical Policy Office of the Office of Management and Budget (OMB), the United States Department of Agriculture's National Agricultural Statistics Service (NASS) provides data users with quality metrics for our published data series. The following metrics tables describe the performance data for the survey contributing to the publication. The accuracy of data products may be evaluated through sampling and non-sampling error. The measurement of error due to sampling in the current period is irrelevant for a fully enumerated data series. Non-sampling error is evaluated by response rates and the percent of the estimate from reported data.

Sample size is the number of observations selected from the population to represent a characteristic of the population. **Response rates** are the proportion of the sample that responded to the survey.

Percent of estimate from reported data is the estimated value of a characteristic from respondent reports, divided by the estimated value of a characteristic from all reports expressed as a percent.

Commercial Floriculture Survey Sample Sizes and Response Rates: The Commercial Floriculture Survey is a census of all known floriculture growers with an operation that produced and sold \$10,000 or more of product during the previous year in the 15 program States. However, detailed crop information is collected from only operations with \$100,000 or more in sales. To assist in evaluating the performance of the estimates in the *Floriculture Crops* report, the sample sizes and response rates are displayed for 2012 and 2013 in each of the 15 program States for operations with \$10,000 or more in sales and for operations with \$100,000 or more in sales.

Commercial Floriculture Survey Sample Size and Response Rate - 15 Program States: 2012 and 2013

[Operations with \$10,000+ sales]

Ctata	Sample	size	Response rate		
State	2012	2013	2012	2013	
	(number)	(number)	(percent)	(percent)	
California	802	730	60.7	81.1	
Florida	733	712	76.7	73.7	
Hawaii	296	313	82.1	77.6	
Illinois	213	266	82.6	75.2	
Maryland	178	159	78.1	73.6	
Michigan	553	602	81.2	63.8	
New Jersey	337	332	79.8	71.4	
New York	682	637	76.0	73.6	
North Carolina	262	284	81.3	87.0	
Ohio	443	529	64.3	52.9	
Oregon	216	307	86.6	52.8	
Pennsylvania	826	733	83.2	79.4	
South Carolina	70	78	84.3	74.4	
Texas	308	279	73.7	75.6	
Washington	180	256	83.3	46.9	
15 State Total	6,099	6,217	76.3	71.2	

Commercial Floriculture Survey Sample Size and Response Rate - 15 Program States: 2012 and 2013 [Operations with \$100,000+ sales]

State	Sampl	e size	Response rate		
State	2012	2013	2012	2013	
	(number)	(number)	(percent)	(percent)	
California	436	424	67.7	80.4	
Florida	483	467	78.9	72.2	
Hawaii	84	101	69.0	75.2	
Illinois	112	113	81.3	64.6	
Maryland	62	64	74.2	62.5	
Michigan	301	304	78.7	62.2	
New Jersey	152	160	75.7	66.3	
New York	223	236	70.0	70.8	
North Carolina	98	107	72.4	78.5	
Ohio	175	186	59.4	50.5	
Oregon	92	123	88.0	56.1	
Pennsylvania	209	189	73.2	64.0	
South Carolina	24	27	70.8	77.8	
Texas	175	158	74.3	74.7	
Washington	56	76	73.2	52.6	
15 State Total	2,682	2,735	73.7	68.6	

Floriculture Survey Percent of Estimate from Reported Data: To assist in evaluating the performance of the estimates in the *Floriculture Crops* report, the percent of the estimate of the wholesale value of sales from reported data is displayed by program State and nationally for each plant category and in total for 2012 and 2013.

Quality Metrics for Wholesale Value of Sales by Plant Category - 15 Program States: 2012 and 2013

[Operations with \$100,000+ sales]

[Operations with \$100,000+ St	Percent of estimate from reported data						
State	State Annual bedding/garden Herbaceous perennial		Total bedding/garden				
	2012	2013	2012	2013	2012	2013	
	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)	
California	64.8	39.7	57.9	65.5	62.9	47.6	
Florida	50.3	73.0	65.5	90.7	53.6	76.6	
Hawaii	19.4	36.5	19.9	76.5	19.4	36.9	
Illinois	61.9	59.5	79.0	70.9	71.0	65.3	
Maryland	46.0	37.2	47.7	60.4	46.5	44.3	
Michigan	90.5	76.1	60.3	54.7	84.3	71.5	
New Jersey	81.6	65.9	81.0	76.4	81.4	69.9	
New York	69.5	60.4	75.0	57.5	70.8	59.6	
North Carolina	79.9	95.9	90.0	57.9	82.1	86.7	
Ohio	64.1	53.5	70.7	61.9	66.4	56.5	
Oregon	73.4	56.8	64.1	69.5	70.1	61.3	
Pennsylvania	77.0	(D)	85.3	(D)	78.6	64.4	
South Carolina	36.5	(D)	5.4	73.6	9.7	73.8	
Texas	69.7	65.6	72.0	80.8	70.2	68.8	
Washington	79.0	25.2	78.0	47.4	78.6	33.7	
15 State Total	71.6	61.8	64.6	66.1	69.5	63.2	
TO Clate Total	l		Foliago plants for indoor				
State	Potted flower	Potted flowering plants		or patio use		Cut flowers	
	2012	2013	2012	2013	2012	2013	
California	84.0	89.5	84.7	94.0	47.4	89.1	
Florida	49.9	78.5	43.1	64.1	63.0	70.4	
Hawaii	52.0	75.2	73.8	82.6	69.7	74.3	
Illinois	77.1	74.5	(D)	90.7	100.0	(D)	
Maryland	58.4	67.7	(D)	88.0	100.0	92.7	
Michigan	97.0	80.0	91.1	89.1	77.0	96.2	
New Jersey	95.1	65.4	91.9	69.9	66.5	67.6	
New York	84.8	50.7	35.2	76.0	95.6	88.0	
North Carolina	87.3	91.8	(D)	92.4	82.9	93.6	
Ohio	89.3	88.4	87.2	68.5	94.2	93.2	
Oregon	89.5	56.9	53.4	2.6	97.8	76.3	
Pennsylvania	49.0	28.4	77.7	23.7	(D)	(D)	
South Carolina	8.1	68.7	11.6	8.9	(D)	(D)	
Texas	71.1	54.7	89.8	52.9	(D)	(D)	
Washington	76.2	39.3	51.2	27.1	90.4	86.7	
15 State Total	73.2	78.1	54.2	69.4	53.1	86.2	
See footpote(s) at end of table			<u> </u>			continued	

See footnote(s) at end of table.

--continued

Quality Metrics for Wholesale Value of All Sales by Plant Category - 15 Program States: 2012 and 2013 (continued)

[Operations with \$100,000+ sales]

	Percent of estimate from reported data					
State	Cut cultivated greens		Propagative floriculture material		Total wholesale value of all plant categories	
	2012	2013	2012	2013	2012	2013
	(percent)	(percent)	(percent)	(percent)	(percent)	(percent)
California	68.0	96.1	44.3	61.3	63.8	76.7
Florida	72.5	78.7	43.4	46.4	47.9	68.1
Hawaii	94.6	98.5	(D)	(D)	60.1	73.7
Illinois	-	(D)	27.5	8.5	71.3	66.8
Maryland	(D)	(D)	(D)	(D)	45.2	42.7
Michigan	(D)	(D)	96.9	66.1	87.8	71.7
New Jersey	(D)	(D)	70.4	72.6	81.0	69.4
New York	(D)	(D)	36.1	27.4	68.2	53.4
North Carolina	(D)	(D)	(D)	100.0	84.2	88.1
Ohio	(D)	(D)	99.0	85.7	76.0	68.0
Oregon	100.0	58.2	95.1	10.4	77.2	53.8
Pennsylvania	(D)	(D)	58.1	72.8	66.3	54.7
South Carolina	-	-	(D)	(D)	9.6	72.7
Texas	(D)	(D)	86.2	85.7	71.9	67.1
Washington	(D)	(D)	64.3	71.9	77.7	46.1
15 State Total	72.7	81.3	63.8	57.9	65.7	68.9

⁻ Represents zero.
(D) Withheld to avoid disclosing data for individual operations.

Information Contacts

Process	Unit	Telephone	Email
Estimation	Crops Branch	(202) 720-2127	HQ_SD_CB@nass.usda.gov
Data Collection	Program Administration Branch	(202) 690-4847	HQ_CSD_PAB@nass.usda.gov
Questionnaires and Editing	Data Collection Branch	(202) 720-6201	HQ_SD_DCB@nass.usda.gov
Sampling	Sampling Branch	(202) 720-3895	HQ_SD_SB@nass.usda.gov
Analysis and Estimators	Statistical Methods Branch	(202) 720-4008	HQ_SD_SMB@nass.usda.gov
Dissemination and Webmaster	Marketing and Information Services Branch	(202) 720-1707	HQ_DAPP_MISO@nass.usda.gov

Access to NASS Reports

For your convenience, you may access NASS reports and products the following ways:

- All reports are available electronically, at no cost, on the NASS web site: http://www.nass.usda.gov
- ➤ Both national and state specific reports are available via a free e-mail subscription. To set-up this free subscription, visit http://www.nass.usda.gov and in the "Follow NASS" box under "Receive reports by Email," click on "National" or "State" to select the reports you would like to receive.

For more information on NASS surveys and reports, call the NASS Agricultural Statistics Hotline at (800) 727-9540, 7:30 a.m. to 4:00 p.m. ET, or e-mail: nass@nass.usda.gov.

The U.S. Department of Agriculture (USDA) prohibits discrimination against its customers, employees, and applicants for employment on the bases of race, color, national origin, age, disability, sex, gender identity, religion, reprisal, and where applicable, political beliefs, marital status, familial or parental status, sexual orientation, or all or part of an individual's income is derived from any public assistance program, or protected genetic information in employment or in any program or activity conducted or funded by the Department. (Not all prohibited bases will apply to all programs and/or employment activities.)

If you wish to file a Civil Rights program complaint of discrimination, complete the <u>USDA Program Discrimination</u> <u>Complaint Form</u> (PDF), found online at http://www.ascr.usda.gov/complaint_filing_cust.html, or at any USDA office, or call (866) 632-9992 to request the form. You may also write a letter containing all of the information requested in the form. Send your completed complaint form or letter to us by mail at U.S. Department of Agriculture, Director, Office of Adjudication, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, by fax (202) 690-7442 or email at program.intake@usda.gov.