United States Department of Agriculture National Agricultural Statistics Service



2013 California Walnut Objective Measurement Report

Cooperating with the California Department of Food and Agriculture

Pacific Regional Office · P.O. Box 1258 · Sacramento, CA 95812 · (916) 498-5161 · (916) 498-5186 Fax · www.nass.usda.gov/ca

Released: September 5, 2013, 12:00 p.m. PDT

WALNUT PRODUCTION FORECAST DOWN SLIGHTLY


The 2013 California walnut production is forecast at 495,000 tons, down less than 1 percent from 2012's production of 497,000 tons. This forecast is based on the 2013 Walnut Objective Measurement (O.M.) Survey, which was officially conducted August 1 through August 23, 2013. There were a few samples completed before August 1 for training and scheduling purposes.

Growers in the Sacramento Valley received above average rainfall during November and December, which helped the trees build a more vigorous root system. Weather during the spring was unusually dry and warm, which contributed to a longer bloom. Favorable weather conditions and dense foliage have helped limit sunburn damage. California experienced several short periods of hot weather; however the healthy conditions of many orchards helped the trees withstand the heat.

The 2013 Walnut O.M. Survey utilized a total of 740 blocks with two sample trees per block. Survey data indicated an average record low nut set of 1,239 per tree, down 10 percent from 2012's average of 1,375. Percent of sound kernels inshell was 98.8 percent Statewide. In-shell weight per nut was 23.3 grams, while the average in-shell suture measurement was 33.1 millimeters. The in-shell cross-width measurement was 33.1 and the average length in-shell was 39.0 millimeters. All of the sizing measurements were above average levels.

Estimated nut sets, sizing measurements, average number of trees per acre, and estimated bearing acreage were used in the statistical models.

CALIFORNIA WALNUTS Sept. Objective Forecast vs. Final Production



SURVEY HISTORY

The Walnut O.M. Survey began in 1958 to fulfill industry needs for an accurate walnut production forecast prior to harvest. The original sample was chosen proportionally to county and variety of bearing acreage. With each succeeding year, additions and deletions have been made in the sample to adjust for acreage removed, new bearing acreage, and operations that choose not to participate in the survey.

SAMPLING PROCEDURES

Once a block is randomly selected and permission is granted by the operation for enumerators to enter the block, two trees are randomly selected. An accessible branch is chosen, which is 5-15 percent of the total cross-sectional area of the primary limbs and reachable with a twelve-foot ladder. Measurements are made on the trunk, each primary, and each split leading to and including the accessible branch. The sample tree and accessible branch are marked by a single tag.

On the accessible branch, every first of five nuts is picked for use in size and grade determinations. If available, at least ten nuts are harvested from the accessible branch for this purpose.

The following measurements are made on nuts selected for sizing:

- 1. Weight of nut including hull
- 2. Width of shell at suture
- 3. Width of shell 90 degrees to suture line (cross-suture)
- 4. Length of shell
- 5. Kernel grade
- 6. Weight of nut in-shell


DATA RELIABILITY


The 80 percent confidence interval is from 447,000 tons to 543,000 tons.

California English Walnut Acreage, Production, Price And Value In-Shell

Year	Bearing Acres	Trees Per Acre	Per Bearing Acre	Total Production	Price Per Ton	Total Value				
Teal	bearing Acres	Tiees Fel Acie	To	ns	Dollars	1,000 Dollars				
1988	177,000	43.8	1.18	209,000	922	192,698				
1989	179,000	45.3	1.28	229,000	1,070	245,030				
1990	181,000	45.7	1.25	227,000	1,040	236,080				
1991	181,000	46.8	1.43	259,000	1,060	274,540				
1992	178,000	47.5	1.14	203,000	1,410	286,230				
1993	185,000	47.9	1.41	260,000	1,390	361,400				
1994	189,000	48.7	1.23	232,000	1,030	238,960				
1995	193,000	49.0	1.21	234,000	1,400	327,600				
1996	192,000	49.4	1.08	208,000	1,580	328,640				
1997	193,000	50.4	1.39	269,000	1,430	384,670				
1998	198,000	50.4	1.15	227,000	1,050	238,350				
1999	197,000	51.5	1.44	283,000	886	250,738				
2000	200,000	54.8	1.20	239,000	1,240	296,360				
2001	204,000	55.6	1.50	305,000	1,120	341,600				
2002	210,000	56.5	1.34	282,000	1,170	329,940				
2003	213,000	57.7	1.53	326,000	1,160	378,160				
2004	214,000	60.3	1.52	325,000	1,390	451,750				
2005	215,000	61.1	1.65	355,000	1,570	557,350				
2006	216,000	62.4	1.60	346,000	1,630	563,980				
2007	218,000	62.9	1.50	328,000	2,290	751,120				
2008	223,000	65.0	1.96	436,000	1,280	558,080				
2009	227,000	65.1	1.93	437,000	1,710	747,270				
2010	237,000	67.0	2.13	504,000	2,040	1,028,160				
2011	245,000	67.0	1.88	461,000	2,900	1,336,900				
2012 a/b/	245,000	68.6	2.03	497,000						
2013 c/	255,000	69.2	1.94	495,000	n/a	n/a				

a/ Production based on California Walnut Board receipts from handlers.





b/ Price Per Ton will be available in October 2013.

c/ Bearing years include plantings of the following: Chandler, Chico, Howard, Tulare (2009 & Earlier); 50-55, 59-124, 4946, Amigo, Ashley, Bardoni, Cisco, Earhorn, Grove, Gustine, Honeycutt, Houston, Jensen, Lompoc, Marchetti, Nuggett, Payne, Pedro, Serr, Sunland, Tehama, Trinta, UCD 67-13, Vina, Westside (2008 and Earlier); Franquette, Franquette Scharsch, Mayette, Placentia, Poe, Willsons/Willsons Wonder, Woodland (2006 & Earlier); all other varieties not specified (2007 & Earlier).

Walnut Objective Measurement Survey Date, By District												
Measurement	Year	Coast 1/	Sacramento Valley 2/	San Joaquin Valley 3/	State 4/							
In-Shell Weight	2002	19.1	22.9	20.5	22.0							
(gm)	2003	23.0	24.6	19.2	22.4							
	2004	22.0	24.1	19.7	22.5							
	2005	23.1	21.3	18.1	20.0							
	2006	19.8	24.1	21.0	22.7							
	2007	19.1	21.4	18.7	20.3							
	2008 2009	20.0 17.0	23.5 23.1	20.7 20.6	22.2 22.0							
	2009	20.8	23.1	19.3	21.3							
	2010	20.6	25.1	21.3	23.6							
	2012	17.6	23.7	19.8	22.1							
	2013	19.5	24.9	20.8	23.3							
In-Shell Width	2002	31.4	32.2	32.7	32.4							
(mm)	2003	32.1	32.8	32.0	32.5							
	2004	31.4	32.5	32.7	32.6							
	2005	32.9	31.4	32.1	31.7							
	2006	29.5	30.3	32.9	31.4							
	2007	31.6	31.5	32.4	31.9							
	2008	31.4	32.7	32.6	32.6							
	2009	29.8	32.5	32.9	32.5							
	2010	32.1	32.1 32.8	32.1 32.6	32.1							
	2011 2012	31.6 30.5	32.3	32.0 32.0	32.7 32.1							
	2012	31.3	32.3	32.8	33.1							
In-Shell Cross-Width	2002	31.0	32.6	33.1	32.7							
(mm)	2002	31.7	32.7	32.0	32.4							
()	2004	31.5	32.2	33.1	32.5							
	2005	32.2	31.3	32.0	31.6							
	2006	32.3	34.0	33.2	33.6							
	2007	31.6	32.5	32.9	32.6							
	2008	31.4	33.2	32.6	32.9							
	2009	29.9	33.1	33.1	33.0							
	2010	31.6	32.2	32.0	32.1							
	2011	31.3	33.3	32.9	33.1							
	2012	30.5	32.9 33.0	32.3 33.4	32.6							
In-Shell Length	2013	30.6 37.5	38.4	38.8	33.1 38.5							
(mm)	2002	38.8	39.7	38.3	39.1							
()	2004	37.7	39.1	38.7	39.0							
	2005	42.0	38.4	38.7	38.6							
	2006	38.6	39.6	39.5	39.5							
	2007	37.4	37.3	38.1	37.6							
	2008	39.2	39.5	39.1	39.3							
	2009	36.9	39.6	39.1	39.3							
	2010	39.8	38.4	38.7	38.5							
	2011	39.0	39.4	39.3	39.4							
	2012	36.9	38.7	38.4	38.5							
Kernel Grade -	2013	37.8 96.0	39.1 95.3	38.8 98.7	39.0 96.3							
Percent Sound	2002	95.5	95.3 95.4	98.7 99.3	96.3 97.0							
i Groent Gouria	2003	95.5 97.6	95.4 97.7	99.2	98.2							
	2005	97.4	96.5	98.8	97.5							
	2006	98.1	98.5	97.2	98.0							
	2007	97.8	97.9	99.2	98.4							
	2008	96.4	98.6	97.3	98.0							
	2009	94.9	97.0	99.6	97.9							
	2010	98.9	97.8	97.8	97.8							
	2011	99.4	98.2	99.6	98.7							
	2012	97.2	97.5	99.1	98.0							
Nuto Cot Dor Tros	2013	97.9	98.8	99.0	98.8							
Nuts Set Per Tree	2002	1,254 640	1,982 1,846	1,142 1,429	1,572 1,500							
	2003 2004	924	1,846 1,943	1,429 1,168	1,599 1,526							
	2004	818	1,854	1,372	1,575							
	2006	1,316	1,660	1,267	1,458							
	2007	1,221	1,548	1,162	1,357							
	2008	973	1,592	1,270	1,416							
	2009	1,531	1,758	1,250	1,523							
	2010	1,263	2,047	1,313	1,690							
	2011	1,594	1,606	1,119	1,388							
	2012	1,461	1,582	1,120	1,375							
	2013	857	1,402	1,050	1,239							

Coast includes: Contra Costa, Lake, Monterey, Napa, San Benito, San Luis Obispo, Santa Clara, and Sonoma counties. Sacramento Valley includes: Butte, Colusa, El Dorado, Glenn, Sacramento, Solano, Sutter, Tehama, Yolo, and Yuba counties.

San Joaquin Valley includes: Fresno, Kern, Kings, Madera, Merced, San Joaquin, Stanislaus, and Tulare counties. District and State averages are derived by weighting county averages by county bearing acreage figures.

Walnut Objective Measurement Survey Date, By Variety

	Walnut Objective Measurement Survey Date, By Variety Oth													
Measurement	Year	Ashley	Chandler	Eureka	Franquette	Hartley	Howard	Payne	Serr	Tehama	Tulare	Vina	Other	
In-Shell Weight	2002	18.0	24.1	20.8	18.3	23.6		19.3	19.4	19.6		20.0	21.0	
(gm)	2002	17.1	23.6	21.0	23.7	25.2		16.6	17.2	20.8		19.8	22.1	
(9111)	2003	18.4	23.4	20.4	22.1	24.5		17.7	18.5	20.3		19.1	22.2	
	2005	16.3	19.8	18.9	20.3	22.9		16.4	16.7	16.6		18.1	20.0	
	2006	18.1	23.0	22.3	19.2	24.8		19.0	20.4	21.8		21.3	22.6	
	2007	15.8	21.5	21.0	18.6	22.2	22.5	17.2	15.7	16.8	22.2	18.2	17.5	
	2008	19.7	22.2	21.1	20.3	25.0	23.8	18.4	18.6	22.5	22.8	20.0	19.3	
	2009	19.9	22.9	21.0	19.3	23.7	22.3	18.2	18.5	20.6	21.8	18.7	17.3	
	2010	18.5	21.7	19.7	20.4	23.4	21.9	18.1	16.8	18.9	22.1	18.7	18.0	
	2011	21.0	23.7	20.4	20.4	25.7	23.5	20.3	20.5	19.9	23.6	21.1	21.5	
	2012	18.6	22.8	20.8	18.9	23.6	23.2	18.3	18.3	20.7	21.4	19.9	20.5	
	2013	21.4	23.8	22.7	21.6	24.3	25.3	18.9	17.8	20.6	22.6	21.4	18.5	
In-Shell Width	2002	31.7	32.9	31.8	29.8	32.8		33.0	32.9	31.7		31.0	31.7	
(mm)	2003	31.0	32.9	32.1	32.4	33.2		31.7	31.5	31.6		30.8	32.3	
	2004	32.1	32.5	31.5	31.8	32.8		32.9	33.4	31.5		30.8	33.4	
	2005	31.4	31.1	30.7	31.6	32.5		31.7	32.2	31.0 31.4		31.4	32.4 32.1	
	2006 2007	31.0 31.0	31.1 31.7	31.9 31.1	28.8 29.9	31.4 32.3	32.0	32.7 32.1	32.9 32.5	31.4	 34.5	30.5 30.3	30.3	
	2007	32.0	32.3	31.1	31.0	33.6	32.0	32.1	32.5	32.8	34.8	31.4	31.1	
	2009	32.4	32.4	31.6	30.1	33.2	32.1	32.7	33.1	32.0	34.3	30.7	31.5	
	2010	31.6	31.8	30.3	30.9	32.8	31.6	32.1	32.2	32.0	34.3	30.3	30.3	
	2011	32.3	32.5	30.9	30.8	33.3	31.9	33.7	33.5	33.2	34.6	31.0	31.2	
	2012	31.7	32.0	30.1	29.9	32.7	31.7	32.0	32.4	32.3	33.3	30.5	31.1	
	2013	32.8	32.8	31.9	31.3	33.5	33.4	33.1	33.4	33.0	34.8	31.8	30.5	
In-Shell Cross-Width	2002	31.8	33.7	32.7	30.1	32.9		33.1	32.6	31.8		31.8	32.4	
(mm)	2003	30.6	33.1	32.2	32.3	33.1		31.2	30.6	31.6		31.3	32.2	
	2004	32.0	32.6	32.3	31.3	32.8		33.1	33.4	31.0		30.9	33.1	
	2005	30.9	31.1	31.7	31.4	32.1		31.4	31.5	30.1		31.6	32.6	
	2006	32.1	33.9	32.9	32.2	34.0		32.6	33.0	32.9		33.1	34.0	
	2007	31.6	32.7	32.0	30.9	32.8	34.1	32.4	32.3	31.4	34.8	31.7	31.9	
	2008	32.0	32.9	31.6	31.5	33.4	34.1	32.2	31.9	32.5	34.5	32.2	32.1	
	2009	32.6	33.0	32.3	30.7	33.2	33.8	32.7	32.7	32.4	34.3	32.0	32.5	
	2010	31.4	32.2	31.0	31.0	32.4	32.5	31.7	31.0	31.5	34.1	30.8	30.8	
	2011	31.9	33.3 32.9	31.5	30.5	33.4	33.0	32.8	32.2	32.3	34.6	31.7 31.2	31.7	
	2012 2013	31.3 32.4	32.9	31.2 33.0	30.6 31.0	32.6 33.0	33.2 33.6	31.9 33.5	31.7 32.8	32.1 32.6	33.3 34.8	31.2	31.9 30.8	
In-Shell Length	2002	36.1	39.7	41.4	37.0	38.7		38.2	37.5	36.8	34.0	37.6	38.5	
(mm)	2002	35.7	39.7	41.7	40.9	40.4		36.5	36.0	37.6		38.0	39.1	
(11111)	2004	36.4	39.6	41.3	39.3	39.7		37.0	37.1	36.4		37.4	38.8	
	2005	36.3	38.4	41.6	40.3	39.8		37.2	37.0	36.0		38.0	38.4	
	2006	37.4	39.5	44.2	38.5	40.4		38.1	39.2	37.8		39.3	38.7	
	2007	35.7	38.1	43.3	36.8	37.9	37.4	37.3	36.4	36.7	38.9	36.8	37.7	
	2008	37.4	39.2	43.4	39.3	40.9	38.0	37.4	37.6	37.7	39.3	38.4	39.7	
	2009	38.0	39.9	43.5	38.1	40.2	38.0	38.6	38.2	37.7	38.9	37.9	40.1	
	2010	36.9	38.6	41.8	39.1	39.6	36.6	38.7	37.4	36.7	39.4	37.6	38.8	
	2011	38.0	39.5	43.6	37.8	40.5	37.1	39.3	38.6	37.8	39.4	38.7	39.2	
	2012	37.3	38.6	45.0	36.7	39.4	37.2	38.7	37.6	37.8	38.8	38.0	39.4	
	2013	37.0	39.3	42.2	38.5	39.8	37.6	38.4	37.1	37.3	39.0	38.2	37.5	
Kernel Grade -	2002	96.4	96.8	98.6	97.2	96.1		96.8	93.3	98.3		97.0	96.8	
Percent Sound	2003	97.5	97.4	98.8	97.0	97.2		99.2	96.1	91.8		96.9	95.1	
	2004	97.9	99.0	98.4	95.6	98.2		99.4	98.3	99.1		98.0	96.7	
	2005	96.7	96.9 99.2	99.8	95.7	97.0 97.7		98.4 91.8	99.5	97.0		99.1	97.9 97.7	
	2006 2007	98.4 96.5	99.4	95.1 99.5	99.6 96.0	97.7 98.5	98.5	99.3	96.0 98.5	99.1 93.5	99.0	98.2 97.7	95.9	
	2007	93.5	98.7	91.7	97.6	99.2	99.0	99.0	94.5	96.5	98.1	99.1	93.5	
	2009	96.9	98.6	99.2	98.3	97.3	98.1	99.2	98.8	99.7	96.3	97.7	91.0	
	2010	98.4	98.5	99.9	98.4	98.2	96.7	96.1	96.3	95.1	97.3	95.2	98.3	
	2010	95.5	99.3	100.0	96.7	98.2	98.2	99.7	97.7	97.5	99.5	99.1	97.9	
	2012	94.6	98.8	100.0	96.9	97.6	97.0	94.9	96.9	98.7	98.3	98.0	97.3	
	2013	95.4	99.4	99.9	98.9	98.7	98.4	95.7	97.8	99.3	98.5	99.0	98.1	
Nuts Set Per Tree	2002	1,534	1,315	1,246	2,072	1,961		1,246	1,259	1,446		1,611	1,642	
	2003	1,421	1,594	1,858	1,195	1,735		1,995	1,679	1,021		1,544	1,377	
	2004	1,504	1,381	1,223	2,108	2,046		1,152	1,172	1,488		1,471	1,167	
	2005	1,323	1,783	1,639	1,267	1,729		1,443	1,429	1,067		1,251	1,256	
	2006	1,129	1,386	1,687	2,004	1,883		1,345	1,172	462		1,266	1,319	
	2007	1,875	1,069	1,731	1,569	1,738	1,197	1,202	1,710	2,058	963	1,183	1,640	
	2008	1,688	1,425	2,271	1,343	1,498	1,156	1,395	1,371	1,127	1,438	1,235	1,712	
	2009	1,691	1,346	1,512	2,220	2,001	1,419	1,306	1,066	1,893	1,281	1,755	1,074	
	2010	2,630	1,683	1,165	1,891	2,076	1,609	1,294	1,647	1,383	1,000	1,407	1,729	
	2011	1,093	1,415	1,052	1,670	1,840	1,272	906	1,129	721	1,065	1,197	984	
	2012	1,535	1,344	1,373	1,710	1,750	1,020	1,175	1,298	1,627	1,239	1,195	1,532	
	2013	1,966	1,229	1,786	832	1,525	1,192 shed separ	1,032	1,089	1,312	908	1,196	1,056	

^{1/} Beginning in 2007, the Howard and Tulare varieties were taken out of "Other" and published separately.

Percentage Distribution of Walnut Shell Suture Size, By District and Variety

District	U.S. Standards Size Intervals 1/																													
and	2009						2010					2011							2012							2013				
Variety	Mth	Jmb	Lge	Med	Bby	Oth	Mth	Jmb	Lge	Med	Bby	Oth	Mth 、	Jmb	Lge	Med	Bby	Oth	Mth 、	Jmb	Lge	Med	Bby	Oth I	Mth .	lmb	Lge	Vled [3by (Oth
	Mth Jmb Lge Med Bby Oth Mth Jmb Lge Med Bby																													
DISTRICTS:																														
Coast	0	25	13	25	37	0	1	60	15	16	8	0	0	50	20	18	12	0	1	29	22	26	23	0	0	44	26	14	16	0
Sacramento Valley	0	66	14	11	8	0	0	60	18	13	8	0	1	71	15	9	4	0	0	62	19	12	6	0	2	77	11	7	4	0
San Joaquin Valley	1	70	14	9	5	0	1	55	20	15	8	0	1	66	16	10	7	0	0	56	21	15	8	0	2	66	16	10	6	0
VARIETIES:																														
Ashley	0	66	13	11	10	0	0	45	30	18	6	1	0	67	12	9	10	2	1	49	19	23	8	0	0	74	10	8	8	0
Chandler	0	67	16	10	6	0	0	54	21	16	8	0	0	68	18	10	4	0	0	56	22	15	6	0	1	69	15	9	5	0
Eureka	0	46	40	9	5	0	0	21	37	27	13	1	0	43	24	17	16	0	0	14	51	12	24	0	0	54	39	4	4	0
Franquette	0	27	18	25	31	0	0	34	21	28	16	1	0	37	24	20	18	1	0	22	18	25	31	3	0	47	19	13	21	0
Hartley	0	79	11	6	4	0	0	74	13	8	5	0	1	79	12	6	2	0	0	70	16	9	5	0	1	81	10	6	2	0
Howard	0	61	18	12	9	0	0	53	21	16	9	1	1	56	18	14	10	1	0	49	24	16	9	1	3	76	10	7	4	0
Payne	2	70	13	9	6	0	2	56	18	13	11	0	1	80	6	8	6	0	0	61	17	14	9	0	3	67	10	9	11	0
Serr	0	74	13	7	6	0	1	62	16	13	8	0	1	81	9	6	4	0	0	67	18	11	5	0	1	78	12	7	3	0
Tehama	0	62	19	10	9	0	0	67	15	13	4	1	0	78	6	8	7	0	0	68	22	8	2	0	0	70	17	10	3	0
Tulare	5	80	6	4	3	0	7	75	9	6	3	0	7	79	7	3	3	0	1	79	10	7	3	0	8	81	6	3	2	0
Vina	0	31	21	27	20	1	0	27	22	27	22	1	0	39	24	21	15	2	0	30	26	23	20	1	1	56	17	15	11	0
Other	3	42	13	18	23	1	0	32	16	21	30	1	0	48	14	16	20	1	0	42	21	23	13	0	0	29	17	23	29	1
STATE	1	66	14	11	8	0	1	58	18	14	9	0	1	69	15	9	5	0	0	59	20	14	7	0	2	72	13	8	5	0
Number of																														
Shells Measured	14,625						14,154							14,4	27				327		14,631									

^{1/} Sizes used are as follows: Mammoth -- Larger than 96/64" in diameter; Jumbo -- 80/64" to 96/64"; Large -- 76/64" to 80/64" for Eureka variety, 77/64" to 80/64" for all other varieties; Medium -- 73/64" to 76/64" for Eureka, 73/64" to 77/64" for all others; Baby -- 60/64" to 73/64"; and Others -- below 60/64".

The California Walnut Industry has been very supportive. We appreciate your continued cooperation!

VIC TOLOMEO, Director
DAVE DEWALT – KELLY KRUG, Deputy Directors

DOUG FLOHR – JENNIFER VAN COURT Statisticians – Estimates Group

^{2/} Percentage distributions based upon nut samples taken in the field may not equal 100 percent due to rounding.



California agricultural publications are available free-of-charge on the Internet at: $\underline{www.nass.usda.gov/ca}$