

United States Department of Agriculture National Agricultural Statistics Service

Weekly Crop & Weather Roundup



Cooperating with the Pennsylvania Department of Agriculture 2301 N Cameron St, Rm G-19 · Harrisburg, PA 17110

(717) 787-3904 · (717) 782-4011 FAX · <u>www.nass.usda.gov</u>

Week Ending August 3, 2008

Issued weekly, April-November

Released August 4, 2008, 4 pm

This report can be found on the Internet at www.nass.usda.gov/pa and click on "Pennsylvania Publications."

Excellent week for Field Work: Overall, 6 days were suitable for field work. Principal farm activities included picking fruit, cutting and baling hay and straw, mowing weeds, as well as harvesting oats and sweet corn.

PA Topsoil Moisture for Week Ending August 3, 2008

Very Short	Short	Adequate	Surplus
Percent	Percent	Percent	Percent
3	29	56	12

Crops: The corn condition was similar to the previous week's condition. Seventy-three percent of the crop is in good or excellent condition, compared to the previous week's 75%. Six percent of the corn is estimated as poor or very poor condition. The state's corn is 80% tasseled, with 16% at the dough stage. The soybean condition improved, as 80 percent was rated as good and excellent. Four percent of the soybeans were rated as poor or very poor. Oat condition improved, with 86 percent of the oats in good or excellent condition compared to the previous week's 80 percent. Ninety-six percent of the oats are turning yellow, which is 3 points below this time last year, and 6 points above average. Seventy-two percent of the oats are now ripe, compared to last year's 84 percent, and the average of 66 percent. The oat harvest continued, with 40 percent harvested, which is 5 points behind last year and 4 points above average. The potato harvest is estimated to be 8% complete. The second cutting of alfalfa is 92 percent complete, which is 6 points behind last year, and 4 points above the average. Alfalfa third cutting continued and is 44% completed, which is 1 point behind last year, and 7 points above average. The second cutting of timothy clover is 50% completed, compared with last year's 47% and the average of 41%. The quality of hay improved and is at 69 percent good or excellent, with 9 percent rated as poor or very poor. Peaches are in good condition, as 99 percent are rated as good or excellent. The peach harvest is 30 percent completed, compared with 31 percent last year, and a 37 percent average. The apple condition is 83 percent good or excellent. The apple harvest shows to be 10% complete, compared with last year's 15% and the average of 15%

Livestock: Pasture conditions are similar to last week. Forty-eight percent of the state's pastures were estimated to be in good or excellent condition, which is up 1 point from last week. Twenty-one percent of the pastures were rated as poor or very poor, compared to last week's 14. Overall, the state's pasture condition was estimated as follows: 4% very poor, 17% poor, 31% fair, 41% good, and 7% excellent.

U.S. as of July 27, 2008: On July 23, Dolly made landfall on South Padre Island, TX as a low-end Category 2 hurricane with maximum sustained winds near 100 m.p.h. High winds associated with the hurricane were confined to Deep South Texas, where agricultural effects included damage to citrus, sugarcane, unharvested sorghum, and openboll cotton. Elsewhere across the South, scattered showers bypassed some areas but provided local relief to drought-stressed pastures and rain-fed summer crops. Farther north, mild, mostly dry weather in the Great Lakes region contrasted with a band of locally heavy rain arcing across the southern and western Corn Belt. Rain also

pounded the Northeast, where most locations in a broad region stretching from eastern New York to Massachusetts and southern Maine netted at least 4 inches of rain. Meanwhile, hot, dry weather prevailed on the southern Plains, where temperatures routinely reached or exceeded 100 degrees F. In contrast, showers dotted the central and northern Plains. In the West, mostly dry weather in the Pacific Coast States maintained stress on some rangeland, pastures, and spring sown small grains. Farther inland, isolated showers dampened parts of the interior Northwest, while locally heavy monsoon showers continued in the Four Corners States. Early in the week, hot weather across the South contrasted with cool conditions in the Northwest. During the mid- to late-week period, heat shifted to the Plains and Intermountain West, while cool weather lingered in the Northwest. Toward week's end, heat returned to the South. Heavy rain swept into the Northeast on July 22-23. Selected daily-record totals for July 23 reached 3.00 inches in Williamsport, PA, and 2.42 inches in Baltimore, MD. Meanwhile in the Southwest, monsoon showers resulted in a daily-record sum (0.74 inch on July 20) in Yuma, AZ.

Corn: Acreage at or beyond silking reached 59 percent, 28 points behind last year and 22 points behind the 5-year average. One-fourth of the crop reached the silking stage during the week. All States were delayed in the Corn Belt, except Michigan, and elsewhere, delays continued except in Colorado, North Carolina, and Pennsylvania. Corn acreage was 7 percent at or beyond the dough stage, 15 points behind last year and 12 points behind the normal pace. Condition of the corn crop was 66 percent good to excellent, increasing 1 point from a week ago.

Sovbeans: Sixty-two percent of the soybean acreage was at or beyond the blooming stage, 20 points behind last year and 17 points behind normal. Soybean producing areas remained dry throughout the week, except in southern Iowa and northeastern Missouri, where an unwelcomed plethora of rain, reaching 11 to 12 inches, fell in isolated areas. All States lagged the normal pace except Louisiana, Michigan, Mississippi, and North Carolina. Pod-setting occurred in 21 percent of the Nation's soybean fields, 4 points behind last year and 17 points behind normal. Pod-setting was delayed across all States except Michigan and North Carolina. Condition of the crop was rated 62 percent good to excellent, increasing 1 point from last week.

<u>Winter Wheat:</u> Seventy-nine percent of the winter wheat crop was harvested, 8 points behind last year and 7 points behind the 5-year average. The majority of the crop was harvested in most States, except Idaho, Montana, Oregon, South Dakota, and Washington. In Montana and South Dakota, harvest progress was 35 and 61 points behind normal, respectively.

<u>Small Grains:</u> Producers had reaped 18 percent of the oat crop, 23 points behind last year and 16 points behind the 5-year average. Harvest was behind the average pace in all States, except in Pennsylvania, where producers were reaping their crop 1 point ahead of the average, and in Texas, where harvest was complete, 1 point ahead of average. Oat condition declined 5 points from the previous week to 57 percent good to excellent.

Weather Data For Week Ending August 3, 2008

Selicon	Weather Data For Week Ending August 3, 2008 Last Week Weather Summary April 1 - August 3, 2008												
New Northwest	Station												
Eine		High			DFN			Total		Days		1	
Franklin	Northwest												
Measonic													
Mercer 85 77 71 2 0.58 2 16.37 0.07 66 1.252 1.03 2.572													
Springshoro 84 56 70 -2 1.02 3 21.24 6.61 61 1.444 68 2.557							3						
Warren													
Bardlord Region													
Emportum	North Central												
Karie 91 61 66 11 0.15 2 15,84 1.40 52 11,31 124 2.150 1.151 124 1.27 2.451 1	•												
Laponte													
Lock Hawen													,
Port Allogamy													
Renovo 86 66 72 2 0.06 1 13.81 -1.90 62 1.700 175 2.856 Rigbray 22 51 67 0 0.11 1 14.43 -3.01 62 1.246 1.046 2.321 2.600 2.321 2.600 2.321 2.600 2.321 2.600 2.321 2.600 2.321 2.600 2.321 2.600 2.321 2.600 2.321 2.600 2.321 2.600 2.321 2.600 2.321 2.600 2.321 2.600 2.321 2.600 2.321 2.600 2.321 2.600 2.321 2.600 2.321 2.600 2.321 2.600											,		
Sievendon Dam													
Towards													
Wellshoro 88 53 67 2 0.06 3 14.52 1.06 64 1.252 173 2.312													
Welliamsport 88 57 74 2 0.14 2 15.70 -0.03 57 1.885 204 3.084													
Hawkey S5 S5 S2 69													
Hawkey S5 S5 S2 69	Northeast												
West Central West		85	52	69	1	0.43	2	12.60	-2.36	49	1,430	202	2,522
West Central Buller													
Butler September Septemb	Susquehanna	84	57	70	4	0.41	3	16.91	0.88	62	1,491	310	2,607
New Castle Silipery Rock 86 57 72 3 3 0.78 1 1 14.15 0.076 65 1,748 247 2.924 2.702 Central		95	EG	71	1	0.07	2	12.54	2.62	72	1 406	2	2.652
Sipper Rock 86 57 72 3 0.35 1 15.64 -0.15 59 1.525 172 2.702													
Altoona/Blair													
Altoona/Blair	Central												
Lewistorn		86		73		0.10		14.22	-0.39	62	1,708	99	2,860
Middletown							2						
Prince Galilitzi 86 53 70 2 0.17 2 15.68 2-99 58 1,404 127 2,517 2 15.68 12.99 58 1,404 127 2,517 136 2,944 136 12.994 13.09													
Selinsgrove							2						
State College							2						
Allentown-Bethel													
Lehighton 86 56 72 -3 0.75 2 13.76 2-33 55 1,731 -26 2,866 Matamoras 87 56 71 -2 0.80 3 14.48 -2.25 55 1,540 -50 2,664 Mt. Pocono 80 52 68 2 0.37 3 14.41 -3.07 59 1,350 273 2,425 Southwest Pittsburgh/Alle 85 60 74 3 0.59 2 15.53 0.02 56 1,876 260 3,070 Derry 85 58 73 2 0.84 3 21.18 5.20 67 1,647 154 2,113 Mount Pleasant 84 56 71 4 1,111 4 20.11 2.29 4.52 65 1,284 2.45 2.317 Mount Pleasant 86 60 74 2 0.61 2	East Central												
Matamoras													
Mt_Pocono 80 52 68 2 0.37 3 14.41 -3.07 59 1,350 273 2,425	•										,		
Southwest Sout													
Pittsburgh/Alle 85 60 74 3 0.59 2 15.53 0.02 56 1,876 260 3,070 Derry 85 58 73 2 0.84 3 21.18 5.20 67 1,647 134 2,813 Mount Pleasant 84 56 71 4 1.11 4 22.19 4.52 65 1,228 -245 2,317 Mount Pleasant 84 56 71 4 1.11 4 20.11 2.29 63 1,617 277 2,796 Pittsburgh Intl 86 60 74 2 0,61 2 1,461 0,08 57 1,847 156 3,039 Connellsville 87 59 74 2 1,49 4 23.32 610 67 1,799 76 2,992 Waynesburg 86 61 76 2 0,42 2 18.73 4.73 50 1	Mt_Pocono	80	52	68	2	0.37	3	14.41	-3.07	59	1,350	2/3	2,425
Detry S		85	60	74	3	0.59	2	15 53	0.02	56	1 876	260	3 070
Myersdale 83 52 68 -3 3.04 3 22.19 4.52 65 1,228 -245 2.317 Mount Pleasant 84 56 71 4 1.11 4 20.11 2.29 63 1,617 25 2,796 Pitsburgh Intl 86 60 74 2 0.61 2 14.61 0.08 57 1,847 156 3,039 Connellsville 87 59 74 2 1.49 4 23.32 6.10 67 1,799 76 2,992 Waynesburg 86 57 72 1 0.63 3 21.64 5.77 57 1,567 55 2,992 Waynesburg 89 61 76 2 0.42 2 18.73 4.73 50 1,962 9 3,145 Everett 86 54 72 0 0.66 1 19.92 5.77 57 1,550	•												
Pittsburgh Intl										65			
Connellsville													
South Central South Centra													
South Central Siglerville 89													
Biglerville	-		-							-	,-		, -
Everett 86		89	61	76	2	0 42	2	18 73	4 73	50	1 962	9	3 145
Hanover 90 56 75 0 0.47 3 16.27 2.27 55 1,950 -3 3,128 Harrisburg_AP 89 60 77 1 0.01 1 13.08 -2.20 37 2,108 110 3,315 South Mountain 87 55 72 1 0.51 5 21.45 6.84 63 1,550 -52 2,680 York 88 56 74 0 2.54 2 20.36 4.82 54 2,008 62 3,207 Southeast Green Lane 88 61 76 3 0.68 3 19.56 3.83 51 1,988 251 3,178 Hamburg 90 59 76 4 0.41 2 12.03 -6.63 51 2,003 421 3,193 West_Chester 90 56 75 1 0.07 2 13.99 -3.50 43 1,934 1 3,111 Lancaster 86 58 74 -1 0.44 1 15.47 -0.82 48 1,921 94 3,104 Neshaminy Falls 89 60 75 2 0.00 0 15.81 -2.57 43 2,001 186 3,193 New Holland 89 60 76 2 0.27 3 16.85 0.56 47 2,038 211 3,228 Philadelphia PE 92 61 79 3 0.62 3 12.57 -3.22 48 2,467 370 3,695 Reading 90 59 76 3 1.76 3 1.76 3 12.23 -4.98 51 2,009 306 3,291 Valley Forge Na 89 60 75 -2 0.50 1 18.27 1.85 46 1,904 -142 3,102 Willow Grove 89 62 77 4 0.47 2 15.05 -3.33 52 2,126 311 3,330													
South Mountain York 87 55 72 1 0.51 5 21.45 6.84 63 1,550 -52 2,680 York 88 56 74 0 2.54 2 20.36 4.82 54 2,008 62 3,207 Southeast Green Lane 88 61 76 3 0.68 3 19.56 3.83 51 1,988 251 3,178 Hamburg 90 59 76 4 0.41 2 12.03 -6.63 51 2,003 421 3,193 West_Chester 90 56 75 1 0.07 2 13.99 -3.50 43 1,934 1 3,111 Lancaster 86 58 74 -1 0.44 1 15.47 -0.82 48 1,921 94 3,104 New Holland 89 60 76 2 0.27 3 16.85 <t< td=""><td>Hanover</td><td>90</td><td>56</td><td>75</td><td>0</td><td>0.47</td><td>3</td><td>16.27</td><td>2.27</td><td>55</td><td>1,950</td><td>-3</td><td>3,128</td></t<>	Hanover	90	56	75	0	0.47	3	16.27	2.27	55	1,950	-3	3,128
Southeast 88 56 74 0 2.54 2 20.36 4.82 54 2,008 62 3,207 Southeast Green Lane 88 61 76 3 0.68 3 19.56 3.83 51 1,988 251 3,178 Hamburg 90 59 76 4 0.41 2 12.03 -6.63 51 2,003 421 3,193 West_Chester 90 56 75 1 0.07 2 13.99 -3.50 43 1,934 1 3,111 Lancaster 86 58 74 -1 0.44 1 15.47 -0.82 48 1,921 94 3,104 Neshaminy Falls 89 60 75 2 0.00 0 15.81 -2.57 43 2,001 186 3,193 New Holland 89 60 76 2 0.27 3 16.85 0.56 47 <td></td>													
Southeast Green Lane 88 61 76 3 0.68 3 19.56 3.83 51 1,988 251 3,178 Hamburg 90 59 76 4 0.41 2 12.03 -6.63 51 2,003 421 3,193 West_Chester 90 56 75 1 0.07 2 13.99 -3.50 43 1,934 1 3,111 Lancaster 86 58 74 -1 0.44 1 15.47 -0.82 48 1,921 94 3,104 Neshaminy Falls 89 60 75 2 0.00 0 15.81 -2.57 43 2,001 186 3,193 New Holland 89 60 76 2 0.27 3 16.85 0.56 47 2,038 211 3,228 Philadelphia 90 65 80 3 0.42 2 12.81 -2.98													
Green Lane 88 61 76 3 0.68 3 19.56 3.83 51 1,988 251 3,178 Hamburg 90 59 76 4 0.41 2 12.03 -6.63 51 2,003 421 3,193 West_Chester 90 56 75 1 0.07 2 13.99 -3.50 43 1,934 1 3,1193 Lancaster 86 58 74 -1 0.44 1 15.47 -0.82 48 1,921 94 3,104 Neshaminy Falls 89 60 75 2 0.00 0 15.81 -2.57 43 2,001 186 3,193 New Holland 89 60 76 2 0.27 3 16.85 0.56 47 2,038 211 3,228 Philadelphia 90 65 80 3 0.42 2 12.81 -2.98 43 2,381<					-					-	,		, -
Hamburg 90 59 76 4 0.41 2 12.03 -6.63 51 2,003 421 3,193 West_Chester 90 56 75 1 0.07 2 13.99 -3.50 43 1,934 1 3,111 Lancaster 86 58 74 -1 0.44 1 15.47 -0.82 48 1,921 94 3,104 Neshaminy Falls 89 60 75 2 0.00 0 15.81 -2.57 43 2,001 186 3,193 New Holland 89 60 76 2 0.27 3 16.85 0.56 47 2,038 211 3,228 Philadelphia 90 65 80 3 0.42 2 12.81 -2.98 43 2,381 284 3,606 Philadelphia NE 92 61 79 3 0.62 3 12.57 -3.22 48 2		88	61	76	3	0.68	3	19.56	3.83	51	1 988	251	3 178
West_Chester 90 56 75 1 0.07 2 13.99 -3.50 43 1,934 1 3,111 Lancaster 86 58 74 -1 0.44 1 15.47 -0.82 48 1,921 94 3,104 Neshaminy Falls 89 60 75 2 0.00 0 15.81 -2.57 43 2,001 186 3,193 New Holland 89 60 76 2 0.27 3 16.85 0.56 47 2,038 211 3,228 Philadelphia 90 65 80 3 0.42 2 12.81 -2.98 43 2,381 284 3,606 Philadelphia NE 92 61 79 3 0.62 3 12.57 -3.22 48 2,467 370 3,695 Reading 90 59 76 3 1.76 3 12.23 -4.98 51 2													
Neshaminy Falls 89 60 75 2 0.00 0 15.81 -2.57 43 2,001 186 3,193 New Holland 89 60 76 2 0.27 3 16.85 0.56 47 2,038 211 3,228 Philadelphia 90 65 80 3 0.42 2 12.81 -2.98 43 2,381 284 3,606 Philadelphia NE 92 61 79 3 0.62 3 12.57 -3.22 48 2,467 370 3,695 Reading 90 59 76 3 1.76 3 12.23 -4.98 51 2,099 306 3,291 Valley Forge Na 89 60 75 -2 0.50 1 18.27 1.85 46 1,904 -142 3,102 Willow Grove 89 62 77 4 0.47 2 15.05 -3.33 52	West_Chester	90	56	75	1		2		-3.50	43	1,934	1	
New Holland 89 60 76 2 0.27 3 16.85 0.56 47 2,038 211 3,228 Philadelphia 90 65 80 3 0.42 2 12.81 -2.98 43 2,381 284 3,606 Philadelphia NE 92 61 79 3 0.62 3 12.57 -3.22 48 2,467 370 3,695 Reading 90 59 76 3 1.76 3 12.23 -4.98 51 2,099 306 3,291 Valley Forge Na 89 60 75 -2 0.50 1 18.27 1.85 46 1,904 -142 3,102 Willow Grove 89 62 77 4 0.47 2 15.05 -3.33 52 2,126 311 3,330												-	
Philadelphia 90 65 80 3 0.42 2 12.81 -2.98 43 2,381 284 3,606 Philadelphia NE 92 61 79 3 0.62 3 12.57 -3.22 48 2,467 370 3,695 Reading 90 59 76 3 1.76 3 12.23 -4.98 51 2,099 306 3,291 Valley Forge Na 89 60 75 -2 0.50 1 18.27 1.85 46 1,904 -142 3,102 Willow Grove 89 62 77 4 0.47 2 15.05 -3.33 52 2,126 311 3,330													
Philadelphia NE 92 61 79 3 0.62 3 12.57 -3.22 48 2,467 370 3,695 Reading 90 59 76 3 1.76 3 12.23 -4.98 51 2,099 306 3,291 Valley Forge Na 89 60 75 -2 0.50 1 18.27 1.85 46 1,904 -142 3,102 Willow Grove 89 62 77 4 0.47 2 15.05 -3.33 52 2,126 311 3,330													
Reading 90 59 76 3 1.76 3 12.23 -4.98 51 2,099 306 3,291 Valley Forge Na 89 60 75 -2 0.50 1 18.27 1.85 46 1,904 -142 3,102 Willow Grove 89 62 77 4 0.47 2 15.05 -3.33 52 2,126 311 3,330													
Valley Forge Na 89 60 75 -2 0.50 1 18.27 1.85 46 1,904 -142 3,102 Willow Grove 89 62 77 4 0.47 2 15.05 -3.33 52 2,126 311 3,330													
	Valley Forge Na	89	60	75	-2	0.50	1	18.27	1.85	46	1,904	-142	3,102
		89	62	77		0.47	2	15.05	-3.33	52	2,126	311	3,330

DFN = Departure from normal (using 1961-90 normals period).
Precipitation (rainfall or melted snow or ice) and pan evaporation in inches.
Precipitation days = days with precipitation of .01 inch or more.
Air temperatures in degrees fahrenheit.
Copyright 2004: Agricultural Weather Information Service, Inc. All rights reserved.

Internet Reporters Comments, By County:

Reporters are from Extension Service (Ext), Natural Resources Conservation Service (NRCS), Farm Service Agency (FSA), Conservation District (CD), farmers, commodity specialists, or other knowledgeable individuals.

ADAMS COUNTY, Judy A Behney (FSA) - Adams County had another week of hot and humid weather. Morning temperatures were in the 60's and daytime temps were 80-90's. On Wednesday evening, Upper Adams County had a small shower. On Saturday around lunchtime, York Springs area had a sprinkle of rain. Later in the evening a thunderstorm roared through the area. York Springs area received 1.5"; Heidlersburg 1.2", Hunterstown 0.5", Biglerville/Bendersville 0.2" and south of Gettysburg received 0.5". This rainfall was much needed because the corn was stressed from earlier hot days. More rainfall would be beneficial at this stage for all crops. A lot more corn is now in the tassel stage, but throughout the same field the stages may vary. Soybeans planted after wheat are growing and emerging. Hay continues to be made. Wheat harvest is completed with good yields being reported, but low test weight. Straw is still being baled. Oat harvest is about complete with good yields being reported. Fruit crops continue to look good. Peaches are being harvested and some early apples are also being harvested. Sweet corn is being picked locally. Other vegetable crops are also coming in to harvest. Overall, the crops in the county are fairing ok. It is a critical time for most spring planted crops maturity because they are making grain.

ADAMS COUNTY, Lee Showalter - Soil moisture is adequate for most locations, but rainfall has been restricted to localized weather cells. Most locations have received .25" this past week but some have received .75".

ADAMS COUNTY, Thomas Kerr - We received rain late in the week, and some areas received severe storms. It was generally a good week for crops. Corn, soybeans and all crops are doing well. The next two weeks are probably the peak of the peach harvest. It looks like they will have excellent quality and good size. Apples are sizing well also, but are likely to be a little less than normal yield.

CENTRE COUNTY, Dick Decker - Good field working conditions continued last week. 1.25 inches of rain fell throughout the week.

DAUPHIN COUNTY, Paul H. Craig (EXT) - Spotty rains across the upper area of Dauphin County provided welcome rain, but fully developed crops require more. It is amazing what 7 to 8 foot tall corn and fully leafed out soybeans do to mask challenges across the crop fields. There have been reports of excellent third cutting yields and quality. Some 2nd cuttings of orchardgrass stands were made.

ERIE COUNTY, Nancy Lewis (FSA) - Warm, wet conditions have made corn and soybeans grow. Second cutting hay is now being mowed; however, sporadic rain showers are keeping it from being baled. Oats are being harvested. The first sweet corn was harvested this past week. Complaints are being received about possible mildew on summer vegetables due to the excess rainfall. There are also rumors about possible potato blight affecting a field in the county.

FOREST COUNTY, Thomas Tanner (FSA) - Many acres of wheat and oats were harvested. Most of the third crop alfalfa has been harvested. The four counties Clarion, Venango, Forest, and Warren yields appear to be better than normal. This has been an exceptional year. Soybean plants are looking great. We could see some exceptional yields for the four county areas this growing season.

LANCASTER COUNTY, Jeffrey Graybill (EXT) - Many areas of Lancaster county missed the most recent rains. Some areas are beginning to show moisture stress as leaf curling is happening in corn.

POTTER COUNTY, David Stratton (FSA) - Finally, we had a sunny week. A lot of hay was made last week. Corn seems to be growing well.

SNYDER COUNTY, William C. Sheaffer - The corn and soybeans are looking good; however, in a few fields there is leaf damage from insects in the soybeans. The third cutting alfalfa is giving a good yield. The main activities for the week were harvesting grain and haymaking.

TIOGA COUNTY, Pamela Barnes - Some much needed rain feel over the weekend. The corn uncurled and regained its dark green color. Lots of hay is yet to be made. Rye came off with lots of grain and straw.

WESTMORELAND COUNTY, John Lohr (FSA) -

Adequate moisture this week made for continued excellent growing conditions. Harvest was again slowed by the frequent showers. Sweet corn sales at roadside stands are just about at their peak. Because of the wet season, most hay producers are about a cutting behind.

PA Crop Progress for Week Ending August 3, 2008

Crop	Current Week	Last Year	5-Year Average	
	Percent	Percent	Percent	
Corn, silk	80	82	77	
Corn, dough	16	21	22	
Oats, turning yellow	96	99	90	
Oats, ripe	72	84	66	
Oats, harvested	40	45	36	
Potatoes, harvested	8	4	5	
Alfalfa, 2nd cutting	92	98	88	
Alfalfa, 3rd cutting	44	45	37	
Timothy clover, 2nd cutting	50	47	41	
Peaches, harvested	30	31	37	
Apples, harvested	10	15	14	

PA Crop Condition for Week Ending August 3, 2008

The or of condition for the many ranges of 2000								
Crop	Very Poor	Poor	Fair	Good	Excellent			
	Percent	Percent	Percent	Percent	Percent			
Corn	0	6	21	43	30			
Oats	2	0	12	64	22			
Soybeans	0	4	16	51	29			
Quality of hay made	2	7	22	46	23			
Pasture	4	17	31	41	7			
Peaches	0	0	1	44	55			
Apples	0	0	17	53	30			

ADDRESS SERVICE REQUESTED

OLLICIAL BUSINESS

National Agricultural Statistics Service Pennsylvania Field Office 2301 N. Cameron St. Room G-19 Harrisburg PA 17110-9405

> United States Department of Agriculture