



**South Atlantic-Gulf
Water Resource Region 03
HUC6 Level Watersheds**

Source: U.S. Geological Survey

**South Atlantic Gulf
Water Resource Region 03**

| Watershed Name | Hydrologic Unit Code |
|-------------------------------|----------------------|
| Roanoke | 030101 |
| Albemarle-Chowan | 030102 |
| Pamlico | 030201 |
| Neuse | 030202 |
| Onslow Bay | 030203 |
| Cape Fear | 030300 |
| Upper Pee Dee | 030401 |
| Lower Pee Dee | 030402 |
| Santee | 030501 |
| Edisto-South Carolina Coastal | 030502 |
| Savannah | 030601 |
| Ogeechee | 030602 |
| Altamaha | 030701 |
| St. Marys-Satilla | 030702 |
| St. Johns | 030801 |
| East Florida Coastal | 030802 |
| Kissimmee | 030901 |
| Southern Florida | 030902 |
| Peace | 031001 |
| Tampa Bay | 031002 |
| Aucilla-Waccasassa | 031101 |
| Suwannee | 031102 |
| Ochlockonee | 031200 |
| Apalachicola | 031300 |
| Florida Panhandle Coastal | 031401 |
| Choctawhatchee | 031402 |
| Escambia | 031403 |
| Coosa-Tallapoosa | 031501 |
| Alabama | 031502 |
| Black Warrior-Tombigbee | 031601 |
| Mobile bay-Tombigbee | 031602 |
| Pascagoula | 031700 |
| Pearl | 031800 |

HUC 030201: The boundaries of this watershed changed significantly, between 2007 and 2012.

HUC 030202: The boundaries of this watershed changed significantly, between 2007 and 2012.

HUC 030203: In 2007, this watershed did not exist.

HUC 030300: The boundaries of this watershed changed significantly, between 2007 and 2012.

Table 1. Summary by Hydrologic Unit Code: 2012 and 2007 (continued)

[For meaning of abbreviations and symbols, see introductory text.]

| Item | United States | | H03 South Atlantic-Gulf | | H030101 | |
|--|---------------|---------------|----------------------------|-------------|-----------|-----------|
| | 2012 | 2007 | 2012 | 2007 | 2012 | 2007 |
| FARMS AND LAND IN FARMS | | | | | | |
| Farms | 2,109,303 | 2,204,792 | 220,723 | 236,045 | 11,469 | 11,862 |
| Land in farms | 914,527,657 | 922,095,840 | 45,243,450 | 45,825,179 | 2,209,750 | 2,193,451 |
| LAND USE AND PRACTICES | | | | | | |
| Total cropland | 1,551,654 | 1,685,339 | 141,248 | 157,585 | 9,217 | 9,644 |
| Harvested cropland | 389,690,414 | 406,424,909 | 17,436,198 | 18,837,093 | 783,159 | 869,733 |
| Other pasture and grazing land that could have been used for crops without additional improvement (see text) | 1,288,875 | 1,328,004 | 115,884 | 118,567 | 8,057 | 8,040 |
| Cropland idle or used for cover crops or soil-improvement but not harvested and not pastured or grazed | 314,964,600 | 309,607,601 | 14,694,587 | 13,950,113 | 645,822 | 611,364 |
| Cropland on which all crops failed or were abandoned | 141,537 | 404,753 | 13,928 | 45,325 | 836 | 2,737 |
| Cropland in cultivated summer fallow | 12,802,847 | 35,771,154 | 799,547 | 2,705,395 | 36,505 | 130,110 |
| Woodland pastured | 381,453 | 360,225 | 29,643 | 28,450 | 2,103 | 2,213 |
| Woodland not pastured | 36,382,032 | 37,968,749 | 1,528,720 | 1,510,996 | 77,177 | 83,681 |
| Permanent pasture and rangeland, other than cropland and woodland pastured (see text) | 97,248 | 89,587 | 7,024 | 11,869 | 538 | 861 |
| Land in farmsteads, buildings, livestock facilities, ponds, roads, wasteland, etc. | 11,395,368 | 7,405,898 | 196,564 | 455,538 | 12,060 | 28,563 |
| Cropland on which no-till practices were used | 61,442 | 67,960 | 5,301 | 5,692 | 415 | 572 |
| Cropland on which conservation tillage, excluding no till, practices were used | 14,145,567 | 15,671,507 | 216,780 | 215,051 | 11,595 | 16,015 |
| Irrigated land | 840,399 | 843,294 | 123,304 | 127,238 | 8,326 | 8,352 |
| Harvested cropland | 77,012,907 | 75,098,603 | 15,162,308 | 15,288,342 | 824,186 | 795,306 |
| Pastureland and other land | 350,761 | 370,297 | 51,380 | 55,362 | 3,585 | 4,002 |
| Commercial fertilizer, lime, and soil conditioners | 27,999,006 | 28,609,690 | 2,852,374 | 3,169,059 | 119,279 | 141,078 |
| Manure used | 606,279 | 596,123 | 92,876 | 94,284 | 6,861 | 6,571 |
| Acres treated to control - | 49,013,901 | 46,488,913 | 12,309,934 | 12,119,283 | 704,907 | 654,228 |
| Insects | 1,176,156 | 1,132,606 | 129,303 | 125,050 | 7,349 | 6,878 |
| Weeds, grass, or brush | 415,309,280 | 408,832,116 | 9,814,437 | 8,860,809 | 471,956 | 416,543 |
| Nematodes | 1,338,485 | 1,126,272 | 139,707 | 115,643 | 7,935 | 6,375 |
| Diseases in crops and orchards | 32,515,057 | 31,740,212 | 2,830,507 | 2,838,935 | 130,449 | 111,869 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 278,290 | (NA) | 17,040 | (NA) | (NA) | (NA) |
| Corn, all | 96,476,496 | (NA) | 3,998,569 | (NA) | 202,489 | (NA) |
| Soybeans for beans | 195,738 | (NA) | 9,449 | (NA) | 501 | (NA) |
| Small grains (wheat, oats, barley, rye) | 76,639,804 | (NA) | 2,540,108 | (NA) | 56,152 | (NA) |
| Cotton, all | 296,303 | 301,028 | 25,977 | 28,826 | 861 | 934 |
| Rice | 55,822,231 | 56,599,305 | 3,089,236 | 3,064,476 | 25,086 | 28,592 |
| Vegetables harvested for sale | 261,281 | 256,105 | 23,873 | 25,577 | 838 | 874 |
| Land in orchards | 52,092,384 | 51,537,104 | 2,897,534 | 2,865,412 | 24,690 | 27,327 |
| Nursery, greenhouse, floriculture, and sod | 60,330 | 72,585 | 2,752 | 4,237 | 37 | 80 |
| All other crops (other than those listed above) | 3,729,847 | 5,062,201 | 191,702 | 199,064 | 396 | 1,265 |
| FERTILIZER AND CHEMICALS | | | | | | |
| Commercial fertilizer, lime, and soil conditioners | 877,907 | 1,022,036 | 91,230 | 115,014 | 5,619 | 6,672 |
| Manure used | 247,802,465 | 265,995,497 | 13,155,370 | 14,658,899 | 551,902 | 614,649 |
| Acres treated to control - | 22,072,968 | 22,096,315 | 2,156,872 | 1,942,894 | 59,670 | 56,274 |
| Insects | 361,286 | 354,357 | 41,062 | 40,603 | 1,592 | 1,615 |
| Weeds, grass, or brush | 100,719,008 | 90,947,822 | 7,884,062 | 7,515,390 | 195,474 | 190,455 |
| Nematodes | 794,320 | 703,884 | 72,948 | 64,869 | 3,177 | 2,648 |
| Diseases in crops and orchards | 285,510,954 | 226,295,783 | 12,743,716 | 9,498,443 | 372,317 | 267,911 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 58,865 | 34,992 | 9,897 | 7,591 | 313 | 289 |
| Corn, all | 14,454,000 | 7,560,158 | 2,819,027 | 1,569,211 | 49,686 | 38,703 |
| Soybeans for beans | 121,682 | 97,333 | 15,576 | 12,248 | 504 | 375 |
| Small grains (wheat, oats, barley, rye) | 35,006,868 | 22,693,212 | 3,152,108 | 2,014,641 | 48,540 | 33,368 |
| Cotton, all | 53,200 | 44,638 | 9,280 | 7,807 | 428 | 356 |
| Rice | 13,136,568 | 12,125,799 | 2,876,956 | 2,081,023 | 75,784 | 58,141 |
| SELECTED CROPS HARVESTED | | | | | | |
| Corn, all | 376,179 | 375,631 | 14,018 | 16,157 | 786 | 1,059 |
| Soybeans for beans | 94,609,673 | 92,228,203 | 1,872,659 | 2,316,302 | 58,150 | 75,230 |
| Small grains (wheat, oats, barley, rye) | 302,963 | 279,110 | 12,768 | 12,166 | 811 | 616 |
| Cotton, all | 76,104,780 | 63,915,821 | 2,749,142 | 2,504,978 | 112,191 | 84,068 |
| Rice | 184,481 | 201,413 | 9,657 | 8,090 | 751 | 673 |
| Vegetables harvested for sale | 53,668,136 | 56,231,436 | 1,558,970 | 1,167,244 | 65,902 | 45,756 |
| Land in orchards | 18,155 | 18,605 | 6,275 | 5,519 | 197 | 158 |
| Nursery, greenhouse, floriculture, and sod | 9,384,080 | 10,493,238 | 2,680,891 | 2,087,653 | 77,889 | 55,734 |
| All other crops (other than those listed above) | 5,591 | 6,084 | 18 | 8 | - | - |
| Cattle and calves inventory | 2,693,759 | 2,758,792 | (D) | 11,382 | - | - |
| Hogs and pigs inventory | 72,045 | 69,172 | 9,523 | 10,017 | 515 | 578 |
| Sheep and lambs inventory | 4,180,891 | 4,356,880 | 472,144 | 508,325 | 3,020 | 6,336 |
| Total horses and ponies inventory | 106,488 | 115,935 | 15,633 | 17,767 | 374 | 330 |
| Goats, all inventory | 5,199,729 | 5,039,476 | 776,973 | 870,306 | 1,945 | 2,281 |
| Chickens, all inventory | 54,557 | 41,708 | 10,150 | 7,832 | 352 | 216 |
| Cattle and calves inventory | 892,089 | 721,458 | 237,397 | 227,257 | 2,046 | 2,601 |
| Hogs and pigs inventory | 931,925 | 986,391 | 85,681 | 88,468 | 7,188 | 7,320 |
| Sheep and lambs inventory | 72,024,554 | 79,856,490 | 5,029,877 | 4,811,582 | 337,628 | 350,240 |
| Total horses and ponies inventory | 913,246 | 963,669 | 93,361 | 100,633 | 5,594 | 6,025 |
| Goats, all inventory | 89,994,614 | 96,347,858 | 5,584,684 | 5,835,167 | 315,937 | 323,541 |
| Chickens, all inventory | 63,246 | 75,442 | 6,500 | 7,852 | 311 | 275 |
| Cattle and calves inventory | 66,026,785 | 67,786,318 | 9,788,750 | 11,313,820 | 178,541 | 160,902 |
| Hogs and pigs inventory | 88,338 | 83,134 | 4,491 | 3,840 | 288 | 244 |
| Sheep and lambs inventory | 5,364,844 | 5,819,162 | 102,593 | 79,312 | 8,116 | 6,406 |
| Total horses and ponies inventory | 504,795 | 575,942 | 53,733 | 60,517 | 2,249 | 2,742 |
| Goats, all inventory | 3,621,348 | 4,028,827 | 395,729 | 425,184 | 13,337 | 14,558 |
| Chickens, all inventory | 128,456 | 144,466 | 17,370 | 20,854 | 833 | 828 |
| Cattle and calves inventory | 2,621,514 | 3,140,529 | 282,613 | 361,985 | 12,219 | 14,069 |
| Hogs and pigs inventory | 221,779 | 166,680 | 29,208 | 22,622 | 1,182 | 733 |
| Sheep and lambs inventory | 1,974,854,740 | 2,058,223,629 | 773,923,504 | 795,870,669 | 3,505,662 | 3,269,155 |

--continued

Table 1. Summary by Hydrologic Unit Code: 2012 and 2007 (continued)

[For meaning of abbreviations and symbols, see introductory text.]

| Item | H030102 | | H030201 (see text) | | H030202 (see text) | |
|--|------------|------------|--------------------|-----------|--------------------|-----------|
| | 2012 | 2007 | 2012 | 2007 | 2012 | 2007 |
| FARMS AND LAND IN FARMS | | | | | | |
| Farms | 4,264 | 4,588 | 2,925 | 3,307 | 4,843 | 5,377 |
| Land in farms | 1,527,907 | 1,583,448 | 1,072,603 | 1,077,822 | 1,132,898 | 1,218,368 |
| LAND USE AND PRACTICES | | | | | | |
| Total cropland | 3,286 | 3,541 | 2,155 | 2,424 | 3,657 | 4,089 |
| Harvested cropland | 1,021,004 | 1,050,775 | 714,285 | 716,603 | 780,654 | 833,954 |
| Other pasture and grazing land that could have been used for crops without additional improvement (see text) | 2,688 | 2,760 | 1,680 | 1,743 | 3,080 | 3,394 |
| Cropland idle or used for cover crops or soil-improvement but not harvested and not pastured or grazed | 967,847 | 971,239 | 664,688 | 629,069 | 725,053 | 748,872 |
| Cropland on which all crops failed or were abandoned | 207 | 789 | 145 | 594 | 350 | 896 |
| Cropland in cultivated summer fallow | 7,576 | 38,119 | 9,226 | 28,449 | 17,365 | 41,157 |
| Woodland pastured | 790 | 726 | 616 | 690 | 793 | 766 |
| Woodland not pastured | 31,527 | 29,911 | 33,216 | 38,479 | 26,432 | 27,668 |
| Permanent pasture and rangeland, other than cropland and woodland pastured (see text) | 144 | 230 | 86 | 231 | 162 | 335 |
| Land in farmsteads, buildings, livestock facilities, ponds, roads, wasteland, etc. | 4,977 | 6,772 | 2,698 | 13,150 | 4,111 | 11,021 |
| Cropland on which no-till practices were used | 127 | 136 | 97 | 104 | 209 | 179 |
| Cropland on which conservation tillage, excluding no till, practices were used | 9,077 | 4,734 | 4,457 | 7,456 | 7,693 | 5,236 |
| Irrigated land | 2,502 | 2,689 | 1,813 | 2,039 | 3,015 | 3,068 |
| Harvested cropland | 382,392 | 400,564 | 249,938 | 264,435 | 237,647 | 256,745 |
| Pastureland and other land | 499 | 677 | 440 | 510 | 900 | 887 |
| Commercial fertilizer, lime, and soil conditioners | 21,093 | 22,874 | 16,052 | 16,500 | 16,503 | 20,245 |
| Manure used | 2,299 | 2,386 | 1,613 | 1,791 | 2,611 | 2,645 |
| Acres treated to control - | 361,299 | 377,690 | 233,886 | 248,385 | 221,144 | 236,500 |
| Insects | 1,631 | 1,717 | 1,127 | 1,171 | 2,068 | 2,120 |
| Weeds, grass, or brush | 72,169 | 72,351 | 57,226 | 49,526 | 56,642 | 63,273 |
| Nematodes | 2,678 | 2,319 | 1,816 | 1,716 | 3,060 | 2,812 |
| Diseases in crops and orchards | 52,342 | 59,758 | 51,154 | 47,258 | 57,955 | 64,396 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 1,160 | (NA) | 717 | (NA) | 1,062 | (NA) |
| Corn, all | 458,723 | (NA) | 302,697 | (NA) | 301,058 | (NA) |
| Soybeans for beans | 465 | (NA) | 259 | (NA) | 422 | (NA) |
| Small grains (wheat, oats, barley, rye) | 175,588 | (NA) | 117,853 | (NA) | 116,445 | (NA) |
| Cotton, all | 368 | 413 | 312 | 443 | 727 | 981 |
| Rice | 31,521 | 37,072 | 25,089 | 29,464 | 28,509 | 33,432 |
| Vegetables harvested for sale | 356 | 360 | 304 | 397 | 700 | 910 |
| Land in orchards | 31,279 | 35,710 | 24,384 | 27,110 | 26,900 | 31,127 |
| Nursery, greenhouse, floriculture, and sod | 15 | 63 | 17 | 57 | 60 | 123 |
| All other crops (other than those listed above) | 242 | 1,362 | 705 | 2,354 | 1,609 | 2,305 |
| FERTILIZER AND CHEMICALS | | | | | | |
| Commercial fertilizer, lime, and soil conditioners | 2,130 | 2,529 | 1,406 | 1,738 | 2,508 | 3,104 |
| Manure used | 794,133 | 897,280 | 527,897 | 586,969 | 584,089 | 691,799 |
| Acres treated to control - | 417 | 486 | 248 | 276 | 575 | 727 |
| Insects | 29,544 | 36,359 | 21,410 | 20,668 | 39,326 | 37,767 |
| Weeds, grass, or brush | 1,379 | 1,335 | 862 | 876 | 1,582 | 1,573 |
| Nematodes | 626,804 | 600,521 | 397,624 | 396,664 | 449,557 | 428,868 |
| Diseases in crops and orchards | 1,991 | 1,691 | 1,305 | 1,182 | 2,340 | 2,216 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 886,083 | 747,740 | 594,511 | 473,456 | 648,882 | 565,975 |
| Corn, all | 440 | 370 | 286 | 272 | 566 | 518 |
| Soybeans for beans | 151,019 | 108,455 | 118,179 | 70,932 | 152,214 | 110,671 |
| Small grains (wheat, oats, barley, rye) | 547 | 346 | 291 | 208 | 521 | 308 |
| Cotton, all | 202,644 | 92,417 | 118,172 | 67,351 | 128,420 | 61,694 |
| Rice | - | - | - | - | - | - |
| Vegetables harvested for sale | 265 | 330 | 167 | 262 | 456 | 492 |
| Land in orchards | 18,728 | 22,641 | 22,344 | 24,612 | 35,375 | 23,967 |
| Nursery, greenhouse, floriculture, and sod | 69 | 90 | 64 | 74 | 170 | 149 |
| All other crops (other than those listed above) | 284 | 278 | 246 | 328 | 918 | 714 |
| Cattle and calves inventory | 139 | 84 | 103 | 96 | 315 | 276 |
| Hogs and pigs inventory | 1,355 | 1,861 | 3,476 | 3,428 | 4,346 | 2,717 |
| Sheep and lambs inventory | 1,379 | 1,586 | 965 | 1,043 | 1,802 | 1,974 |
| Total horses and ponies inventory | 79,403 | 95,226 | 85,332 | 69,327 | 90,612 | 88,149 |
| LIVESTOCK AND POULTRY | | | | | | |
| Cattle and calves inventory | 983 | 1,170 | 655 | 786 | 1,267 | 1,265 |
| Hogs and pigs inventory | 44,791 | 59,217 | 48,440 | 40,473 | 45,722 | 49,456 |
| Sheep and lambs inventory | 125 | 188 | 102 | 136 | 355 | 579 |
| Total horses and ponies inventory | 276,735 | 597,968 | 330,244 | 557,371 | 2,153,288 | 1,894,057 |
| Goats, all inventory | 94 | 145 | 66 | 76 | 137 | 152 |
| Chickens, all inventory | 2,075 | 3,614 | 1,558 | 1,921 | 2,519 | 2,793 |
| Commercial fertilizer, lime, and soil conditioners | 733 | 927 | 471 | 609 | 884 | 1,159 |
| Manure used | 6,419 | 6,388 | 3,162 | 3,944 | 7,148 | 8,662 |
| Acres treated to control - | 288 | 342 | 252 | 332 | 415 | 527 |
| Insects | 4,696 | 7,606 | 4,943 | 7,724 | 5,963 | 10,576 |
| Weeds, grass, or brush | 520 | 425 | 322 | 309 | 536 | 450 |
| Nematodes | 11,986,236 | 10,838,379 | 8,508,279 | 7,370,874 | 8,092,568 | 6,719,860 |
| Diseases in crops and orchards | - | - | - | - | - | - |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | - | - | - | - | - | - |

--continued

Table 1. Summary by Hydrologic Unit Code: 2012 and 2007 (continued)

[For meaning of abbreviations and symbols, see introductory text.]

| Item | H030203 (see text) | | H030300 (see text) | | H030401 | |
|--|--------------------|------|--------------------|------------|------------|------------|
| | 2012 | 2007 | 2012 | 2007 | 2012 | 2007 |
| FARMS AND LAND IN FARMS | | | | | | |
| Farmsfarms | 473 | (X) | 9,495 | 10,320 | 11,297 | 11,678 |
| Land in farmsacres | 123,363 | (X) | 1,482,695 | 1,559,464 | 1,312,628 | 1,294,380 |
| LAND USE AND PRACTICES | | | | | | |
| Total croplandfarms | 329 | (X) | 6,652 | 7,647 | 8,382 | 8,794 |
|acres | 85,677 | (X) | 750,420 | 843,102 | 639,333 | 637,994 |
| Harvested croplandfarms | 263 | (X) | 5,869 | 6,271 | 7,689 | 7,378 |
|acres | 83,261 | (X) | 685,965 | 711,090 | 590,011 | 509,541 |
| Other pasture and grazing land that could have been used for crops without additional improvement (see text)farms | 32 | (X) | 620 | 1,951 | 703 | 2,370 |
|acres | 330 | (X) | 19,059 | 66,952 | 17,704 | 79,315 |
| Cropland idle or used for cover crops or soil-improvement but not harvested and not pastured or grazedfarms | 85 | (X) | 1,142 | 1,264 | 1,156 | 1,305 |
|acres | 1,560 | (X) | 31,227 | 34,515 | 24,300 | 30,185 |
| Cropland on which all crops failed or were abandonedfarms | 20 | (X) | 382 | 765 | 258 | 616 |
|acres | 294 | (X) | 6,722 | 19,495 | 3,130 | 13,028 |
| Cropland in cultivated summer fallowfarms | 17 | (X) | 284 | 363 | 260 | 360 |
|acres | 232 | (X) | 7,447 | 11,050 | 4,188 | 5,925 |
| Total woodlandfarms | 259 | (X) | 5,749 | 6,205 | 7,166 | 7,306 |
|acres | 25,877 | (X) | 428,112 | 436,592 | 300,974 | 320,816 |
| Woodland pasturedfarms | 59 | (X) | 2,254 | 2,462 | 3,589 | 3,730 |
|acres | 991 | (X) | 44,795 | 53,831 | 57,797 | 65,751 |
| Woodland not pasturedfarms | 238 | (X) | 4,646 | 4,920 | 5,328 | 5,364 |
|acres | 24,886 | (X) | 383,317 | 382,761 | 243,177 | 255,065 |
| Permanent pasture and rangeland, other than cropland and woodland pastured (see text)farms | 184 | (X) | 5,354 | 5,117 | 7,566 | 6,999 |
|acres | 3,868 | (X) | 204,409 | 176,048 | 295,452 | 268,461 |
| Land in farmsteads, buildings, livestock facilities, ponds, roads, wasteland, etc.farms | 331 | (X) | 6,561 | 6,092 | 7,780 | 6,384 |
|acres | 7,941 | (X) | 99,754 | 103,722 | 76,869 | 67,109 |
| Cropland on which no-till practices were usedfarms | 60 | (X) | 1,280 | (NA) | 1,615 | (NA) |
|acres | 48,099 | (X) | 217,443 | (NA) | 350,523 | (NA) |
| Cropland on which conservation tillage, excluding no till, practices were usedfarms | 39 | (X) | 562 | (NA) | 396 | (NA) |
|acres | 17,617 | (X) | 90,966 | (NA) | 27,546 | (NA) |
| Irrigated landfarms | 66 | (X) | 1,173 | 1,648 | 626 | 707 |
|acres | 1,526 | (X) | 49,154 | 91,146 | 9,617 | 10,703 |
| Harvested croplandfarms | 62 | (X) | 1,102 | 1,459 | 614 | 637 |
|acres | 1,352 | (X) | 42,760 | 76,796 | 9,266 | 9,374 |
| Pastureland and other landfarms | 6 | (X) | 135 | 304 | 22 | 90 |
|acres | 174 | (X) | 6,394 | 14,350 | 351 | 1,329 |
| FERTILIZER AND CHEMICALS | | | | | | |
| Commercial fertilizer, lime, and soil conditionersfarms | 206 | (X) | 4,406 | 5,518 | 5,376 | 6,087 |
|acres | 74,294 | (X) | 538,485 | 631,219 | 448,908 | 490,392 |
| Manure usedfarms | 46 | (X) | 1,689 | 2,177 | 2,024 | 2,236 |
|acres | 3,058 | (X) | 119,052 | 135,574 | 134,556 | 131,125 |
| Acres treated to control - | | | | | | |
| Insectsfarms | 147 | (X) | 1,977 | 1,985 | 1,391 | 1,248 |
|acres | 65,336 | (X) | 331,785 | 328,246 | 195,184 | 118,257 |
| Weeds, grass, or brushfarms | 210 | (X) | 3,764 | 3,714 | 3,728 | 3,184 |
|acres | 79,277 | (X) | 588,684 | 491,085 | 467,537 | 310,671 |
| Nematodesfarms | 46 | (X) | 488 | 456 | 182 | 133 |
|acres | 11,550 | (X) | 110,206 | 73,825 | 15,534 | 6,480 |
| Diseases in crops and orchardsfarms | 34 | (X) | 584 | 312 | 487 | 306 |
|acres | 3,125 | (X) | 74,681 | 36,236 | 66,458 | 10,529 |
| Chemicals used to control growth, thin fruit, ripen, or defoliatefarms | 24 | (X) | 349 | 272 | 219 | 210 |
|acres | 12,805 | (X) | 78,420 | 62,735 | 29,278 | 18,560 |
| SELECTED CROPS HARVESTED | | | | | | |
| Corn, allfarms | 85 | (X) | 1,181 | 1,702 | 1,088 | 974 |
|acres | 24,642 | (X) | 131,557 | 199,155 | 146,895 | 120,185 |
| Soybeans for beansfarms | 88 | (X) | 1,464 | 1,540 | 974 | 763 |
|acres | 30,941 | (X) | 215,240 | 205,267 | 186,957 | 135,417 |
| Small grains (wheat, oats, barley, rye)farms | 42 | (X) | 979 | 778 | 663 | 569 |
|acres | 9,175 | (X) | 131,312 | 82,916 | 106,628 | 75,126 |
| Cotton, allfarms | 21 | (X) | 199 | 157 | 42 | 51 |
|acres | 14,211 | (X) | 69,727 | 52,806 | 19,083 | 22,238 |
| Ricefarms | - | (X) | - | - | - | - |
|acres | - | (X) | - | - | - | - |
| Vegetables harvested for salefarms | 43 | (X) | 600 | 740 | 504 | 588 |
|acres | 922 | (X) | 26,476 | 26,033 | 4,420 | 3,992 |
| Land in orchardsfarms | 20 | (X) | 339 | 293 | 389 | 383 |
|acres | 71 | (X) | 2,348 | 1,243 | 2,799 | 3,439 |
| Nursery, greenhouse, floriculture, and sodfarms | 42 | (X) | 406 | 337 | 409 | 258 |
|acres | 2,047 | (X) | 7,230 | 4,975 | 4,894 | 2,530 |
| All other crops (other than those listed above)farms | 133 | (X) | 4,191 | 4,415 | 6,450 | 6,353 |
|acres | 5,608 | (X) | 166,563 | 183,877 | 186,235 | 198,232 |
| LIVESTOCK AND POULTRY | | | | | | |
| Cattle and calves inventoryfarms | 107 | (X) | 3,721 | 3,747 | 5,806 | 5,630 |
|number | 2,251 | (X) | 190,829 | 188,967 | 268,176 | 261,723 |
| Hogs and pigs inventoryfarms | 65 | (X) | 793 | 1,225 | 259 | 224 |
|number | 289,125 | (X) | 4,776,583 | 5,721,988 | 88,867 | 148,159 |
| Sheep and lambs inventoryfarms | 6 | (X) | 239 | 281 | 312 | 225 |
|number | 40 | (X) | 5,348 | 6,626 | 6,271 | 4,702 |
| Total horses and ponies inventoryfarms | 96 | (X) | 2,052 | 2,415 | 2,482 | 3,180 |
|number | 778 | (X) | 15,268 | 14,887 | 14,929 | 18,347 |
| Goats, all inventoryfarms | 28 | (X) | 823 | 1,069 | 1,035 | 1,331 |
|number | 414 | (X) | 13,517 | 19,512 | 15,088 | 23,541 |
| Chickens, all inventoryfarms | 62 | (X) | 1,262 | 1,273 | 1,724 | 1,515 |
|number | 1,038,023 | (X) | 43,718,723 | 49,493,831 | 51,149,447 | 57,640,201 |

--continued

Table 1. Summary by Hydrologic Unit Code: 2012 and 2007 (continued)

[For meaning of abbreviations and symbols, see introductory text.]

| Item | H030402 | | H030501 | | H030502 | |
|--|------------|------------|------------|------------|------------|------------|
| | 2012 | 2007 | 2012 | 2007 | 2012 | 2007 |
| FARMS AND LAND IN FARMS | | | | | | |
| Farms | 8,447 | 9,300 | 15,924 | 16,049 | 5,134 | 5,060 |
| Land in farms | 2,398,714 | 2,338,930 | 1,910,533 | 1,885,914 | 1,256,346 | 1,247,111 |
| LAND USE AND PRACTICES | | | | | | |
| Total cropland | 6,168 | 7,204 | 10,728 | 11,284 | 3,530 | 3,662 |
| Harvested cropland | 1,354,475 | 1,427,292 | 643,112 | 701,870 | 462,274 | 498,456 |
| Other pasture and grazing land that could have been used for crops without additional improvement (see text) | 4,662 | 5,108 | 9,141 | 8,576 | 2,585 | 2,416 |
| Cropland idle or used for cover crops or soil-improvement but not harvested and not pastured or grazed | 1,220,127 | 1,187,312 | 533,194 | 477,097 | 371,075 | 335,982 |
| Cropland on which all crops failed or were abandoned | 520 | 1,713 | 1,075 | 2,977 | 364 | 1,010 |
| Cropland in cultivated summer fallow | 15,794 | 88,036 | 25,409 | 116,544 | 8,227 | 63,874 |
| Woodland pastured | 1,775 | 1,837 | 2,040 | 2,210 | 1,068 | 1,142 |
| Woodland not pastured | 86,791 | 92,403 | 66,675 | 69,763 | 60,818 | 68,784 |
| Permanent pasture and rangeland, other than cropland and woodland pastured (see text) | 457 | 847 | 551 | 1,112 | 370 | 417 |
| Land in farmsteads, buildings, livestock facilities, ponds, roads, wasteland, etc. | 15,229 | 43,954 | 8,893 | 31,511 | 12,084 | 18,624 |
| Cropland on which no-till practices were used | 364 | 385 | 433 | 350 | 221 | 230 |
| Cropland on which conservation tillage, excluding no till, practices were used | 16,534 | 15,587 | 8,941 | 7,045 | 10,070 | 11,192 |
| Irrigated land | 5,146 | 5,466 | 10,243 | 9,854 | 3,251 | 3,148 |
| Harvested cropland | 774,715 | 689,453 | 689,881 | 638,925 | 613,790 | 573,175 |
| Pastureland and other land | 1,074 | 1,378 | 4,677 | 4,643 | 735 | 824 |
| Commercial fertilizer, lime, and soil conditioners | 33,987 | 37,624 | 118,970 | 139,989 | 32,425 | 33,115 |
| Manure used | 4,645 | 4,761 | 7,575 | 7,128 | 2,892 | 2,697 |
| Acres treated to control - | 740,728 | 651,829 | 570,911 | 498,936 | 581,365 | 540,060 |
| Insects | 3,298 | 3,007 | 10,497 | 9,342 | 2,383 | 1,945 |
| Weeds, grass, or brush | 122,618 | 108,085 | 450,148 | 438,841 | 82,037 | 69,457 |
| Nematodes | 5,162 | 4,273 | 10,670 | 7,995 | 3,474 | 2,598 |
| Diseases in crops and orchards | 146,906 | 114,100 | 127,392 | 106,278 | 98,245 | 106,023 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 1,250 | (NA) | 1,251 | (NA) | 538 | (NA) |
| Corn, all | 500,711 | (NA) | 161,166 | (NA) | 116,693 | (NA) |
| Soybeans for beans | 751 | (NA) | 515 | (NA) | 369 | (NA) |
| Small grains (wheat, oats, barley, rye) | 351,526 | (NA) | 49,130 | (NA) | 113,433 | (NA) |
| Cotton, all | 631 | 646 | 1,124 | 1,213 | 590 | 576 |
| Rice | 59,288 | 44,008 | 38,759 | 36,657 | 67,623 | 59,743 |
| Vegetables harvested for sale | 598 | 580 | 1,026 | 1,024 | 530 | 471 |
| Land in orchards | 58,192 | 41,838 | 37,528 | 33,525 | 66,511 | 55,807 |
| Nursery, greenhouse, floriculture, and sod | 44 | 91 | 117 | 231 | 79 | 138 |
| All other crops (other than those listed above) | 1,096 | 2,170 | 1,231 | 3,132 | 1,112 | 3,936 |
| FERTILIZER AND CHEMICALS | | | | | | |
| Commercial fertilizer, lime, and soil conditioners | 3,790 | 4,764 | 6,598 | 7,848 | 2,217 | 2,430 |
| Manure used | 939,589 | 1,109,175 | 432,064 | 509,553 | 341,253 | 314,670 |
| Acres treated to control - | 911 | 952 | 2,404 | 2,264 | 609 | 578 |
| Insects | 112,204 | 121,357 | 135,813 | 118,354 | 57,483 | 46,169 |
| Weeds, grass, or brush | 2,241 | 2,219 | 2,128 | 1,683 | 1,138 | 912 |
| Nematodes | 723,899 | 638,524 | 144,466 | 113,454 | 212,987 | 190,167 |
| Diseases in crops and orchards | 3,528 | 3,103 | 4,746 | 3,879 | 1,926 | 1,404 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 1,092,446 | 880,552 | 363,966 | 274,942 | 341,430 | 260,824 |
| Corn, all | 808 | 587 | 299 | 186 | 408 | 217 |
| Soybeans for beans | 286,068 | 170,525 | 43,106 | 23,058 | 101,441 | 76,317 |
| Small grains (wheat, oats, barley, rye) | 727 | 378 | 655 | 490 | 434 | 229 |
| Cotton, all | 260,338 | 109,627 | 50,715 | 25,488 | 92,457 | 54,726 |
| Rice | 469 | 372 | 283 | 189 | 278 | 169 |
| Vegetables harvested for sale | 183,035 | 135,372 | 34,570 | 26,123 | 81,339 | 39,735 |
| SELECTED CROPS HARVESTED | | | | | | |
| Corn, all | 1,820 | 2,124 | 716 | 566 | 835 | 861 |
| Soybeans for beans | 328,563 | 344,726 | 62,750 | 60,162 | 75,659 | 109,295 |
| Small grains (wheat, oats, barley, rye) | 1,857 | 2,075 | 553 | 472 | 407 | 388 |
| Cotton, all | 449,573 | 507,627 | 85,543 | 65,958 | 54,558 | 62,948 |
| Rice | 1,137 | 909 | 569 | 387 | 318 | 237 |
| Vegetables harvested for sale | 252,904 | 176,636 | 68,056 | 38,527 | 40,246 | 23,748 |
| Land in orchards | 424 | 302 | 112 | 66 | 316 | 160 |
| Nursery, greenhouse, floriculture, and sod | 187,307 | 131,225 | 45,156 | 27,627 | 100,437 | 42,992 |
| All other crops (other than those listed above) | 1 | - | - | - | - | - |
| Cattle and calves inventory | (D) | - | - | - | - | - |
| Hogs and pigs inventory | 432 | 596 | 807 | 831 | 396 | 348 |
| Sheep and lambs inventory | 8,923 | 10,651 | 8,518 | 7,985 | 13,286 | 13,601 |
| Total horses and ponies inventory | 264 | 264 | 690 | 629 | 248 | 230 |
| Goats, all inventory | 2,428 | 2,159 | 11,506 | 12,520 | 6,322 | 3,027 |
| Chickens, all inventory | 233 | 180 | 641 | 417 | 146 | 111 |
| Cattle and calves inventory | 6,267 | 3,953 | 11,332 | 6,699 | 9,705 | 13,083 |
| Hogs and pigs inventory | 2,429 | 2,655 | 7,671 | 7,468 | 1,627 | 1,547 |
| Sheep and lambs inventory | 122,462 | 119,161 | 277,436 | 273,393 | 83,370 | 76,176 |
| LIVESTOCK AND POULTRY | | | | | | |
| Cattle and calves inventory | 1,910 | 2,161 | 6,566 | 6,606 | 1,208 | 1,190 |
| Hogs and pigs inventory | 76,714 | 94,902 | 233,668 | 278,774 | 45,030 | 57,380 |
| Sheep and lambs inventory | 348 | 396 | 416 | 458 | 225 | 200 |
| Total horses and ponies inventory | 1,134,228 | 1,536,411 | 26,334 | 26,857 | 35,295 | 29,032 |
| Goats, all inventory | 107 | 82 | 392 | 346 | 121 | 80 |
| Chickens, all inventory | 3,480 | 1,777 | 6,714 | 6,109 | 4,073 | 1,962 |
| Cattle and calves inventory | 1,696 | 1,661 | 4,659 | 4,744 | 1,463 | 1,300 |
| Hogs and pigs inventory | 12,042 | 10,521 | 32,568 | 30,381 | 11,295 | 10,136 |
| Sheep and lambs inventory | 621 | 839 | 1,762 | 2,060 | 645 | 522 |
| Total horses and ponies inventory | 10,606 | 14,440 | 22,264 | 28,244 | 8,194 | 8,473 |
| Goats, all inventory | 995 | 794 | 2,416 | 1,521 | 826 | 522 |
| Chickens, all inventory | 32,464,031 | 38,088,024 | 35,169,327 | 23,626,139 | 14,296,269 | 15,139,052 |

--continued

Table 1. Summary by Hydrologic Unit Code: 2012 and 2007 (continued)

[For meaning of abbreviations and symbols, see introductory text.]

| Item | H030601 | | H030602 | | H030701 | |
|--|------------|------------|-----------|-----------|------------|------------|
| | 2012 | 2007 | 2012 | 2007 | 2012 | 2007 |
| FARMS AND LAND IN FARMS | | | | | | |
| Farms | 10,283 | 11,189 | 2,826 | 3,235 | 10,749 | 12,102 |
| Land in farms | 1,622,574 | 1,652,595 | 866,311 | 904,455 | 2,026,678 | 2,199,848 |
| LAND USE AND PRACTICES | | | | | | |
| Total cropland | 6,506 | 7,341 | 2,122 | 2,358 | 7,166 | 7,978 |
| Harvested cropland | 524,773 | 600,541 | 408,678 | 450,693 | 728,325 | 837,976 |
| Other pasture and grazing land that could have been used for crops without additional improvement (see text) | 5,353 | 5,325 | 1,522 | 1,658 | 5,495 | 5,611 |
| Cropland idle or used for cover crops or soil-improvement but not harvested and not pastured or grazed | 387,037 | 370,797 | 356,858 | 345,307 | 596,142 | 577,810 |
| Cropland on which all crops failed or were abandoned | 599 | 2,237 | 210 | 764 | 671 | 2,433 |
| Cropland in cultivated summer fallow | 34,036 | 126,557 | 9,359 | 54,044 | 32,078 | 152,903 |
| Woodland | 1,433 | 1,368 | 654 | 548 | 1,892 | 1,701 |
| Woodland pastured | 86,887 | 75,486 | 33,935 | 30,449 | 80,662 | 80,482 |
| Woodland not pastured | 322 | 582 | 120 | 191 | 346 | 560 |
| Permanent pasture and rangeland, other than cropland and woodland pastured (see text) | 9,063 | 19,237 | 4,001 | 15,003 | 9,585 | 16,414 |
| Land in farmsteads, buildings, livestock facilities, ponds, roads, wasteland, etc. | 223 | 245 | 122 | 126 | 253 | 277 |
| Cropland on which no-till practices were used | 7,750 | 8,464 | 4,525 | 5,890 | 9,858 | 10,367 |
| Cropland on which conservation tillage, excluding no till, practices were used | 602,819 | 578,635 | 327,254 | 333,116 | 833,871 | 892,918 |
| Irrigated land | 3,192 | 3,472 | 441 | 541 | 2,578 | 3,105 |
| Harvested cropland | 103,262 | 128,768 | 21,027 | 29,074 | 86,158 | 136,539 |
| Pastureland and other land | 4,727 | 4,777 | 1,568 | 1,733 | 5,412 | 5,412 |
| Commercial fertilizer, lime, and soil conditioners | 499,557 | 449,867 | 306,227 | 304,042 | 747,713 | 756,379 |
| Manure used | 6,908 | 6,762 | 1,260 | 1,369 | 6,187 | 6,576 |
| Acres treated to control - | 396,300 | 372,862 | 76,457 | 75,980 | 343,055 | 338,840 |
| Insects | 6,799 | 5,609 | 1,893 | 1,710 | 7,034 | 6,020 |
| Weeds, grass, or brush | 98,682 | 100,557 | 53,922 | 44,666 | 121,427 | 130,114 |
| Nematodes | 732 | (NA) | 263 | (NA) | 563 | (NA) |
| Diseases in crops and orchards | 60,634 | (NA) | 91,464 | (NA) | 114,286 | (NA) |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 343 | (NA) | 259 | (NA) | 569 | (NA) |
| Vegetables harvested for sale | 48,964 | (NA) | 140,144 | (NA) | 159,563 | (NA) |
| Land in orchards | 643 | 671 | 438 | 451 | 1,174 | 1,327 |
| Nursery, greenhouse, floriculture, and sod | 48,511 | 42,076 | 76,210 | 57,597 | 165,072 | 158,007 |
| All other crops (other than those listed above) | 597 | 578 | 414 | 423 | 1,131 | 1,187 |
| Cattle and calves inventory | 46,573 | 38,077 | 74,187 | 53,543 | 163,080 | 154,560 |
| Hogs and pigs inventory | 70 | 115 | 40 | 55 | 78 | 184 |
| Sheep and lambs inventory | 1,938 | 3,999 | 2,023 | 4,054 | 1,992 | 3,447 |
| FERTILIZER AND CHEMICALS | | | | | | |
| Commercial fertilizer, lime, and soil conditioners | 3,579 | 4,855 | 1,369 | 1,699 | 4,239 | 5,532 |
| Manure used | 336,720 | 408,515 | 340,267 | 343,938 | 544,295 | 587,541 |
| Acres treated to control - | 2,136 | 2,158 | 324 | 299 | 1,435 | 1,459 |
| Insects | 170,965 | 156,506 | 59,691 | 25,858 | 148,940 | 101,595 |
| Weeds, grass, or brush | 1,317 | 1,161 | 825 | 737 | 1,966 | 1,917 |
| Nematodes | 147,562 | 121,922 | 229,948 | 208,979 | 317,003 | 308,132 |
| Diseases in crops and orchards | 3,314 | 2,977 | 1,090 | 914 | 3,600 | 3,163 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 343,593 | 252,953 | 336,022 | 224,554 | 535,717 | 357,879 |
| Vegetables harvested for sale | 223 | 120 | 260 | 140 | 401 | 226 |
| Land in orchards | 56,540 | 26,155 | 120,111 | 42,782 | 108,674 | 40,583 |
| Nursery, greenhouse, floriculture, and sod | 411 | 239 | 339 | 225 | 655 | 459 |
| All other crops (other than those listed above) | 44,308 | 24,989 | 86,169 | 39,041 | 106,946 | 55,976 |
| SELECTED CROPS HARVESTED | | | | | | |
| Corn, all | 213 | 161 | 265 | 221 | 421 | 386 |
| Soybeans for beans | 56,003 | 27,266 | 119,302 | 71,400 | 126,975 | 118,440 |
| Small grains (wheat, oats, barley, rye) | 337 | 396 | 279 | 418 | 512 | 571 |
| Cotton, all | 29,710 | 48,129 | 33,921 | 60,965 | 48,161 | 60,103 |
| Rice | 186 | 259 | 230 | 362 | 414 | 362 |
| Vegetables harvested for sale | 30,085 | 40,847 | 31,359 | 78,592 | 56,695 | 64,649 |
| Land in orchards | 309 | 288 | 240 | 272 | 512 | 461 |
| Nursery, greenhouse, floriculture, and sod | 35,300 | 34,097 | 31,314 | 43,823 | 75,375 | 66,628 |
| All other crops (other than those listed above) | 141 | 106 | 303 | 223 | 388 | 403 |
| Cattle and calves inventory | 66,439 | 32,571 | 156,619 | 82,341 | 150,505 | 139,859 |
| Hogs and pigs inventory | - | - | - | - | - | - |
| Sheep and lambs inventory | - | - | - | - | - | - |
| Total horses and ponies inventory | 396 | 424 | 124 | 91 | 403 | 371 |
| Goats, all inventory | 3,286 | 2,840 | 4,850 | 6,300 | 16,475 | 20,846 |
| Chickens, all inventory | 432 | 474 | 378 | 403 | 873 | 956 |
| Cattle and calves inventory | 9,949 | 11,734 | 7,137 | 6,849 | 30,253 | 29,376 |
| Hogs and pigs inventory | 247 | 197 | 45 | 41 | 305 | 267 |
| Sheep and lambs inventory | 5,598 | 3,642 | 784 | 1,024 | 7,086 | 9,686 |
| Total horses and ponies inventory | 4,685 | 4,688 | 1,006 | 1,070 | 4,238 | 4,344 |
| Goats, all inventory | 211,582 | 204,983 | 94,165 | 78,788 | 233,188 | 210,981 |
| LIVESTOCK AND POULTRY | | | | | | |
| Cattle and calves inventory | 4,828 | 5,548 | 881 | 1,113 | 4,167 | 4,983 |
| Hogs and pigs inventory | 247,545 | 271,087 | 70,369 | 75,170 | 221,439 | 248,360 |
| Sheep and lambs inventory | 307 | 279 | 64 | 80 | 215 | 314 |
| Total horses and ponies inventory | 65,039 | 70,086 | 20,352 | 31,551 | 43,867 | 26,497 |
| Goats, all inventory | 229 | 158 | 43 | 45 | 176 | 209 |
| Chickens, all inventory | 5,106 | 3,207 | 1,381 | 1,271 | 4,426 | 3,356 |
| Cattle and calves inventory | 2,619 | 2,881 | 429 | 576 | 2,577 | 3,136 |
| Hogs and pigs inventory | 27,241 | 17,744 | 2,445 | 3,084 | 17,004 | 20,449 |
| Sheep and lambs inventory | 1,137 | 1,245 | 224 | 279 | 1,023 | 1,270 |
| Total horses and ponies inventory | 16,599 | 21,001 | 5,062 | 5,393 | 17,931 | 25,431 |
| Goats, all inventory | 2,155 | 1,443 | 225 | 203 | 1,333 | 1,128 |
| Chickens, all inventory | 85,454,415 | 72,875,662 | 4,118,443 | 4,473,586 | 44,478,225 | 46,108,118 |

--continued

Table 1. Summary by Hydrologic Unit Code: 2012 and 2007 (continued)

[For meaning of abbreviations and symbols, see introductory text.]

| Item | H030702 | | H030801 | | H030802 | |
|--|------------|------------|-----------|-----------|---------|---------|
| | 2012 | 2007 | 2012 | 2007 | 2012 | 2007 |
| FARMS AND LAND IN FARMS | | | | | | |
| Farms | 3,398 | 3,643 | 9,744 | 9,727 | 1,078 | 1,002 |
| Land in farms | 770,878 | 717,883 | 1,466,757 | 1,508,888 | 271,657 | 257,662 |
| LAND USE AND PRACTICES | | | | | | |
| Total cropland | 2,339 | 2,511 | 4,367 | 4,676 | 600 | 626 |
| Harvested cropland | 361,028 | 323,458 | 239,299 | 261,003 | 100,580 | 105,851 |
| Other pasture and grazing land that could have been used for crops without additional improvement (see text) | 1,992 | 1,939 | 3,798 | 3,568 | 531 | 542 |
| Cropland idle or used for cover crops or soil-improvement but not harvested and not pastured or grazed | 327,638 | 244,820 | 179,800 | 178,669 | 81,652 | 77,086 |
| Cropland on which all crops failed or were abandoned | 232 | 782 | 510 | 1,426 | 64 | 117 |
| Cropland in cultivated summer fallow | 7,196 | 44,613 | 36,770 | 71,798 | 5,874 | 21,016 |
| Woodland pastured | 445 | 374 | 413 | 325 | 58 | 31 |
| Woodland not pastured | 18,862 | 16,228 | 15,493 | 7,766 | 10,505 | 7,334 |
| Permanent pasture and rangeland, other than cropland and woodland pastured (see text) | 102 | 250 | 257 | 126 | 30 | 20 |
| Land in farmsteads, buildings, livestock facilities, ponds, roads, wasteland, etc. | 2,827 | 14,424 | 5,220 | 2,052 | 2,549 | (D) |
| Cropland on which no-till practices were used | 105 | 115 | 56 | 30 | - | 3 |
| Cropland on which conservation tillage, excluding no till, practices were used | 4,505 | 3,373 | 2,016 | 718 | - | (D) |
| Irrigated land | 2,005 | 2,068 | 2,675 | 2,179 | 209 | 197 |
| Harvested cropland | 291,625 | 295,772 | 430,948 | 428,742 | 66,309 | 89,913 |
| Pastureland and other land | 611 | 697 | 1,521 | 1,263 | 127 | 108 |
| Commercial fertilizer, lime, and soil conditioners | 37,023 | 37,762 | 296,382 | 242,017 | 50,373 | 67,919 |
| Manure used | 1,649 | 1,689 | 1,470 | 1,199 | 109 | 104 |
| Acres treated to control - | 254,602 | 258,010 | 134,566 | 186,725 | 15,936 | 21,994 |
| Insects | 1,704 | 1,672 | 6,091 | 5,699 | 526 | 377 |
| Weeds, grass, or brush | 69,888 | 58,336 | 714,916 | 700,915 | 79,977 | 50,591 |
| Nematodes | 2,314 | 1,938 | 5,852 | 4,667 | 545 | 394 |
| Diseases in crops and orchards | 48,337 | 40,317 | 81,594 | 118,228 | 24,791 | 11,307 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 190 | (NA) | 251 | (NA) | 26 | (NA) |
| Corn, all | 89,941 | (NA) | 18,832 | (NA) | 287 | (NA) |
| Soybeans for beans | 216 | (NA) | 152 | (NA) | 9 | (NA) |
| Small grains (wheat, oats, barley, rye) | 77,720 | (NA) | 8,369 | (NA) | 1,401 | (NA) |
| Cotton, all | 691 | 664 | 2,247 | 2,403 | 416 | 386 |
| Rice | 69,896 | 62,333 | 83,914 | 111,411 | 86,433 | 84,916 |
| Vegetables harvested for sale | 666 | 613 | 1,907 | 1,979 | 347 | 335 |
| Land in orchards | 69,219 | 59,056 | 69,686 | 95,777 | 73,754 | 66,541 |
| Nursery, greenhouse, floriculture, and sod | 38 | 81 | 393 | 486 | 84 | 68 |
| All other crops (other than those listed above) | 677 | 3,277 | 14,228 | 15,634 | 12,679 | 18,375 |
| FERTILIZER AND CHEMICALS | | | | | | |
| Commercial fertilizer, lime, and soil conditioners | 1,716 | 2,009 | 3,270 | 4,513 | 425 | 604 |
| Manure used | 315,898 | 241,556 | 286,017 | 311,905 | 87,303 | 95,172 |
| Acres treated to control - | 329 | 351 | 807 | 903 | 68 | 61 |
| Insects | 32,543 | 32,083 | 20,317 | 16,552 | 5,810 | 2,305 |
| Weeds, grass, or brush | 1,093 | 1,055 | 1,820 | 2,089 | 265 | 340 |
| Nematodes | 220,333 | 180,956 | 123,236 | 155,035 | 62,756 | 71,468 |
| Diseases in crops and orchards | 1,388 | 1,098 | 2,599 | 2,400 | 368 | 365 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 306,383 | 181,170 | 201,920 | 157,623 | 52,025 | 61,179 |
| Corn, all | 337 | 178 | 320 | 305 | 45 | 68 |
| Soybeans for beans | 125,501 | 45,145 | 35,280 | 32,284 | 7,702 | 23,181 |
| Small grains (wheat, oats, barley, rye) | 487 | 314 | 825 | 762 | 163 | 197 |
| Cotton, all | 84,784 | 42,522 | 53,365 | 56,400 | 55,849 | 54,333 |
| Rice | 333 | 228 | 288 | 216 | 69 | 68 |
| Vegetables harvested for sale | 128,732 | 57,730 | 15,619 | 9,190 | 21,381 | 15,038 |
| SELECTED CROPS HARVESTED | | | | | | |
| Corn, all | 300 | 331 | 51 | 65 | 4 | 16 |
| Soybeans for beans | 24,368 | 35,426 | 3,694 | 9,516 | (D) | 2,488 |
| Small grains (wheat, oats, barley, rye) | 120 | 114 | 11 | 2 | 1 | - |
| Cotton, all | 16,153 | 14,641 | 1,272 | (D) | (D) | - |
| Rice | 83 | 99 | 12 | 10 | 1 | - |
| Vegetables harvested for sale | 8,835 | 15,486 | 1,102 | (D) | (D) | - |
| Land in orchards | 302 | 230 | 2 | 1 | - | - |
| Nursery, greenhouse, floriculture, and sod | 135,626 | 71,735 | (D) | (D) | - | - |
| All other crops (other than those listed above) | - | - | - | - | - | - |
| Cattle and calves inventory | 149 | 114 | 269 | 250 | 35 | 30 |
| Hogs and pigs inventory | 641 | 1,462 | 23,741 | 23,345 | 4,977 | 6,834 |
| Sheep and lambs inventory | 485 | 481 | 1,056 | 1,397 | 263 | 345 |
| Total horses and ponies inventory | 6,069 | 5,513 | 25,476 | 45,117 | 65,069 | 55,527 |
| Goats, all inventory | 82 | 69 | 1,309 | 1,035 | 190 | 114 |
| Chickens, all inventory | 624 | 717 | 29,876 | 29,822 | 3,456 | 6,336 |
| Other livestock | 1,468 | 1,360 | 2,260 | 1,875 | 205 | 166 |
| Other poultry | 137,297 | 102,621 | 94,387 | 69,985 | 5,893 | 6,079 |
| LIVESTOCK AND POULTRY | | | | | | |
| Cattle and calves inventory | 1,355 | 1,575 | 3,966 | 3,994 | 415 | 349 |
| Hogs and pigs inventory | 65,422 | 73,302 | 243,201 | 243,688 | 28,270 | 27,685 |
| Sheep and lambs inventory | 114 | 164 | 381 | 514 | 40 | 39 |
| Total horses and ponies inventory | 13,263 | 11,823 | 2,781 | 4,485 | 228 | 272 |
| Goats, all inventory | 34 | 26 | 280 | 246 | 38 | 33 |
| Chickens, all inventory | 529 | 282 | 3,279 | 2,348 | 965 | 770 |
| Other livestock | 680 | 761 | 3,725 | 3,952 | 242 | 223 |
| Other poultry | 3,541 | 4,026 | 45,321 | 43,571 | 2,129 | 1,771 |
| Commercial fertilizer, lime, and soil conditioners | 323 | 393 | 858 | 1,095 | 69 | 58 |
| Manure used | 6,192 | 7,961 | 11,662 | 14,917 | 717 | 761 |
| Acres treated to control - | 535 | 399 | 1,194 | 852 | 131 | 62 |
| Insects | 16,750,151 | 14,586,012 | 104,842 | 20,110 | 4,257 | 2,512 |
| Weeds, grass, or brush | | | | | | |
| Nematodes | | | | | | |
| Diseases in crops and orchards | | | | | | |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | | | | | | |

--continued

Table 1. Summary by Hydrologic Unit Code: 2012 and 2007 (continued)

[For meaning of abbreviations and symbols, see introductory text.]

| Item | H030901 | | H030902 | | H031001 | |
|--|-----------|-----------|-----------|-----------|---------|---------|
| | 2012 | 2007 | 2012 | 2007 | 2012 | 2007 |
| FARMS AND LAND IN FARMS | | | | | | |
| Farms | 2,568 | 2,566 | 7,655 | 7,015 | 3,590 | 4,055 |
| Land in farms | 1,533,040 | 1,400,918 | 1,911,460 | 1,806,679 | 999,657 | 928,324 |
| LAND USE AND PRACTICES | | | | | | |
| Total cropland | 1,171 | 1,507 | 5,066 | 4,745 | 1,721 | 2,449 |
| Harvested cropland | 219,172 | 247,140 | 978,912 | 999,578 | 202,721 | 271,827 |
| Other pasture and grazing land that could have been used for crops without additional improvement (see text) | 1,021 | 1,287 | 4,726 | 4,162 | 1,529 | 2,116 |
| Cropland idle or used for cover crops or soil-improvement but not harvested and not pastured or grazed | 183,142 | 190,831 | 788,082 | 812,059 | 178,886 | 199,117 |
| Cropland on which all crops failed or were abandoned | 121 | 290 | 263 | 853 | 159 | 455 |
| Cropland in cultivated summer fallow | 22,637 | 47,223 | 86,945 | 99,829 | 10,681 | 63,549 |
| Cropland on which no-till practices were used | 102 | 63 | 311 | 190 | 144 | 100 |
| Cropland on which conservation tillage, excluding no till, practices were used | 11,085 | 6,705 | 58,605 | 64,512 | 5,633 | 4,095 |
| Cropland in cultivated summer fallow | 50 | 38 | 135 | 117 | 70 | 63 |
| Cropland in cultivated summer fallow | 1,618 | 973 | 14,127 | 7,650 | 7,207 | (D) |
| Total woodland | 16 | 14 | 58 | 36 | 17 | 7 |
| Woodland pastured | 690 | 1,408 | 31,153 | 15,528 | 314 | (D) |
| Woodland not pastured | 582 | 391 | 741 | 624 | 774 | 643 |
| Permanent pasture and rangeland, other than cropland and woodland pastured (see text) | 359,323 | 352,287 | 247,780 | 255,772 | 185,087 | 137,115 |
| Land in farmsteads, buildings, livestock facilities, ponds, roads, wasteland, etc. | 419 | 278 | 514 | 410 | 585 | 476 |
| Cropland on which no-till practices were used | 332,580 | 324,381 | 190,228 | 229,782 | 143,233 | 112,882 |
| Cropland on which conservation tillage, excluding no till, practices were used | 209 | 152 | 283 | 242 | 260 | 222 |
| Irrigated land | 26,743 | 27,906 | 57,552 | 25,990 | 41,854 | 24,233 |
| Harvested cropland | 1,579 | 1,301 | 2,396 | 2,254 | 2,199 | 1,969 |
| Pastureland and other land | 818,875 | 667,165 | 514,744 | 393,906 | 575,848 | 457,944 |
| Commercial fertilizer, lime, and soil conditioners | 1,241 | 931 | 3,376 | 2,694 | 1,737 | 1,466 |
| Manure used | 135,670 | 134,326 | 170,024 | 157,423 | 36,001 | 61,438 |
| Acres treated to control - | 19 | (NA) | 202 | (NA) | 46 | (NA) |
| Insects | 6,161 | (NA) | 65,288 | (NA) | 258 | (NA) |
| Weeds, grass, or brush | 10 | (NA) | 476 | (NA) | 18 | (NA) |
| Nematodes | 1,360 | (NA) | 4,424 | (NA) | 2,932 | (NA) |
| Diseases in crops and orchards | 766 | 1,030 | 3,660 | 3,574 | 1,117 | 1,748 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 180,638 | 175,779 | 768,193 | 794,974 | 140,584 | 171,479 |
| Commercial fertilizer, lime, and soil conditioners | 676 | 954 | 3,341 | 3,214 | 1,054 | 1,683 |
| Manure used | 146,673 | 153,179 | 689,357 | 744,279 | 133,638 | 166,598 |
| Acres treated to control - | 108 | 93 | 379 | 416 | 78 | 95 |
| Insects | 33,965 | 22,600 | 78,836 | 50,695 | 6,946 | 4,881 |
| Weeds, grass, or brush | 1,009 | 1,481 | 3,091 | 3,918 | 1,451 | 2,390 |
| Nematodes | 247,286 | 448,320 | 552,969 | 875,811 | 217,437 | 284,345 |
| Diseases in crops and orchards | 109 | 111 | 411 | 360 | 113 | 166 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 13,700 | 48,339 | 8,551 | 4,583 | 6,624 | 8,792 |
| Commercial fertilizer, lime, and soil conditioners | 631 | 1,001 | 2,403 | 2,324 | 977 | 1,759 |
| Manure used | 137,145 | 163,244 | 364,537 | 598,573 | 118,595 | 183,034 |
| Acres treated to control - | 871 | 1,020 | 2,854 | 2,510 | 1,262 | 1,819 |
| Insects | 267,038 | 153,472 | 508,923 | 539,599 | 164,880 | 164,870 |
| Weeds, grass, or brush | 158 | 264 | 486 | 440 | 298 | 536 |
| Nematodes | 17,428 | 23,323 | 112,190 | 77,803 | 36,228 | 53,154 |
| Diseases in crops and orchards | 403 | 691 | 1,163 | 1,127 | 705 | 1,186 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 60,246 | 112,773 | 230,020 | 330,466 | 83,391 | 137,485 |
| Commercial fertilizer, lime, and soil conditioners | 197 | 236 | 547 | 379 | 352 | 396 |
| Manure used | 61,598 | 20,953 | 229,731 | 119,285 | 50,014 | 28,081 |
| Acres treated to control - | | | | | | |
| Insects | | | | | | |
| Weeds, grass, or brush | | | | | | |
| Nematodes | | | | | | |
| Diseases in crops and orchards | | | | | | |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | | | | | | |
| SELECTED CROPS HARVESTED | | | | | | |
| Corn, all | 5 | 6 | 19 | 24 | 12 | 6 |
| Soybeans for beans | (D) | (D) | 4,340 | (D) | 57 | (D) |
| Small grains (wheat, oats, barley, rye) | 1 | 1 | 2 | 1 | 1 | 1 |
| Cotton, all | (D) | (D) | (D) | (D) | (D) | (D) |
| Rice | - | - | 1 | 1 | - | - |
| Vegetables harvested for sale | - | - | 9 | 7 | 4 | - |
| Land in orchards | - | - | 11,487 | (D) | 4 | - |
| Nursery, greenhouse, floriculture, and sod | 32 | 31 | 279 | 313 | 81 | 66 |
| All other crops (other than those listed above) | 5,521 | 4,013 | 104,662 | 116,589 | 18,504 | 14,260 |
| Cattle and calves inventory | 580 | 903 | 2,431 | 2,182 | 975 | 1,696 |
| Hogs and pigs inventory | 106,396 | 114,856 | 206,889 | 247,927 | 123,347 | 148,237 |
| Sheep and lambs inventory | 207 | 196 | 2,154 | 1,620 | 268 | 207 |
| Total horses and ponies inventory | 20,023 | 22,849 | 48,417 | 34,154 | 6,737 | 8,875 |
| Goats, all inventory | 400 | 373 | 1,555 | 1,470 | 548 | 497 |
| Chickens, all inventory | 48,495 | 44,658 | 414,195 | 411,206 | 30,233 | 26,985 |
| LIVESTOCK AND POULTRY | | | | | | |
| Cattle and calves inventory | 1,548 | 1,299 | 1,693 | 1,695 | 2,111 | 2,051 |
| Hogs and pigs inventory | 356,950 | 318,214 | 232,620 | 176,454 | 205,824 | 242,322 |
| Sheep and lambs inventory | 57 | 74 | 190 | 232 | 100 | 107 |
| Total horses and ponies inventory | 984 | 805 | 2,404 | 2,325 | 408 | (D) |
| Goats, all inventory | 67 | 30 | 217 | 147 | 55 | 48 |
| Chickens, all inventory | 1,065 | 528 | 4,395 | 2,651 | 658 | 529 |
| Commercial fertilizer, lime, and soil conditioners | 702 | 623 | 1,722 | 1,724 | 749 | 757 |
| Manure used | 5,049 | 4,285 | 16,600 | 16,446 | 4,299 | 4,937 |
| Acres treated to control - | 124 | 99 | 488 | 429 | 196 | 164 |
| Insects | 2,300 | 2,503 | 6,961 | 5,832 | 2,108 | 1,684 |
| Weeds, grass, or brush | 220 | 127 | 663 | 448 | 312 | 172 |
| Nematodes | (D) | (D) | 51,666 | 37,347 | 9,288 | 4,402 |

--continued

Table 1. Summary by Hydrologic Unit Code: 2012 and 2007 (continued)

[For meaning of abbreviations and symbols, see introductory text.]

| Item | H031002 | | H031101 | | H031102 | |
|--|-----------|-----------|---------|-----------|------------|------------|
| | 2012 | 2007 | 2012 | 2007 | 2012 | 2007 |
| FARMS AND LAND IN FARMS | | | | | | |
| Farms | 8,693 | 8,260 | 2,080 | 2,175 | 8,416 | 8,717 |
| Land in farms | 1,053,521 | 1,010,957 | 435,032 | 452,818 | 1,879,845 | 1,859,754 |
| LAND USE AND PRACTICES | | | | | | |
| Total cropland | 3,474 | 4,080 | 1,067 | 1,172 | 5,176 | 5,560 |
| Harvested cropland | 243,334 | 292,683 | 125,337 | 118,952 | 889,210 | 866,855 |
| Other pasture and grazing land that could have been used for crops without additional improvement (see text) | 2,999 | 3,159 | 840 | 772 | 4,093 | 4,036 |
| Cropland idle or used for cover crops or soil-improvement but not harvested and not pastured or grazed | 170,365 | 177,349 | 94,679 | 74,706 | 783,176 | 695,602 |
| Cropland on which all crops failed or were abandoned | 431 | 1,206 | 157 | 427 | 678 | 1,818 |
| Cropland in cultivated summer fallow | 52,183 | 106,105 | 16,172 | 26,872 | 38,003 | 98,743 |
| Woodland pastured | 308 | 210 | 200 | 169 | 1,055 | 912 |
| Woodland not pastured | 14,101 | 5,892 | 10,675 | 12,232 | 51,065 | 50,067 |
| Permanent pasture and rangeland, other than cropland and woodland pastured (see text) | 144 | 105 | 63 | 66 | 270 | 314 |
| Land in farmsteads, buildings, livestock facilities, ponds, roads, wasteland, etc. | 2,837 | 2,112 | 1,589 | 2,003 | 6,976 | 11,267 |
| Cropland on which no-till practices were used | 61 | 34 | 35 | 21 | 221 | 251 |
| Cropland on which conservation tillage, excluding no till, practices were used | 3,848 | 1,225 | 2,222 | 3,139 | 9,990 | 11,176 |
| Irrigated land | 2,320 | 1,721 | 940 | 957 | 4,350 | 4,301 |
| Harvested cropland | 228,949 | 181,079 | 181,518 | 198,839 | 594,915 | 607,999 |
| Pastureland and other land | 1,603 | 1,186 | 483 | 437 | 1,779 | 1,712 |
| Commercial fertilizer, lime, and soil conditioners | 130,562 | 125,725 | 65,606 | 54,860 | 117,359 | 127,432 |
| Manure used | 938 | 675 | 617 | 667 | 3,217 | 3,234 |
| Acres treated to control - | 98,387 | 55,354 | 115,912 | 143,979 | 477,556 | 480,567 |
| Insects | 5,616 | 4,864 | 1,239 | 1,240 | 4,721 | 4,616 |
| Weeds, grass, or brush | 528,389 | 463,733 | 98,023 | 103,830 | 273,938 | 267,775 |
| Nematodes | 4,915 | 3,578 | 1,324 | 1,128 | 5,474 | 4,527 |
| Diseases in crops and orchards | 52,849 | 73,462 | 30,154 | 31,197 | 121,782 | 117,125 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 225 | (NA) | 76 | (NA) | 443 | (NA) |
| Corn, all | 2,933 | (NA) | 20,199 | (NA) | 133,542 | (NA) |
| Soybeans for beans | 78 | (NA) | 58 | (NA) | 424 | (NA) |
| Small grains (wheat, oats, barley, rye) | 3,018 | (NA) | 16,193 | (NA) | 187,833 | (NA) |
| Cotton, all | 1,857 | 2,236 | 263 | 239 | 1,580 | 1,604 |
| Rice | 94,611 | 108,679 | 24,489 | 18,114 | 298,927 | 255,002 |
| Vegetables harvested for sale | 1,603 | 1,907 | 236 | 213 | 1,449 | 1,418 |
| Land in orchards | 88,002 | 101,205 | 23,026 | 17,276 | 292,704 | 246,155 |
| Nursery, greenhouse, floriculture, and sod | 311 | 387 | 34 | 42 | 175 | 268 |
| All other crops (other than those listed above) | 6,609 | 7,474 | 1,463 | 838 | 6,223 | 8,847 |
| FERTILIZER AND CHEMICALS | | | | | | |
| Commercial fertilizer, lime, and soil conditioners | 2,686 | 3,808 | 774 | 974 | 3,666 | 4,563 |
| Manure used | 200,970 | 242,747 | 107,967 | 120,017 | 793,041 | 734,285 |
| Acres treated to control - | 497 | 642 | 145 | 168 | 576 | 629 |
| Insects | 16,790 | 14,871 | 9,129 | 6,670 | 67,377 | 48,483 |
| Weeds, grass, or brush | 1,583 | 2,063 | 328 | 340 | 2,058 | 2,105 |
| Nematodes | 117,275 | 140,983 | 55,856 | 40,262 | 550,244 | 509,921 |
| Diseases in crops and orchards | 2,289 | 2,510 | 498 | 413 | 2,753 | 2,215 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 149,049 | 121,076 | 76,579 | 54,788 | 718,606 | 433,273 |
| Corn, all | 401 | 342 | 96 | 32 | 676 | 461 |
| Soybeans for beans | 48,232 | 29,555 | 27,035 | 4,283 | 285,850 | 130,488 |
| Small grains (wheat, oats, barley, rye) | 783 | 931 | 120 | 72 | 924 | 608 |
| Cotton, all | 70,976 | 74,360 | 24,072 | 8,207 | 246,039 | 134,675 |
| Rice | 299 | 290 | 46 | 42 | 653 | 568 |
| Vegetables harvested for sale | 22,681 | 18,456 | 11,608 | 12,668 | 264,955 | 184,276 |
| SELECTED CROPS HARVESTED | | | | | | |
| Corn, all | 10 | 16 | 88 | 87 | 594 | 702 |
| Soybeans for beans | (D) | (D) | 11,279 | 11,260 | 67,683 | 92,805 |
| Small grains (wheat, oats, barley, rye) | 3 | 1 | 20 | 15 | 160 | 139 |
| Cotton, all | 42 | (D) | 2,694 | 1,219 | 17,052 | 15,572 |
| Rice | 5 | 9 | 19 | 15 | 185 | 257 |
| Vegetables harvested for sale | (D) | (D) | 3,040 | 2,409 | 24,171 | 36,093 |
| Land in orchards | 2 | - | 30 | 32 | 622 | 649 |
| Nursery, greenhouse, floriculture, and sod | - | - | 11,687 | 11,902 | 297,566 | 219,649 |
| All other crops (other than those listed above) | - | - | - | - | - | - |
| Cattle and calves inventory | 281 | 243 | 72 | 67 | 366 | 477 |
| Hogs and pigs inventory | 32,830 | 36,447 | 2,550 | 2,500 | 48,502 | 59,684 |
| Sheep and lambs inventory | 845 | 1,440 | 179 | 183 | 936 | 871 |
| Total horses and ponies inventory | 41,008 | 57,874 | 2,017 | 1,979 | 23,657 | 20,800 |
| Goats, all inventory | 715 | 621 | 89 | 66 | 249 | 205 |
| Chickens, all inventory | 12,672 | 11,495 | 906 | 1,093 | 6,958 | 11,522 |
| Cattle and calves inventory | 1,936 | 1,662 | 614 | 556 | 2,942 | 2,934 |
| Hogs and pigs inventory | 84,411 | 70,129 | 60,617 | 42,383 | 305,293 | 248,273 |
| Sheep and lambs inventory | 4,821 | 4,454 | 993 | 1,074 | 3,776 | 4,191 |
| Total horses and ponies inventory | 208,844 | 229,351 | 77,798 | 94,540 | 261,348 | 313,616 |
| Goats, all inventory | 334 | 295 | 65 | 94 | 276 | 335 |
| Chickens, all inventory | 2,559 | 3,630 | 1,662 | 1,256 | 4,115 | 36,993 |
| Cattle and calves inventory | 202 | 164 | 47 | 39 | 141 | 112 |
| Hogs and pigs inventory | 2,134 | 2,834 | 677 | 709 | 3,219 | 1,992 |
| Sheep and lambs inventory | 2,547 | 2,354 | 639 | 706 | 1,973 | 2,132 |
| Total horses and ponies inventory | 21,125 | 20,357 | 4,942 | 5,495 | 11,858 | 14,286 |
| Goats, all inventory | 705 | 625 | 138 | 202 | 719 | 911 |
| Chickens, all inventory | 9,462 | 8,436 | 2,578 | 2,785 | 12,873 | 16,859 |
| Cattle and calves inventory | 983 | 571 | 228 | 165 | 1,026 | 759 |
| Hogs and pigs inventory | 3,552,887 | 3,501,035 | (D) | 2,244,992 | 21,654,393 | 29,578,914 |

--continued

Table 1. Summary by Hydrologic Unit Code: 2012 and 2007 (continued)

[For meaning of abbreviations and symbols, see introductory text.]

| Item | H031200 | | H031300 | | H031401 | |
|--|-----------|-----------|------------|------------|-----------|-----------|
| | 2012 | 2007 | 2012 | 2007 | 2012 | 2007 |
| FARMS AND LAND IN FARMS | | | | | | |
| Farms | 2,132 | 2,232 | 12,428 | 14,017 | 3,287 | 3,486 |
| Land in farms | 577,539 | 644,676 | 3,711,773 | 3,879,854 | 567,530 | 529,259 |
| LAND USE AND PRACTICES | | | | | | |
| Total cropland | 1,406 | 1,507 | 8,071 | 9,159 | 2,113 | 2,142 |
| Harvested cropland | 211,325 | 253,579 | 1,639,384 | 1,768,069 | 226,007 | 236,333 |
| Other pasture and grazing land that could have been used for crops without additional improvement (see text) | 1,097 | 1,118 | 6,036 | 6,366 | 1,653 | 1,514 |
| Cropland idle or used for cover crops or soil-improvement but not harvested and not pastured or grazed | 184,115 | 197,506 | 1,406,178 | 1,342,582 | 189,302 | 168,682 |
| Cropland on which all crops failed or were abandoned | 114 | 435 | 835 | 2,899 | 203 | 635 |
| Cropland in cultivated summer fallow | 5,126 | 26,400 | 53,090 | 199,124 | 10,952 | 30,140 |
| Woodland pastured | 331 | 267 | 2,268 | 1,919 | 524 | 506 |
| Woodland not pastured | 17,145 | 18,648 | 144,336 | 143,783 | 21,711 | 29,164 |
| Permanent pasture and rangeland, other than cropland and woodland pastured (see text) | 84 | 137 | 449 | 961 | 97 | 97 |
| Land in farmsteads, buildings, livestock facilities, ponds, roads, wasteland, etc. | 1,775 | 6,441 | 16,589 | 59,735 | 2,577 | 7,036 |
| Cropland on which no-till practices were used | 67 | 66 | 376 | 426 | 94 | 68 |
| Cropland on which conservation tillage, excluding no till, practices were used | 3,164 | 4,584 | 19,191 | 22,845 | 1,465 | 1,311 |
| Irrigated land | 1,288 | 1,323 | 7,696 | 8,383 | 1,757 | 1,905 |
| Harvested cropland | 257,989 | 281,362 | 1,385,512 | 1,433,965 | 235,118 | 182,411 |
| Pastureland and other land | 377 | 394 | 2,913 | 3,454 | 616 | 608 |
| Commercial fertilizer, lime, and soil conditioners | 21,697 | 22,719 | 135,995 | 187,127 | 18,684 | 19,988 |
| Manure used | 1,064 | 1,117 | 5,927 | 6,262 | 1,396 | 1,510 |
| Acres treated to control - | 236,292 | 258,643 | 1,249,517 | 1,246,838 | 216,434 | 162,423 |
| Insects | 1,052 | 1,036 | 6,882 | 7,211 | 1,781 | 1,690 |
| Weeds, grass, or brush | 68,201 | 55,386 | 473,269 | 452,906 | 69,404 | 71,933 |
| Nematodes | 1,416 | 1,197 | 7,909 | 6,960 | 2,149 | 1,811 |
| Diseases in crops and orchards | 40,024 | 54,349 | 213,608 | 224,914 | 37,001 | 38,582 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 153 | (NA) | 779 | (NA) | 145 | (NA) |
| Corn, all | 37,852 | (NA) | 217,347 | (NA) | 34,525 | (NA) |
| Soybeans for beans | 114 | (NA) | 717 | (NA) | 157 | (NA) |
| Small grains (wheat, oats, barley, rye) | 48,874 | (NA) | 309,887 | (NA) | 54,475 | (NA) |
| Cotton, all | 355 | 380 | 1,625 | 1,752 | 270 | 274 |
| Rice | 49,676 | 48,450 | 544,490 | 497,421 | 14,635 | 14,530 |
| Vegetables harvested for sale | 335 | 340 | 1,532 | 1,580 | 246 | 220 |
| Land in orchards | 49,512 | 47,301 | 538,931 | 485,146 | 14,514 | 14,127 |
| Nursery, greenhouse, floriculture, and sod | 25 | 54 | 136 | 271 | 27 | 67 |
| All other crops (other than those listed above) | 164 | 1,149 | 5,559 | 12,275 | 121 | 403 |
| FERTILIZER AND CHEMICALS | | | | | | |
| Commercial fertilizer, lime, and soil conditioners | 917 | 1,174 | 5,255 | 6,701 | 1,367 | 1,710 |
| Manure used | 182,826 | 192,477 | 1,383,663 | 1,390,969 | 184,647 | 186,808 |
| Acres treated to control - | 144 | 156 | 1,444 | 1,435 | 298 | 241 |
| Insects | 15,490 | 12,284 | 162,123 | 131,566 | 17,529 | 12,098 |
| Weeds, grass, or brush | 508 | 583 | 2,697 | 2,689 | 617 | 577 |
| Nematodes | 137,398 | 137,785 | 887,440 | 898,575 | 133,725 | 118,000 |
| Diseases in crops and orchards | 690 | 575 | 4,373 | 3,784 | 1,017 | 818 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 179,983 | 142,804 | 1,341,391 | 916,524 | 173,311 | 139,992 |
| Corn, all | 163 | 120 | 878 | 638 | 202 | 78 |
| Soybeans for beans | 70,763 | 33,260 | 458,146 | 211,829 | 55,221 | 21,464 |
| Small grains (wheat, oats, barley, rye) | 234 | 181 | 1,281 | 873 | 285 | 187 |
| Cotton, all | 54,626 | 30,788 | 483,358 | 263,603 | 84,057 | 31,406 |
| Rice | 201 | 160 | 843 | 844 | 200 | 151 |
| Vegetables harvested for sale | 90,981 | 69,034 | 418,484 | 369,446 | 48,426 | 34,309 |
| SELECTED CROPS HARVESTED | | | | | | |
| Corn, all | 133 | 215 | 878 | 1,015 | 152 | 159 |
| Soybeans for beans | 14,386 | 39,119 | 150,791 | 183,432 | 5,348 | 10,999 |
| Small grains (wheat, oats, barley, rye) | 42 | 74 | 383 | 409 | 108 | 74 |
| Cotton, all | 4,442 | 8,726 | 58,318 | 72,826 | 14,108 | 11,640 |
| Rice | 39 | 66 | 722 | 663 | 112 | 81 |
| Vegetables harvested for sale | 6,876 | 6,722 | 115,498 | 117,223 | 18,928 | 12,707 |
| Land in orchards | 171 | 170 | 931 | 960 | 177 | 164 |
| Nursery, greenhouse, floriculture, and sod | 95,500 | 81,523 | 464,826 | 437,090 | 51,772 | 46,590 |
| All other crops (other than those listed above) | - | - | - | - | - | - |
| Cattle and calves inventory | 127 | 108 | 470 | 434 | 132 | 113 |
| Hogs and pigs inventory | 6,466 | 6,610 | 38,306 | 46,647 | 968 | 1,006 |
| Sheep and lambs inventory | 387 | 400 | 917 | 946 | 398 | 348 |
| Total horses and ponies inventory | 10,764 | 11,128 | 61,241 | 55,838 | 4,969 | 3,558 |
| Goats, all inventory | 117 | 90 | 264 | 232 | 111 | 85 |
| Chickens, all inventory | 3,644 | 3,131 | 10,865 | 11,272 | 7,650 | 8,022 |
| Cattle and calves inventory | 657 | 665 | 4,793 | 5,107 | 1,214 | 1,159 |
| Hogs and pigs inventory | 42,703 | 43,599 | 519,942 | 442,962 | 87,356 | 76,015 |
| LIVESTOCK AND POULTRY | | | | | | |
| Cattle and calves inventory | 646 | 743 | 4,678 | 5,614 | 1,162 | 1,281 |
| Hogs and pigs inventory | 34,127 | 44,281 | 351,068 | 361,086 | 54,365 | 69,377 |
| Sheep and lambs inventory | 55 | 79 | 218 | 294 | 91 | 94 |
| Total horses and ponies inventory | (D) | 2,218 | 9,909 | 80,662 | 581 | 720 |
| Goats, all inventory | 30 | 37 | 192 | 159 | 74 | 40 |
| Chickens, all inventory | 422 | 764 | 10,602 | 3,259 | 2,017 | 905 |
| Cattle and calves inventory | 495 | 513 | 2,824 | 3,645 | 833 | 918 |
| Hogs and pigs inventory | 3,296 | 3,574 | 18,789 | 24,708 | 5,898 | 7,331 |
| Sheep and lambs inventory | 145 | 198 | 833 | 1,089 | 278 | 339 |
| Total horses and ponies inventory | 1,868 | 5,402 | 27,172 | 19,378 | 3,555 | 5,398 |
| Goats, all inventory | 272 | 185 | 1,391 | 1,174 | 540 | 312 |
| Chickens, all inventory | 5,117,273 | 6,806,517 | 42,701,210 | 48,083,673 | 3,215,012 | 3,425,270 |

--continued

Table 1. Summary by Hydrologic Unit Code: 2012 and 2007 (continued)

[For meaning of abbreviations and symbols, see introductory text.]

| Item | H031402 | | H031403 | | H031501 | |
|--|------------|------------|------------|------------|-------------|------------|
| | 2012 | 2007 | 2012 | 2007 | 2012 | 2007 |
| FARMS AND LAND IN FARMS | | | | | | |
| Farms | 5,099 | 5,617 | 2,729 | 3,036 | 12,908 | 14,833 |
| Land in farms | 1,100,249 | 1,176,044 | 619,778 | 610,404 | 1,904,917 | 2,031,043 |
| LAND USE AND PRACTICES | | | | | | |
| Total cropland | 3,269 | 3,646 | 1,752 | 1,965 | 7,501 | 8,967 |
| Harvested cropland | 391,013 | 421,584 | 185,673 | 203,085 | 511,071 | 631,000 |
| Other pasture and grazing land that could have been used for crops without additional improvement (see text) | 2,268 | 2,306 | 1,350 | 1,401 | 6,385 | 6,641 |
| Cropland idle or used for cover crops or soil-improvement but not harvested and not pastured or grazed | 279,311 | 237,460 | 145,284 | 122,557 | 413,969 | 386,058 |
| Cropland on which all crops failed or were abandoned | 461 | 1,279 | 179 | 590 | 718 | 2,946 |
| Cropland in cultivated summer fallow | 27,903 | 91,193 | 10,266 | 41,981 | 35,718 | 150,997 |
| Woodland pastured | 1,119 | 1,064 | 467 | 428 | 1,238 | 1,292 |
| Woodland not pastured | 69,253 | 68,297 | 25,451 | 25,147 | 49,901 | 65,618 |
| Permanent pasture and rangeland, other than cropland and woodland pastured (see text) | 175 | 307 | 83 | 158 | 276 | 697 |
| Land in farmsteads, buildings, livestock facilities, ponds, roads, wasteland, etc. | 6,253 | 17,471 | 1,564 | 8,404 | 6,905 | 24,153 |
| Cropland on which no-till practices were used | 183 | 170 | 73 | 80 | 177 | 230 |
| Cropland on which conservation tillage, excluding no till, practices were used | 8,293 | 7,163 | 3,108 | 4,996 | 4,578 | 4,174 |
| Irrigated land | 3,352 | 3,733 | 1,741 | 1,878 | 7,822 | 8,602 |
| Harvested cropland | 436,170 | 489,058 | 281,799 | 271,876 | 670,883 | 722,312 |
| Pastureland and other land | 1,096 | 1,276 | 637 | 776 | 4,158 | 4,790 |
| Commercial fertilizer, lime, and soil conditioners | 59,018 | 64,823 | 33,928 | 52,730 | 137,304 | 171,654 |
| Manure used | 2,732 | 3,019 | 1,412 | 1,438 | 5,170 | 5,467 |
| Acres treated to control - | 377,152 | 424,235 | 247,871 | 219,146 | 533,579 | 550,658 |
| Insects | 2,779 | 2,699 | 1,590 | 1,621 | 9,484 | 9,772 |
| Weeds, grass, or brush | 196,757 | 185,745 | 115,253 | 101,001 | 605,354 | 557,882 |
| Nematodes | 3,282 | 2,956 | 1,723 | 1,480 | 8,296 | 6,900 |
| Diseases in crops and orchards | 76,309 | 79,657 | 37,053 | 34,442 | 117,609 | 119,849 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 239 | (NA) | 155 | (NA) | 740 | (NA) |
| Corn, all | 48,675 | (NA) | 27,743 | (NA) | 142,808 | (NA) |
| Soybeans for beans | 247 | (NA) | 147 | (NA) | 224 | (NA) |
| Small grains (wheat, oats, barley, rye) | 69,637 | (NA) | 44,168 | (NA) | 18,627 | (NA) |
| Cotton, all | 267 | 266 | 110 | 97 | 555 | 634 |
| Rice | 17,765 | 17,817 | 6,422 | 6,520 | 22,342 | 24,455 |
| Vegetables harvested for sale | 250 | 229 | 106 | 86 | 505 | 555 |
| Land in orchards | 17,164 | 14,951 | 6,196 | 5,982 | 20,810 | 22,794 |
| Nursery, greenhouse, floriculture, and sod | 23 | 49 | 11 | 17 | 67 | 106 |
| All other crops (other than those listed above) | 601 | 2,866 | 226 | 538 | 1,532 | 1,661 |
| FERTILIZER AND CHEMICALS | | | | | | |
| Commercial fertilizer, lime, and soil conditioners | 1,933 | 2,350 | 1,113 | 1,372 | 4,616 | 6,408 |
| Manure used | 292,695 | 269,381 | 147,936 | 147,108 | 380,239 | 451,315 |
| Acres treated to control - | 594 | 641 | 334 | 402 | 2,307 | 2,348 |
| Insects | 62,663 | 65,825 | 44,683 | 37,370 | 169,462 | 137,563 |
| Weeds, grass, or brush | 822 | 707 | 373 | 355 | 1,395 | 1,273 |
| Nematodes | 143,585 | 116,311 | 79,529 | 67,335 | 132,462 | 105,490 |
| Diseases in crops and orchards | 1,416 | 1,144 | 808 | 663 | 4,144 | 3,817 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 245,658 | 121,023 | 125,632 | 85,679 | 374,052 | 284,992 |
| Corn, all | 220 | 101 | 101 | 67 | 174 | 121 |
| Soybeans for beans | 83,923 | 20,075 | 25,709 | 16,286 | 18,528 | 17,580 |
| Small grains (wheat, oats, barley, rye) | 312 | 161 | 144 | 87 | 347 | 245 |
| Cotton, all | 78,296 | 16,455 | 36,619 | 15,606 | 33,832 | 13,905 |
| Rice | 231 | 134 | 99 | 105 | 204 | 184 |
| Vegetables harvested for sale | 78,887 | 47,407 | 32,719 | 31,225 | 46,148 | 38,225 |
| SELECTED CROPS HARVESTED | | | | | | |
| Corn, all | 249 | 313 | 155 | 147 | 533 | 377 |
| Soybeans for beans | 14,522 | 25,916 | 12,761 | 11,067 | 54,352 | 47,143 |
| Small grains (wheat, oats, barley, rye) | 103 | 56 | 62 | 46 | 295 | 188 |
| Cotton, all | 11,910 | 5,283 | 8,264 | 5,374 | 52,921 | 34,118 |
| Rice | 137 | 150 | 73 | 60 | 161 | 92 |
| Vegetables harvested for sale | 18,869 | 15,030 | 10,191 | 5,387 | 17,810 | 10,520 |
| Land in orchards | 260 | 175 | 106 | 102 | 138 | 133 |
| Nursery, greenhouse, floriculture, and sod | 90,121 | 61,916 | 36,416 | 30,999 | 58,237 | 45,299 |
| All other crops (other than those listed above) | - | - | 2 | - | - | - |
| Cattle and calves inventory | 140 | 153 | 88 | 82 | 411 | 340 |
| Hogs and pigs inventory | 1,024 | 1,286 | 511 | 394 | 2,148 | 2,329 |
| Sheep and lambs inventory | 357 | 407 | 158 | 187 | 311 | 393 |
| Total horses and ponies inventory | 3,568 | 4,081 | 2,151 | 2,482 | 3,932 | 3,706 |
| Goats, all inventory | 65 | 42 | 28 | 23 | 263 | 223 |
| Chickens, all inventory | 495 | 1,029 | 2,566 | 1,736 | 5,000 | 7,744 |
| | 1,845 | 1,921 | 1,105 | 1,200 | 5,516 | 6,009 |
| | 141,387 | 123,435 | 74,922 | 66,658 | 228,750 | 237,820 |
| LIVESTOCK AND POULTRY | | | | | | |
| Cattle and calves inventory | 2,070 | 2,248 | 1,246 | 1,361 | 6,781 | 7,935 |
| Hogs and pigs inventory | 133,712 | 163,234 | 82,528 | 75,679 | 323,651 | 317,935 |
| Sheep and lambs inventory | 70 | 91 | 31 | 53 | 251 | 283 |
| Total horses and ponies inventory | 594 | 4,225 | 769 | 3,772 | 16,922 | 46,610 |
| Goats, all inventory | 74 | 26 | 25 | 22 | 241 | 229 |
| Chickens, all inventory | 1,625 | 807 | 609 | 522 | 5,737 | 5,479 |
| | 956 | 998 | 511 | 618 | 3,752 | 4,368 |
| | 6,315 | 6,459 | 2,871 | 3,889 | 23,552 | 29,929 |
| | 228 | 353 | 153 | 213 | 1,000 | 1,304 |
| | 3,238 | 7,680 | 2,676 | 4,399 | 17,080 | 23,228 |
| | 692 | 510 | 373 | 308 | 2,209 | 1,809 |
| | 31,389,926 | 28,992,115 | 14,962,179 | 16,542,153 | 101,255,328 | 92,015,626 |

--continued

Table 1. Summary by Hydrologic Unit Code: 2012 and 2007 (continued)

[For meaning of abbreviations and symbols, see introductory text.]

| Item | H031502 | | H031601 | | H031602 | |
|--|-----------|-----------|------------|------------|---------|---------|
| | 2012 | 2007 | 2012 | 2007 | 2012 | 2007 |
| FARMS AND LAND IN FARMS | | | | | | |
| Farms | 3,931 | 4,320 | 13,564 | 15,481 | 2,403 | 2,840 |
| Land in farms | 1,346,544 | 1,348,123 | 2,806,049 | 2,929,763 | 644,329 | 681,859 |
| LAND USE AND PRACTICES | | | | | | |
| Total cropland | 2,405 | 2,749 | 8,554 | 10,142 | 1,513 | 1,867 |
| Harvested cropland | 356,318 | 377,454 | 894,249 | 1,012,312 | 135,647 | 160,388 |
| Other pasture and grazing land that could have been used for crops without additional improvement (see text) | 1,869 | 1,897 | 6,519 | 7,215 | 1,179 | 1,421 |
| Cropland idle or used for cover crops or soil-improvement but not harvested and not pastured or grazed | 248,155 | 200,930 | 682,962 | 635,493 | 99,677 | 95,604 |
| Cropland on which all crops failed or were abandoned | 302 | 864 | 742 | 2,995 | 169 | 539 |
| Cropland in cultivated summer fallow | 25,477 | 80,671 | 41,140 | 215,895 | 9,496 | 35,786 |
| Woodland pastured | 572 | 562 | 2,388 | 2,127 | 317 | 307 |
| Woodland not pastured | 75,075 | 67,942 | 156,015 | 137,176 | 22,961 | 22,094 |
| Permanent pasture and rangeland, other than cropland and woodland pastured (see text) | 153 | 377 | 326 | 635 | 81 | 143 |
| Land in farmsteads, buildings, livestock facilities, ponds, roads, wasteland, etc. | 3,893 | 22,502 | 8,581 | 15,166 | 2,069 | 2,895 |
| Cropland on which no-till practices were used | 78 | 99 | 244 | 280 | 54 | 75 |
| Cropland on which conservation tillage, excluding no till, practices were used | 3,718 | 5,409 | 5,551 | 8,582 | 1,444 | 4,009 |
| Irrigated land | 2,229 | 2,481 | 8,008 | 8,681 | 1,432 | 1,588 |
| Harvested cropland | 529,431 | 578,816 | 965,566 | 995,849 | 336,064 | 329,797 |
| Pastureland and other land | 996 | 1,127 | 3,704 | 4,262 | 546 | 691 |
| Commercial fertilizer, lime, and soil conditioners | 62,927 | 84,161 | 131,725 | 147,028 | 28,661 | 39,781 |
| Manure used | 1,602 | 1,773 | 5,711 | 6,101 | 1,124 | 1,153 |
| Acres treated to control - | 466,504 | 494,655 | 833,841 | 848,821 | 307,403 | 290,016 |
| Insects | 2,482 | 2,459 | 8,671 | 9,036 | 1,456 | 1,630 |
| Weeds, grass, or brush | 382,207 | 323,559 | 741,905 | 717,484 | 140,409 | 144,221 |
| Nematodes | 2,219 | 1,776 | 8,491 | 7,261 | 1,425 | 1,233 |
| Diseases in crops and orchards | 74,588 | 68,294 | 204,329 | 204,118 | 32,209 | 47,453 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 200 | (NA) | 628 | (NA) | 80 | (NA) |
| Corn, all | 48,158 | (NA) | 135,915 | (NA) | 18,143 | (NA) |
| Soybeans for beans | 146 | (NA) | 355 | (NA) | 104 | (NA) |
| Small grains (wheat, oats, barley, rye) | 36,100 | (NA) | 120,697 | (NA) | 20,794 | (NA) |
| Cotton, all | 176 | 217 | 442 | 494 | 160 | 160 |
| Rice | 9,752 | 9,589 | 34,791 | 18,419 | 4,046 | 5,069 |
| Vegetables harvested for sale | 160 | 175 | 416 | 416 | 142 | 147 |
| Land in orchards | 9,567 | 9,235 | 33,822 | 16,628 | 3,779 | 4,960 |
| Nursery, greenhouse, floriculture, and sod | 19 | 49 | 33 | 92 | 20 | 14 |
| All other crops (other than those listed above) | 185 | 354 | 969 | 1,791 | 267 | 109 |
| FERTILIZER AND CHEMICALS | | | | | | |
| Commercial fertilizer, lime, and soil conditioners | 1,497 | 1,860 | 5,015 | 6,557 | 1,039 | 1,383 |
| Manure used | 204,568 | 221,980 | 575,978 | 661,423 | 96,593 | 111,602 |
| Acres treated to control - | 276 | 287 | 1,651 | 1,899 | 214 | 182 |
| Insects | 33,615 | 28,807 | 169,939 | 142,679 | 12,831 | 9,258 |
| Weeds, grass, or brush | 585 | 582 | 1,862 | 1,351 | 327 | 365 |
| Nematodes | 115,129 | 82,950 | 282,903 | 168,222 | 51,513 | 40,940 |
| Diseases in crops and orchards | 1,120 | 884 | 4,241 | 3,873 | 652 | 607 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 209,703 | 117,026 | 598,224 | 417,865 | 72,863 | 52,329 |
| Corn, all | 136 | 56 | 225 | 120 | 56 | 44 |
| Soybeans for beans | 31,323 | 14,375 | 29,155 | 12,968 | 10,259 | 2,939 |
| Small grains (wheat, oats, barley, rye) | 194 | 114 | 391 | 224 | 135 | 115 |
| Cotton, all | 39,919 | 12,276 | 86,101 | 33,505 | 33,367 | 15,515 |
| Rice | 134 | 90 | 211 | 146 | 58 | 59 |
| Vegetables harvested for sale | 38,391 | 23,516 | 49,120 | 38,808 | 9,813 | 12,409 |
| SELECTED CROPS HARVESTED | | | | | | |
| Corn, all | 211 | 152 | 619 | 583 | 75 | 96 |
| Soybeans for beans | 18,755 | 17,891 | 108,940 | 120,448 | 6,683 | 5,215 |
| Small grains (wheat, oats, barley, rye) | 105 | 36 | 686 | 441 | 56 | 35 |
| Cotton, all | 33,457 | 10,132 | 222,573 | 143,790 | 13,912 | 5,281 |
| Rice | 92 | 48 | 232 | 120 | 45 | 26 |
| Vegetables harvested for sale | 21,588 | 7,982 | 36,590 | 19,240 | 11,955 | 3,440 |
| Land in orchards | 108 | 96 | 147 | 109 | 17 | 32 |
| Nursery, greenhouse, floriculture, and sod | 47,941 | 32,370 | 51,887 | 45,612 | 8,712 | 10,713 |
| All other crops (other than those listed above) | - | - | 2 | 1 | - | - |
| Cattle and calves inventory | 205 | 211 | 504 | 518 | 110 | 153 |
| Hogs and pigs inventory | 2,476 | 2,024 | 6,324 | 5,351 | 1,598 | 2,129 |
| Sheep and lambs inventory | 181 | 211 | 189 | 246 | 159 | 232 |
| Total horses and ponies inventory | 3,591 | 3,712 | 1,690 | 2,351 | 2,467 | 3,413 |
| Goats, all inventory | 80 | 44 | 154 | 130 | 85 | 73 |
| Chickens, all inventory | 3,661 | 2,904 | 1,423 | (D) | 1,880 | 3,462 |
| | 1,485 | 1,604 | 5,434 | 6,325 | 931 | 1,157 |
| | 124,266 | 125,592 | 270,804 | 303,970 | 55,131 | 62,479 |
| LIVESTOCK AND POULTRY | | | | | | |
| Cattle and calves inventory | 1,917 | 2,101 | 6,472 | 7,342 | 1,095 | 1,313 |
| Hogs and pigs inventory | 190,746 | 161,876 | 354,278 | 406,396 | 64,688 | 66,428 |
| Sheep and lambs inventory | 66 | 79 | 192 | 212 | 53 | 57 |
| Total horses and ponies inventory | 533 | (D) | 212,423 | 246,466 | (D) | 5,230 |
| Goats, all inventory | 55 | 31 | 178 | 139 | 39 | 44 |
| Chickens, all inventory | 1,128 | 1,108 | 5,803 | 4,313 | 636 | 847 |
| | 939 | 1,103 | 3,005 | 3,912 | 577 | 716 |
| | 5,440 | 8,577 | 19,281 | 27,243 | 3,307 | 4,743 |
| | 252 | 397 | 647 | 986 | 203 | 227 |
| | 5,481 | 8,117 | 11,220 | 17,388 | 3,756 | 3,944 |
| | 342 | 222 | 1,615 | 1,512 | 271 | 202 |
| | 5,079,628 | 4,803,492 | 49,402,318 | 57,033,481 | 850,450 | (D) |

--continued

Table 1. Summary by Hydrologic Unit Code: 2012 and 2007 (continued)

[For meaning of abbreviations and symbols, see introductory text.]

| Item | H031700 | | H031800 | |
|--|------------|------------|------------|------------|
| | 2012 | 2007 | 2012 | 2007 |
| FARMS AND LAND IN FARMS | | | | |
| Farms | 8,393 | 9,483 | 8,498 | 9,473 |
| Land in farms | 1,302,164 | 1,337,523 | 1,397,731 | 1,556,962 |
| LAND USE AND PRACTICES | | | | |
| Total cropland | 4,968 | 6,153 | 4,817 | 5,996 |
| Harvested cropland | 307,412 | 382,766 | 322,337 | 434,187 |
| Other pasture and grazing land that could have been used for crops without additional improvement (see text) | 4,055 | 4,566 | 3,860 | 4,261 |
| Cropland idle or used for cover crops or soil-improvement but not harvested and not pastured or grazed | 210,213 | 201,828 | 220,921 | 235,694 |
| Cropland on which all crops failed or were abandoned | 649 | 2,113 | 609 | 2,185 |
| Cropland in cultivated summer fallow | 38,151 | 124,325 | 33,099 | 143,165 |
| Woodland pastured | 895 | 940 | 941 | 894 |
| Woodland not pastured | 50,579 | 48,355 | 59,062 | 48,135 |
| Permanent pasture and rangeland, other than cropland and woodland pastured (see text) | 243 | 289 | 180 | 222 |
| Land in farmsteads, buildings, livestock facilities, ponds, roads, wasteland, etc. | 4,934 | 4,454 | 3,627 | 4,829 |
| Cropland on which no-till practices were used | 200 | 232 | 161 | 109 |
| Cropland on which conservation tillage, excluding no till, practices were used | 3,535 | 3,804 | 5,628 | 2,364 |
| Irrigated land | 5,249 | 5,551 | 5,389 | 5,739 |
| Harvested cropland | 572,996 | 564,985 | 612,870 | 709,713 |
| Pastureland and other land | 2,345 | 2,622 | 2,327 | 2,564 |
| Commercial fertilizer, lime, and soil conditioners | 96,093 | 114,649 | 90,657 | 116,701 |
| Manure used | 3,836 | 3,962 | 3,931 | 4,112 |
| Acres treated to control - | 476,903 | 450,336 | 522,213 | 593,012 |
| Insects | 5,622 | 5,556 | 5,621 | 5,345 |
| Weeds, grass, or brush | 345,155 | 308,468 | 365,588 | 327,762 |
| Nematodes | 5,395 | 4,509 | 5,431 | 4,334 |
| Diseases in crops and orchards | 76,601 | 81,304 | 96,936 | 85,300 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 303 | (NA) | 242 | (NA) |
| Corn, all | 10,316 | (NA) | 13,660 | (NA) |
| Soybeans for beans | 176 | (NA) | 171 | (NA) |
| Small grains (wheat, oats, barley, rye) | 29,031 | (NA) | 19,641 | (NA) |
| Cotton, all | 450 | 423 | 237 | 235 |
| Rice | 8,390 | 7,788 | 3,277 | 3,234 |
| Vegetables harvested for sale | 422 | 402 | 208 | 211 |
| Land in orchards | 7,949 | 7,248 | 2,529 | 2,180 |
| Nursery, greenhouse, floriculture, and sod | 38 | 24 | 33 | 27 |
| All other crops (other than those listed above) | 441 | 540 | 748 | 1,054 |
| FERTILIZER AND CHEMICALS | | | | |
| Commercial fertilizer, lime, and soil conditioners | 3,728 | 4,623 | 3,219 | 3,840 |
| Manure used | 247,918 | 248,401 | 195,523 | 237,577 |
| Acres treated to control - | 1,402 | 1,407 | 1,242 | 1,516 |
| Insects | 103,587 | 87,374 | 92,397 | 107,786 |
| Weeds, grass, or brush | 1,247 | 1,047 | 926 | 737 |
| Nematodes | 78,860 | 51,393 | 53,912 | 40,724 |
| Diseases in crops and orchards | 2,716 | 2,351 | 2,170 | 1,928 |
| Chemicals used to control growth, thin fruit, ripen, or defoliate | 184,573 | 126,493 | 142,458 | 118,124 |
| Corn, all | 120 | 60 | 95 | 46 |
| Soybeans for beans | 10,931 | 8,724 | 5,295 | 2,009 |
| Small grains (wheat, oats, barley, rye) | 324 | 203 | 167 | 95 |
| Cotton, all | 20,572 | 14,666 | 9,646 | 4,613 |
| Rice | 126 | 24 | 69 | 19 |
| Vegetables harvested for sale | 13,649 | 8,469 | 5,322 | 3,846 |
| SELECTED CROPS HARVESTED | | | | |
| Corn, all | 217 | 277 | 137 | 179 |
| Soybeans for beans | 8,468 | 12,454 | 11,876 | 17,772 |
| Small grains (wheat, oats, barley, rye) | 58 | 24 | 88 | 31 |
| Cotton, all | 13,331 | 2,888 | 24,140 | 9,485 |
| Rice | 42 | 34 | 41 | 32 |
| Vegetables harvested for sale | 6,885 | 5,007 | 4,270 | (D) |
| Land in orchards | 23 | 23 | 14 | 16 |
| Nursery, greenhouse, floriculture, and sod | 15,926 | 8,353 | 4,994 | (D) |
| All other crops (other than those listed above) | - | - | - | - |
| Cattle and calves inventory | 374 | 381 | 290 | 282 |
| Hogs and pigs inventory | 2,854 | 3,213 | 919 | 2,400 |
| Sheep and lambs inventory | 364 | 468 | 152 | 156 |
| Total horses and ponies inventory | 4,756 | 5,841 | 1,712 | 2,422 |
| Goats, all inventory | 240 | 207 | 97 | 70 |
| Chickens, all inventory | 3,289 | 3,471 | 1,089 | (D) |
| Cattle and calves inventory | 3,497 | 3,984 | 3,512 | 3,981 |
| Hogs and pigs inventory | 156,441 | 160,769 | 173,772 | 197,432 |
| LIVESTOCK AND POULTRY | | | | |
| Cattle and calves inventory | 4,467 | 4,983 | 4,456 | 4,806 |
| Hogs and pigs inventory | 252,889 | 242,059 | 251,444 | 258,594 |
| Sheep and lambs inventory | 199 | 253 | 132 | 149 |
| Total horses and ponies inventory | 1,846 | 2,573 | 81,511 | 46,795 |
| Goats, all inventory | 163 | 136 | 129 | 89 |
| Chickens, all inventory | 3,518 | 3,441 | 2,468 | 1,480 |
| Cattle and calves inventory | 2,168 | 2,615 | 2,284 | 2,549 |
| Hogs and pigs inventory | 13,079 | 16,636 | 15,401 | 17,820 |
| Sheep and lambs inventory | 524 | 648 | 401 | 480 |
| Total horses and ponies inventory | 9,208 | 11,624 | 5,010 | 7,679 |
| Goats, all inventory | 1,375 | 1,389 | 1,278 | 1,128 |
| Chickens, all inventory | 57,961,409 | 65,551,565 | 73,021,018 | 81,471,605 |