



Arkansas Crop Progress and Condition

Released June 10, 2013



Cooperating with the University of Arkansas – Division of Agriculture
10800 Financial Centre Parkway, Suite 110 · Little Rock, Arkansas 72211
(501) 228-9926 · (501) 224-5630 FAX · www.nass.usda.gov

Reporting for the week ending June 9, 2013

General

On average, farmers had 5.2 days suitable for fieldwork. Topsoil moisture supplies were 4 percent short, 70 percent adequate, and 26 percent surplus. Subsoil moisture supplies were 1 percent very short, 6 percent short, 75 percent adequate and 18 percent surplus. Low temperatures ranged from 48 degrees Fahrenheit at Fayetteville and Ozark to 62 degrees Fahrenheit at Keiser. Highs ranged from 81 degrees Fahrenheit at Harrison to 92 degrees Fahrenheit at Eudora. A mid-week cold front brought significant rainfall to the southern portion of the state.

Crops

By the end of last week, the corn crop was 99 percent emerged. Cotton emergence was at 95 percent, 5 percent behind 2012 and the same as the five-year average. Cotton Squaring was at 1 percent. Rice planted reached 99 percent by week's end, with emergence at 95 percent. Sorghum emergence was at 98 percent. Producers had planted 67 percent of the soybean crop last week, 29 percent behind 2012 and 11 percent below the five-year average. The soybean crop emergence was at 57 percent, 33 percent behind 2012 and 7 percent below the five-year average. Producers harvested 2 percent of the winter wheat crop, 96 percent behind 2012 and 48 percent below the five-year average. Some agents were still reporting flooding in low land fields.

Livestock

Livestock were in mostly good condition last week. Pasture and range condition were reported in mostly good condition last week. Hay condition was mostly good. Operators were continuing to harvest hay.

Percent of Progress













Crop	Stage	Current Week	Previous Week	2012	5-Year Avg
Corn	Planted	100	100	100	100
	Emerged	99	98	100	100
	Silked	5	0	72	30
Cotton	Planted	98	97	100	99
	Emerged	95	81	100	95
	Squaring	1	0	69	22
Rice	Planted	99	95	100	99
	Emerged	95	86	100	96
Sorghum	Planted	100	97	100	99
	Emerged	98	90	100	98
Soybeans	Planted	67	58	96	78
	Emerged	57	45	90	64
Winter Wheat	Harvested	2	1	98	50

Condition in Percentages

Crop	Very Poor	Poor	Fair	Good	Excellent
Corn	8	7	28	45	12
Cotton	4	4	25	54	13
Rice	3	9	37	39	12
Winter Wheat	4	7	31	46	12
Hay-Alfalfa	0	0	6	93	1
Hay-Other	2	4	24	58	12
Pasture/Range	0	1	24	57	18

Special Note: NASS Survey Update!

In the first two weeks of June, NASS will interview producers and survey tracts of farm land across the United States to gather information that will set the foundation for estimates during the upcoming forecast season. Additionally, we will ask hog producers about their inventories and farrowing intentions for the next six months. The information will help producers, suppliers, traders, buyers, and others make informed business decisions. The results will be available beginning June 28 in the *Acresage* and other reports. **Farmers should watch for their surveys and be sure to respond. Your information matters!**



Temperatures and Precipitation Week Ending June 9, 2013

District	Station	Temperatures			Rainfall				
		High	Low	Dep from Normal	Wk Ending June 9	4 wk	4 wk	Year-to-Date	
						Accum	Normal	2013	Normal
Northwest	Fayetteville	82	48	-5	0.40	5.08	5.18	24.84	21.89
	Harrison	81	50	-4	0.01	2.55	4.03	19.15	19.39
N. Central	Calico Rock	82	50	-5	0.00	2.54	4.01	25.82	21.80
	Gilbert	83	52	-4	0.00	3.74	4.37	23.28	21.92
	Greers Ferry	85	56	-2	0.83	5.47	4.19	26.12	23.16
	Mtn. Home	82	54	-4	0.09	3.17	3.80	22.64	21.75
Northeast	Batesville	86	56	-5	0.87	8.13	3.88	28.63	21.77
	Blytheville	87	60	-2	0.32	5.59	4.26	32.01	23.88
	Jonesboro	89	59	-2	0.84	5.88	3.23	28.08	22.26
	Keiser	90	62	-2	0.44	5.25	4.54	32.52	24.33
	Newport	84	60	-3	0.61	7.67	4.02	28.66	22.86
W. Central	Booneville	86	54	-5	0.10	6.40	4.80	26.43	22.82
	Clarksville	86	55	-4	0.00	4.28	4.55	23.36	22.68
	Dardanelle	86	54	-3	0.00	3.38	3.38	25.37	22.16
	Ft. Smith	89	57	-2	0.25	5.89	4.73	22.93	20.68
	Mena	84	53	-4	0.33	13.31	5.72	36.31	26.71
	Ozark	86	48	-4	0.00	5.28	5.23	23.65	22.24
Central	Conway	86	56	-3	0.00	6.74	4.06	24.59	23.35
	Hot Springs	87	59	-3	0.07	8.47	5.25	25.37	26.04
	Little Rock	89	59	-3	0.25	8.67	3.94	29.57	23.20
	Morrilton	83	53	-4	0.45	3.73	4.34	23.33	23.15
	N. Little Rock	85	58	-4	0.18	6.02	3.95	27.17	22.84
E. Central	Brinkley	86	55	-4	0.00	7.40	4.38	34.06	23.94
	Marianna	91	58	-2	0.00	3.52	4.11	31.83	24.53
	Stuttgart	89	58	-2	0.14	3.00	3.97	26.73	24.33
	West Memphis	90	58	-2	0.17	4.27	4.33	32.08	25.76
Southwest	DeQueen	88	56	-3	0.15	3.88	4.23	11.81	22.59
	Hope	89	58	-3	1.55	7.33	4.63	24.64	25.20
	Texarkana	90	60	-3	2.16	6.06	4.23	18.01	22.05
S. Central	Camden	87	58	-4	1.34	6.81	4.32	27.47	24.43
	El Dorado	89	59	-2	0.37	6.58	4.37	22.04	24.45
	Fordyce	90	57	-1	1.64	4.42	4.87	26.33	26.23
Southeast	Eudora	92	61	-2	0.73	3.90	4.14	35.53	27.61
	Monticello	89	58	-3	0.73	5.28	4.26	31.95	26.07
	Pine Bluff	90	59	-3	0.15	6.96	4.23	27.16	24.59
	Rohwer	89	60	-2	0.85	5.04	4.26	34.20	25.40

Produced by:
 United States Department of Agriculture – NASS
 Arkansas Field Office
 Becky L. Cross, Director

In cooperation with:
 University of Arkansas – Cooperative Extension Service
 Dr. Tony Windham, Associate Vice President for Agriculture – Extension
 and Director, Cooperative Extension Service

With special thanks to: United States Department of Commerce, National Weather Service
 Renee Fair, Meteorologist in Charge