

# FLORIDA Citrus 2004-05 SUMMARY

September 22, 2005

## Production, Price and Value Production by County and Per Tree

### PRODUCTION AND VALUE

Production of Florida citrus in 2004-05 is 169.1 million boxes, down 42 percent from the 291.8 million boxes in the 2003-04 season. The primary reason for the reduced crop is the unprecedented three hurricanes and one tropical storm that passed through the State in August and September 2004. Production is lower for all varieties except tangelos. The orange crop production, at 149.6 million boxes, is the lowest since the 139.8 million boxes in 1991-92. Early-midseason-Navel production is down 37 percent and Valencia orange production is down 39 percent. Navel production, at 2.5 million boxes, is the lowest since 1986-87. Navels, primarily a fresh use crop, comprised 46 percent of the total early-midseason-Navel fresh shipments. All grapefruit production at 12.8 million boxes is the lowest since 1935-36.

The \$742.2 million preliminary value of the 2004-05 citrus crop, the lowest since 1985-86, is down 16.7 percent from the 2003-04 season's revised value of \$891.5 million.

On-tree values are lower for all orange varieties and tangelos but higher for grapefruit, Temples, and tangerines. Price-per-box is higher for all varieties except tangelos, with grapefruit's being the highest on record for both white and colored varieties. Normally, more grapefruit goes to processing rather than being shipped fresh; however, due to the season's reduced crop, slightly more grapefruit went fresh than processed.

**FLORIDA CITRUS:** Production, utilization, season average on-tree price and value for the 2003-04 and 2004-05 seasons <sup>1/</sup>


Fruit type	Crop year	Production	Crop utilization		On-tree	
			Fresh use	Processing	Price per box	Value of Production
		1,000 1-3/5 bushel boxes			Dollars	1,000 dol.
Early-Midseason-Navel Oranges	2003-04	126,000	5,615	120,385	2.20	277,715
	2004-05	79,100	4,403	74,697	2.56	202,278
Valencia Oranges	2003-04	116,000	4,278	111,722	3.64	422,212
	2004-05	70,500	2,980	67,520	4.34	306,270
All Oranges	2003-04	242,000	9,893	232,107	2.89	699,927
	2004-05	149,600	7,383	142,217	3.40	508,548
White Grapefruit <sup>2/</sup>	2003-04	15,900	3,273	12,627	1.88	29,851
	2004-05	3,400	1,350	2,050	11.95	40,631
Colored Grapefruit	2003-04	25,000	13,384	11,616	4.17	104,272
	2004-05	9,400	6,060	3,340	14.27	134,110
All Grapefruit	2003-04	40,900	16,657	24,243	3.28	134,123
	2004-05	12,800	7,410	5,390	13.65	174,741
Temples	2003-04	1,400	342	1,058	1.07	1,502
	2004-05	650	213	437	2.48	1,615
Tangelos	2003-04	1,000	545	455	7.48	7,484
	2004-05	1,550	495	1,055	2.45	3,794
Early Tangerines <sup>3/</sup>	2003-04	3,600	2,307	1,293	6.15	22,142
	2004-05	2,450	1,814	636	10.12	24,785
Honey Tangerines	2003-04	2,900	2,133	767	9.16	26,575
	2004-05	2,000	1,504	496	14.36	28,727
All Tangerines	2003-04	6,500	4,440	2,060	7.46	48,464
	2004-05	4,450	3,318	1,132	12.02	53,503
All Citrus	2003-04	291,800	--	--	--	891,500
	2004-05	169,050	--	--	--	742,201

<sup>1/</sup> Excludes limes and lemons. <sup>2/</sup> Includes seedy grapefruit. <sup>3/</sup> Fallglo and Sunburst varieties.

Released:

9/22/05  
3:00 pm

Access our reports  
Via the internet at  
[www.nass.usda.gov/fl](http://www.nass.usda.gov/fl)



United States  
Department  
Of Agriculture



National  
Agricultural  
Statistics Service

Florida  
Field Office

Benjamin F. Klugh, Jr.  
Director  
407/648-6013

**FLORIDA CITRUS: Production by counties and types, 2004-2005**

County	All Citrus <sup>1/</sup>	Round oranges			Grapefruit		
		Early and Midseason	Late (Valencia)	All	White <sup>2/</sup>	Colored	All
						<i>1,000 boxes</i>	
Brevard	648	334	230	564	21	35	56
Charlotte	6,119	2,018	2,628	4,646	69	1,124	1,193
Collier	10,478	5,043	4,664	9,707	32	471	503
DeSoto	13,578	5,953	7,375	13,328	16	53	69
Glades	3,517	2,154	1,192	3,346	9	84	93
Hardee	10,265	6,905	3,070	9,975	20	46	66
Hendry	29,607	13,063	13,524	26,587	574	1,747	2,321
Hernando	224	201	6	207	--	4	4
Highlands	21,338	8,251	11,825	20,076	371	244	615
Hillsborough	3,939	2,903	829	3,732	12	32	44
Indian River	4,179	1,087	1,041	2,128	633	1,342	1,975
Lake	4,862	2,583	967	3,550	33	379	412
Lee	2,861	1,111	1,383	2,494	5	284	289
Manatee	4,723	2,765	1,797	4,562	39	39	78
Marion	267	171	37	208	1	14	15
Martin	8,348	3,391	4,535	7,926	144	130	274
Okeechobee	3,480	1,992	989	2,981	95	284	379
Orange	1,450	698	544	1,242	4	45	49
Osceola	3,777	2,325	981	3,306	201	149	350
Palm Beach	752	262	77	339	3	64	67
Pasco	2,732	1,918	661	2,579	10	40	50
Polk	24,777	12,431	9,567	21,998	595	612	1,207
St. Lucie	6,310	1,139	2,357	3,496	497	2,116	2,613
Sarasota	285	71	129	200	13	30	43
Seminole	273	151	59	210	--	9	9
Volusia	169	122	24	146	3	12	15
Other <sup>4/</sup>	92	58	9	67	--	11	11
<b>Total</b>	<b>169,050</b>	<b>79,100</b>	<b>70,500</b>	<b>149,600</b>	<b>3,400</b>	<b>9,400</b>	<b>12,800</b>
Indian River	11,307	2,300	3,900	6,200	1,200	3,600	4,800
Northern	10,017	5,876	2,297	8,173	48	505	553
Central	49,382	22,624	22,303	44,927	1,152	995	2,147
Western	32,796	18,600	13,200	31,800	100	200	300
Southern	65,548	29,700	28,800	58,500	900	4,100	5,000
<b>Total</b>	<b>169,050</b>	<b>79,100</b>	<b>70,500</b>	<b>149,600</b>	<b>3,400</b>	<b>9,400</b>	<b>12,800</b>

<sup>1/</sup> Excludes limes and lemons.

<sup>2/</sup> Includes seedy grapefruit.

<sup>3/</sup> Fallglo and Sunburst varieties.

<sup>4/</sup> Alachua, Citrus, Pinellas, and Putnam.

## PRODUCTION BY COUNTIES

Tangerines			Specialty	
Early <sup>3/</sup>	Honey	All	Temples	Tangelos
12	3	15	2	11
174	84	258	7	15
82	137	219	31	18
56	85	141	12	28
28	44	72	--	6
72	66	138	13	73
118	421	539	99	61
7	--	7	--	6
206	186	392	162	93
47	49	96	14	53
35	23	58	7	11
459	68	527	14	359
38	35	73	1	4
8	22	30	22	31
32	--	32	--	12
32	45	77	32	39
33	49	82	7	31
70	16	86	6	67
40	21	61	33	27
48	219	267	46	33
59	16	75	4	24
690	321	1,011	102	459
69	85	154	17	30
5	3	8	18	16
19	1	20	--	34
5	--	5	--	3
6	1	7	1	6
<b>2,450</b>	<b>2,000</b>	<b>4,450</b>	<b>650</b>	<b>1,550</b>
111	112	223	33	51
657	102	759	24	508
925	511	1,436	296	576
188	225	413	80	203
569	1,050	1,619	217	212
<b>2,450</b>	<b>2,000</b>	<b>4,450</b>	<b>650</b>	<b>1,550</b>


Production in 2004-05 is down in all Florida commercial citrus production areas from the 2003-04 season. The Southern area is down the least at 14 percent, while the Indian River area is down the most at 76 percent. Two hurricanes passed directly over the Indian River area causing major reduction of the citrus crop. The Western area, also severely affected by a hurricane's direct hit, is down 52 percent. Production in the Central area is down 41 percent, while the Northern area is down 36 percent.

Production decreased in each of the 30 counties. Hendry County leads in total production with 29.6 million boxes, followed by Polk (24.8 million boxes), Highlands (21.3 million boxes), DeSoto (13.6 million boxes), and Collier (10.5 million boxes). These top five counties produced 59 percent of the citrus crop.

Hendry County produced the most oranges with Polk, Highlands, DeSoto, and Hardee following. St. Lucie (2.6 million boxes) remains the top grapefruit producer followed by Hendry (2.3 million boxes) and Indian River (2.0 million boxes). Normally, St. Lucie and Indian River produce about two-thirds of the grapefruit; however, they produced only 36 percent of the State's grapefruit crop in 2004-05. Colored varieties have dominated grapefruit production for the past 15 seasons and now comprise 73 percent of the crop.

The majority of the specialty crops—tangerines, Temples, and tangelos—are concentrated in the ridge counties of Polk, Lake, and Highlands. Polk leads in production of tangelos and tangerines, while Highlands is the top producer of Temples.

Estimates of county production are prepared from objective survey data used in forecasting citrus crop production. The apportionment of final harvest to the counties is based on bearing trees from the biennial Commercial Citrus Inventory; the limb count survey, which provides an estimate of the average fruit per tree; and the drop and size surveys, which provide estimates of the amount of fruit on the tree available at harvest and the size of the fruit at that time. The size of the samples used in these surveys and the distribution of the sample groves around the State are chosen to minimize error in the estimates of production and are not to be considered as accurate for the counties as at the state or area level.



## BOXES OF FRUIT PER TREE

The Florida Agricultural Statistics Service conducts objective surveys to determine fruit per tree, average sizes, and droppage between August and maturity. These data are used to estimate production per tree for each of four types of citrus fruit, as shown in the following tables.

The estimates of production per tree are based on official end-of-season production estimates and the number of bearing trees indicated by the Commercial Citrus Inventory. The averages of boxes per tree for age groups shown are calculated from estimates of fruit per tree in August, size at maturity, and drop between August and maturity.

Additionally, the boxes are subdivided by production areas. Estimated boxes by types and age groups are weighted averages of the indicated seasons. Small sample sizes in some age/area cells and rounding may contribute to inconsistent averages.

**FLORIDA CITRUS: Estimated boxes of fruit per tree by age groups and production areas, 2000-01 through 2004-05**

Fruit type by season	Area	Age of trees					Average <sup>1/</sup>
		3 – 5 years	6 – 8 years	9 – 13 years	14 – 23 years	24 years and older	
<i>Boxes per tree</i>							
<b>EARLY AND MIDSEASON ORANGES: (Includes Navels)</b>							
2000-01	<b>State</b>	<b>1.0</b>	<b>2.0</b>	<b>3.2</b>	<b>4.2</b>	<b>4.6</b>	<b>3.33</b>
	Indian River	0.8	1.3	1.8	2.5	2.8	2.08
	Northern & Central	1.4	2.4	3.2	5.0	5.0	3.56
	Western	0.8	1.7	3.3	4.2	5.4	3.71
	Southern	0.9	2.0	3.3	4.2	4.4	3.23
2001-02	<b>State</b>	<b>1.4</b>	<b>1.8</b>	<b>3.0</b>	<b>4.2</b>	<b>5.2</b>	<b>3.50</b>
	Indian River	0.8	1.4	1.8	3.0	3.5	2.44
	Northern & Central	0.9	2.2	3.4	4.9	6.5	3.95
	Western	2.2	1.7	3.2	4.7	5.6	4.10
	Southern	1.2	1.6	2.8	3.3	4.2	2.82
2002-03	<b>State</b>	<b>0.7</b>	<b>1.8</b>	<b>2.7</b>	<b>3.8</b>	<b>4.3</b>	<b>3.08</b>
	Indian River	0.5	1.3	1.8	2.2	2.5	1.92
	Northern & Central	0.7	2.1	3.1	4.2	5.8	3.57
	Western	0.6	1.4	2.5	4.0	4.6	3.31
	Southern	0.8	2.0	2.6	3.5	3.4	2.74
2003-04	<b>State</b>	<b>1.8</b>	<b>1.9</b>	<b>3.2</b>	<b>4.1</b>	<b>5.3</b>	<b>3.66</b>
	Indian River	0.7	1.3	1.7	2.4	3.5	2.18
	Northern & Central	2.7	2.6	3.8	4.7	7.3	4.39
	Western	2.0	1.6	3.7	4.7	5.3	4.21
	Southern	1.6	1.6	2.5	3.3	4.4	2.86
2004-05	<b>State</b>	<b>1.2</b>	<b>1.7</b>	<b>2.2</b>	<b>2.9</b>	<b>2.8</b>	<b>2.43</b>
	Indian River	0.7	0.6	0.6	0.9	1.0	0.79
	Northern & Central	2.2	1.7	2.3	2.9	3.2	2.63
	Western	1.0	1.2	2.0	2.5	2.8	2.17
	Southern	1.0	2.7	2.5	3.5	3.9	2.89
Average	<b>State</b>	<b>1.22</b>	<b>1.87</b>	<b>2.92</b>	<b>3.77</b>	<b>4.53</b>	<b>3.21</b>
	Indian River	0.69	1.23	1.62	2.26	2.72	1.94
	Northern & Central	1.60	2.26	3.21	4.20	5.56	3.63
	Western	1.26	1.58	3.01	4.03	4.88	3.53
	Southern	1.11	1.97	2.82	3.51	4.10	2.91

<sup>1/</sup> Average weighted by bearing trees.

**FLORIDA CITRUS: Estimated boxes of fruit per tree by age groups and  
production areas, 2000-01 through 2004-05**

Fruit type by season	Area	Age of trees					Average <sup>1/</sup>
		3 – 5 years	6 – 8 years	9 – 13 years	14 – 23 years	24 years and older	
<i>Boxes per tree</i>							
<b>LATE (VALENCIA) ORANGES:</b>							
2000-01	<b>State</b>	<b>0.9</b>	<b>1.7</b>	<b>2.3</b>	<b>2.7</b>	<b>3.7</b>	<b>2.32</b>
	Indian River	0.5	1.1	1.8	1.8	2.3	1.68
	Northern & Central	1.1	1.8	2.4	2.8	4.8	2.58
	Western	1.2	2.6	2.6	3.9	3.3	2.73
	Southern	0.7	1.6	2.2	2.7	4.0	2.18
2001-02	<b>State</b>	<b>0.9</b>	<b>1.7</b>	<b>2.4</b>	<b>2.8</b>	<b>4.5</b>	<b>2.49</b>
	Indian River	0.5	1.4	1.5	2.3	2.8	1.80
	Northern & Central	0.9	1.5	2.6	3.6	5.5	2.90
	Western	0.8	2.6	3.2	3.3	4.7	3.04
	Southern	1.1	1.5	2.1	2.4	4.4	2.16
2002-03	<b>State</b>	<b>1.0</b>	<b>1.6</b>	<b>1.9</b>	<b>2.6</b>	<b>4.0</b>	<b>2.18</b>
	Indian River	0.8	0.9	1.6	1.7	2.0	1.55
	Northern & Central	1.2	1.6	2.0	3.3	5.4	2.64
	Western	1.3	2.4	2.3	2.7	4.1	2.52
	Southern	0.8	1.4	1.7	2.4	3.3	1.89
2003-04	<b>State</b>	<b>1.7</b>	<b>2.1</b>	<b>2.5</b>	<b>3.0</b>	<b>5.1</b>	<b>2.83</b>
	Indian River	1.6	1.1	1.8	2.2	3.5	2.07
	Northern & Central	1.4	2.3	2.8	4.0	6.5	3.40
	Western	2.7	2.3	3.4	3.3	4.7	3.38
	Southern	1.0	2.0	2.3	2.5	4.8	2.40
2004-05	<b>State</b>	<b>1.1</b>	<b>1.2</b>	<b>1.7</b>	<b>2.0</b>	<b>2.1</b>	<b>1.74</b>
	Indian River	0.4	0.4	0.6	1.1	0.8	0.78
	Northern & Central	1.8	1.6	1.9	2.5	2.6	2.14
	Western	1.3	1.3	1.8	1.7	2.3	1.68
	Southern	0.8	1.1	1.7	2.2	2.2	1.79
Average	<b>State</b>	<b>1.12</b>	<b>1.66</b>	<b>2.17</b>	<b>2.58</b>	<b>3.91</b>	<b>2.31</b>
	Indian River	0.75	1.02	1.53	1.76	2.34	1.59
	Northern & Central	1.26	1.74	2.35	3.20	4.97	2.73
	Western	1.46	2.18	2.70	2.77	3.88	2.67
	Southern	0.88	1.54	2.03	2.38	3.78	2.08

<sup>1/</sup> Average weighted by bearing trees.

**FLORIDA CITRUS: Estimated boxes of fruit per tree by age groups and  
production areas, 2000-01 through 2004-05**

Fruit type by season	Area	Age of trees					Average <sup>1/</sup>
		3 – 5 years	6 – 8 years	9 – 13 years	14 – 23 years	24 years and older	
<i>Boxes per tree</i>							
<b>WHITE GRAPEFRUIT <sup>2/</sup>:</b>							
2000-01	<b>State</b>	<b>2.2</b>	<b>2.9</b>	<b>3.8</b>	<b>7.1</b>	<b>5.4</b>	<b>4.39</b>
	Indian River	2.1	2.7	3.6	7.7	5.2	4.23
	Northern & Central	0.9	3.3	4.8	8.5	9.4	6.15
	Western	4.8	3.1	2.5	4.6	5.6	4.59
	Southern	0.4	3.1	3.9	2.7	4.4	3.78
2001-02	<b>State</b>	<b>1.3</b>	<b>3.3</b>	<b>3.6</b>	<b>7.0</b>	<b>5.8</b>	<b>4.56</b>
	Indian River	1.2	3.1	3.4	5.2	5.5	4.15
	Northern & Central	1.3	3.1	4.2	11.8	10.5	7.31
	Western	4.0	3.1	0.6	3.0	5.0	3.73
	Southern	1.5	4.4	4.2	6.1	5.1	4.64
2002-03	<b>State</b>	<b>1.9</b>	<b>3.0</b>	<b>3.2</b>	<b>4.8</b>	<b>5.3</b>	<b>4.11</b>
	Indian River	1.3	2.4	3.2	3.7	4.8	3.64
	Northern & Central	6.3	6.0	3.5	5.9	10.2	6.50
	Western	4.0	5.7	3.3	6.2	4.8	4.90
	Southern	8.4	6.4	3.1	6.2	4.6	4.20
2003-04	<b>State</b>	<b>2.5</b>	<b>3.5</b>	<b>3.5</b>	<b>4.4</b>	<b>6.9</b>	<b>4.90</b>
	Indian River	1.5	3.3	3.7	3.4	7.0	4.75
	Northern & Central	8.2	6.8	4.9	9.4	10.3	8.11
	Western	2.0	3.4	0.4	1.9	5.6	3.57
	Southern	5.7	1.9	2.1	2.8	4.6	3.23
2004-05	<b>State</b>	<b>1.0</b>	<b>0.8</b>	<b>1.1</b>	<b>1.4</b>	<b>1.3</b>	<b>1.25</b>
	Indian River	0.6	0.6	0.6	0.4	0.8	0.61
	Northern & Central	3.7	1.9	3.7	3.7	3.7	3.63
	Western	--	--	2.1	2.2	1.7	1.96
	Southern	2.7	3.3	1.1	4.3	2.2	2.54
Average	<b>State</b>	<b>1.78</b>	<b>2.86</b>	<b>3.25</b>	<b>3.94</b>	<b>5.23</b>	<b>3.99</b>
	Indian River	1.49	2.55	3.16	2.81	4.90	3.63
	Northern & Central	3.47	3.81	4.22	7.31	9.17	6.44
	Western	4.68	3.95	1.85	3.75	4.94	4.09
	Southern	2.73	3.79	3.06	4.17	4.41	3.79

<sup>1/</sup> Average weighted by bearing trees.

<sup>2/</sup> Includes seedy grapefruit.

**FLORIDA CITRUS: Estimated boxes of fruit per tree by age groups and  
production areas, 2000-01 through 2003-04**

Fruit type by season	Area	Age of trees					Average <sup>1/</sup>
		3 – 5 years	6 – 8 years	9 – 13 years	14 – 23 years	24 years and older	
<i>Boxes per tree</i>							
<b>COLORED GRAPEFRUIT:</b>							
2000-01 <sup>2/</sup>	<b>State</b>	<b>1.7</b>	<b>3.1</b>	<b>3.4</b>	<b>4.4</b>	<b>4.6</b>	<b>3.71</b>
	Indian River	1.4	2.1	3.2	4.3	4.5	3.52
	Northern & Central	4.6	2.9	4.2	6.6	6.9	4.43
	Western	0.8	0.7	3.9	0.5	4.5	2.50
	Southern	2.4	5.6	3.5	4.6	5.1	4.25
2001-02	<b>State</b>	<b>2.0</b>	<b>2.3</b>	<b>3.9</b>	<b>4.7</b>	<b>5.2</b>	<b>4.13</b>
	Indian River	2.1	1.9	3.6	4.8	5.2	4.06
	Northern & Central	1.7	3.6	4.8	7.2	6.5	5.14
	Western	0.8	2.4	3.9	0.6	5.4	3.11
	Southern	1.7	3.4	4.3	3.6	5.2	4.07
2002-03	<b>State</b>	<b>1.6</b>	<b>1.8</b>	<b>3.0</b>	<b>4.0</b>	<b>4.8</b>	<b>3.54</b>
	Indian River	1.0	1.7	2.4	3.3	4.3	3.09
	Northern & Central	1.3	1.1	3.1	8.2	9.8	5.19
	Western	4.8	1.4	3.6	5.8	9.3	4.76
	Southern	2.4	4.0	4.4	4.2	6.4	4.32
2003-04	<b>State</b>	<b>2.9</b>	<b>3.5</b>	<b>3.6</b>	<b>4.6</b>	<b>6.0</b>	<b>4.37</b>
	Indian River	1.1	3.4	3.0	4.5	5.7	4.20
	Northern & Central	5.7	4.0	5.9	5.0	8.5	5.70
	Western	3.6	3.3	3.4	2.5	12.8	4.17
	Southern	5.7	4.3	3.8	5.1	6.3	4.39
2004-05	<b>State</b>	<b>0.8</b>	<b>2.0</b>	<b>2.2</b>	<b>1.9</b>	<b>1.5</b>	<b>1.85</b>
	Indian River	0.9	1.8	0.9	1.0	1.2	1.04
	Northern & Central	0.9	2.3	3.5	3.1	1.9	3.07
	Western	1.1	1.0	0.9	0.9	3.4	1.16
	Southern	0.6	2.5	3.3	7.1	9.1	4.34
Average	<b>State</b>	<b>1.77</b>	<b>2.69</b>	<b>3.33</b>	<b>3.83</b>	<b>4.54</b>	<b>3.59</b>
	Indian River	1.31	2.08	2.84	3.50	4.28	3.28
	Northern & Central	2.83	3.02	4.28	5.61	7.02	4.74
	Western	1.50	1.31	3.45	2.29	6.99	3.15
	Southern	2.92	4.79	3.88	5.18	5.90	4.27

<sup>1/</sup> Average weighted by bearing trees.

<sup>2/</sup> Excludes 2.0 million boxes of economic abandonment.

**FLORIDA CITRUS PRICES:** Season average on-tree prices and equivalent returns per box received by growers, by varieties and utilization from crop years 2002-03, 2003-04, and 2004-05 <sup>1/</sup>

Fruit type by season	Methods of sale			Fruit type by season	Methods of sale		
	Fresh	Processing	All		Fresh	Processing	All
<i>Dollars per box</i>				<i>Dollars per box</i>			
<b>ORANGES</b>				<b>GRAPEFRUIT</b>			
Navel				White			
2002-03	7.25	-1.02	4.93	2002-03	7.57	0.36	1.77
2003-04	6.45	-1.49	4.26	2003-04	7.50	0.42	1.88
2004-05	12.30	-1.28	9.68	2004-05	21.32	5.78	11.95
Early-Midseason (excluding Navel)				Colored			
2002-03	3.75	2.46	2.49	2002-03	5.13	0.21	2.93
2003-04	2.45	2.11	2.12	2003-04	7.27	0.60	4.17
2004-05	3.60	2.28	2.32	2004-05	19.11	5.48	14.27
Early-Midseason-Navel				All Grapefruit			
2002-03	5.75	2.42	2.62	2002-03	5.63	0.29	2.44
2003-04	4.65	2.09	2.20	2003-04	7.32	0.51	3.28
2004-05	7.60	2.26	2.56	2004-05	19.51	5.59	13.65
Valencia				<b>TANGERINES</b>			
2002-03	5.30	3.80	3.85	Early <sup>2/</sup>			
2003-04	2.85	3.67	3.64	2002-03	12.20	-0.65	8.39
2004-05	5.80	4.28	4.34	2003-04	10.50	-1.61	6.15
All Oranges				2004-05	14.00	-0.96	10.12
2002-03	5.61	3.05	3.17	Honey			
2003-04	3.87	2.85	2.89	2002-03	11.90	-0.82	8.36
2004-05	6.87	3.22	3.40	2003-04	12.70	-0.67	9.16
<b>TEMPLES</b>				2004-05	18.20	2.73	14.36
2002-03	3.65	1.51	2.01	All Tangerines			
2003-04	3.65	0.24	1.07	2002-03	12.10	-0.72	8.40
2004-05	4.05	1.72	2.48	2003-04	11.50	-1.26	7.46
<b>TANGELOS</b>				2004-05	15.90	0.66	12.02
2002-03	7.65	0.84	2.60				
2003-04	13.85	-0.14	7.48				
2004-05	6.45	0.57	2.45				

<sup>1/</sup> 2002-03 and 2003-04 revised to reflect final payments in cooperative and participation plans and changes in pick, haul and packing charges. 2004-05 preliminary price based on cash sales only.

<sup>2/</sup> Fallglo and Sunburst.

**FLORIDA BEARING TREES:** Estimated trees of bearing age by age group, year set, and type, for the 2004-05 season

Fruit type	Age 1 1999-2001	Age 2 1996-98	Age 3 1991-95	Age 4 1981-90	Age 5 1980 and earlier	Total bearing trees
<i>1,000 trees</i>						
Early-Midseason-Navel Oranges	3,562	2,340	8,032	14,280	4,401	32,615
Valencia Oranges	4,569	4,584	11,333	15,496	4,445	40,427
White Grapefruit	133	208	607	863	901	2,712
Colored Grapefruit	286	213	1,454	2,152	974	5,079