



# CITRUS

**2008-09 CITRUS SUMMARY**  
**PRODUCTION, PRICE AND VALUE**  
**PRODUCTION BY COUNTY AND PER TREE**

Cooperating with the Florida Department of Agriculture & Consumer Services  
2290 Lucien Way, Suite 300, Maitland, FL 32751-7057  
(407) 648-6013 · (407) 648-6029 FAX · [www.nass.usda.gov/fl](http://www.nass.usda.gov/fl)

September 24, 2009

## PRODUCTION AND VALUE

Production of Florida citrus in the 2008-09 season is 189.1 million boxes, down 7.2 percent from the previous season. All categories of oranges, grapefruit, and specialty fruit showed decreases in production except the early-midseason-Navel-Temple orange category. A significant contributing factor to the reduced production is lower average fruit per tree on all categories excluding the early-midseason-Navel-Temple oranges and Sunburst tangerines.

The all orange crop production at 162.4 million boxes is down 4.6 percent. Production is 1.3 percent higher for early-midseason-Navel-Temple oranges, and 10.3 percent lower for Valencia oranges. Final Navel production was 3.0 million boxes in 2008-09, equal to the previous season's production. All grapefruit production at 21.7 million boxes is 18.4 percent less than the 2007-08 season's production. Decreases in production were recorded for tangerines and tangelos. Honey tangerines had the largest decrease in production at over 55 percent.

The \$993.0 million preliminary value of the 2008-09 citrus crop is 22.7 percent less than the 2007-08 season's revised crop value of \$1.284 billion. The price per box is lower for all fruit types except the late variety Honey tangerines and all tangerines. The total on-tree value is lower on all varieties. White grapefruit is down more than 50 percent from the previous season's revised value and the tangelo value has dropped by more than 50 percent for the second consecutive season.

**FLORIDA CITRUS: Production, utilization, season average on-tree price and value for the 2007-08 and 2008-09 seasons**

Fruit type	Crop year	Production	Crop utilization		On-tree	
			Fresh use	Processing	Price per box	Value of Production
			<i>1,000 1-3/5 bushel boxes</i>		<i>Dollars</i>	<i>1,000 dol.</i>
Early-mid-Navel-Temple Oranges	2007-08	83,500	3,885	79,615	5.90	492,634
	2008-09	84,600	4,342	80,258	4.72	399,364
Valencia Oranges	2007-08	86,700	1,968	84,732	7.30	632,714
	2008-09	77,800	2,611	75,189	6.18	480,636
All Oranges	2007-08	170,200	5,853	164,347	6.61	1,125,348
	2008-09	162,400	6,953	155,477	5.42	880,000
White Grapefruit	2007-08	9,000	1,893	7,107	2.36	21,276
	2008-09	6,600	1,390	5,210	1.57	10,390
Colored Grapefruit	2007-08	17,600	8,730	8,870	5.47	96,231
	2008-09	15,100	7,951	7,149	4.83	72,989
All Grapefruit	2007-08	26,600	10,623	15,977	4.42	117,507
	2008-09	21,700	9,341	12,359	3.84	83,379
Tangelos	2007-08	1,500	432	1,068	2.87	4,309
	2008-09	1,150	504	646	1.85	2,124
Early Tangerines (Fallglo and Sunburst)	2007-08	2,600	1,761	839	8.64	22,461
	2008-09	2,550	1,908	642	6.29	16,049
Honey Tangerines	2007-08	2,900	1,521	1,379	5.02	14,550
	2008-09	1,300	929	371	8.79	11,426
All Tangerines	2007-08	5,500	3,282	2,218	6.70	36,830
	2008-09	3,850	2,837	1,013	7.15	27,540
All Citrus	2007-08	203,800	--	--	--	1,283,994
	2008-09	189,100	--	--	--	993,043

**FLORIDA CITRUS: Production by counties and types, 2008-2009**

County	All Citrus	Oranges			Grapefruit		
		Early-mid-Navel-Temple	Late (Valencia)	All	White	Colored	All
				<i>1,000 boxes</i>			
Brevard	806	381	303	684	25	56	81
Charlotte	3,503	907	1,973	2,880	12	409	421
Collier	10,069	4,290	5,214	9,504	29	383	412
DeSoto	20,639	9,068	11,198	20,266	26	193	219
Glades	3,057	1,598	1,330	2,928	9	34	43
Hardee	15,366	10,463	4,341	14,804	68	197	265
Hendry	21,796	8,274	12,201	20,475	250	723	973
Hernando	294	270	6	276	-	6	6
Highlands	23,219	9,670	12,417	22,087	382	358	740
Hillsborough	4,110	2,964	899	3,863	18	33	51
Indian River	11,434	2,320	1,684	4,004	2,751	4,519	7,270
Lake	4,737	2,636	947	3,583	59	476	535
Lee	3,226	1,070	1,786	2,856	19	264	283
Manatee	7,293	4,301	2,724	7,025	64	124	188
Marion	381	266	60	326	3	14	17
Martin	5,309	1,653	3,419	5,072	70	116	186
Okeechobee	2,137	950	787	1,737	110	220	330
Orange	1,359	783	465	1,248	8	36	44
Osceola	3,581	2,113	940	3,053	257	191	448
Palm Beach	237	12	-	12	-	50	50
Pasco	2,945	2,249	577	2,826	9	37	46
Polk	30,253	16,007	11,145	27,152	705	1,057	1,762
St. Lucie	12,329	1,873	3,175	5,048	1,686	5,386	7,072
Sarasota	439	96	138	234	22	152	174
Seminole	156	100	21	121	-	13	13
Volusia	292	192	40	232	16	36	52
Other <sup>2/</sup>	133	94	10	104	2	17	19
<b>Total</b>	<b>189,100</b>	<b>84,600</b>	<b>77,800</b>	<b>162,400</b>	<b>6,600</b>	<b>15,100</b>	<b>21,700</b>
Indian River	24,707	4,300	5,400	9,700	4,500	10,100	14,600
Northern	10,157	6,524	2,108	8,632	79	601	680
Central	56,679	27,576	24,392	51,968	1,321	1,599	2,920
Western	47,859	26,900	19,300	46,200	200	700	900
Southern	49,698	19,300	26,600	45,900	500	2,100	2,600
<b>Total</b>	<b>189,100</b>	<b>84,600</b>	<b>77,800</b>	<b>162,400</b>	<b>6,600</b>	<b>15,100</b>	<b>21,700</b>

Footnotes on last page of table.

*Continued*

**FLORIDA CITRUS: Production by counties and types, 2008-2009**

County	Tangerines			Tangelos
	Early <sup>1/</sup>	Honey	All	
	<i>1,000 boxes</i>			
Brevard	23	1	24	17
Charlotte	135	52	187	15
Collier	72	65	137	16
DeSoto	69	66	135	19
Glades	33	46	79	7
Hardee	160	69	229	68
Hendry	93	174	267	81
Hernando	7	2	9	3
Highlands	218	114	332	60
Hillsborough	115	36	151	45
Indian River	71	24	95	65
Lake	352	120	472	147
Lee	48	36	84	3
Manatee	12	21	33	47
Marion	30	1	31	7
Martin	20	14	34	17
Okeechobee	36	16	52	18
Orange	30	17	47	20
Osceola	53	8	61	19
Palm Beach	39	111	150	25
Pasco	38	28	66	7
Polk	812	219	1,031	308
St. Lucie	57	53	110	99
Sarasota	12	2	14	17
Seminole	6	3	9	13
Volusia	4	-	4	4
Other <sup>2/</sup>	5	2	7	3
<b>Total</b>	<b>2,550</b>	<b>1,300</b>	<b>3,850</b>	<b>1,150</b>
Indian River	138	78	216	191
Northern	472	173	645	200
Central	1,073	335	1,408	383
Western	368	194	562	197
Southern	499	520	1,019	179
<b>Total</b>	<b>2,550</b>	<b>1,300</b>	<b>3,850</b>	<b>1,150</b>

<sup>1/</sup> Fallglo and Sunburst varieties.

<sup>2/</sup> Alachua, Citrus, Pinellas, and Putnam Counties.


Total citrus production in 2008-09 was down in all Florida commercial citrus production areas from the 2007-08 season. The Indian River and Southern areas were down the most with decreases of 5.5 million and 5.1 million boxes. The Western area decrease of less than 1 million boxes was the smallest.

Production in the top four counties decreased by 5.6 percent. Together, they produced over 50 percent of all citrus. Polk led with 30.3 million boxes, Highlands moved into second with 23.2 million. Hendry dropped to third with 21.8 million boxes, and DeSoto completed the four with 20.6 million boxes. Losses were recorded in 25 counties with only Alachua, Hardee, Hillsborough, Marion, and Putnam producing more citrus.

Leading orange producers were Polk at 27.2 million boxes, followed by Highlands at 22.1 million boxes, and Hendry at 20.5 million boxes. Desoto came in fourth again this season with nearly 20.3 million boxes. The four counties combined accounted for over 55 percent of the State's total oranges. Indian River and St. Lucie far surpassed all other counties in grapefruit production, with more than 14.3 million boxes combined. Together, they accounted for almost 2/3 of the State's grapefruit crop.

The Central area produced 37 percent of the State's tangerines and 33 percent of the tangelos. The Southern area produced the second highest specialty crop, including 26 percent of the tangerines. The Northern area came in third again accounting for 17 percent of specialty fruit.

Estimates of county production are prepared from objective survey data used in forecasting citrus crop production. The apportionment of final harvest to the counties is based on bearing trees, an estimate of the average fruit per tree, and the drop and size surveys. Sample size used in these surveys and the distribution of the sample groves around the State are chosen to minimize error in the estimates of production and are not to be considered as accurate for the counties as at the State or area levels.



## BOXES OF FRUIT PER TREE

The Florida Agricultural Statistics Service conducts objective surveys to determine fruit per tree, average sizes, and droppage between August and maturity. These data are used to estimate production per tree for each of four types of citrus fruit, as shown in the following tables.

The estimates of production per tree are based on official end-of-season production estimates and the number of bearing trees indicated by the Commercial Citrus Inventory. The averages of boxes per tree for age groups shown are calculated from estimates of fruit per tree in August, size at maturity, and drop between August and maturity.

Additionally, the boxes are subdivided by production areas. Estimated boxes by types and age groups are weighted averages of the indicated seasons. Small sample sizes in some age/area cells and rounding may contribute to inconsistent averages.

**FLORIDA CITRUS:** Estimated boxes of fruit per tree by age groups and production areas, 2004-05 through 2008-09

Fruit type by season	Area	Age of trees					Average <sup>1/</sup>
		3 – 5 years	6 – 8 years	9 – 13 years	14 – 23 years	24 years and older	
<b>EARLY, MIDSEASON, AND NAVEL ORANGES:</b>		<i>Boxes per tree</i>					
2004-05 <sup>2/</sup>	<b>State</b>	<b>1.2</b>	<b>1.7</b>	<b>2.2</b>	<b>2.9</b>	<b>2.8</b>	<b>2.43</b>
	Indian River	0.7	0.6	0.6	0.9	1.0	0.79
	Northern & Central	2.2	1.7	2.3	2.9	3.2	2.63
	Western	1.0	1.2	2.0	2.5	2.8	2.17
	Southern	1.0	2.7	2.5	3.5	3.9	2.89
2005-06 <sup>3/</sup>	<b>State</b>	<b>1.8</b>	<b>1.8</b>	<b>2.0</b>	<b>2.8</b>	<b>3.7</b>	<b>2.60</b>
	Indian River	0.7	0.6	0.4	1.4	1.5	1.03
	Northern & Central	4.6	2.6	2.7	3.7	5.7	3.74
	Western	1.3	1.6	2.9	3.6	4.2	3.12
	Southern	0.5	1.5	0.8	1.6	1.4	1.34
2006-07 <sup>4/</sup>	<b>State</b>	<b>1.1</b>	<b>1.8</b>	<b>1.8</b>	<b>2.5</b>	<b>3.6</b>	<b>2.36</b>
	Indian River	0.2	0.6	0.9	1.5	1.9	1.33
	Northern & Central	0.7	2.2	2.2	2.6	4.9	2.64
	Western	2.1	2.3	2.0	3.0	3.7	2.80
	Southern	0.4	1.2	1.6	2.3	3.1	1.96
2007-08 <sup>4/</sup>	<b>State</b>	<b>0.8</b>	<b>1.9</b>	<b>2.5</b>	<b>3.4</b>	<b>4.8</b>	<b>3.11</b>
	Indian River	0.5	2.0	1.3	2.3	2.6	2.05
	Northern & Central	0.9	2.2	2.9	4.0	5.9	3.78
	Western	0.9	1.9	2.7	3.7	4.5	3.11
	Southern	0.5	1.7	2.5	2.8	5.5	2.68
2008-09 <sup>4/</sup>	<b>State</b>	<b>1.2</b>	<b>1.8</b>	<b>2.9</b>	<b>3.5</b>	<b>4.7</b>	<b>3.21</b>
	Indian River	0.3	1.2	1.4	2.5	2.8	2.18
	Northern & Central	1.2	1.8	3.7	3.9	6.0	3.83
	Western	1.6	2.3	3.0	3.7	4.9	3.40
	Southern	0.9	1.4	2.4	2.9	3.6	2.55
Average	<b>State</b>	<b>1.23</b>	<b>1.80</b>	<b>2.22</b>	<b>3.02</b>	<b>3.93</b>	<b>2.72</b>
	Indian River	0.52	0.98	0.81	1.71	1.92	1.57
	Northern & Central	1.94	2.11	2.62	3.40	5.17	3.30
	Western	1.38	1.90	2.47	3.30	4.01	2.91
	Southern	0.68	1.68	2.02	2.60	3.53	2.29

<sup>1/</sup> Average weighted by bearing trees.

<sup>2/</sup> Hurricane Charlie affected production in the Central and Western growing areas. Hurricanes Jeanne and Francis affected production in all areas except the Southern area.

<sup>3/</sup> Hurricane Wilma affected production in the Indian River and Southern area.

<sup>4/</sup> Includes Temples beginning in 2006-07.

**FLORIDA CITRUS: Estimated boxes of fruit per tree by age groups and  
production areas, 2004-05 through 2008-09**

Fruit type by season	Area	Age of trees					Average <sup>1/</sup>
		3 – 5 years	6 – 8 years	9 – 13 years	14 – 23 years	24 years and older	
<i>Boxes per tree</i>							
<b>LATE (VALENCIA) ORANGES:</b>							
2004-05 <sup>2/</sup>	<b>State</b>	<b>1.1</b>	<b>1.2</b>	<b>1.7</b>	<b>2.0</b>	<b>2.1</b>	<b>1.74</b>
	Indian River	0.4	0.4	0.6	1.1	0.8	0.78
	Northern & Central	1.8	1.6	1.9	2.5	2.6	2.14
	Western	1.3	1.3	1.8	1.7	2.3	1.68
	Southern	0.8	1.1	1.7	2.2	2.2	1.79
2005-06 <sup>3/</sup>	<b>State</b>	<b>0.8</b>	<b>1.8</b>	<b>1.8</b>	<b>2.1</b>	<b>3.0</b>	<b>1.96</b>
	Indian River	0.2	0.3	0.6	1.3	0.9	0.87
	Northern & Central	0.7	2.0	2.6	3.0	4.0	2.72
	Western	2.4	2.4	2.4	2.7	4.5	2.82
	Southern	0.3	1.3	1.4	1.4	1.5	1.32
2006-07	<b>State</b>	<b>0.6</b>	<b>1.5</b>	<b>1.5</b>	<b>1.9</b>	<b>2.7</b>	<b>1.75</b>
	Indian River	0.2	0.4	0.8	1.4	1.9	1.09
	Northern & Central	1.0	1.1	1.7	2.2	3.3	2.01
	Western	0.6	2.2	1.7	1.9	2.7	1.91
	Southern	0.4	1.4	1.6	1.8	2.5	1.68
2007-08	<b>State</b>	<b>0.7</b>	<b>2.1</b>	<b>2.5</b>	<b>2.5</b>	<b>4.1</b>	<b>2.48</b>
	Indian River	0.7	0.3	1.4	1.7	2.5	1.54
	Northern & Central	0.8	2.6	2.6	2.9	4.8	2.90
	Western	0.9	2.7	3.0	3.1	4.2	3.01
	Southern	0.5	1.9	2.3	2.2	3.8	2.16
2008-09	<b>State</b>	<b>0.9</b>	<b>1.8</b>	<b>2.3</b>	<b>2.3</b>	<b>3.4</b>	<b>2.26</b>
	Indian River	1.2	0.7	0.9	1.6	1.9	1.39
	Northern & Central	0.9	2.0	2.3	2.6	4.2	2.61
	Western	1.2	2.0	2.6	2.6	3.5	2.52
	Southern	0.6	1.9	2.4	2.1	3.1	2.10
Average	<b>State</b>	<b>0.83</b>	<b>1.64</b>	<b>1.91</b>	<b>2.15</b>	<b>3.05</b>	<b>2.03</b>
	Indian River	0.36	0.45	0.84	1.41	1.56	1.11
	Northern & Central	1.08	1.83	2.19	2.64	3.76	2.47
	Western	1.28	2.12	2.32	2.43	3.43	2.38
	Southern	0.50	1.47	1.79	1.94	2.55	1.79

<sup>1/</sup> Average weighted by bearing trees.

<sup>2/</sup> Hurricane Charlie affected production in the Central and Western growing areas. Hurricanes Jeanne and Francis affected production in all areas except the Southern area.

<sup>3/</sup> Hurricane Wilma affected production in the Indian River and Southern area.

**FLORIDA CITRUS: Estimated boxes of fruit per tree by age groups and  
production areas, 2004-05 through 2008-09**

Fruit type by season	Area	Age of trees					Average <sup>1/</sup>
		3 – 5 years	6 – 8 years	9 – 13 years	14 – 23 years	24 years and older	
		<i>Boxes per tree</i>					
<b>WHITE GRAPEFRUIT :</b>							
2004-05 <sup>2/</sup>	<b>State</b>	<b>1.0</b>	<b>0.8</b>	<b>1.1</b>	<b>1.4</b>	<b>1.3</b>	<b>1.25</b>
	Indian River	0.6	0.6	0.6	0.4	0.8	0.61
	Northern & Central	3.7	1.9	3.7	3.7	3.7	3.63
	Western	--	--	2.1	2.2	1.7	1.96
	Southern	2.7	3.3	1.1	4.3	2.2	2.54
2005-06 <sup>3/</sup>	<b>State</b>	<b>1.9</b>	<b>2.5</b>	<b>3.0</b>	<b>2.3</b>	<b>3.8</b>	<b>2.94</b>
	Indian River	1.0	1.5	2.5	1.9	2.8	2.20
	Northern & Central	7.9	7.8	9.1	5.7	11.9	8.21
	Western	4.8	--	3.7	3.6	7.4	5.46
	Southern	1.2	4.8	1.8	1.0	0.9	1.22
2006-07	<b>State</b>	<b>0.3</b>	<b>2.9</b>	<b>4.0</b>	<b>4.2</b>	<b>5.9</b>	<b>4.47</b>
	Indian River	0.3	2.5	4.0	3.9	5.8	4.28
	Northern & Central	0.5	1.9	5.0	5.6	7.0	5.46
	Western	--	--	4.2	1.9	6.1	4.26
	Southern	0.9	6.7	2.5	4.8	5.8	4.74
2007-08	<b>State</b>	<b>1.6</b>	<b>4.1</b>	<b>3.2</b>	<b>4.5</b>	<b>6.3</b>	<b>4.75</b>
	Indian River	1.5	4.0	2.9	4.2	6.1	4.52
	Northern & Central	0.7	3.0	5.7	6.4	7.8	6.31
	Western	8.3	--	1.8	4.8	10.0	7.50
	Southern	0.8	5.6	3.7	4.0	4.6	4.05
2008-09	<b>State</b>	<b>1.1</b>	<b>2.3</b>	<b>2.8</b>	<b>3.8</b>	<b>5.1</b>	<b>3.95</b>
	Indian River	0.9	2.2	2.1	3.5	4.4	3.51
	Northern & Central	1.7	2.7	6.6	5.2	10.0	6.36
	Western	--	7.0	5.0	3.8	9.2	6.67
	Southern	2.3	1.9	6.3	3.7	3.5	3.57
Average	<b>State</b>	<b>1.14</b>	<b>2.14</b>	<b>2.51</b>	<b>3.30</b>	<b>4.22</b>	<b>3.29</b>
	Indian River	0.81	1.74	2.20	2.82	3.77	2.85
	Northern & Central	2.80	3.65	5.59	5.30	7.86	5.89
	Western	6.27	7.00	3.20	3.09	6.53	4.93
	Southern	1.49	4.33	1.58	3.61	3.03	3.06

<sup>1/</sup> Average weighted by bearing trees.

<sup>2/</sup> Hurricane Charlie affected production in the Central and Western growing areas. Hurricanes Jeanne and Francis affected production in all areas except the Southern area.

<sup>3/</sup> Hurricane Wilma affected production in the Indian River and Southern area.

**FLORIDA CITRUS: Estimated boxes of fruit per tree by age groups and  
production areas, 2004-05 through 2008-09**

Fruit type by season	Area	Age of trees					Average <sup>1/</sup>
		3 – 5 years	6 – 8 years	9 – 13 years	14 – 23 years	24 years and older	
							<i>Boxes per tree</i>
<b>COLORED GRAPEFRUIT:</b>							
2004-05 <sup>2/</sup>	<b>State</b>	<b>0.8</b>	<b>2.0</b>	<b>2.2</b>	<b>1.9</b>	<b>1.5</b>	<b>1.85</b>
	Indian River	0.9	1.8	0.9	1.0	1.2	1.04
	Northern & Central	0.9	2.3	3.5	3.1	1.9	3.07
	Western	1.1	1.0	0.9	0.9	3.4	1.16
	Southern	0.6	2.5	3.3	7.1	9.1	4.34
2005-06 <sup>3/</sup>	<b>State</b>	<b>0.3</b>	<b>1.2</b>	<b>2.9</b>	<b>3.1</b>	<b>3.8</b>	<b>2.96</b>
	Indian River	0.1	1.4	2.4	2.7	3.4	2.62
	Northern & Central	1.6	3.0	7.5	6.9	12.5	7.32
	Western	2.1	1.5	0.8	2.6	2.1	2.03
	Southern	0.2	0.5	1.9	2.1	4.3	1.89
2006-07	<b>State</b>	<b>1.0</b>	<b>2.7</b>	<b>3.4</b>	<b>4.2</b>	<b>5.9</b>	<b>4.23</b>
	Indian River	0.7	3.8	3.2	4.0	5.9	4.23
	Northern & Central	2.7	1.1	4.8	5.9	6.1	5.57
	Western	6.2	1.0	10.2	5.5	8.2	5.93
	Southern	0.1	1.1	2.8	3.7	4.6	3.11
2007-08	<b>State</b>	<b>1.6</b>	<b>2.9</b>	<b>3.2</b>	<b>4.0</b>	<b>6.3</b>	<b>4.30</b>
	Indian River	1.7	2.3	2.9	3.4	6.1	4.04
	Northern & Central	3.1	2.7	8.1	7.3	9.1	7.14
	Western	0.5	4.2	2.7	3.1	3.2	3.20
	Southern	1.0	4.2	2.5	4.3	12.4	4.10
2008-09	<b>State</b>	<b>1.4</b>	<b>1.3</b>	<b>2.8</b>	<b>3.7</b>	<b>5.2</b>	<b>3.81</b>
	Indian River	1.3	0.9	2.9	2.9	5.1	3.48
	Northern & Central	2.9	3.2	4.7	6.4	6.6	6.13
	Western	4.6	1.9	5.8	5.9	9.2	5.56
	Southern	1.1	2.8	1.9	3.9	7.6	3.67
Average	<b>State</b>	<b>1.07</b>	<b>2.02</b>	<b>2.64</b>	<b>3.43</b>	<b>4.60</b>	<b>3.36</b>
	Indian River	0.97	1.97	2.04	2.76	4.41	3.01
	Northern & Central	2.32	2.48	5.11	6.00	7.24	5.72
	Western	2.87	2.76	1.76	3.66	5.03	3.39
	Southern	0.59	1.89	2.85	4.04	7.18	3.48

<sup>1/</sup> Average weighted by bearing trees.

<sup>2/</sup> Hurricane Charlie affected production in the Central and Western growing areas. Hurricanes Jeanne and Francis affected production in all areas except the Southern area.

<sup>3/</sup> Hurricane Wilma affected production in the Indian River and Southern area.

**FLORIDA CITRUS PRICES:** Season average on-tree prices and equivalent returns per box received by growers, by varieties and utilization from crop years 2006-07, 2007-08, and 2008-09 <sup>1/</sup>

Fruit type by season	Methods of sale			Fruit type by season	Methods of sale		
	Fresh	Processing	All		Fresh	Processing	All
	<i>Dollars per box</i>				<i>Dollars per box</i>		
<b>ORANGES</b>				<b>GRAPEFRUIT</b>			
Navel				White			
2006-07	12.30	4.38	10.57	2006-07	9.04	0.76	2.51
2007-08	8.45	-0.07	6.47	2007-08	9.70	0.41	2.36
2008-09	8.85	-1.97	6.86	2008-09	7.10	0.10	1.57
Early-midseason-Temple (excluding Navel)				Colored			
2006-07	11.90	8.70	8.80	2006-07	9.61	1.18	5.42
2007-08	7.65	5.84	5.88	2007-08	10.20	0.81	5.47
2008-09	4.55	4.64	4.64	2008-09	9.00	0.20	4.83
Early-midseason-Navel -Temple				All Grapefruit			
2006-07	12.10	8.70	8.92	2006-07	9.51	0.99	4.42
2007-08	8.15	5.79	5.90	2007-08	10.11	0.63	4.42
2008-09	6.95	4.60	4.72	2008-09	8.72	0.16	3.84
Valencia				<b>TANGERINES</b>			
2006-07	15.40	11.55	11.69	Early <sup>2/</sup>			
2007-08	7.20	7.30	7.30	2006-07	15.50	4.16	12.01
2008-09	4.10	6.25	6.18	2007-08	12.85	-0.20	8.64
All Oranges				2008-09	9.35	-2.79	6.29
2006-07	13.25	10.12	10.28	Honey			
2007-08	7.83	6.57	6.61	2006-07	16.50	7.50	13.27
2008-09	5.88	5.40	5.42	2007-08	8.65	1.01	5.02
<b>TANGELOS</b>				2008-09	13.25	-2.38	8.79
2006-07	11.00	6.80	8.24	All Tangerines			
2007-08	5.50	1.81	2.87	2006-07	16.00	5.89	12.64
2008-09	6.10	-1.47	1.85	2007-08	10.85	0.55	6.70
				2008-09	10.65	-2.64	7.15

<sup>1/</sup> 2006-07 and 2007-08 revised to reflect final payments in cooperative and participation plans and changes in pick, haul and packing charges. 2008-09 preliminary price based on cash sales only.

<sup>2/</sup> Fallglo and Sunburst varieties.

**FLORIDA BEARING TREES:** Estimated trees of bearing age by age group, year set, and type, for the 2008-09 season

Fruit type	Age 1 2003-05	Age 2 2000-02	Age 3 1995-99	Age 4 1985-94	Age 5 1984 and earlier	Total bearing trees
	<i>1,000 trees</i>					
Early-midseason-Navel - Temple Oranges	2,558	2,784	3,442	13,120	4,476	26,380
Valencia Oranges	2,350	3,278	6,127	18,576	4,043	34,374
White Grapefruit	55	88	164	821	544	1,672
Colored Grapefruit	315	194	214	2,096	1,142	3,961