

This page was originally part of the July 2018 release. Revisions to the 2017-2018 bearing trees have led to the recalculation of yield components. Original numbers have been struck out with the revised figures placed to the left where applicable.

Forecast Components of Production from Objective Surveys – Florida: 2013-2014 through 2017-2018

Fruit type and crop year	Number bearing trees (1,000 trees)	Sample survey averages		
		Fruit per tree (number)	Percent drop ¹ (percent)	Fruit per box ¹ (number)
Early-Midseason (non-Valencia) Oranges ^{2,3}				
2013-2014	23,208	919	23	286
2014-2015	22,370	886	22	302
2015-2016	21,454	744	32	284
2016-2017	20,318	765	26	316
2017-2018	20,119 19,569	746 741	61 64	287 286
Navel Oranges				
2013-2014	977	432	19	140
2014-2015	958	293	21	137
2015-2016	965	228	24	140
2016-2017	929	219	27	147
2017-2018	939 943	254 252	68	142 140
Valencia Oranges				
2013-2014	31,704	614	31	240
2014-2015	31,054	624	25	244
2015-2016	29,785	520	29	228
2016-2017	28,836	451	30	242
2017-2018	28,975 28,390	512 510	52	236
White Grapefruit ⁴				
2013-2014	1,264	556	29	118
2014-2015	1,160	480	24	113
2015-2016	981	453	34	132
2016-2017	834	413	43	143
2017-2018	667 722	393 396	66	107
Red Grapefruit				
2013-2014	3,480	504	25	123
2014-2015	3,303	441	27	117
2015-2016	3,218	441	40	127
2016-2017	2,962	396	35	132
2017-2018	2,773 2,834	387 385	51 50	108 107

¹ Averages at cut-off month—January 1 for early-midseason (non-Valencia) oranges, December 1 for Navels, April 1 for Valencias, and February 1 for grapefruit.

² Excludes Navels.

³ Includes Temples in number of bearing trees for 2013-2014 through 2015-2016.

⁴ Includes seedy grapefruit.

The above table shows the production components used for the 2013-2014 through the 2017-2018 forecast seasons. Bearing trees are estimated at the beginning of each forecast season using the most updated tree inventory with an allowance for expected attrition. Revisions are made to the historic series where applicable. Fruit per tree is the weighted average obtained from the annual Limb Count survey conducted during a ten-week period from mid-July to mid-September. Survey averages for each tree age group within an area are weighted by the estimated number of bearing trees for each age group. Fruit size measurements and drop observations are obtained from monthly surveys. The average drop percentages are from the final month used in the forecast model. Average fruit sizes were also obtained from the same survey period and have been converted in the table to estimated number of fruit needed to fill a 1-3/5 bushel box. These four factors are the primary components used in the initial October forecast and in following months up to the "cut-off" for each fruit type.

$$\text{Direct Expansion} = \frac{\text{Bearing Trees} \times \text{Fruit per Tree} \times \text{Percent Remaining at Harvest}}{\text{Pieces of Fruit per Box}}$$