

FLORIDA AGRICULTURAL STATISTICS

Citrus Maturity and Yield Tests

FLORIDA DEPARTMENT OF AGRICULTURE
AND CONSUMER SERVICES
DOYLE CONNER, COMMISSIONER
TALLAHASSEE, FLORIDA

DIVISION OF MARKETING
John D. Stiles, Director
Tallahassee, Florida

Florida Crop and Livestock
Reporting Service
R. A. McGregor, Chief
Orlando, Florida

Division of Marketing
Marketing Bureau Section
Orlando, Florida

Cooperating with
U. S. Department of Agriculture
Agricultural Marketing Service
Statistical Reporting Service

ACKNOWLEDGMENT

The Citrus Maturity Testing Program historic series contained in this publication were prepared by the Crop and Livestock Reporting Service from tests made at the Maturity Test Laboratory, located at the Orange County Agricultural Center.

To the many growers, who allowed picking of fruit samples from their groves, the Orange County Commissioners, who maintain our test facilities, and citrus organizations who have voluntarily cooperated in this program, we offer our sincere thanks.

The report was assembled under the direction of Paul E. Shuler and Harry M. Whittaker of the Florida Crop and Livestock Reporting Service.

CONTENTS

	Page
History of Citrus Maturity Testing Program	1
Sampling	2
Testing.	3
Comparisons with State Test	3
Forecasts of Yield of FCOJ	4
The 1968-69 Season.	4
The 1969-70 Season.	4
The 1970-71 Season.	5
The 1971-72 Season.	5
The 1972-73 Season.	6
The 1973-74 Season.	6
The 1974-75 Season.	6
The 1975-76 Season.	7
Unadjusted Averages	
Early Oranges	8
Midseason Oranges	11
Late Oranges	14
Unadjusted Matched Averages from Identical Sample Trees	
Early Oranges	18
Midseason Oranges	20
Late Oranges	23
Unadjusted Matched Averages from Identical Sample Trees by Yearly Comparisons	
Early Oranges	26
Midseason Oranges	28
Late Oranges	30
Unadjusted Averages	
Seedy Grapefruit	32
White Seedless Grapefruit.	35
Pink Seedless Grapefruit	38

CITRUS MATURITY TESTING PROGRAM

Introduction

Since the processing industry began to utilize the bulk of the orange crop in Florida, the concept of production estimates and forecasts only in terms of boxes of a given weight has become obsolete. To be more meaningful, forecasts and estimates of production need to be expressed in terms of total pounds of solids as well as in terms of boxes. This interest has been expressed to the Florida Crop and Livestock Reporting Service by both processors and growers.

HISTORY

In the late 1950's the Service began to collect fruit samples of oranges monthly to determine if maturity and yield factors could be projected in advance of harvest. For several years fieldmen picked a single fruit from each grove that they entered to make monthly counts and size measurements in their regular drop and growth surveys. These fruit were combined into a single sample for each type of orange -- Early, Mid-season and Late -- and juice was extracted with the aid of an electrically operated reamer. The necessary weights and test results were accumulated. Within a few seasons it was determined that declines in acid, increases in soluble solids and ratio, increases and later decreases in juice, and increases in pounds-solids followed predictable patterns. It appeared from these data that changes in these elements could be predicted over time if sufficient observations had been made to provide a valid statistical base. None of the results of these tests were published. The yield of pounds-solids shown in these tests appears to be correlated with changes in yield levels of fruit received at the processing plants.

In early 1963, following the disastrous freeze of December 1962, the industry was very concerned over the level of pounds-solids yield that would be obtained from Valencia oranges which had been damaged severely. In response to requests from the Citrus Crop Estimates Advisory Committee and others in the citrus industry, the Florida Crop and Livestock Reporting Service conducted a series of tests using fruit from randomly selected sample groves. Three successive tests were made at 2-week intervals. These indicated rather accurately the abnormally low level of yields of juice and pounds of solids in Valencias that spring.

This pilot project provided experience in a regular survey procedure which would yield statistically reliable results. Sufficient funds and manpower were available to finance the work and a regular program of surveys on a monthly basis was begun October 1, 1963. The sample size selected in these first surveys provided for 50 groves each for Early, Midseason and Late oranges. Reports were issued individually on Early and Midseason oranges on the first of each month from October through January in the 1963-64 season, and from October 1 through February 1 in the 1964-65 and 1965-66 seasons. Valencia orange test results were reported on October 1 through

April 1 in the 1963-64 season, and through May 1 in the 1964-65 season. In the 1965-66 season, Valencias were tested at the first of each month from October through February and, beginning in February, a mid-month report was added, continuing through April of that season.

In the 1966-67 season, testing began September 1 and mid-month tests were added to the previous monthly programs.

In 1967 following a statistical evaluation of the preceding four years' results, the Service responded to industry requests for area data from the maturity and yield tests, and expanded sample sizes. In that year, the number of Early orange groves was increased to 73, Midseasons to 55, and Valencias to 100. September 1 was continued as the first test date and the schedule of mid-month tests was retained.

In the 1964-65 season, seedless grapefruit tests were added to the program with a separate series for white and pink varieties. A series for seedy grapefruit was added in the 1965-66 season. The data for grapefruit are now published in this report.

SAMPLING

Each month, starting in September, the Florida Crop and Livestock Reporting Service collects fruit samples from each sample grove. Each sample consists of 15 oranges or 5 grapefruit. The samples are picked from pre-selected groves and pre-determined sample trees. The number of samples are as follows: Early orange, 80; Midseason orange, 60; Late (Valencia) orange, 110; Seedy grapefruit, 25; White seedless, 62; and Pink or Red seedless, 52.

Each sample is picked from a randomly selected cluster of five trees. Sample fruit are selected at shoulder height from the pivot tree's side nearest the road of travel and from the side of the other four sample trees nearest the pivot tree. Three oranges or one grapefruit are picked at shoulder height from each of the five sample trees. This procedure insures that fruit from all exposures are included in the samples.

LOCATION OF SAMPLE TREES FOR MATURITY AND YIELD TESTS

Access Road						
X	X	X	X	X	X	X
X	X	X	(X)	X	X	X
X	X	(X)	(X)	(X)	X	X
X	X	X	(X)	X	X	X
			Pivot			
			(X)			
			(X)			

X - Tree (X) - Sample Tree

Sample groves and trees remain constant from year to year to measure changes more accurately. The increase in bearing trees indicates a need to increase sample size to more accurately reflect younger groves in the current sample which is dominated by mature trees.

TESTING

Early and Midseason oranges are now tested on the first of each month beginning September 1 and continuing through February 1. They are also tested December 15. Late oranges are tested on the first of each month beginning October 1 and terminating June 1. They are also tested April 15. Grapefruit tests are run the 1st of each month from September through December.

All Maturity tests are run at testing facilities located at the Orange County Agricultural Center at 2350 E. Michigan Avenue in Orlando. The testing laboratory was built with funds and labor donated by Florida Citrus Mutual, the Florida Cannery Association, the Florida Fresh Fruit Shippers Association, and the Orange County Commissioners.

All samples are run through an FMC 091 test extractor using mechanical pressure only. This machine utilizes a .040 short strainer and standard 5/8-inch orifice tube. The beam setting is 1/4-inch and no restrictors are used. Only the 3-inch cup is used for oranges, and only the 5-inch cup for grapefruit. This equipment and settings correspond to those used on official State tests when this program began. State tests are now run on the FMC 091B utilizing air pressure.

COMPARISONS WITH STATE TESTS

Some are confused when they compare the Maturity Test Results in this summary with the published State test results. There are several reasons why the juice and pounds of solids yield from these two entirely different test results are not comparable. One reason is that they involve different fruit populations. The Maturity Test Results are from samples of fruit remaining on the trees at the time each test is made. The samples for the State tests are from loads of fruit actually being delivered to processing plants at a given point in time. However, the major areas of difference are in the extraction method and the quantity of juice that is being measured. The Maturity Test Results reflect the total quantity of unfinished juice extracted using the FMC 091 equipped as indicated above. For the State tests, juice is extracted by State inspectors on the FMC 091B. The air pressure setting currently in use is 45 pounds PSI. At this level, the quantity of juice extracted from a given lot of oranges exceeds that which can be extracted using the FMC 091 equipped as indicated above.

To establish the quantity of finished juice upon which payment for fruit is based, the unfinished juice weight determined by State inspectors is reduced using juice factors established by an industry committee under regulations set by the Florida Department of Citrus. These factors are not constant. They vary between seasons and between different types of fruit within a season.

The finished quantity of juice entered on State inspection certificates will always be less than the amount of unfinished juice that was extracted by the State inspector. This will also be less than the amount of unfinished juice reported in Maturity Test Results for the corresponding date.

In addition to establishing juice factors, the Florida Department of Citrus also regulates the quantity of juice which processing plants are allowed to recover. Control is based on the quantity of finished juice. Currently, the season average recovery rate is limited to 102 percent of the quantity of finished juice received at each plant.

The final season average yield as given in the narrative summaries by seasons in this publication is the final per box yield of FCOJ as reported by the Florida Cannery Association.

FORECASTS OF YIELD OF FCOJ

The forecasts of yield are based upon linear regressions. The final yield as reported by the Florida Cannery Association for all fruit used to make FCOJ is the dependent variable; the pounds-solids determined from the maturity and yield surveys is the independent variable. Actual yield data is incorporated into the forecast starting in February. The linear regression indications are adjusted by the juice factor and recovery limit prevailing at the date of the maturity and yield surveys.

The regressions currently utilize the data from 1965-66 through this past season excluding the 1970-71 freeze year. Data from previous seasons cannot be used due to processing changes made by the industry when "hard squeeze" and "pulp washing" were discontinued for FCOJ manufacture. At the same time, the industry standard was changed from 42° Brix to 45° Brix. This continues as the standard used for FCOJ forecasts prepared by this office.

THE 1968-69 SEASON

The first indication of FCOJ yield in 1968-69 was published with the December 10, 1968, citrus forecasts. "It appears possible that gallons of concentrate per box this season can be less than the 1.2358 gallons realized in the 1965-66 season." On January 10, 1969, it was reported that statistical analysis suggested 1.13 gallons per box. Fruit being delivered then was yielding, on the average, about a gallon and the 1.13 gallons was criticized as unrealistic. The February analysis indicated 1.08 gallons which was hailed as more realistic, but still high. Actually, this reduction was due primarily to a temporary change in relationship of February 1 yield tests for the years in question. In March, the yield prediction was raised to 1.12 which was held until June. The June 10 analysis indicated 1.13 gallons, and the final season average was 1.12618 gallons per box.

THE 1969-70 SEASON

On October 10, 1969, a yield of 1.33 gallons of FCOJ per box was indicated. This was calculated by a formula derived from the average pounds of solids in sample groves on October 1 and the final FCOJ yield reported in the preceding four seasons. The forecast

yield of 1.33 was maintained until February 1970 when the regression analysis of the February 1 maturity tests indicated a reduction from 1.33 to 1.28 gallons. On March 1, the indicated yield for Valencias, combined with the realized yield to date for Early and Midseason oranges, resulted in a computed season average of approximately 1.25 gallons. On April 1 and May 1 the regression analysis of maturity tests and yields by the Florida Cannery Association in the past four seasons indicated a final yield of 1.27. However, on June 1 the combined tests showed a reduction to 1.24, which was caused by no gain in soluble solids and a substantial loss of juice content during the last half of May. The yield of 1.27 gallons indicated in April and May is within the range of confidence limits of the analysis upon which that yield was based. The final yield of 1.24 was only about 2.5 percent below the 1.27 projection of April 1.

THE 1970-71 SEASON

On October 13, 1970, the FCOJ regression indicated a season average yield of 1.39 gallons per box for all oranges. There was no report on FCOJ for November in accordance with industry requests. In the first of December report, the FCOJ yield was changed to 1.32 gallons reflecting juice factors established October 13. The 1.32 yield was held in the January report. No report was issued in February because it was impossible to measure the impact of the January 21 freeze on juice and pounds-solids content of fruit remaining on trees. On March 10, 1971, the FCOJ regression analysis reflected a lowering to 1.21 gallons, showing the impact from the January 21 freeze. The expected yield was a combination of actual yield of 1.16432 gallons through February 27 and a projected yield of 1.26 gallons for Valencias. The April 1 FCOJ regression indicated 1.20 gallons for all oranges. Yield prospects had not increased by May 1 and there was no change in the projection. However, on May 29th the Juice factor was raised from 90 to 91 percent which slightly improved the June 1 FCOJ projected yield of 1.21 gallons. The final yield was 1.2093 for all oranges.

THE 1971-72 SEASON

The October 1, 1971, maturity and yield test results suggested a yield of 1.28 gallons of FCOJ per box. By industry request no November forecast was made. Relatively low soluble solids for all three orange types depressed the projected average yield to 1.23 gallons on December 1. A similar situation prevailed on January 1 when the FCOJ yield projection was calculated at 1.25 gallons. However, by February 1, the sustained beneficial effects of above normal temperatures and a generous moisture supply were reflected in a gain in soluble solids, and continuation of high juice yields. The February FCOJ projection was 1.29 gallons. Further improvement in internal quality indicated by tests of fruit from sample groves increased the projections in March, April, and May to 1.31 gallons. The projection in June was reduced to 1.29 gallons and the report of the Florida Cannery Association issued August 5, 1972, showed a yield of 1.28572 gallons. Prior to June all projections were based on the assumption that processors would achieve the legal season average recovery rate of 102 percent. Actual recovery was less. All yield projections, except December, were within the confidence limits of the data on which they were based.

THE 1972-73 SEASON

The initial FCOJ forecast on October 13, 1972, suggested an all orange season average yield of 1.29 gallons per box. In accordance with industry requests, no FCOJ forecast was published in November. On December 12 the FCOJ yield projection was lowered to 1.26. The reduction was caused primarily by lower than average juice development. However, the ideal growing conditions during December resulted in a sharp rise in both juice content and total soluble solids and the January indication was raised to 1.33 for all oranges. In February the yield projection was lowered to 1.32 due to slightly lower indications for Valencia juice content. This estimate was maintained through the May forecast. By June 1 the Brix and juice per box had developed sufficiently to return the projected level to 1.33 gallons. Final yield for all oranges was 1.33176 gallons. The final yield of Early and Midseason oranges was 1.28800 and the Valencia yield was 1.38279 gallons.

THE 1973-74 SEASON

The FCOJ yield projection in October based on regression analysis of maturity and yield test results was 1.28 gallons per box for all oranges. The projected yield was increased to 1.32 gallons in December. This increase followed excellent growing weather during the fall with maturity results showing a substantial increase in the pounds of unfinished juice per box. However, it was necessary to reduce the January yield to 1.30 gallons. January 1 test results showed some depression in yield which was apparently caused by the advent of colder weather which brought 4 nights of below freezing temperatures in December with scattered, light fruit damage occurring on the morning of December 12. Yield was continued unchanged through March, increased to 1.31 gallons in April, but again dropped to 1.30 gallons for the final May and June projections. Final yield for all oranges was 1.29725 gallons. The final yield for Early and Midseason oranges was 1.26386 and the Valencia yield was 1.34205 gallons. The yield for late season Valencias dropped sharply, particularly following very heavy rainfall in late June when fruit remaining for harvest softened rapidly.

THE 1974-75 SEASON

The October 1, 1974, FCOJ maturity and yield test results indicated an all orange yield of 1.29 gallons per box. No November FCOJ projections were made, as per industry request. The original projection was unchanged through April. Early and Midseason oranges were forecast in October to reach 1.25 gallons per box and achieved 1.25275 gallons. In May, maturity test results and the Valencias utilized as reported by the Florida Cannery Association suggested an increase in projected yield; the May 1 all-orange projection was raised to 1.30 gallons. With a better than average increase in Valencia pounds-solids during May, the June 1 all orange forecast was again raised to 1.31 gallons. The Valencias were of excellent quality this year as shown by the average yield of 1.39936 gallons. The final yield of FCOJ for all oranges was 1.31482.

THE 1975-76 SEASON

The first FCOJ yield projection of the 1975-76 season was 1.35 gallons per box. There was no November forecast, in accordance with industry requests. The December expected yield figure was unchanged from October at 1.35 gallons. By January, the lower than average Brix of Late oranges caused a reduction in expected yield to 1.34 gallons. In the February forecast, the all oranges projected yield was reduced to 1.31. On March 9, there was a further reduction to 1.30 gallons. This yield estimate was held until the June 9 forecast when the all orange FCOJ yield regression calculations suggested a yield of 1.29. This gradual lowering of the FCOJ yield forecast from January to June was caused by the failure of the soluble solids to reach average levels. There was very little late bloom to indicate lower expectations. The Early and Mid-season orange final yield was 1.26386 gallons, the Late orange final was 1.31855 and the all orange yield, 1.28828 gallons.

The public document was promulgated at a cost of \$.81 per copy to the State of Florida. It is published to inform citrus growers and others of trends in Florida citrus production.

EARLY ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
FROM SAMPLE GROVES
1967-68 THROUGH 1975-76

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
NUMBER	PERCENT	NUMBER	POUNDS			
SEPTEMBER 1						
1967-68	73	1.77	8.77	5.06	44.82	3.93
1968-69	73	2.09	8.91	4.34	38.76	3.45
1969-70	73	1.87	9.00	4.89	41.72	3.74
1970-71	73	2.14	9.07	4.36	45.54	4.13
1971-72	73	1.92	8.74	4.62	45.37	3.97
1972-73	73	2.10	9.20	4.42	40.35	3.70
1973-74	73	2.00	8.99	4.55	43.02	3.84
1974-75	74	1.49	8.95	6.28	47.40	4.24
1975-76	75	1.46	9.19	6.28	49.35	4.40
OCTOBER 1						
1967-68	72	1.27	9.15	7.39	49.10	4.48
1968-69	73	1.37	8.97	6.73	44.38	3.98
1969-70	73	1.31	9.13	7.13	47.30	4.31
1970-71	73	1.29	9.41	7.42	49.18	4.63
1971-72	73	1.32	9.07	7.01	50.08	4.55
1972-73	73	1.50	9.52	6.49	46.10	4.38
1973-74	73	1.36	9.10	6.85	48.00	4.37
1974-75	74	1.15	9.41	8.55	50.53	4.75
1975-76	75	1.10	9.62	9.08	50.11	4.82
NOVEMBER 1						
1967-68	69	1.02	9.79	9.85	51.19	5.00
1968-69	73	1.02	9.57	9.60	47.77	4.58
1969-70	68	0.97	10.00	10.44	50.89	5.08
1970-71	72	1.00	10.43	10.56	52.76	5.49
1971-72	73	1.04	9.66	9.48	52.04	5.02
1972-73	73	1.14	10.58	9.47	50.00	5.29
1973-74	71	1.04	9.97	9.80	52.25	5.21
1974-75	71	1.00	10.20	10.57	52.45	5.35
1975-76	69	0.94	10.56	11.66	52.45	5.54

EARLY ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM SAMPLE GROVES
 1967-68 THROUGH 1975-76

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
-----------	---------------	------	----------------	-------	---------------	----------------

NUMBER

PERCENT

NUMBER

POUNDS

DECEMBER 1

1967-68	63	0.91	10.94	12.21	52.45	5.74
1968-69	68	0.90	10.37	11.74	48.07	4.99
1969-70	58	0.91	10.77	12.06	51.31	5.53
1970-71	63	0.97	11.31	11.89	51.41	5.82
1971-72	68	0.91	10.68	11.86	52.27	5.59
1972-73	71	1.01	11.26	11.36	50.22	5.65
1973-74	69	0.93	11.14	12.24	52.42	5.83
1974-75	62	0.98	11.41	11.91	51.59	5.89
1975-76	58	0.82	11.54	14.41	52.48	6.05

DECEMBER 15

1967-68	59	0.93	11.15	12.27	50.59	5.63
1968-69	57	0.92	10.78	11.91	46.83	5.04
1969-70	50	0.89	11.12	12.71	51.70	5.75
1970-71	57	0.96	11.50	12.19	50.84	5.85
1971-72	62	0.84	10.84	13.14	52.22	5.67
1972-73	64	0.98	11.66	12.22	50.34	5.86
1973-74	55	0.94	11.44	12.53	51.93	5.94
1974-75	53	0.98	11.65	12.16	50.86	5.93
1975-76	50	0.88	11.77	13.67	52.44	6.17

JANUARY 1

1967-68	46	0.88	11.61	13.45	48.71	5.66
1968-69	48	0.83	10.85	13.28	44.38	4.82
1969-70	44	0.88	11.75	13.62	50.33	5.91
1970-71	49	0.92	11.95	13.24	50.24	6.00
1971-72	56	0.80	11.07	14.01	51.70	5.73
1972-73	55	0.91	11.95	13.36	50.95	6.09
1973-74	48	0.94	11.68	12.80	51.73	6.04
1974-75	46	0.91	11.78	13.14	50.11	5.90
1975-76	40	0.85	12.04	14.42	51.93	6.26

EARLY ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM SAMPLE GROVES
 1967-68 THROUGH 1975-76

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
NUMBER	PERCENT	NUMBER	POUNDS			
FEBRUARY 1						
1967-68	20	0.88	12.53	14.42	49.43	6.19
1968-69	21	0.80	12.08	15.49	41.55	5.07
1969-70	23	0.79	12.53	16.23	46.76	5.87
1970-71	17	0.82	13.29	16.51	45.74	6.09
1971-72	27	0.75	12.16	16.57	50.62	6.18
1972-73	35	0.88	12.63	14.61	49.81	6.29
1973-74	27	0.85	12.79	15.38	51.05	6.53
1974-75	25	0.85	12.89	15.55	49.79	6.42
1975-76	22	0.85	12.90	15.45	49.34	6.37

MIDSEASON ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
FROM SAMPLE GROVES
1967-68 THROUGH 1975-76

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
	NUMBER	PERCENT		NUMBER	POUNDS	
SEPTEMBER 1						
1967-68	56	2.06	8.70	4.37	44.98	3.92
1968-69	55	2.35	8.91	3.84	39.50	3.52
1969-70	55	2.08	9.04	4.44	43.17	3.90
1970-71	55	2.17	9.12	4.26	46.01	4.19
1971-72	55	2.21	8.79	4.04	45.33	3.99
1972-73	55	2.36	9.13	3.92	41.16	3.75
1973-74	55	2.30	8.85	3.91	43.64	3.85
1974-75	56	1.90	8.69	4.76	46.57	4.05
1975-76	57	1.65	8.92	5.55	49.35	4.40
OCTOBER 1						
1967-68	56	1.53	8.92	6.11	50.69	4.52
1968-69	55	1.65	8.91	5.56	44.48	3.97
1969-70	55	1.52	9.18	6.18	49.18	4.52
1970-71	55	1.58	9.39	6.16	49.99	4.70
1971-72	55	1.58	9.10	5.91	49.95	4.55
1972-73	55	1.79	9.50	5.47	47.90	4.55
1973-74	55	1.66	8.89	5.47	49.31	4.38
1974-75	56	1.45	9.12	6.64	50.84	4.64
1975-76	57	1.27	9.24	7.63	52.83	4.88
NOVEMBER 1						
1967-68	55	1.22	9.98	8.55	53.01	5.30
1968-69	55	1.27	9.77	7.95	48.52	4.74
1969-70	55	1.13	10.25	9.35	53.18	5.45
1970-71	54	1.25	10.57	8.29	53.83	5.69
1971-72	55	1.24	9.71	8.13	52.86	5.14
1972-73	55	1.37	10.65	8.13	51.38	5.47
1973-74	55	1.22	9.87	8.29	53.43	5.27
1974-75	56	1.26	10.22	8.49	53.19	5.44
1975-76	57	1.01	10.32	10.64	55.18	5.70

MIDSEASON ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM SAMPLE GROVES
 1967-68 THROUGH 1975-76

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
NUMBER	PERCENT	NUMBER	POUNDS			
DECEMBER 1						
1967-68	51	1.10	11.13	10.45	54.25	6.04
1968-69	54	1.11	10.85	10.12	49.44	5.36
1969-70	51	1.06	11.43	11.05	52.76	6.04
1970-71	52	1.14	11.44	10.42	53.27	6.06
1971-72	54	1.07	10.70	10.32	53.84	5.77
1972-73	54	1.23	11.35	9.46	51.65	5.86
1973-74	55	1.11	11.02	10.22	54.93	6.05
1974-75	56	1.12	11.43	10.64	52.70	6.02
1975-76	56	0.89	11.20	13.02	55.43	6.21
DECEMBER 15						
1967-68	49	1.08	11.31	10.84	53.16	6.01
1968-69	52	1.11	11.15	10.34	48.32	5.39
1969-70	52	1.01	11.42	11.62	53.05	6.06
1970-71	49	1.18	11.92	10.38	52.07	6.21
1971-72	52	1.01	11.10	11.38	54.21	6.02
1972-73	53	1.11	11.70	10.88	52.04	6.09
1973-74	54	1.05	11.45	11.18	54.09	6.19
1974-75	57	1.19	11.86	10.28	51.64	6.13
1975-76	54	0.94	11.61	12.79	54.11	6.29
JANUARY 1						
1967-68	45	1.02	11.77	11.90	53.28	6.28
1968-69	47	1.05	11.62	11.29	45.41	5.29
1969-70	45	0.98	11.91	12.55	52.21	6.21
1970-71	48	1.09	12.24	11.53	51.49	6.31
1971-72	49	0.96	11.55	12.55	53.63	6.21
1972-73	47	1.15	12.29	10.89	52.33	6.43
1973-74	48	1.07	11.83	11.23	54.05	6.39
1974-75	50	1.05	11.89	11.63	52.04	6.19
1975-76	48	0.94	11.82	12.92	53.70	6.36

MIDSEASON ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM SAMPLE GROVES
 1967-68 THROUGH 1975-76

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
NUMBER	PERCENT	NUMBER	POUNDS			
FEBRUARY 1						
1967-68	20	1.01	12.67	13.21	51.41	6.48
1968-69	23	1.04	13.07	13.07	45.71	5.99
1969-70	30	0.94	12.68	14.12	50.38	6.39
1970-71	24	1.01	13.30	13.53	47.97	6.38
1971-72	31	0.95	12.42	13.54	52.20	6.49
1972-73	36	1.07	13.08	12.57	51.49	6.74
1973-74	38	0.95	12.73	13.68	53.64	6.83
1974-75	39	0.99	12.80	13.28	51.20	6.56
1975-76	32	0.97	12.82	13.41	52.98	6.79

LATE ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
FROM SAMPLE GROVES
1967-68 THROUGH 1975-76

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
-----------	---------------	------	----------------	-------	---------------	----------------

NUMBER PERCENT NUMBER POUNDS

OCTOBER 1

1967-68	100	2.73	8.50	3.18	45.68	3.88
1968-69	100	2.79	8.57	3.11	40.81	3.50
1969-70	100	2.69	8.42	3.15	45.23	3.81
1970-71	100	2.60	8.54	3.33	46.26	3.95
1971-72	100	2.74	8.39	3.09	46.58	3.91
1972-73	100	2.99	8.89	3.00	44.25	3.93
1973-74	100	2.79	8.35	2.99	46.20	3.86
1974-75	100	2.52	8.38	3.39	47.93	4.01
1975-76	101	2.39	8.49	3.60	49.33	4.19

NOVEMBER 1

1967-68	100	2.26	9.22	4.17	50.06	4.62
1968-69	100	2.21	8.91	4.10	45.71	4.08
1969-70	100	2.05	8.61	4.23	49.75	4.28
1970-71	100	2.11	9.26	4.44	50.19	4.64
1971-72	100	2.23	8.57	3.92	49.98	4.32
1972-73	100	2.42	9.58	4.00	49.18	4.70
1973-74	100	2.29	8.96	3.95	51.39	4.60
1974-75	100	2.14	9.20	4.40	52.21	4.80
1975-76	101	1.94	9.10	4.78	53.01	4.82

DECEMBER 1

1967-68	100	1.89	10.31	5.58	53.24	5.49
1968-69	100	1.79	9.49	5.38	48.55	4.61
1969-70	100	1.82	9.34	5.18	52.02	4.86
1970-71	100	1.86	10.04	5.45	51.98	5.22
1971-72	100	1.82	9.45	5.24	52.38	4.95
1972-73	100	2.02	9.91	5.01	50.73	5.03
1973-74	100	1.89	9.86	5.28	54.47	5.37
1974-75	100	1.87	10.44	5.67	53.17	5.55
1975-76	101	1.62	9.87	6.19	55.27	5.46

LATE ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
FROM SAMPLE GROVES
1967-68 THROUGH 1975-76

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
NUMBER	PERCENT	NUMBER	POUNDS			
JANUARY 1						
1967-68	100	1.62	10.79	6.81	54.13	5.84
1968-69	100	1.57	10.25	6.66	47.36	4.88
1969-70	100	1.63	10.33	6.42	52.91	5.47
1970-71	100	1.66	10.84	6.53	52.06	5.66
1971-72	99	1.51	10.26	6.88	54.04	5.54
1972-73	100	1.71	10.93	6.48	53.02	5.80
1973-74	100	1.73	10.52	6.15	54.05	5.69
1974-75	100	1.59	11.01	7.07	53.82	5.92
1975-76	101	1.50	10.64	7.20	55.19	5.87
1976-77	110	1.54	10.94	7.20	53.19	5.82
FEBRUARY 1						
1967-68	99	1.44	11.45	8.09	54.66	6.27
1968-69	100	1.35	10.77	8.05	46.90	5.08
1969-70	100	1.47	10.83	7.46	51.87	5.63
1970-71	97	1.41	11.51	8.28	51.10	5.91
1971-72	99	1.26	11.20	8.95	55.12	6.18
1972-73	100	1.48	11.58	7.97	53.28	6.17
1973-74	100	1.42	11.42	8.15	55.24	6.31
1974-75	100	1.41	11.67	8.38	53.99	6.30
1975-76	101	1.40	11.30	8.18	55.05	6.22
1976-77	110	1.36	11.47	8.45	49.81	5.72
MARCH 1						
1967-68	98	1.37	11.85	8.79	54.19	6.42
1968-69	99	1.25	11.39	9.21	46.97	5.37
1969-70	100	1.34	11.51	8.73	50.75	5.85
1970-71	93	1.25	12.06	9.78	49.31	5.98
1971-72	99	1.17	11.66	10.02	56.00	6.54
1972-73	100	1.42	12.07	8.65	53.54	6.46
1973-74	99	1.31	11.95	9.22	54.68	6.53
1974-75	99	1.28	12.35	9.73	54.45	6.72
1975-76	100	1.30	12.00	9.37	54.30	6.52
1976-77	106	1.27	12.04	9.64	46.38	5.58

LATE ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
FROM SAMPLE GROVES
1967-68 THROUGH 1975-76

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
	NUMBER	PERCENT		NUMBER	POUNDS	
APRIL 1						
1967-68	92	1.25	12.64	10.27	53.75	6.79
1968-69	95	1.07	11.57	10.95	47.36	5.51
1969-70	90	1.14	11.92	10.56	51.96	6.22
1970-71	83	1.15	12.27	10.79	50.32	6.20
1971-72	95	1.06	12.21	11.58	55.34	6.76
1972-73	96	1.22	12.59	10.45	53.29	6.71
1973-74	94	1.13	12.47	11.22	56.07	6.98
1974-75	95	1.16	12.93	11.28	55.17	7.13
1975-76	97	1.12	12.27	11.18	54.80	6.72
APRIL 15						
1967-68	88	1.17	12.78	11.09	53.23	6.80
1968-69	84	1.02	12.02	11.98	48.63	5.87
1969-70	81	1.03	12.26	12.11	52.86	6.51
1970-71	75	1.10	12.43	11.43	50.32	6.28
1971-72	86	1.00	12.30	12.41	54.25	6.69
1972-73	93	1.13	12.81	11.48	54.75	7.01
1973-74	86	1.11	12.67	11.55	55.45	7.03
1974-75	87	1.18	13.22	11.41	54.62	7.22
1975-76	92	1.05	12.35	11.96	54.86	6.77
MAY 1						
1967-68	77	1.11	13.00	11.92	54.24	7.06
1968-69	75	0.97	12.13	12.69	48.29	5.90
1969-70	66	0.97	12.72	13.26	53.12	6.78
1970-71	59	1.05	12.55	12.06	50.53	6.35
1971-72	69	0.97	12.65	13.18	55.07	6.97
1972-73	75	1.07	13.07	12.38	54.67	7.15
1973-74	69	1.04	12.86	12.60	55.69	7.17
1974-75	74	1.09	13.57	12.77	54.74	7.42
1975-76	74	1.01	12.81	12.93	56.24	7.20

LATE ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM SAMPLE GROVES
 1967-68 THROUGH 1975-76

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
	NUMBER	PERCENT		NUMBER	POUNDS	
			JUNE 1			
1967-68	35	0.98	13.29	13.79	53.59	7.14
1968-69	36	0.93	13.14	14.44	49.57	6.55
1969-70	40	0.96	13.21	14.02	51.39	6.82
1970-71	22	0.94	13.70	14.62	50.84	7.02
1971-72	47	0.86	12.85	15.14	54.68	7.04
1972-73	54	0.95	13.45	14.52	54.42	7.33
1973-74	29	0.90	13.42	15.04	54.19	7.27
1974-75	38	0.99	14.11	14.60	51.92	7.32
1975-76	35	0.87	12.95	15.06	55.16	7.15

EARLY ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
FROM IDENTICAL SAMPLE TREES
1967-68 THROUGH 1975-76

SEASON AND DATE	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
	PERCENT		NUMBER	POUNDS	
1967-68 (20 GROVES)					
SEP 1	1.85	8.90	4.89	44.13	3.91
OCT 1	1.36	9.30	6.97	49.02	4.54
NOV 1	1.12	9.96	9.07	50.65	5.03
DEC 1	0.97	11.27	11.78	53.27	6.00
DEC 15	0.97	11.50	12.02	50.62	5.79
JAN 1	0.93	11.88	13.06	48.99	5.81
FEB 1	0.88	12.53	14.42	49.43	6.19
1968-69 (21 GROVES)					
SEP 1	2.18	9.11	4.26	38.89	3.54
OCT 1	1.45	9.15	6.48	43.82	4.01
NOV 1	1.07	9.79	9.39	47.58	4.66
DEC 1	0.91	10.59	11.95	48.94	5.19
DEC 15	0.94	10.99	11.92	46.33	5.10
JAN 1	0.87	10.92	12.77	44.90	4.93
FEB 1	0.80	12.08	15.49	41.55	5.07
1969-70 (23 GROVES)					
SEP 1	2.09	9.27	4.51	39.60	3.67
OCT 1	1.48	9.30	6.39	46.19	4.30
NOV 1	1.08	10.10	9.49	49.82	5.02
DEC 1	1.00	10.87	11.08	51.17	5.56
DEC 15	0.93	11.33	12.45	51.34	5.82
JAN 1	0.94	11.81	12.91	50.85	6.01
FEB 1	0.80	12.52	16.12	45.91	5.76
1970-71 (17 GROVES)					
SEP 1	2.24	9.29	4.26	46.15	4.28
OCT 1	1.38	9.64	7.06	50.36	4.86
NOV 1	1.08	10.89	10.24	52.87	5.74
DEC 1	1.05	11.60	11.18	52.46	6.07
DEC 15	1.03	11.87	11.63	51.97	6.17
JAN 1	0.97	12.39	12.98	50.10	6.21
FEB 1	0.82	13.29	16.51	45.74	6.09

EARLY ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
FROM IDENTICAL SAMPLE TREES
1967-68 THROUGH 1975-76

SEASON AND DATE		ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
		PERCENT		NUMBER	POUNDS	
1971-72 (27 GROVES)						
SEP	1	1.93	8.77	4.60	45.48	3.99
OCT	1	1.34	9.18	6.69	51.56	4.74
NOV	1	1.09	9.91	9.31	52.14	5.16
DEC	1	0.95	10.94	11.75	53.16	5.81
DEC	15	0.88	11.13	13.02	52.51	5.84
JAN	1	0.83	11.46	14.00	51.46	5.90
FEB	1	0.75	12.16	16.75	50.62	6.18
1972-73 (35 GROVES)						
SEP	1	2.10	9.20	4.42	40.35	3.70
OCT	1	1.57	9.50	6.16	46.25	4.38
NOV	1	1.20	10.52	8.93	49.83	5.24
DEC	1	1.07	11.33	10.78	50.18	5.68
DEC	15	1.01	11.61	11.75	50.47	5.86
JAN	1	0.92	11.85	13.08	51.61	6.12
FEB	1	0.88	12.63	14.61	49.81	6.29
1973-74 (27 GROVES)						
SEP	1	2.00	8.99	4.55	43.02	3.84
OCT	1	1.45	9.21	6.54	47.79	4.40
NOV	1	1.10	9.97	9.37	52.25	5.21
DEC	1	0.97	11.22	11.82	52.28	5.86
DEC	15	0.94	11.50	12.57	52.60	6.05
JAN	1	0.95	11.76	12.73	51.47	6.05
FEB	1	0.85	12.79	15.38	51.05	6.53
1974-75 (25 GROVES)						
SEP	1	1.60	9.01	5.96	46.50	4.18
OCT	1	1.23	9.43	8.12	50.42	4.76
NOV	1	1.04	10.31	10.37	52.75	5.44
DEC	1	0.99	11.40	11.78	51.61	5.89
DEC	15	1.01	11.68	11.81	50.75	5.93
JAN	1	0.93	11.82	13.04	50.29	5.95
FEB	1	0.85	12.89	15.55	49.79	6.42
1975-76 (22 GROVES)						
SEP	1	1.56	9.35	6.52	46.54	4.33
OCT	1	1.20	9.73	8.43	50.14	4.87
NOV	1	1.04	10.72	10.87	52.10	5.57
DEC	1	0.86	11.76	13.97	52.64	6.18
DEC	15	0.92	12.03	13.31	52.66	6.31
JAN	1	0.88	12.18	14.17	51.86	6.31
FEB	1	0.85	12.90	15.45	49.34	6.37

MIDSEASON ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM IDENTICAL SAMPLE TREES
 1967-68 THROUGH 1975-76

SEASON AND DATE		ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
		PERCENT		NUMBER	POUNDS	
1967-68 (20 GROVES)						
SEP	1	2.19	8.83	4.12	44.51	3.93
OCT	1	1.65	9.03	5.63	50.06	4.52
NOV	1	1.32	10.00	7.75	53.16	5.32
DEC	1	1.17	11.25	9.89	54.87	6.17
DEC	15	1.16	11.58	10.34	52.84	6.12
JAN	1	1.09	12.08	11.45	53.23	6.44
FEB	1	1.01	12.67	13.21	51.14	6.48
1968-69 (23 GROVES)						
SEP	1	2.14	9.14	3.79	39.87	3.64
OCT	1	1.75	9.23	5.42	45.15	4.17
NOV	1	1.35	10.07	7.70	49.17	4.95
DEC	1	1.17	11.20	9.95	50.53	5.66
DEC	15	1.17	11.54	10.11	49.28	5.68
JAN	1	1.11	12.07	11.19	47.40	5.72
FEB	1	1.04	13.07	13.07	45.71	5.99
1969-70 (30 GROVES)						
SEP	1	2.14	9.18	4.37	43.49	3.99
OCT	1	1.57	9.28	6.02	49.74	4.62
NOV	1	1.16	10.40	9.33	53.62	5.57
DEC	1	1.09	11.63	10.96	52.91	6.16
DEC	15	1.05	11.60	11.37	53.57	6.22
JAN	1	0.99	11.99	12.63	52.28	6.26
FEB	1	0.94	12.68	14.12	50.38	6.39

MIDSEASON ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM IDENTICAL SAMPLE TREES
 1967-68 THROUGH 1975-76

SEASON AND DATE	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
	PERCENT		NUMBER		POUNDS
1970-71 (24 GROVES)					
SEP 1	2.30	9.28	4.07	46.26	4.29
OCT 1	1.72	9.57	5.77	49.38	4.73
NOV 1	1.34	10.71	7.74	55.09	5.90
DEC 1	1.24	11.66	9.65	54.16	6.24
DEC 15	1.24	12.14	9.89	52.55	6.38
JAN 1	1.17	12.39	10.85	52.62	6.53
FEB 1	1.01	13.30	13.53	47.97	6.38
1971-72 (31 GROVES)					
SEP 1	2.28	8.91	3.98	45.54	4.05
OCT 1	1.65	9.28	5.78	49.76	4.63
NOV 1	1.31	9.83	7.82	53.17	5.23
DEC 1	1.14	10.87	9.88	53.80	5.85
DEC 15	1.06	11.35	11.12	54.37	6.17
JAN 1	1.01	11.73	12.05	53.96	6.33
FEB 1	0.95	12.42	13.54	52.20	6.40
1972-73 (36 GROVES)					
SEP 1	2.36	9.13	3.92	41.16	3.75
OCT 1	1.87	9.55	5.24	48.59	4.64
NOV 1	1.44	10.72	7.71	52.00	5.58
DEC 1	1.30	11.39	8.94	51.70	5.89
DEC 15	1.16	11.80	10.37	52.20	6.17
JAN 1	1.16	12.28	10.72	52.04	6.38
FEB 1	1.07	13.08	12.57	51.49	6.74

MIDSEASON ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
FROM IDENTICAL SAMPLE TREES
1967-68 THROUGH 1975-76

SEASON AND DATE		ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
		PERCENT		NUMBER	POUNDS	
1973-74 (38 GROVES)						
SEP	1	2.30	8.85	3.91	43.64	3.85
OCT	1	1.73	8.98	5.23	49.58	4.45
NOV	1	1.29	9.91	7.90	54.21	5.37
DEC	1	1.16	11.01	9.77	55.15	6.07
DEC	15	1.07	11.48	10.94	54.17	6.21
JAN	1	1.09	11.78	10.98	54.19	6.38
FEB	1	0.95	12.73	13.68	53.64	6.83
1974-75 (39 GROVES)						
SEP	1	1.93	8.68	4.70	46.77	4.07
OCT	1	1.45	9.03	6.56	51.24	4.63
NOV	1	1.26	10.25	8.47	53.85	5.52
DEC	1	1.15	11.45	10.43	53.23	6.09
DEC	15	1.21	11.86	10.16	52.19	6.19
JAN	1	1.06	11.92	11.53	52.63	6.28
FEB	1	0.99	12.80	13.28	51.20	6.56
1975-76 (32 GROVES)						
SEP	1	1.77	9.04	5.25	49.56	4.47
OCT	1	1.38	9.37	7.09	52.62	4.93
NOV	1	1.11	10.50	9.76	55.33	5.82
DEC	1	0.95	11.42	12.35	55.88	6.38
DEC	15	1.00	11.77	12.01	54.56	6.42
JAN	1	0.98	11.87	12.33	54.37	6.46
FEB	1	0.97	12.82	13.41	52.98	6.79

LATE ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM IDENTICAL SAMPLE TREES
 1967-68 THROUGH 1975-76

SEASON AND DATE	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
	PERCENT		NUMBER		POUNDS
1967-68 (77 GROVES)					
OCT 1	2.80	8.56	3.12	45.40	3.88
NOV 1	2.31	9.26	4.10	50.10	4.64
DEC 1	1.95	10.40	5.46	53.19	5.53
JAN 1	1.65	10.89	6.72	53.93	5.87
FEB 1	1.47	11.58	8.02	54.57	6.33
MAR 1	1.42	11.98	8.61	54.35	6.51
APR 1	1.29	12.79	10.07	53.68	6.87
APR 15	1.19	12.88	10.98	53.15	6.85
MAY 1	1.11	13.00	11.92	54.24	7.06
1968-69 (75 GROVES)					
OCT 1	2.87	8.64	3.04	40.70	3.52
NOV 1	2.29	8.97	3.97	45.71	4.10
DEC 1	1.83	9.54	5.27	48.60	4.64
JAN 1	1.63	10.33	6.48	47.55	4.93
FEB 1	1.39	10.90	7.86	47.32	5.18
MAR 1	1.29	11.43	8.97	47.42	5.44
APR 1	1.10	11.67	10.76	47.64	5.59
APR 15	1.03	12.05	11.86	48.73	5.91
MAY 1	0.97	12.13	12.69	48.29	5.90
1969-70 (66 GROVES)					
OCT 1	2.75	8.56	3.13	45.28	3.88
NOV 1	2.10	8.69	4.19	50.10	4.35
DEC 1	1.88	9.52	5.13	52.20	4.97
JAN 1	1.69	10.53	6.32	53.05	5.59
FEB 1	1.52	11.11	7.41	52.28	5.82
MAR 1	1.38	11.77	8.62	51.35	6.05
APR 1	1.17	12.13	10.48	52.95	6.44
APR 15	1.04	12.40	12.03	53.04	6.60
MAY 1	0.97	12.72	13.26	52.12	6.78

LATE ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM IDENTICAL SAMPLE TREES
 1967-68 THROUGH 1975-76

SEASON AND DATE		ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
		PERCENT		NUMBER	POUNDS	
1970-71 (59 GROVES)						
OCT	1	2.61	8.52	3.31	45.90	3.91
NOV	1	2.12	9.18	4.39	49.92	4.58
DEC	1	1.88	9.98	5.37	52.06	5.20
JAN	1	1.69	10.83	6.51	52.46	5.69
FEB	1	1.44	11.62	8.19	51.92	6.05
MAR	1	1.26	12.17	9.82	49.97	6.10
APR	1	1.16	12.34	10.72	50.40	6.25
APR	15	1.12	12.57	11.31	50.29	6.34
MAY	1	1.05	12.55	12.06	50.53	6.35
1971-72 (69 GROVES)						
OCT	1	2.76	8.46	3.09	46.66	3.95
NOV	1	2.25	8.57	3.90	49.91	4.32
DEC	1	1.84	9.50	5.22	52.57	5.00
JAN	1	1.52	10.30	6.85	53.93	5.56
FEB	1	1.28	11.28	8.87	54.99	6.21
MAR	1	1.20	11.74	9.92	55.94	6.58
APR	1	1.07	12.32	11.61	54.91	6.76
APR	15	1.01	12.41	12.42	54.09	6.72
MAY	1	0.97	12.65	13.18	55.07	6.97
1972-73 (75 GROVES)						
OCT	1	3.03	8.98	2.99	44.18	3.96
NOV	1	2.47	9.66	3.95	49.19	4.74
DEC	1	2.04	9.99	4.99	50.89	5.08
JAN	1	1.74	10.99	6.43	53.07	5.84
FEB	1	1.51	11.63	7.82	53.40	6.21
MAR	1	1.44	12.11	8.59	53.52	6.48
APR	1	1.25	12.71	10.36	53.42	6.79
APR	15	1.14	12.86	11.43	54.81	7.05
MAY	1	1.07	13.07	12.38	54.67	7.15

LATE ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM IDENTICAL SAMPLE TREES
 1967-68 THROUGH 1975-76

SEASON AND DATE		ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
		PERCENT		NUMBER	POUNDS	
1973-74 (69 GROVES)						
OCT	1	2.86	8.41	2.96	45.95	3.86
NOV	1	2.31	8.97	3.91	51.13	4.59
DEC	1	1.92	9.95	5.26	54.48	5.42
JAN	1	1.75	10.60	6.12	53.97	5.72
FEB	1	1.42	11.47	8.16	55.13	6.32
MAR	1	1.33	12.05	9.23	55.33	6.67
APR	1	1.12	12.50	11.34	55.84	6.98
APR	15	1.11	12.68	11.63	55.47	7.04
MAY	1	1.04	12.68	12.60	55.69	7.17
1974-75 (74 GROVES)						
OCT	1	2.55	8.40	3.34	48.16	4.04
NOV	1	2.18	9.18	4.28	52.34	4.80
DEC	1	1.91	10.51	5.57	53.35	5.61
JAN	1	1.65	11.05	6.80	53.78	5.94
FEB	1	1.44	11.68	8.21	54.11	6.32
MAR	1	1.31	12.37	9.51	54.96	6.79
APR	1	1.19	12.98	11.04	55.51	7.20
APR	15	1.20	13.24	11.21	54.75	7.25
MAY	1	1.09	13.57	12.77	54.74	7.42
1975-76 (74 GROVES)						
OCT	1	2.47	8.53	3.51	48.95	4.17
NOV	1	1.97	9.11	4.73	52.92	4.82
DEC	1	1.64	9.87	6.09	55.05	5.43
JAN	1	1.54	10.67	7.06	54.96	5.83
FEB	1	1.43	11.35	8.06	54.65	6.20
MAR	1	1.33	12.08	9.22	54.10	6.54
APR	1	1.14	12.36	11.08	54.52	6.74
APR	15	1.06	12.38	11.87	54.68	6.77
MAY	1	1.01	12.81	12.93	56.24	7.20

EARLY ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
FROM IDENTICAL SAMPLE TREES
1967-68 THROUGH 1975-76

DATE	1967-68	1968-69	1969-70	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76
------	---------	---------	---------	---------	---------	---------	---------	---------	---------

PERCENT ACID

SEP 1	1.85	2.18	2.09	2.24	1.93	2.10	2.00	1.60	1.56
OCT 1	1.36	1.45	1.48	1.38	1.34	1.57	1.45	1.23	1.20
NOV 1	1.12	1.07	1.08	1.08	1.09	1.20	1.10	1.04	1.04
DEC 1	0.97	0.91	1.00	1.05	0.95	1.07	0.97	0.99	0.86
DEC 15	0.97	0.94	0.93	1.03	0.88	1.01	0.94	1.01	0.92
JAN 1	0.93	0.87	0.94	0.97	0.83	0.92	0.95	0.93	0.88
FEB 1	0.88	0.80	0.80	0.82	0.75	0.88	0.85	0.85	0.85

PERCENT SOLUBLE SOLIDS

SEP 1	8.90	9.11	9.27	9.29	8.77	9.20	8.98	9.01	9.35
OCT 1	9.30	9.15	9.30	9.64	9.18	9.50	9.21	9.43	9.73
NOV 1	9.96	9.79	10.10	10.89	9.91	10.52	9.97	10.31	10.72
DEC 1	11.27	10.59	10.87	11.60	10.94	11.33	11.22	11.40	11.76
DEC 15	11.50	10.99	11.33	11.87	11.13	11.61	11.50	11.68	12.03
JAN 1	11.88	10.92	11.81	12.39	11.46	11.85	11.76	11.82	12.18
FEB 1	12.53	12.08	12.52	13.29	12.16	12.63	12.79	12.89	12.90

RATIO

SEP 1	4.89	4.26	4.51	4.26	4.60	4.42	4.54	5.96	6.52
OCT 1	6.97	6.48	6.39	7.06	6.69	6.16	6.54	8.12	8.43
NOV 1	9.07	9.39	9.49	10.24	9.31	8.93	9.37	10.37	10.87
DEC 1	11.78	11.95	11.08	11.18	11.75	10.78	11.82	11.78	13.97
DEC 15	12.02	11.92	12.45	11.63	13.02	11.75	12.57	11.81	13.31
JAN 1	13.06	12.77	12.91	12.98	14.00	13.08	12.73	13.04	14.17
FEB 1	14.42	15.49	16.12	16.51	16.57	14.61	15.38	15.55	15.45

EARLY ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
FROM IDENTICAL SAMPLE TREES
1967-68 THROUGH 1975-76

DATE |1967-68|1968-69|1969-70|1970-71|1971-72|1972-73|1973-74|1974-75|1975-76

POUNDS JUICE PER BOX

SEP 1	44.13	38.89	39.60	46.15	45.48	40.35	43.14	46.50	46.54
OCT 1	49.02	43.82	46.19	50.36	51.56	46.25	47.79	50.42	50.14
NOV 1	50.65	47.58	49.82	52.87	52.16	49.83	52.25	52.75	52.10
DEC 1	53.27	48.94	51.17	52.46	53.16	50.18	52.28	51.61	52.64
DEC 15	50.62	46.33	51.34	51.97	52.51	50.47	52.60	50.75	52.66
JAN 1	48.99	44.90	50.85	50.10	51.46	51.61	51.47	50.29	51.86
FEB 1	49.43	41.55	45.91	45.74	50.62	49.81	51.05	49.79	49.34

POUNDS SOLIDS PER BOX

SEP 1	3.91	3.54	3.67	4.28	3.99	3.70	3.85	4.18	4.33
OCT 1	4.54	4.01	4.30	4.86	4.74	4.38	4.40	4.76	4.87
NOV 1	5.03	4.66	5.02	5.74	5.16	5.24	5.21	5.44	5.57
DEC 1	6.00	5.19	5.56	6.07	5.81	5.68	5.86	5.89	6.18
DEC 15	5.79	5.10	5.82	6.17	5.84	5.86	6.05	5.93	6.31
JAN 1	5.81	4.93	6.01	6.21	5.90	6.12	6.05	5.75	6.31
FEB 1	6.19	5.07	5.76	6.09	6.18	6.29	6.53	6.42	6.37

MIDSEASON ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
FROM IDENTICAL SAMPLE TREES
1967-68 THROUGH 1975-76

DATE	1967-68	1968-69	1969-70	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76
------	---------	---------	---------	---------	---------	---------	---------	---------	---------

PERCENT ACID

SEP 1	2.19	2.14	2.14	2.30	2.28	2.36	2.30	1.93	1.77
OCT 1	1.65	1.75	1.57	1.72	1.65	1.87	1.73	1.45	1.38
NOV 1	1.32	1.35	1.16	1.34	1.34	1.44	1.29	1.26	1.11
DEC 1	1.17	1.17	1.09	1.24	1.14	1.30	1.16	1.15	0.95
DEC 15	1.16	1.17	1.05	1.24	1.06	1.16	1.07	1.21	1.00
JAN 1	1.09	1.11	0.99	1.17	1.01	1.16	1.09	1.06	0.98
FEB 1	1.01	1.04	0.94	1.01	0.95	1.07	0.95	0.99	0.97

PERCENT SOLUBLE SOLIDS

SEP 1	8.83	9.14	9.18	9.28	8.91	9.13	8.85	8.68	9.04
OCT 1	9.03	9.23	9.28	9.57	9.28	9.55	8.98	9.03	9.37
NOV 1	10.00	10.07	10.40	10.71	9.83	10.72	9.91	10.25	10.50
DEC 1	11.25	11.20	11.63	11.66	10.87	11.39	11.01	11.45	11.42
DEC 15	11.58	11.54	11.60	12.14	11.35	11.80	11.48	11.86	11.77
JAN 1	12.08	12.07	11.99	12.39	11.73	12.28	11.78	11.92	11.87
FEB 1	12.67	13.07	12.68	13.30	12.42	13.08	12.73	12.80	12.82

RATIO

SEP 1	4.12	3.79	4.37	4.07	3.98	3.92	3.91	4.70	5.25
OCT 1	5.63	5.42	6.02	5.77	5.78	5.24	5.23	6.56	7.09
NOV 1	7.75	7.70	9.33	7.74	7.82	7.71	7.90	8.47	9.76
DEC 1	9.89	9.95	10.96	9.65	9.88	8.94	9.77	10.43	12.35
DEC 15	10.34	10.11	11.37	9.89	11.12	10.37	10.94	10.16	12.01
JAN 1	11.45	11.19	12.63	10.85	12.05	10.72	10.98	11.53	12.33
FEB 1	13.21	13.07	14.12	13.53	13.54	12.57	13.68	13.28	13.41

MIDSEASON ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM IDENTICAL SAMPLE TREES
 1967-68 THROUGH 1975-76

DATE	1967-68	1968-69	1969-70	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76
------	---------	---------	---------	---------	---------	---------	---------	---------	---------

POUNDS JUICE PER BOX

SEP 1	44.51	39.87	43.49	46.26	45.54	41.16	43.64	46.77	49.56
OCT 1	50.06	45.15	49.74	49.38	49.76	48.59	49.58	51.24	52.62
NOV 1	53.16	49.17	53.62	55.09	53.17	52.00	54.21	53.85	55.33
DEC 1	54.87	50.53	52.91	54.16	53.80	51.70	55.15	53.23	55.88
DEC 15	52.84	49.28	53.57	52.55	54.37	52.20	54.17	52.19	54.56
JAN 1	53.23	47.40	52.28	52.62	53.96	52.04	54.19	52.63	54.37
FEB 1	51.14	45.71	50.38	47.97	52.20	51.49	53.64	51.20	52.98

POUNDS SOLIDS PER BOX

SEP 1	3.93	3.64	3.99	4.29	4.05	3.75	3.85	4.07	4.47
OCT 1	4.52	4.17	4.62	4.73	4.63	4.64	4.45	4.63	4.93
NOV 1	5.32	4.95	5.57	5.90	5.23	5.58	5.37	5.52	5.82
DEC 1	6.17	5.66	6.16	6.24	5.85	5.89	6.07	6.09	6.38
DEC 15	6.12	5.68	6.22	6.38	6.17	6.17	6.21	6.19	6.42
JAN 1	6.44	5.72	6.26	6.53	6.33	6.38	6.38	6.28	6.46
FEB 1	6.48	5.99	6.39	6.38	6.49	6.74	6.83	6.56	6.79

LATE ORANGES

MATURITY AND YIELD TEST RESULTS
UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
FROM IDENTICAL SAMPLE TREES
1967-68 THROUGH 1975-76

DATE	1967-68	1968-69	1969-70	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76
------	---------	---------	---------	---------	---------	---------	---------	---------	---------

PERCENT ACID

OCT 1	2.80	2.87	2.75	2.61	2.76	3.03	2.86	2.55	2.47
NOV 1	2.31	2.29	2.10	2.12	2.25	2.47	2.31	2.18	1.97
DEC 1	1.95	1.83	1.88	1.88	1.84	2.04	1.92	1.91	1.64
JAN 1	1.65	1.63	1.69	1.69	1.52	1.74	1.75	1.65	1.54
FEB 1	1.47	1.39	1.52	1.44	1.28	1.51	1.42	1.44	1.43
MAR 1	1.42	1.29	1.38	1.26	1.20	1.44	1.33	1.31	1.33
APR 1	1.29	1.10	1.17	1.16	1.07	1.25	1.12	1.19	1.14
APR 15	1.19	1.03	1.04	1.12	1.01	1.14	1.11	1.20	1.06
MAY 1	1.11	0.97	0.97	1.05	0.97	1.07	1.04	1.09	1.01

PERCENT SOLUBLE SOLIDS

OCT 1	8.56	8.64	8.56	8.52	8.46	8.98	8.41	8.40	8.53
NOV 1	9.26	8.97	8.69	9.18	8.57	9.66	8.97	9.18	9.11
DEC 1	10.40	9.54	9.52	9.98	9.50	9.99	9.95	10.51	9.87
JAN 1	10.89	10.33	10.53	10.83	10.30	10.99	10.60	11.05	10.67
FEB 1	11.58	10.90	11.11	11.62	11.28	11.63	11.47	11.68	11.35
MAR 1	11.98	11.43	11.77	12.17	11.74	12.11	12.05	12.37	12.08
APR 1	12.79	11.67	12.13	12.34	12.32	12.71	12.50	12.98	12.36
APR 15	12.88	12.05	12.40	12.57	12.41	12.86	12.68	13.24	12.38
MAY 1	13.00	12.13	12.72	12.55	12.65	13.07	12.86	13.57	12.81

RATIO

OCT 1	3.12	3.04	3.13	3.31	3.09	2.99	2.96	3.34	3.51
NOV 1	4.10	3.97	4.19	4.39	3.90	3.95	3.91	4.28	4.73
DEC 1	5.46	5.27	5.13	5.37	5.22	4.99	5.26	5.57	6.09
JAN 1	6.72	6.48	6.32	6.51	6.85	6.43	6.12	6.80	7.06
FEB 1	8.02	7.86	7.41	8.19	8.87	7.82	8.16	8.21	8.06
MAR 1	8.61	8.97	8.62	9.82	9.92	8.59	9.23	9.51	9.22
APR 1	10.07	10.76	10.48	10.72	11.61	10.36	11.34	11.04	11.03
APR 15	10.98	11.86	12.03	11.31	12.42	11.43	11.63	11.21	11.87
MAY 1	11.92	12.69	13.26	12.06	13.18	12.38	12.60	12.77	12.93

LATE ORANGES

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM IDENTICAL SAMPLE TREES
 1967-68 THROUGH 1975-76

 DATE |1967-68|1968-69|1969-70|1970-71|1971-72|1972-73|1973-74|1974-75|1975-76

POUNDS JUICE PER BOX

OCT 1	45.40	40.70	45.28	45.90	46.66	44.18	45.95	48.16	48.95
NOV 1	50.10	45.71	50.10	49.92	49.91	49.19	51.13	52.34	52.92
DEC 1	53.19	48.60	52.20	52.06	52.57	50.89	54.48	53.35	55.05
JAN 1	53.93	47.55	53.05	52.46	53.93	53.07	53.97	53.78	54.69
FEB 1	54.57	47.32	52.28	51.92	54.99	53.40	55.13	54.11	54.65
MAR 1	54.35	47.42	51.35	49.97	55.94	53.52	55.33	54.96	54.10
APR 1	53.68	47.64	52.95	50.40	54.91	53.42	55.84	55.51	54.52
APR 15	53.15	48.73	53.04	50.29	54.09	54.81	55.47	54.75	54.68
MAY 1	54.24	48.29	53.12	50.53	55.07	54.67	55.69	54.74	56.24

POUNDS SOLIDS PER BOX

OCT 1	3.88	3.52	3.88	3.91	3.95	3.96	3.86	4.08	4.17
NOV 1	4.64	4.10	4.35	4.58	4.32	4.74	4.59	4.80	4.82
DEC 1	5.53	4.64	4.97	5.20	5.00	5.08	5.42	5.61	5.43
JAN 1	5.87	4.93	5.59	5.69	5.56	5.84	5.72	5.94	5.83
FEB 1	6.33	5.18	5.82	6.05	6.21	6.21	6.32	6.32	6.20
MAR 1	6.51	5.44	6.05	6.10	6.58	6.48	6.67	6.79	6.54
APR 1	6.87	5.59	6.44	6.25	6.76	6.79	6.98	7.20	6.74
APR 15	6.85	5.91	6.60	6.34	6.72	7.05	7.04	7.25	6.77
MAY 1	7.06	5.90	6.78	6.35	6.97	7.15	7.17	7.42	7.20

SEEDY GRAPEFRUIT

MATURITY AND YIELD TEST RESULTS
UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
FROM SAMPLE GROVES
1967-68 THROUGH 1975-76

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
	NUMBER	PERCENT		NUMBER	POUNDS	
SEPTEMBER 1						
1967-68	25	1.79	9.00	5.06	28.54	2.57
1968-69	--	--	--	--	--	--
1969-70	25	1.67	9.17	5.51	29.51	2.20
1970-71	25	1.70	9.67	5.73	32.17	3.11
1971-72	25	1.70	8.98	5.34	31.64	2.84
1972-73	25	1.78	9.50	5.35	29.00	2.75
1973-74	25	1.84	9.03	4.93	30.28	2.74
1974-75	25	1.60	8.81	5.59	38.73	3.41
1975-76	25	1.56	9.37	6.06	35.75	3.36
OCTOBER 1						
1967-68	25	1.63	9.42	5.81	34.14	3.22
1968-69	25	1.56	9.36	6.04	34.40	3.22
1969-70	25	1.44	9.27	6.47	35.22	3.27
1970-71	25	1.53	9.96	6.58	37.67	3.75
1971-72	25	1.57	9.22	5.93	36.35	3.35
1972-73	25	1.63	10.02	6.18	35.40	3.54
1973-74	25	1.54	9.11	5.98	35.64	3.26
1974-75	24	1.43	9.16	6.50	37.33	3.42
1975-76	25	1.40	9.51	6.88	38.59	3.68
NOVEMBER 1						
1967-68	--	--	--	--	--	--
1968-69	24	1.50	9.65	6.47	38.35	3.70
1969-70	22	1.29	9.40	7.34	39.48	3.72
1970-71	22	1.51	10.41	7.00	41.50	4.32
1971-72	25	1.49	9.46	6.46	41.08	3.88
1972-73	25	1.70	10.71	6.32	40.79	4.36
1973-74	23	1.56	9.70	6.29	41.80	4.06
1974-75	22	1.53	9.84	6.55	40.39	3.97
1975-76	23	1.36	10.05	7.52	40.39	4.34

SEEDY GRAPEFRUIT

MATURITY AND YIELD TEST RESULTS
UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
FROM SAMPLE GROVES
1967-68 THROUGH 1975-76

CROP YEAR	SAMPLE GROVES NUMBER	ACID PERCENT	SOLUBLE SOLIDS	RATIO NUMBER	JUICE PER BOX POUNDS	SOLIDS PER BOX
DECEMBER 1						
1967-68	--	--	--	--	--	--
1968-69	23	1.48	9.93	6.75	40.25	4.00
1969-70	19	1.38	9.61	7.09	41.40	3.99
1970-71	18	1.60	10.83	6.88	44.77	4.84
1971-72	22	1.45	9.99	7.01	44.28	4.42
1972-73	21	1.55	10.96	7.10	41.85	4.59
1973-74	19	1.46	10.29	7.15	44.54	4.58
1974-75	20	1.56	10.85	7.08	43.02	4.66
1975-76	16	1.38	10.38	7.72	43.91	4.56
JANUARY 1						
1974-75	19	1.66	11.19	6.88	41.43	4.64
1975-76	14	1.41	10.79	7.87	45.78	4.95

SEEDY GRAPEFRUIT

MATURITY AND YIELD TEST RESULTS
UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
FROM IDENTICAL SAMPLE TREES
1967-68 THROUGH 1975-76

DATE	1967-68	1968-69	1969-70	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76
------	---------	---------	---------	---------	---------	---------	---------	---------	---------

PERCENT ACID

OCT 1	1.63	1.56	1.48	1.59	1.60	1.64	1.60	1.47	1.44
NOV 1	--	1.50	1.31	1.55	1.51	1.70	1.58	1.57	1.40
DEC 1	--	1.48	1.38	1.60	1.45	1.55	1.46	1.56	1.38

PERCENT SOLUBLE SOLIDS

OCT 1	9.42	9.36	9.34	10.05	9.30	10.07	9.27	9.23	9.58
NOV 1	--	9.66	9.45	10.50	9.52	10.71	9.81	9.87	10.13
DEC 1	--	9.93	9.61	10.85	9.99	10.90	10.29	10.85	10.38

RATIO

OCT 1	5.81	6.04	6.37	6.38	5.86	6.18	5.85	6.31	6.73
NOV 1	--	6.49	7.26	6.82	6.39	6.32	6.25	6.39	7.39
DEC 1	--	6.75	7.09	6.88	7.01	7.10	7.15	7.08	7.72

POUNDS JUICE PER BOX

OCT 1	34.14	34.72	35.45	38.40	36.64	35.47	35.91	36.44	38.50
NOV 1	--	38.42	39.31	41.98	41.60	40.87	42.07	39.88	42.83
DEC 1	--	40.25	41.40	44.77	44.28	41.85	44.54	43.02	43.91

POUNDS SOLIDS PER BOX

OCT 1	3.48	3.26	3.32	3.86	3.40	3.58	3.34	3.37	3.69
NOV 1	--	3.71	3.72	4.40	3.96	4.37	4.14	3.93	4.35
DEC 1	--	4.00	3.99	4.84	4.42	4.59	4.58	4.66	4.56

WHITE SEEDLESS GRAPEFRUIT

MATURITY AND YIELD TEST RESULTS
UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
FROM SAMPLE GROVES
1967-68 THROUGH 1975-76

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
	NUMBER	PERCENT		NUMBER	POUNDS	
SEPTEMBER 1						
1967-68	60	1.82	9.35	5.16	27.92	2.61
1968-69	--	--	--	--	--	--
1969-70	60	1.72	9.27	5.40	29.41	2.72
1970-71	60	1.81	9.95	5.33	31.83	3.16
1971-72	60	1.81	9.76	5.45	32.73	3.18
1972-73	60	1.87	9.64	5.16	29.89	2.88
1973-74	60	1.84	8.89	4.86	31.39	2.79
1974-75	61	1.51	8.76	5.85	34.38	3.01
1975-76	62	1.56	9.35	6.04	35.99	3.37
OCTOBER 1						
1967-68	60	1.63	9.64	5.99	34.62	3.32
1968-69	60	1.54	9.57	6.23	35.30	3.38
1969-70	60	1.44	9.24	6.43	35.56	3.28
1970-71	60	1.51	10.04	6.69	36.55	3.66
1971-72	60	1.56	9.83	6.33	38.23	3.75
1972-73	60	1.62	9.86	6.14	35.85	3.52
1973-74	60	1.49	8.78	5.92	36.75	3.23
1974-75	59	1.40	8.98	6.52	37.95	3.40
1975-76	62	1.35	9.30	6.96	39.44	3.66
NOVEMBER 1						
1967-68	--	--	--	--	--	--
1968-69	59	1.36	9.66	7.11	39.79	3.84
1969-70	59	1.24	9.14	7.44	40.15	3.67
1970-71	54	1.37	10.24	7.53	41.06	4.20
1971-72	58	1.43	9.79	6.94	40.88	4.07
1972-73	58	1.50	10.07	6.77	40.38	4.07
1973-74	58	1.36	9.11	6.75	41.88	3.81
1974-75	57	1.37	9.44	7.01	41.01	3.86
1975-76	55	1.24	9.45	7.69	43.63	4.12

WHITE SEEDLESS GRAPEFRUIT

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM SAMPLE GROVES
 1967-68 THROUGH 1975-76

CROP YEAR	SAMPLE GROVES NUMBER	ACID PERCENT	SOLUBLE SOLIDS	RATIO NUMBER	JUICE PER BOX POUNDS	SOLIDS PER BOX
DECEMBER 1						
1967-68	--	--	--	--	--	--
1968-69	58	1.34	9.66	7.30	41.48	4.01
1969-70	56	1.23	9.05	7.38	42.87	3.88
1970-71	45	1.44	10.46	7.34	42.79	4.47
1971-72	55	1.32	9.90	7.62	45.04	4.47
1972-73	55	1.39	10.21	7.39	43.05	4.40
1973-74	55	1.29	9.22	7.24	44.74	4.13
1974-75	53	1.42	9.83	7.04	42.10	4.14
1975-76	49	1.16	9.44	8.19	46.11	4.35
JANUARY 1						
1974-75	47	1.43	9.91	7.05	42.84	4.25
1975-76	45	1.18	9.71	8.41	47.18	4.58
FEBRUARY 1						
1974-75	37	1.39	10.40	7.56	44.39	4.62
1975-76	35	1.22	10.15	8.49	47.76	4.84
MARCH 1						
1974-75	28	1.37	10.44	7.72	44.12	4.60

WHITE SEEDLESS GRAPEFRUIT

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM IDENTICAL SAMPLE TREES
 1967-68 THROUGH 1975-76

DATE	1967-68	1968-69	1969-70	1970-71	1971-72	1972-73	1973-74	1974-75	1975-76
------	---------	---------	---------	---------	---------	---------	---------	---------	---------

PERCENT ACID

OCT 1	1.64	1.54	1.45	1.56	1.57	1.63	1.49	1.42	1.36
NOV 1	--	1.36	1.24	1.38	1.43	1.51	1.35	1.38	1.24
DEC 1	--	1.34	1.23	1.44	1.32	1.39	1.29	1.42	1.16

PERCENT SOLUBLE SOLIDS

OCT 1	9.70	9.58	9.24	10.16	9.88	9.92	8.76	9.06	9.38
NOV 1	--	9.67	9.13	10.29	9.81	10.14	9.07	9.51	9.51
DEC 1	--	9.66	9.05	10.46	9.90	10.21	9.22	9.83	9.44

RATIO

OCT 1	5.97	6.23	6.41	6.57	6.31	6.10	5.94	6.48	6.94
NOV 1	--	7.12	7.41	7.52	6.93	6.75	6.78	6.99	7.74
DEC 1	--	7.30	7.38	7.34	7.62	7.39	7.24	7.04	8.19

POUNDS JUICE PER BOX

OCT 1	34.51	35.34	35.78	36.30	38.13	35.86	36.88	37.63	39.65
NOV 1	--	39.88	40.08	40.62	40.87	40.27	42.12	40.84	44.05
DEC 1	--	41.48	42.87	42.79	45.04	43.05	44.74	42.10	46.11

POUNDS SOLIDS PER BOX

OCT 1	3.34	3.39	3.30	3.68	3.76	3.54	3.23	3.40	3.71
NOV 1	--	3.85	3.66	4.18	4.08	4.09	3.82	3.88	4.18
DEC 1	--	4.01	3.88	4.47	4.47	4.40	4.13	4.14	4.35

PINK SEEDLESS GRAPEFRUIT

MATURITY AND YIELD TEST RESULTS
UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
FROM SAMPLE GROVES
1967-68 THROUGH 1975-76

CROP YEAR	SAMPLE GROVES	ACID	SOLUBLE SOLIDS	RATIO	JUICE PER BOX	SOLIDS PER BOX
NUMBER	PERCENT	NUMBER	POUNDS			
SEPTEMBER 1						
1967-68	50	1.72	9.66	5.30	29.45	2.66
1968-69	--	--	--	--	--	--
1969-70	50	1.67	9.16	5.52	30.47	2.79
1970-71	50	1.73	9.55	5.56	32.18	3.07
1971-72	50	1.80	9.39	5.22	32.02	3.00
1972-73	50	1.79	9.57	5.33	29.81	2.85
1973-74	50	1.86	9.02	4.86	30.94	2.79
1974-75	51	1.61	9.04	5.66	33.68	3.04
1975-76	52	1.57	9.57	6.15	35.83	3.43
OCTOBER 1						
1967-68	50	1.49	9.15	6.21	35.32	3.23
1968-69	50	1.54	9.35	6.08	35.64	3.32
1969-70	50	1.41	9.05	6.45	35.87	3.24
1970-71	49	1.42	9.61	6.79	37.23	3.56
1971-72	50	1.52	9.39	6.22	37.93	3.56
1972-73	50	1.56	9.91	6.40	36.49	3.60
1973-74	50	1.48	8.94	6.05	36.61	3.27
1974-75	47	1.43	9.33	6.63	37.64	3.51
1975-76	50	1.35	9.51	7.10	40.10	3.81
NOVEMBER 1						
1967-68	--	--	--	--	--	--
1968-69	49	1.34	9.40	7.07	39.66	3.73
1969-70	46	1.22	9.07	7.48	41.11	3.69
1970-71	46	1.30	9.78	7.58	41.78	4.08
1971-72	50	1.39	9.50	6.87	41.17	3.91
1972-73	50	1.45	10.13	7.04	40.52	4.10
1973-74	50	1.37	9.28	6.85	42.33	3.93
1974-75	43	1.40	9.95	7.22	41.17	4.09
1975-76	47	1.20	9.78	8.24	44.17	4.32

PINK SEEDLESS GRAPEFRUIT

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM SAMPLE GROVES
 1967-68 THROUGH 1975-76

CROP YEAR	SAMPLE GROVES NUMBER	ACID PERCENT	SOLUBLE SOLIDS	RATIO NUMBER	JUICE PER BOX POUNDS	SOLIDS PER BOX
DECEMBER 1						
1967-68	--	--	--	--	--	--
1968-69	47	1.29	9.46	7.37	42.02	3.98
1969-70	45	1.20	9.27	7.81	43.54	4.04
1970-71	39	1.31	9.97	7.73	43.50	4.31
1971-72	44	1.31	9.77	7.52	44.65	4.36
1972-73	47	1.33	10.21	7.75	43.12	4.40
1973-74	41	1.27	9.75	7.75	44.73	4.36
1974-75	39	1.39	10.47	7.67	42.50	4.41
1975-76	45	1.19	10.06	8.60	45.81	4.61
JANUARY 1						
1974-75	34	1.35	10.50	7.92	43.63	4.57
1975-76	40	1.19	10.55	9.03	45.84	4.83
FEBRUARY 1						
1974-75	28	1.23	10.61	8.74	45.66	4.85
1975-76	36	1.22	10.77	9.01	46.56	5.01
MARCH 1						
1974-75	22	1.20	10.93	9.24	44.86	4.90

PINK SEEDLESS GRAPEFRUIT

MATURITY AND YIELD TEST RESULTS
 UNADJUSTED MATCHED AVERAGES FOR REGULAR BLOOM FRUIT
 FROM IDENTICAL SAMPLE TREES
 1967-68 THROUGH 1975-76

 DATE |1967-68|1968-69|1969-70|1970-71|1971-72|1972-73|1973-74|1974-75|1975-76

PERCENT ACID

OCT 1	1.50	1.55	1.41	1.44	1.53	1.56	1.51	1.46	1.37
NOV 1	--	1.34	1.22	1.32	1.40	1.45	1.37	1.41	1.20
DEC 1	--	1.29	1.20	1.31	1.31	1.33	1.27	1.39	1.19

PERCENT SOLUBLE SOLIDS

OCT 1	9.20	9.37	9.08	9.66	9.47	9.94	9.10	9.48	9.60
NOV 1	--	9.41	9.10	9.84	9.57	10.15	9.37	10.04	9.83
DEC 1	--	9.46	9.27	9.97	9.77	10.21	9.75	10.47	10.06

RATIO

OCT 1	6.17	6.08	6.48	6.78	6.23	6.42	6.06	6.60	7.08
NOV 1	--	7.06	7.50	7.55	6.90	7.03	6.89	7.22	8.26
DEC 1	--	7.37	7.81	7.73	7.52	7.75	7.75	7.67	8.60

POUNDS JUICE PER BOX

OCT 1	35.12	35.52	35.83	37.15	38.00	36.49	37.19	37.33	40.07
NOV 1	--	39.64	41.08	41.75	41.36	40.59	42.69	41.10	44.32
DEC 1	--	42.02	43.54	43.50	44.65	43.12	44.73	42.50	45.81

POUNDS SOLIDS PER BOX

OCT 1	3.22	3.32	3.25	3.58	3.60	3.61	3.38	3.53	3.84
NOV 1	--	3.57	3.69	4.11	3.96	4.11	4.00	4.11	4.35
DEC 1	--	3.98	4.04	4.31	4.36	4.40	4.36	4.41	4.61