# INDIANA
# CROPS AND LIVESTOCK

UNITED STATES
DEPARTMENT OF AGRICULTURE

DIVISION OF
CROP AND LIVESTOCK ESTIMATES

CO-OPERATING WITH

PURDUE UNIVERSITY
AGRICULTURAL EXPERIMENT STATION

# ANNUAL
# CROP SUMMARY
## 1928

DEPARTMENT OF AGRICULTURAL STATISTICS
WEST LAFAYETTE, INDIANA

No. 39 DECEMBER, 1928

# CROP SUMMARY FOR INDIANA, 1928

The 1928 crop story began in the fall of 1927 when under favorable circumstances a greatly increased acreage of winter wheat was sown. Rye sowings were increased slightly. All sections of the state took part in seeding the larger acreages. On December 1st, both grains were reported in excellent condition, the figures being from 6 to 13 points above the 10 year average.

December brought more than average precipitation to most stations and twice in the month following rain storms, temperatures dropped quickly as much as 50 degrees to points near zero. Snow was rather scanty throughout the winter and when spring came it was found that the loss of winter wheat acreage was the greatest in the history of the state. The large acreage of clover on which a stand was secured in the spring of 1927 also suffered severely. The acreage of seeded crops lost was approximately 1,500,000. Some of the wheat land had already been sown to clover before the killing of the wheat was evident, and where good stands of clover were secured much was allowed to stand without a nurse crop, or any attempt to further use the ground for the season. The ground left idle by loss of winter grain was largely used by increased planting of oats and corn. Large increases in the acreages of barley and soy beans were also made.

An inquiry sent to the assessors in June showed that of the wheat land reseeded to other crops 31 per cent was put in corn, 52 per cent in oats, 11 per cent in soybeans or cowpeas, and 6 per cent in other crops. Only 80 per cent of the total acreage lost was reseeded.

These readjustments of acreage brought the oats acreage to the largest in the history of the state, and probably soybeans also reached their maximum extent. Barley acreage became larger than that of rye and corn acreage returned nearly to war time size. Potatoes were more largely planted than for some time as a result of two successive years of rather favorable prices.

Until June the growing months were both cool and dry. June was very cool and very wet. After June the weather varied much over the state. The counties along the Ohio River became very dry and numerous local drouths reduced corn yields. Killing frosts appeared September 24th in some places and for the second year the early frosts were more severe in southern sections of the state than in the northern.

Winter wheat was thin but made considerable recovery in May and June and yielded better than in other years of heavy abandonment. The season was very favorable for oats though the average yield is not as high as in some former years. The increased acreage in sections less well adapted, but where an emergency crop was needed lowered the average yield. Rye yields were much below average as a result of the destructive winter. Corn yields proved lower than expected. The wet weather in June prevented cultivation and weeds were unusually bad. As there was a deficiency rather than a surplus of moisture in the later months of the growing season weeds proved more injurious than usual. Hay yields were lowered by the loss of clover and alfalfa and by the thinning of the stands of mixed hay. Hay contained many weeds. Soybeans made good yields of both hay and grain. Cowpeas were poor as they are mostly grown in the southern counties where drouth was severe. The cool season was favorable for potatoes which yielded exceptionally well. Truck crops were mainly better than last year except onions and tomatoes.

Fruit crops were almost twice as large as a year ago with all kinds showing about the same amount of improvement.

Pastures were below average throughout the season. Moisture and sunshine did not come together and the thinning of clover was noticed in pastures as well as in hay.

The acreage of clover and grass seeds was very small though about average yields were secured. About 1,420,000 acres of red and alsike clover were seeded in the spring of 1928. Of this 89 per cent was considered a satisfactory stand in October. Of the sweet clover seeded in 1928, 77 per cent was standing in the fall.

The use of the various clovers for pasture only, varied considerably. Of the total acreage of red clover 49 per cent was used only for pasture while 66 per cent of the alsike and 82 per cent of the sweet clover was pastured. Other legumes pastured included 17 per cent of the soybeans and 23 per cent of the cowpeas. These figures are somewhat higher than last year and may reflect the generally poor condition of clovers and cowpeas.

Winter wheat was seeded in the fall of 1928 on 1,695,000 acres compared with 2,260,000 acres the previous fall. On December 1st the condition was reported as 88 compared with 97 last year and the ten year average of 85 per cent of normal.

The acreage of rye sown for grain was 119,000 as against 125,000 in 1927. December 1st condition was 89 where last year it was 96 and the ten year average is 91.

CECIL J. BORUM,
Asst. Agricultural Statistician

MINER M. JUSTIN,
Agricultural Statistician

TABLE I.

*Summary of the Acreage, Production and Farm Value of Indiana Crops, 1927 and 1928*

| Crop and Year | Acreage | Production | | | Farm Value, December 1st | | |
|---|---|---|---|---|---|---|---|
| | | Unit | Per Acre | Total | Per Unit | Total | Per Acre |
| Corn: | | | | | | | |
| 1928 | 4,583,000 | Bushel | 35.2 | 161,322,000 | $0 69 | $111,312,000 | $24 28 |
| 1927 | 4,205,000 | Bushel | 31.5 | 132,458,000 | 0 68 | 90,071,000 | 21 42 |
| Winter Wheat: | | | | | | | |
| 1928 | 900,000 | Bushel | 10.5 | 9,450,000 | 1 24 | 11,718,000 | 13 02 |
| 1927 | 1,782,000 | Bushel | 15.5 | 27,621,000 | 1 24 | 34,250,000 | 19 22 |
| Spring Wheat: | | | | | | | |
| 1928 | 10,000 | Bushel | 14.0 | 140,000 | 1 09 | 152,000 | 15 20 |
| 1927 | 8,000 | Bushel | 16.0 | 128,000 | 1 22 | 156,000 | 19 52 |
| Oats: | | | | | | | |
| 1928 | 2,532,000 | Bushel | 37.0 | 93,684,000 | 0 37 | 34,663,000 | 13 69 |
| 1927 | 1,948,000 | Bushel | 25.0 | 48,700,000 | 0 43 | 20,941,000 | 10 75 |
| Rye: | | | | | | | |
| 1928 | 86,000 | Bushel | 11.0 | 946,000 | 0 94 | 889,000 | 10 34 |
| 1927 | 119,000 | Bushel | 13.6 | 1,618,000 | 0 88 | 1,424,000 | 11 97 |
| Barley: | | | | | | | |
| 1928 | 94,000 | Bushel | 24.0 | 2,256,000 | 0 59 | 1,331,000 | 14 16 |
| 1927 | 35,000 | Bushel | 23.8 | 833,000 | 0 73 | 608,000 | 17 37 |
| Buckwheat: | | | | | | | |
| 1928 | 15,000 | Bushel | 15.0 | 225,000 | 0 85 | 191,000 | 12 75 |
| 1927 | 15,000 | Bushel | 17.0 | 255,000 | 0 85 | 217,000 | 14 45 |
| Sweet Potatoes: | | | | | | | |
| 1928 | 2,000 | Bushel | 116.0 | 232,000 | 1 30 | 302,000 | 150 80 |
| 1927 | 2,000 | Bushel | 112.0 | 224,000 | 1 35 | 302,000 | 150 80 |
| Potatoes, White: | | | | | | | |
| 1928 | 61,000 | Bushel | 109 0 | 6,649,000 | 0 70 | 4,653,000 | 76 28 |
| 1927 | 53,000 | Bushel | 95 0 | 5,035,000 | 1 10 | 5,538,000 | 104 50 |
| Tobacco: | | | | | | | |
| 1928 | 13,700 | Pounds | 820.0 | 11,234,000 | 0 20 | 2,247,000 | 164 00 |
| 1927 | 8,400 | Pounds | 760.0 | 6,384,000 | 0 22 | 1,404,000 | 167 20 |
| Tame Hay: | | | | | | | |
| 1928 | 1,808,000 | Ton | 1.37 | 2,481,000 | 12 00 | 29,772,000 | 16 47 |
| 1927 | 2,027,000 | Ton | 1.47 | 2,980,000 | 10 40 | 30,992,000 | 15 29 |
| Clover: | | | | | | | |
| 1928 | 244,000 | Ton | 1.25 | 305,000 | ..... | ..... | ..... |
| 1927 | 435,000 | Ton | 1.55 | 674,000 | ..... | ..... | ..... |
| Timothy: | | | | | | | |
| 1928 | 550,000 | Ton | 1.20 | 660,000 | ..... | ..... | ..... |
| 1927 | 534,000 | Ton | 1.25 | 668,000 | ..... | ..... | ..... |
| Mixed Cl. and Tim.: | | | | | | | |
| 1928 | 541,000 | Ton | 1.25 | 676,000 | ..... | ..... | ..... |
| 1927 | 615,000 | Ton | 1.50 | 922,000 | ..... | ..... | ..... |
| Alfalfa: | | | | | | | |
| 1928 | 146,000 | Ton | 2.30 | 336,000 | ..... | ..... | ..... |
| 1927 | 162,000 | Ton | 2.20 | 356,000 | ..... | ..... | ..... |
| Grains cut green: | | | | | | | |
| 1928 | 42,000 | Ton | 1.50 | 63,000 | ..... | ..... | ..... |
| 1927 | 40,000 | Ton | 1.10 | 44,000 | ..... | ..... | ..... |
| Soybean Hay: | | | | | | | |
| 1928 | 161,000 | Ton | 1.70 | 274,000 | ..... | ..... | ..... |
| 1927 | 118,000 | Ton | 1.50 | 178,000 | ..... | ..... | ..... |
| Cowpea Hay: | | | | | | | |
| 1928 | 43,000 | Ton | 1.15 | 49,000 | ..... | ..... | ..... |
| 1927 | 44,000 | Ton | 1.20 | 53,000 | ..... | ..... | ..... |
| Millet, Sudan, other Hay: | | | | | | | |
| 1928 | 54,000 | Ton | 1.28 | 69,000 | ..... | ..... | ..... |
| 1927 | 49,000 | Ton | 1.06 | 52,000 | ..... | ..... | ..... |
| Wild Hay: | | | | | | | |
| 1928 | 20,000 | Ton | 1.15 | 23,000 | 9 00 | 207,000 | 10 35 |
| 1927 | 21,000 | Ton | 1.25 | 26,000 | 8 80 | 229,000 | 10 90 |
| Soybeans, for Beans: | | | | | | | |
| 1928 | 88,000 | Bushel | 14.5 | 1,276,000 | 1 60 | 2,042,000 | 23 20 |
| 1927 | 68,000 | Bushel | 13.0 | 884,000 | 1 65 | 1,459,000 | 21 45 |
| Cowpeas, for Peas: | | | | | | | |
| 1928 | 6,000 | Bushel | 5.6 | 34,000 | 2 10 | 71,000 | 11 90 |
| 1927 | 20,000 | Bushel | 5.3 | 106,000 | 2 10 | 223,000 | 11 13 |
| Timothy Seed: | | | | | | | |
| 1928 | 12,000 | Bushel | 3.8 | 45,600 | 2 20 | 100,320 | 8 36 |
| 1927 | 25,000 | Bushel | 4.0 | 100,000 | 2 15 | 215,000 | 8 60 |
| Clover Seed: | | | | | | | |
| 1928 | 105,000 | Bushel | 1.2 | 126,000 | 16 70 | 2,104,000 | 20 04 |
| 1927 | 210,000 | Bushel | 1.2 | 252,000 | 15 00 | 3,780,000 | 18 00 |

TABLE I.—Continued

| Crop and Year | Acreage | Production | | | Farm Value December 1st | | |
|---|---|---|---|---|---|---|---|
| | | Unit | Per Acre | Total | Per Unit | Total | Per Acre |
| Tomatoes, Canning: | | | | | | | |
| 1928 | 49,870 | Ton | 3.0 | 149,600 | $12 82 | $1,918,000 | $38 46 |
| 1927 | 42,990 | Ton | 3.8 | 163,400 | 13 06 | 2,134,000 | 49 64 |
| Onions: | | | | | | | |
| 1928 | 8,510 | Bushel | 240.0 | 2,042 | 1 60 | 3,267,000 | 383 91 |
| 1927 | 8,100 | Bushel | 338.0 | 2,738 | 0 59 | 1,615,000 | 199 39 |
| Sweet Corn, Canning: | | | | | | | |
| 1928 | 27,390 | Ton | 1.4 | 38,300 | 12 54 | 480,000 | 17 52 |
| 1927 | 17,010 | Ton | 1.4 | 23,800 | 10 41 | 248,000 | 14 58 |
| Cucumbers, pickles: | | | | | | | |
| 1928 | 9,870 | Bushel | 58.0 | 572,000 | 0 96 | 549,000 | 55 62 |
| 1927 | 6,800 | Bushel | 38.0 | 258,000 | 0 93 | 240,000 | 35 30 |
| Greenpeas, canning: | | | | | | | |
| 1928 | 3,760 | Pounds | 1,852.0 | 6,954,000 | 0 020 | 139,000 | 36 97 |
| 1927 | 1,880 | Pounds | 1,600.0 | 3,008,000 | 0 026 | 87,000 | 46 28 |
| Cabbage, All: | | | | | | | |
| 1928 | 1,510 | Ton | 10.0 | 15,100 | 12 78 | 193,000 | 127 80 |
| 1927 | 1,190 | Ton | 10.0 | 11,900 | 16 60 | 198,000 | 166 39 |
| Strawberries: | | | | | | | |
| 1928 | 1,680 | Quart | 1,950.0 | 3,276,000 | 0 10 | 328,000 | 195 24 |
| 1927 | 1,650 | Quart | 1,244.0 | 2,053,000 | 0 14 | 287,000 | 173 94 |
| Cantaloupes: | | | | | | | |
| 1928 | 4,640 | Crate | 113.0 | 524,000 | 1 23 | 645,000 | 139 01 |
| 1927 | 4,380 | Crate | 115.0 | 504,000 | 1 92 | 968,000 | 221 00 |
| Watermelons: | | | | | | | |
| 1928 | 3,240 | *Number | 350.0 | 1,134 | 146 00 | 166,000 | 51 24 |
| 1927 | 2,720 | *Number | 286.0 | 778 | 350 00 | 272,000 | 100 00 |
| Sorghum Sirup: | | | | | | | |
| 1928 | 2,000 | Gallon | 96.0 | 192,000 | 1 15 | 221,000 | 110 50 |
| 1927 | 2,000 | Gallon | 80.0 | 160,000 | 1 10 | 176,000 | 88 00 |
| Apples: | | | | | | | |
| 1928 | ..... | Bushel | ..... | 2,520,000 | 1 30 | 3,276,000 | ..... |
| 1927 | ..... | Bushel | ..... | 1,249,000 | 1 80 | 2,248,000 | ..... |
| Peaches: | | | | | | | |
| 1928 | ..... | Bushel | ..... | 605,000 | 1 60 | 968,000 | ..... |
| 1927 | ..... | Bushel | ..... | 242,000 | 2 35 | 569,000 | ..... |
| Pears: | | | | | | | |
| 1928 | ..... | Bushel | ..... | 288,000 | 0 75 | 216,000 | ..... |
| 1927 | ..... | Bushel | ..... | 140,000 | 1 05 | 147,000 | ..... |
| Grapes: | | | | | | | |
| 1928 | ..... | Ton | ..... | 4,980 | 60 00 | 299,000 | ..... |
| 1927 | ..... | Ton | ..... | 2,580 | 65 00 | 168,000 | ..... |
| Total above crops: | | | | | | | |
| 1928 | 10,448,170 | ..... | ..... | ..... | ..... | $214,419,320 | ..... |
| 1927 | 10,635,120 | ..... | ..... | ..... | ..... | 201,166,000 | ..... |

*Number of watermelons per acre, production cars of 1,000 melons and price per car.

TABLE II

*Estimate of Acreage, Yield Per Acre and Production of Corn, Oats, and Tame Hay in Indiana, 1928.*

| County | Corn | | | Oats | | | Tame Hay | | |
|---|---|---|---|---|---|---|---|---|---|
| | Acreage | Yield Per Acre | Production (Bushels) | Acreage | Yield Per Acre | Production (Bushels) | Acreage | Yield Per Acre | Production (Tons) |
| Benton | 114,000 | 36.0 | 4,104,000 | 79,000 | 30.0 | 2,370,000 | 5,000 | 1.23 | 6,000 |
| Jasper | 86,000 | 30.0 | 2,580,000 | 65,000 | 34.0 | 2,210,000 | 7,000 | 1.35 | 9,000 |
| Lake | 51,000 | 36.0 | 1,836,000 | 37,000 | 41.0 | 1,517,000 | 27,000 | 1.00 | 27,000 |
| Laporte | 79,000 | 34.0 | 2,686,000 | 52,000 | 36.0 | 1,872,000 | 26,000 | 1.26 | 33,000 |
| Newton | 78,000 | 36.0 | 2,808,000 | 52,000 | 36.0 | 1,872,000 | 6,000 | 1.24 | 7,000 |
| Porter | 49,000 | 31.0 | 1,519,000 | 41,000 | 38.0 | 1,558,000 | 24,000 | 1.08 | 26,000 |
| Pulaski | 64,000 | 32.0 | 2,048,000 | 43,000 | 40.0 | 1,720,000 | 14,000 | 1.35 | 19,000 |
| Starke | 33,000 | 30.0 | 990,000 | 22,000 | 26.0 | 572,000 | 5,000 | 1.21 | 6,000 |
| White | 100,000 | 39.0 | 3,900,000 | 81,000 | 33.0 | 2,673,000 | 13,000 | 1.19 | 15,000 |
| N. W. District | 654,000 | 34.4 | 22,471,000 | 472,000 | 34.7 | 16,364,000 | 127,000 | 1.17 | 148,000 |
| Carroll | 73,000 | 45.0 | 3,285,000 | 41,000 | 40.0 | 1,640,000 | 14,000 | 1.44 | 20,000 |
| Cass | 65,000 | 41.0 | 2,665,000 | 41,000 | 46.0 | 1,886,000 | 21,000 | 1.46 | 31,000 |
| Elkhart | 35,000 | 41.0 | 1,435,000 | 32,000 | 40.0 | 1,280,000 | 34,000 | 1.24 | 42,000 |
| Fulton | 58,000 | 35.0 | 2,030,000 | 33,000 | 38.0 | 1,254,000 | 18,000 | 1.53 | 28,000 |
| Kosciusko | 62,000 | 42.0 | 2,604,000 | 43,000 | 36.0 | 1,548,000 | 33,000 | 1.21 | 40,000 |
| Marshall | 47,000 | 42.0 | 1,974,000 | 32,000 | 44.0 | 1,408,000 | 28,000 | 1.21 | 34,000 |
| Miami | 55,000 | 38.0 | 2,090,000 | 38,000 | 42.0 | 1,596,000 | 19,000 | 1.21 | 23,000 |
| St. Joseph | 32,000 | 35.0 | 1,120,000 | 24,000 | 41.0 | 984,000 | 28,000 | 1.41 | 39,000 |
| Wabash | 54,000 | 48.0 | 2,592,000 | 50,000 | 42.0 | 2,100,000 | 25,000 | 1.21 | 30,000 |
| N. Central District | 481,000 | 41.2 | 19,795,000 | 334,000 | 41.0 | 13,696,000 | 220,000 | 1.31 | 287,000 |
| Adams | 45,000 | 39.0 | 1,755,000 | 39,000 | 35.0 | 1,365,000 | 30,000 | 1.40 | 42,000 |
| Allen | 74,000 | 38.0 | 2,812,000 | 65,000 | 44.0 | 2,860,000 | 55,000 | 1.14 | 63,000 |
| Dekalb | 33,000 | 37.0 | 1,221,000 | 27,000 | 40.0 | 1,080,000 | 31,000 | 1.19 | 37,000 |
| Huntington | 52,000 | 36.0 | 1,872,000 | 47,000 | 31.0 | 1,457,000 | 28,000 | 1.27 | 36,000 |
| Lagrange | 38,000 | 38.0 | 1,444,000 | 22,000 | 38.0 | 836,000 | 22,000 | 1.35 | 30,000 |
| Noble | 44,000 | 45.0 | 1,980,000 | 30,000 | 46.0 | 1,380,000 | 23,000 | 1.21 | 28,000 |
| Steuben | 27,000 | 40.0 | 1,080,000 | 20,000 | 30.0 | 600,000 | 21,000 | 1.62 | 34,000 |
| Wells | 55,000 | 30.0 | 1,630,000 | 41,000 | 35.0 | 1,435,000 | 32,000 | 1.26 | 40,000 |
| Whitley | 37,000 | 41.0 | 1,517,000 | 30,000 | 41.0 | 1,230,000 | 21,000 | 1.06 | 22,000 |
| N. E. District | 405,000 | 37.8 | 15,311,000 | 321,000 | 38.1 | 12,243,000 | 263,000 | 1.27 | 332,000 |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| Clay | 35,000 | 25.0 | 875,000 | 17,000 | 36.0 | 612,000 | 25,000 | 1.20 | 30,000 |
| Fountain | 55,000 | 35.0 | 1,925,000 | 50,000 | 35.0 | 1,750,000 | 17,000 | 1.19 | 20,000 |
| Montgomery | 95,000 | 32.0 | 3,040,000 | 57,000 | 39.0 | 2,223,000 | 22,000 | 1.84 | 40,000 |
| Owen | 25,000 | 26.0 | 650,000 | 11,000 | 44.0 | 484,000 | 17,000 | 1.24 | 21,000 |
| Parke | 50,000 | 34.0 | 1,700,000 | 26,000 | 37.0 | 962,000 | 17,000 | 1.35 | 23,000 |
| Putnam | 54,000 | 28.0 | 1,512,000 | 26,000 | 32.0 | 832,000 | 19,000 | 1.16 | 22,000 |
| Tippecanoe | 102,000 | 44.0 | 4,488,000 | 68,000 | 34.0 | 2,312,000 | 21,000 | 1.82 | 38,000 |
| Vermillion | 34,000 | 40.0 | 1,360,000 | 20,000 | 40.0 | 800,000 | 9,000 | 1.08 | 10,000 |
| Vigo | 47,000 | 35.0 | 1,645,000 | 21,000 | 42.0 | 882,000 | 19,000 | 1.62 | 31,000 |
| Warren | 73,000 | 35.0 | 2,555,000 | 54,000 | 33.0 | 1,782,000 | 12,000 | 1.53 | 18,000 |
| W. Central District | 570,000 | 34.6 | 19,750,000 | 350,000 | 36.1 | 12,639,000 | 178,000 | 1.42 | 253,000 |
| Bartholomew | 64,000 | 40.0 | 2,560,000 | 16,000 | 35.0 | 560,000 | 21,000 | 1.35 | 28,000 |
| Boone | 82,000 | 32.0 | 2,624,000 | 61,000 | 35.0 | 2.135,000 | 21,000 | 1.49 | 31,000 |
| Clinton | 81,000 | 46.0 | 3,726,000 | 64,000 | 43.0 | 2,752,000 | 13,000 | 1.62 | 21,000 |
| Decatur | 57,000 | 45.0 | 2,565,000 | 14,000 | 45.0 | 630,000 | 16,000 | 1.44 | 23,000 |
| Grant | 66,000 | 38.0 | 2,508,000 | 54,000 | 36.0 | 1,944,000 | 21,000 | 1.08 | 23,000 |
| Hamilton | 69,000 | 34.0 | 2,346,000 | 37,000 | 39.0 | 1,443,000 | 19,000 | 1.60 | 30,000 |
| Hancock | 66,000 | 35.0 | 2,310,000 | 34,000 | 36.0 | 1,224,000 | 18,000 | 1.31 | 24,000 |
| Hendricks | 77,000 | 30.0 | 2,310,000 | 38,000 | 40.0 | 1,520,000 | 22,000 | 1.50 | 33,000 |
| Howard | 66,000 | 43.0 | 2,838,000 | 43,000 | 45.0 | 1,935,000 | 15,000 | 1.54 | 23,000 |
| Johnson | 59,000 | 45.0 | 2,655,000 | 13,000 | 46.0 | 598,000 | 18,000 | 2.16 | 39,000 |
| Madison | 83,000 | 35.0 | 2,905,000 | 50,000 | 33.0 | 1,650,000 | 19,000 | 1.30 | 25,000 |
| Marion | 39,000 | 35.0 | 1,365,000 | 19,000 | 41.0 | 779,000 | 19,000 | 1.57 | 30,000 |
| Morgan | 51,000 | 38.0 | 1,938,000 | 17,000 | 38.0 | 646,000 | 18,000 | 1.90 | 34,000 |
| Rush | 82,000 | 43.0 | 3,526,000 | 27,000 | 41.0 | 1,107,000 | 16,000 | 1.48 | 24,000 |
| Shelby | 93,000 | 40.0 | 3,720,000 | 22,000 | 34.0 | 748,000 | 23,000 | 1.29 | 30,000 |
| Tipton | 56,000 | 40.0 | 2,240,000 | 33,000 | 38.0 | 1,254,000 | 10,000 | 2.40 | 24,000 |
| Central District | 1,091,000 | 38.6 | 42,136,000 | 542,000 | 38.6 | 20,925,000 | 289,000 | 1.53 | 442,000 |
| Blackford | 25,000 | 32.0 | 800,000 | 17,000 | 34.0 | 578,000 | 12,000 | 1.26 | 15,000 |
| Delaware | 70,000 | 35.0 | 2,450,000 | 30,000 | 49.0 | 1,470,000 | 21,000 | 1.62 | 34,000 |
| Fayette | 31,000 | 37.0 | 1,147,000 | 4,000 | 42.0 | 168,000 | 11,000 | 1.53 | 17,000 |
| Henry | 68,000 | 44.0 | 2,992,000 | 34,000 | 36.0 | 1,224,000 | 19,000 | 1.68 | 32,000 |
| Jay | 49,000 | 32.0 | 1,568,000 | 40,000 | 32.0 | 1,280,000 | 34,000 | 1.27 | 43,000 |
| Randolph | 73,000 | 33.0 | 2,409,000 | 51,000 | 35.0 | 1,785,000 | 21,000 | 1.28 | 27,000 |
| Union | 27,000 | 46.0 | 1,242,000 | 3,000 | 39.0 | 117,000 | 10,000 | 1.55 | 16,000 |
| Wayne | 60,000 | 37.0 | 2,220.000 | 25,000 | 35.0 | 875,000 | 22,000 | 1.62 | 36,000 |
| E. Central District | 403,000 | 36.8 | 14,828,000 | 204,000 | 36.7 | 7,497,000 | 150,000 | 1.47 | 220,000 |

TABLE II—Continued

| County | Corn | | | Oats | | | Tame Hay | | |
|---|---|---|---|---|---|---|---|---|---|
| | Acreage | Yield Per Acre | Production (Bushels) | Acreage | Yield Per Acre | Production (Bushels) | Acreage | Yield Per Acre | Production (Tons) |
| Daviess | 49,000 | 28.0 | 1,372,000 | 18,000 | 32.0 | 576,000 | 21,000 | 1.47 | 31,000 |
| Dubois | 31,000 | 24.0 | 744,000 | 13,000 | 24.0 | 312,000 | 25,000 | 1.49 | 37,000 |
| Gibson | 69,000 | 25.0 | 1,725,000 | 9,000 | 34.0 | 306,000 | 23,000 | 1.51 | 35,000 |
| Greene | 44,000 | 35.0 | 1,540,000 | 31,000 | 36.0 | 1,116,000 | 27,000 | 1.49 | 40,000 |
| Knox | 81,000 | 37.0 | 2,997,000 | 22,000 | 39.0 | 858,000 | 23,000 | 1.35 | 31,000 |
| Martin | 18,000 | 28.0 | 504,000 | 5,000 | 30.0 | 150,000 | 13,000 | 1.26 | 16,000 |
| Pike | 30,000 | 20.0 | 600,000 | 4,000 | 32.0 | 128,000 | 17,000 | 1.30 | 22,000 |
| Posey | 55,000 | 25.0 | 1,375,000 | 10,000 | 33.0 | 330,000 | 19,000 | 1.73 | 33,000 |
| Spencer | 35,000 | 20.0 | 700,000 | 13,000 | 36.0 | 468,000 | 23,000 | 1.27 | 29,000 |
| Sullivan | 57,000 | 35.0 | 1,995,000 | 17,000 | 40.0 | 680,000 | 23,000 | 1.44 | 33,000 |
| Vanderburgh | 25,000 | 25.0 | 625,000 | 3,000 | 38.0 | 114,000 | 14,000 | 1.46 | 20,000 |
| Warrick | 35,000 | 20.0 | 700,000 | 7,000 | 35.0 | 245,000 | 23,000 | 1.35 | 31,000 |
| S. W. District | 529,000 | 28.1 | 14,877,000 | 152,000 | 34.8 | 5,283,000 | 251,000 | 1.43 | 358,000 |
| Brown | 9,000 | 29.0 | 261,000 | 3,000 | 30.0 | 90,000 | 8,000 | 1.55 | 12,000 |
| Crawford | 14,000 | 18.0 | 252,000 | 6,000 | 28.0 | 168,000 | 12,000 | 1.45 | 17,000 |
| Floyd | 8,000 | 28.0 | 224,000 | 2,000 | 39.0 | 78,000 | 10,000 | 1.41 | 14,000 |
| Harrison | 25,000 | 21.0 | 525,000 | 14,000 | 28.0 | 392,000 | 22,000 | 1.73 | 38,000 |
| Jackson | 46,000 | 31.0 | 1,426,000 | 14,000 | 34.0 | 476,000 | 23,000 | 1.21 | 28,000 |
| Lawrence | 28,000 | 30.0 | 840,000 | 13,000 | 30.0 | 390,000 | 21,000 | 1.35 | 28,000 |
| Monroe | 23,000 | 34.0 | 782,000 | 12,000 | 29.0 | 348,000 | 21,000 | 1.14 | 24,000 |
| Orange | 27,000 | 23.0 | 621,000 | 9,000 | 34.0 | 306,000 | 13,000 | 1.30 | 17,000 |
| Perry | 20,000 | 22.0 | 440,00 | 5,000 | 30.0 | 150,000 | 14,000 | .81 | 11,000 |
| Washington | 36,000 | 30.0 | 1,080,000 | 17,000 | 40.0 | 680,000 | 23,000 | 1.70 | 39,000 |
| S. Central District | 236,000 | 27.3 | 6,451,000 | 95,000 | 32.4 | 3,078,000 | 167,000 | 1.37 | 228,000 |
| Clark | 24,000 | 30.0 | 720,000 | 6,000 | 31.0 | 186,000 | 18,000 | 1.35 | 24,000 |
| Dearborn | 23,000 | 31.0 | 713,000 | 9,000 | 37.0 | 333,000 | 27,000 | 1.35 | 36,000 |
| Franklin | 40,000 | 33.0 | 1,320,000 | 8,000 | 45.0 | 360,000 | 22,000 | 1.16 | 26,000 |
| Jefferson | 30,000 | 24.0 | 720,000 | 10,000 | 22.0 | 220,000 | 18,000 | 1.00 | 18,000 |
| Jennings | 28,000 | 21.0 | 588,000 | 7,000 | 30.0 | 210,000 | 15,000 | 1.18 | 18,000 |
| Ohio | 5,000 | 31.0 | 155,000 | 2,000 | 32.0 | 64,000 | 7,000 | 1.35 | 9,000 |
| Ripley | 38,000 | 22.0 | 836,000 | 12,000 | 27.0 | 324,000 | 27,000 | 1.26 | 34,000 |
| Scott | 15,000 | 17.0 | 255,000 | 3,000 | 28.0 | 84,000 | 9,000 | 1.06 | 10,000 |
| Switzerland | 11,000 | 32.0 | 352,000 | 5,000 | 38.0 | 190,000 | 20,000 | 1.06 | 21,000 |
| S. E. District | 214,000 | 26.4 | 5,659,000 | 62,000 | 31.8 | 1,971,000 | 163,000 | 1.20 | 196,000 |
| State Total | 4,583,000 | 35.2 | 161,322,000 | 2,532,000 | 37.0 | 93,684,000 | 1,808,000 | 1.37 | 2,481,000 |



161 278

TABLE III.

*Estimate of Acreage, Yield Per Acre and Production of Winter Wheat and Rye in Indiana, 1928, and Preliminary Estimate of Acreage Seeded for 1929 Harvest*

| County | Winter Wheat | | | 83.72 | Rye | 76.11 | Sown in Fall of 1928 for 1929 Harvest | |
|---|---|---|---|---|---|---|---|---|
| | Acreage | Yield Per Acre | Production (Bushels) | Acreage | Yield Per Acre | Production (Bushels) | Wheat (Acres) | Rye (Acres) |
| Benton | ..... | ..... | ..... | ..... | ..... | ..... | 9,000 | ..... |
| Jasper | 8,000 | 13.0 | 104,000 | 1,500 | 14.0 | 21,000 | 16,000 | 3,800 |
| Lake | 1,000 | 8.0 | 8,000 | 300 | 8.0 | 2,000 | 13,000 | 800 |
| Laporte | 20,000 | 10.0 | 200,000 | 2,200 | 10.0 | 22,000 | 32,000 | 5,000 |
| Newton | 2,000 | 12.0 | 24,000 | 600 | 12.0 | 7,000 | 8,000 | 1,500 |
| Porter | 6,000 | 11.0 | 66,000 | 1,300 | 10.0 | 13,000 | 16,000 | 3,000 |
| Pulaski | 8,000 | 12.0 | 96,000 | 2,400 | 15.0 | 36,000 | 11,000 | 5,600 |
| Starke | 7,000 | 11.0 | 77,000 | 2,600 | 12.0 | 31,000 | 9,000 | 5,900 |
| White | 1,000 | 14.0 | 14,000 | 2,100 | 10.0 | 21,000 | 18,000 | 5,000 |
| N. W. District | 53,000 | 11.1 | 589,000 | 13,000 | 11.8 | 153,000 | 132,000 | 30,600 |
| Carroll | 7,000 | 14.0 | 98,000 | 2,000 | 13.0 | 26,000 | 19,000 | 2,100 |
| Cass | 5,000 | 11.0 | 55,000 | 2,000 | 8.0 | 16,000 | 21,000 | 2,100 |
| Elkhart | 10,000 | 11.0 | 110,000 | 1,800 | 11.0 | 20,000 | 25,000 | 1,900 |
| Fulton | 4,000 | 12.0 | 48,000 | 7,300 | 12.0 | 88,000 | 13,000 | 8,500 |
| Kosciusko | 17,000 | 12.0 | 204,000 | 5,200 | 8.0 | 42,000 | 25,000 | 5,400 |
| Marshall | 7,000 | 9.0 | 63,000 | 3,300 | 11.0 | 36,000 | 21,000 | 3,400 |
| Miami | 6,000 | 13.0 | 78,000 | 1,600 | 12.0 | 19,000 | 23,000 | 1,600 |
| St. Joseph | 16,000 | 9.0 | 144,000 | 2,000 | 8.0 | 16,000 | 22,000 | 2,100 |
| Wabash | 6,000 | 15.0 | 90,000 | 800 | 11.0 | 9,000 | 21,000 | 900 |
| N. Central District | 78,000 | 11.4 | 890,000 | 26,000 | 10.5 | 272,000 | 190,000 | 28,000 |
| Adams | 10,000 | 13.0 | 130,000 | 300 | 10.0 | 3,000 | 16,000 | 500 |
| Allen | 9,000 | 14.0 | 126,000 | 600 | 12.0 | 7,000 | 29,000 | 900 |
| Dekalb | 14,000 | 11.0 | 154,000 | 500 | 11.0 | 6,000 | 19,000 | 700 |
| Huntington | 9,000 | 15.0 | 135,000 | 200 | 12.0 | 2,000 | 14,000 | 200 |
| Lagrange | 34,000 | 11.0 | 374,000 | 1,400 | 12.0 | 17,000 | 22,000 | 2,100 |
| Noble | 17,000 | 10.0 | 170,000 | 1,200 | 15.0 | 18,000 | 21,000 | 1,800 |
| Steuben | 12,000 | 18.0 | 216,000 | 500 | 12.0 | 6,000 | 14,000 | 700 |
| Wells | 5,000 | 13.0 | 65,000 | 300 | 12.0 | 4,000 | 9,000 | 500 |
| Whitley | 10,000 | 12.0 | 120,000 | 600 | 10.0 | 6,000 | 13,000 | 900 |
| N. E. District | 120,000 | 12.4 | 1,490,000 | 5,600 | 12.3 | 69,000 | 157,000 | 8,300 |

TABLE III—Continued

| County | Winter Wheat | | | 83.72 Rye | | 76.11 | Sown in Fall of 1928 for 1929 Harvest | |
|---|---|---|---|---|---|---|---|---|
| | Acreage | Yield Per Acre | Production (Bushels) | Acreage | Yield Per Acre | Production (Bushels) | Wheat (Acres) | Rye (Acres) |
| Clay | 9,000 | 7.0 | 63,000 | 300 | 7.0 | 2,000 | 19,000 | 800 |
| Fountain | 7,000 | 12.0 | 84,000 | 700 | 10.0 | 7,000 | 20,000 | 2,100 |
| Montgomery | 12,000 | 13.0 | 156,000 | 1,100 | 12.0 | 13,000 | 26,000 | 3,100 |
| Owen | 6,000 | 10.0 | 60,000 | 200 | 10.0 | 2,000 | 6,000 | 700 |
| Parke | 5,000 | 6.0 | 30,000 | 800 | 13.0 | 10,000 | 14,000 | 2,200 |
| Putnam | 9,000 | 8.0 | 72,000 | 900 | 9.0 | 8,000 | 15,000 | 2,500 |
| Tippecanoe | 12,000 | 10.0 | 120,000 | 800 | 11.0 | 9,000 | 39,000 | 2,400 |
| Vermillion | 2,000 | 10.0 | 20,000 | 300 | 12.0 | 4,000 | 8,000 | 1,000 |
| Vigo | 6,000 | 7.0 | 42,000 | 800 | 10.0 | 8,000 | 18,000 | 3,100 |
| Warren | 8,000 | 14.0 | 112,000 | 300 | 11.0 | 3,000 | 17,000 | 700 |
| W. Central District | 76,000 | 10.0 | 759,000 | 6,200 | 10.7 | 66,000 | 182,000 | 18,600 |
| Bartholomew | 17,000 | 9.0 | 153,000 | 600 | 15.0 | 9,000 | 32,000 | 800 |
| Boone | 4,000 | 12.0 | 48,000 | 800 | 10.0 | 8,000 | 10,000 | 900 |
| Clinton | 10,000 | 11.0 | 110,000 | 600 | 10.0 | 6,000 | 29,000 | 700 |
| Decatur | 18,000 | 9.0 | 162,000 | 400 | 7.0 | 3,000 | 24,000 | 500 |
| Grant | 7,000 | 14.0 | 98,000 | 400 | 10.0 | 4,000 | 13,000 | 300 |
| Hamilton | 9,000 | 13.0 | 117,000 | 800 | 8.0 | 6,000 | 18,000 | 800 |
| Hancock | 7,000 | 10.0 | 70,000 | 1,000 | 9.0 | 9,000 | 13,000 | 1,300 |
| Hendricks | 12,000 | 9.0 | 108,000 | 1,400 | 10.0 | 14,000 | 19,000 | 1,700 |
| Howard | 5,000 | 11.0 | 55,000 | 300 | 10.0 | 3,000 | 15,000 | 300 |
| Johnson | 18,000 | 9.0 | 162,000 | 600 | 18.0 | 11,000 | 26,000 | 800 |
| Madison | 10,000 | 12.0 | 120,000 | 600 | 12.0 | 7,000 | 18,000 | 600 |
| Marion | 4,000 | 11.0 | 44,000 | 400 | 12.0 | 5,000 | 16,000 | 300 |
| Morgan | 13,000 | 8.0 | 104,000 | 600 | 13.0 | 8,000 | 18,000 | 700 |
| Rush | 41,000 | 10.0 | 410,000 | 1,500 | 7.0 | 10,000 | 34,000 | 1,800 |
| Shelby | 26,000 | 8.0 | 208,000 | 1,200 | 16.0 | 19,000 | 39,000 | 1,500 |
| Tipton | 9,000 | 9.0 | 81,000 | 200 | 14.0 | 3,000 | 12,000 | 200 |
| Central District | 210,000 | 9.8 | 2,050,000 | 11,400 | 11.0 | 125,000 | 336,000 | 13,200 |
| Blackford | 1,000 | 16.0 | 16,000 | 300 | 10.0 | 3,000 | 5,000 | 200 |
| Delaware | 2,000 | 20.0 | 40,000 | 800 | 15.0 | 12,000 | 11,000 | 500 |
| Fayette | 23,000 | 11.0 | 253,000 | 2,200 | 10.0 | 22,000 | 19,000 | 1,300 |
| Henry | 15,000 | 15.0 | 225,000 | 1,800 | 11.0 | 20,000 | 20,000 | 1,000 |
| Jay | 2,000 | 9.0 | 18,000 | 500 | 18.0 | 9,000 | 12,000 | 300 |
| Randolph | 9,000 | 14.0 | 126,000 | 1,300 | 10.0 | 13,000 | 19,000 | 700 |
| Union | 28,000 | 12.0 | 336,000 | 300 | 10.0 | 3,000 | 20,000 | 200 |
| Wayne | 26,000 | 11.0 | 286,000 | 1,700 | 7.0 | 12,000 | 30,000 | 1,000 |
| E. Central District | 106,000 | 12.3 | 1,300,000 | 8,900 | 10.6 | 94,000 | 136,000 | 5,200 |

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| Daviess | 12,000 | 9.0 | 108,000 | 700 | 11.0 | 8,000 | 25,000 | 600 |
| Dubois | 30,000 | 8.0 | 240,000 | 1,000 | 10.0 | 10,000 | 33,000 | 1,000 |
| Gibson | 12,000 | 6.0 | 72,000 | 500 | 10.0 | 5.000 | 47,000 | 400 |
| Greene | 16,000 | 10.0 | 160,000 | 800 | 14.0 | 11,000 | 24,000 | 800 |
| Knox | 41,000 | 10.0 | 410,000 | 1,000 | 11.0 | 11,000 | 67,000 | 900 |
| Martin | 2,000 | 10.0 | 20,000 | 300 | 10.0 | 3,000 | 7,000 | 300 |
| Pike | 1,000 | 6.0 | 6,000 | 200 | 10.0 | 2,000 | 12,000 | 200 |
| Posey | 15,000 | 6.0 | 90,000 | 600 | 7.0 | 4,000 | 61,000 | 600 |
| Spencer | 13,000 | 8.0 | 104,000 | 1,000 | 9.0 | 9,000 | 29,000 | 900 |
| Sullivan | 7,000 | 8.0 | 56,000 | 600 | 8.0 | 5,000 | 28,000 | 500 |
| Vanderburgh | 15,000 | 8.0 | 120,000 | 200 | 10.0 | 2,000 | 24,000 | 100 |
| Warrick | 12,000 | 9.0 | 108,000 | 200 | 10.0 | 2,000 | 25,000 | 300 |
| S. W. District | 175,000 | 8.5 | 1,494,000 | 7,100 | 10.1 | 72,000 | 382,000 | 6,600 |
| Brown | ..... | ..... | ..... | ..... | ..... | ..... | 1,000 | ..... |
| Crawford | 2,000 | 7.0 | 14,000 | 300 | 15.0 | 4,000 | 4,000 | 300 |
| Floyd | 1,000 | 9.0 | 9,000 | 100 | 13.0 | 1,000 | 4,000 | 100 |
| Harrison | 5,000 | 7.0 | 35,000 | 600 | 7.0 | 4,000 | 19,000 | 700 |
| Jackson | 4,000 | 9.0 | 36,000 | 500 | 9.0 | 4,000 | 23,000 | 500 |
| Lawrence | 3,000 | 12.0 | 36,000 | 400 | 12.0 | 5,000 | 6,000 | 400 |
| Monroe | 1,000 | 8.0 | 8,000 | 300 | 6.0 | 2,000 | 4,000 | 300 |
| Orange | 5,000 | 7.0 | 35,000 | 200 | 10.0 | 2,000 | 7,000 | 200 |
| Perry | 2,000 | 10.0 | 20,000 | 400 | 17.0 | 7,000 | 11,000 | 400 |
| Washington | 4,000 | 11.0 | 44,000 | 600 | 11.0 | 7,000 | 14,000 | 600 |
| S. Central District | 27,000 | 8.8 | 237,000 | 3,400 | 10.6 | 36,000 | 93,000 | 3,500 |
| Clark | 3,000 | 9.0 | 27,000 | 300 | 10.0 | 3,000 | 12,000 | 300 |
| Dearborn | 5,000 | 12.0 | 60,000 | 1,100 | 10.0 | 11,000 | 8,000 | 1,000 |
| Franklin | 17,000 | 12.0 | 204,000 | 1,300 | 12.0 | 16.000 | 19,000 | 1,100 |
| Jefferson | 8,000 | 11.0 | 88,000 | 200 | 10.0 | 2,000 | 14,000 | 200 |
| Jennings | 5,000 | 9.0 | 45,000 | 400 | 6.0 | 2,000 | 9,000 | 500 |
| Ohio | 1,000 | 10.0 | 10,000 | 100 | 11.0 | 1,000 | 2,000 | 100 |
| Ripley | 12,000 | 10.0 | 120,000 | 1,100 | 6.0 | 7,000 | 16,000 | 1,500 |
| Scott | 2,000 | 10.0 | 20,000 | 100 | 8.0 | 1,000 | 4,000 | 100 |
| Switzerland | 2,000 | 12.0 | 24,000 | 200 | 10.0 | 2,000 | 3,000 | 200 |
| S. E. District | 55,000 | 10.9 | 598,000 | 4,800 | 9.4 | 45,000 | 87,000 | 5,000 |
| State Total | 900,000 | 10.5 | 9,450,000 | 86,000 | 11.0 | 946,000 | 1,695,000 | 119,000 |

83.72 76.11

TABLE IV.

*Acreage of Principal Crops Harvested in Indiana for Past Ten Years*

| Year | Corn (Acres) | Winter Wheat (Acres) | Oats (Acres) | Rye (Acres) | Tame Hay (Acres) |
|---|---|---|---|---|---|
| 1919 | 4,882,000 | 2,760,000 | 1,750,000 | 317,000 | 2,100,000 |
| 1920 | 4,834,000 | 2,070,000 | 1,875,000 | 278,000 | 2,205,000 |
| 1921 | 4,718,000 | 2,012,000 | 1,912,000 | 306,000 | 2,360,000 |
| 1922 | 4,765,000 | 1,992,000 | 1,506,000 | 350,000 | 2,700,000 |
| 1923 | 5,003,000 | 2,072,000 | 1,739,000 | 299,000 | 2,094,000 |
| 1924 | 4,450,000 | 1,700,000 | 1,875,000 | 161,000 | 2,372,000 |
| 1925 | 4,672,000 | 1,768,000 | 2,138,000 | 145,000 | 2,005,000 |
| 1926 | 4,672,000 | 1,697,000 | 2,050,000 | 145,000 | 1,941,000 |
| 1927 | 4,205,000 | 1,782,000 | 1,948,000 | 119,000 | 2,027,000 |
| 1928 | 4,583,000 | 900,000 | 2,532,000 | 86,000 | 1,808,000 |
| Average 1919-1928 | 4,678,000 | 1,875,000 | 1,932,000 | 221,000 | 2,161,000 |

TABLE V.

*Yield Per Acre of Principal Crops Harvested in Indiana for Past Ten Years*

| Year | Corn (Bushels) | Winter Wheat (Bushels) | Oats (Bushels) | Rye (Bushels) | Tame Hay (Tons) |
|---|---|---|---|---|---|
| 1919 | 37.0 | 15.0 | 32.0 | 14.0 | 1.22 |
| 1920 | 40.5 | 12.0 | 41.0 | 14.0 | 1.29 |
| 1921 | 36.0 | 12.0 | 24.0 | 13.0 | 1.09 |
| 1922 | 37.0 | 14.5 | 21.0 | 12.0 | 1.37 |
| 1923 | 38.5 | 16.5 | 28.0 | 14.0 | 1.24 |
| 1924 | 25.6 | 17.0 | 37.0 | 13.5 | 1.47 |
| 1925 | 43.5 | 14.5 | 28.0 | 11.4 | 1.01 |
| 1926 | 38.0 | 20.0 | 30.0 | 14.5 | 1.28 |
| 1927 | 31.5 | 15.5 | 25.0 | 13.6 | 1.47 |
| 1928 | 35.2 | 10.5 | 37.0 | 11.0 | 1.37 |
| Average 1919-1928 | 36.3 | 14.8 | 30.3 | 13.1 | 1.28 |

TABLE VI.

*Total Production of Principal Crops Harvested in Indiana for Past Ten Years*

| Year | Corn (Bushels) | Winter Wheat (Bushels) | Oats (Bushels) | Rye (Bushels) | Tame Hay (Tons) |
|---|---|---|---|---|---|
| 1919 | 180,634,000 | 41,400,000 | 56,000,000 | 4,432,000 | 2,562,000 |
| 1920 | 195,777,000 | 24,840,000 | 76,875,000 | 3,892,000 | 2,844,000 |
| 1921 | 169,848,000 | 24,144,000 | 45,888,000 | 3,978,000 | 2,572,000 |
| 1922 | 176,305,000 | 28,884,000 | 31,626,000 | 4,200,000 | 3,699,000 |
| 1923 | 192,616,000 | 34,188,000 | 48,692,000 | 4,186,000 | 2,597,000 |
| 1924 | 113,920,000 | 28,900,000 | 69,375,000 | 2,174,000 | 3,506,000 |
| 1925 | 203,232,000 | 25,636,000 | 59,864,000 | 1,653,000 | 1,982,000 |
| 1926 | 177,536,000 | 33,940,000 | 61,500,000 | 2,102,000 | 2,477,000 |
| 1927 | 132,458,000 | 27,621,000 | 48,700,000 | 1,618,000 | 2,980,000 |
| 1928 | 161,322,000 | 9,450,000 | 93,684,000 | 946,000 | 2,481,000 |
| Average 1919-1928 | 170,365,000 | 27,900,000 | 59,220,000 | 2,918,000 | 2,770,000 |

TABLE VII.

UNITED STATES

*Summary of the Acreage, Production, Farm Price, and Farm Value of Important Crops, 1927 and 1928*

| Crop and Year | Acreage | Production | | | Farm Value, Dec. 1 | |
|---|---|---|---|---|---|---|
| | | Unit | Per Acre | Total | Per Unit | Total |
| Corn: | | | | | | |
| 1927 | 98,393,000 | Bushel | 28.1 | 2,763,093,000 | $0 723 | $1,997,759,000 |
| 1928 | 100,761,000 | Bushel | 28.2 | 2,839,959,000 | 0 751 | 2,132,991,000 |
| Winter Wheat: | | | | | | |
| 1927 | 37,723,000 | Bushel | 14.7 | 552,747,000 | 1.167 | 645,326,000 |
| 1928 | 36,179,000 | Bushel | 16.0 | 578,964,000 | 1.036 | 599,557,000 |
| Durum Wheat, 4 States: | | | | | | |
| 1927 | 5,484,000 | Bushel | 14.4 | 79,100,000 | 1 006 | 79,591,000 |
| 1928 | 6,711,000 | Bushel | 13.8 | 92,770,000 | 0 719 | 66,739,000 |
| Other Spring Wheat, U. S.: | | | | | | |
| 1927 | 15,577,000 | Bushel | 15.8 | 246,527,000 | 1 034 | 254,896,000 |
| 1928 | 14,834,000 | Bushel | 15.6 | 231,015,000 | 0 913 | 210,897,000 |
| All Wheat: | | | | | | |
| 1927 | 58,784,000 | Bushel | 14.9 | 878,374,000 | 1 115 | 979,813,000 |
| 1928 | 57,724,000 | Bushel | 15.6 | 902,749,000 | 0 972 | 877,193,000 |
| Oats: | | | | | | |
| 1927 | 41,941,000 | Bushel | 28.2 | 1,182,594,000 | 0 450 | 531,762,000 |
| 1928 | 41,733,000 | Bushel | 34.7 | 1,449,531,000 | 0 409 | 592,674,000 |
| Barley: | | | | | | |
| 1927 | 9,476,000 | Bushel | 28.1 | 265,882,000 | 0 678 | 180,200,000 |
| 1928 | 12,539,000 | Bushel | 28.5 | 356,868,000 | 0 552 | 197,128,000 |
| Rye: | | | | | | |
| 1927 | 3,648,000 | Bushel | 15.9 | 58,164,000 | 0 853 | 49,609,000 |
| 1928 | 3,444,000 | Bushel | 12.1 | 41,766,000 | 0 864 | 36,067,000 |
| Buckwheat: | | | | | | |
| 1927 | 810,000 | Bushel | 19.5 | 15,755,000 | 0 835 | 13,155,000 |
| 1928 | 750,000 | Bushel | 17.6 | 13,163,000 | 0 876 | 11,525,000 |
| Flaxseed: | | | | | | |
| 1927 | 2,837,000 | Bushel | 9.1 | 25,847,000 | 1 860 | 48,079,000 |
| 1928 | 2,721,000 | Bushel | 7.1 | 19,321,000 | 2 011 | 38,857,000 |
| Rice, 5 States: | | | | | | |
| 1927 | 1,012,000 | Bushel | 44.2 | 44,774,000 | 0 929 | 41,616,000 |
| 1928 | 965,000 | Bushel | 43.4 | 41,881,000 | 0 885 | 37,077,000 |
| Grain Sorghums:[2] | | | | | | |
| 1927 | 6,723,000 | Bushel | 20.4 | 137,358,000 | 0 616 | 84,614,000 |
| 1928 | 6,497,000 | Bushel | 21.9 | 142,533,000 | 0 621 | 88,471,000 |
| Cotton: | | | | | | |
| 1927 | 40,138,000 | Bale | [3]154.5 | 12,955,000 | [3]0 196 | 1,269,885,000 |
| 1928 | 45,326,000 | Bale | [3]151.8 | 14,373,000 | [3]0 180 | 1,291,589,000 |
| Cottonseed: | | | | | | |
| 1927 | ..... | Ton | ..... | 5,759,000 | 36 80 | 211,926,000 |
| 1928 | ..... | Ton | ..... | 6,390,000 | 36 29 | 231,923,000 |
| Hay, tame: | | | | | | |
| 1927 | 60,885,000 | Ton | 1.74 | 106,001,000 | 11 35 | 1,202,953,000 |
| 1928 | 57,775,000 | Ton | 1.61 | 93,031,000 | 12 34 | 1,148,283,000 |
| Hay, wild: | | | | | | |
| 1927 | 14,813,000 | Ton | 1.17 | 17,326,000 | 6 59 | 114,204,000 |
| 1928 | 13,144,000 | Ton | 0.98 | 12,922,000 | 7 36 | 95,076,000 |
| All Hay: | | | | | | |
| 1927 | 75,698,000 | Ton | 1.63 | 123,327,000 | 10 68 | 1,317,157,000 |
| 1928 | 70,919,000 | Ton | 1.49 | 105,953,000 | 11 74 | 1,243,359,000 |
| Cloverseed (red and alsike): | | | | | | |
| 1927 | 1,214,000 | Bushel | 1.42 | 1,727,000 | 15 22 | 26,299,000 |
| 1928 | 713,000 | Bushel | 1.55 | 1,106,000 | 16 31 | 18,038,000 |
| Beans, dry edible:[2] | | | | | | |
| 1927 | 1,571,000 | Bushel | 10.3 | 16,181,000 | 2 88 | 46,612,000 |
| 1928 | 1,577,000 | Bushel | 10.5 | 16,598,000 | 4 17 | 69,294,000 |
| Soy Beans:[4] | | | | | | |
| 1927 | 1,162,000 | Bushel | 13.6 | 15,770,000 | 1 80 | 28,374,000 |
| 1928 | 1,122,000 | Bushel | 14.5 | 16,305,000 | 1 80 | 29,282,000 |
| Peanuts:[4] | | | | | | |
| 1927 | 1,785,000 | Pound | 734.9 | 1,311,793,000 | 0 040 | 52,199,000 |
| 1928 | 1,909,000 | Pound | 644.5 | 1,230,390,000 | 0 046 | 56,082,000 |
| Cowpeas:[4] | | | | | | |
| 1927 | 1,826,000 | Bushel | 10.8 | 19,644,000 | 1 80 | 35,300,000 |
| 1928 | 1,388,000 | Bushel | 9.6 | 13,395,000 | 1 93 | 25,822,000 |

TABLE VII.—Continued

UNITED STATES

*Summary of the Acreage, Production, Farm Price, and Farm Value of Important Crops, 1927 and 1928*

| Crop and Year | Acreage | Production | | | Farm Value, Dec. 1 | |
|---|---|---|---|---|---|---|
| | | Unit | Per Acre | Total | Per Unit | Total |
| Velvet Beans:[4] | | | | | | |
| 1927 | 1,534,000 | Ton | [5]946.6 | 726,000 | ..... | ..... |
| 1928 | 1,541,000 | Ton | [5]915.0 | 705,000 | ..... | ..... |
| Potatoes, white: | | | | | | |
| 1927 | 3,476,000 | Bushel | 115.9 | 402,741,000 | $[5]0 965 | $388,741,000 |
| 1928 | 3,825,000 | Bushel | 121.0 | 462,943,000 | [5]0 540 | 250,043,000 |
| Sweet Potatoes: | | | | | | |
| 1927 | 933,000 | Bushel | 100.9 | 94,112,000 | 0 825 | 77,615,000 |
| 1928 | 810,000 | Bushel | 95.9 | 77,661,000 | 0 936 | 72,680,000 |
| Tobacco: | | | | | | |
| 1927 | 1,584,900 | Pound | 764.7 | 1,211,909,000 | [5]0 212 | 256,882,000 |
| 1928 | 1,912,100 | Pound | 718.3 | 1,373,501,000 | [5]0 185 | 254,322,000 |
| Sugar Cane, except for sirup (La): | | | | | | |
| 1927 | 90,000 | Ton | 13.2 | 1,178,000 | [6]4 15 | 4,890,000 |
| 1928 | 157,000 | Ton | 16.1 | 2,540,000 | [6]3 97 | 10,080,000 |
| Cane Sirup: | | | | | | |
| 1927 | 114,000 | Gallon | 182.8 | 20,839,000 | 0 815 | 16,984,000 |
| 1928 | 113,000 | Gallon | 192.8 | 21,783,000 | 0 762 | 16,596,000 |
| Sugar Beets: | | | | | | |
| 1927 | 721,000 | Ton | 10.8 | 7,753,000 | [5]7 67 | 59,455,000 |
| 1928 | 646,000 | Ton | 10.9 | 7,040,000 | [5]7 18 | 50,525,000 |
| Sorghum Sirup: | | | | | | |
| 1927 | 366,000 | Gallon | 82.7 | 30,268,000 | 0 850 | 25,716,000 |
| 1928 | 348,000 | Gallon | 77.5 | 26,972,000 | 0 915 | 24,683,000 |
| Maple Sugar and Sirup (as sugar): | | | | | | |
| 1927 | [7]14,603,000 | Pound | [8]2.23 | 32,612,000 | 0 279 | 8,596,000 |
| 1928 | [7]14,388,000 | Pound | [8]1.84 | 26,492,000 | 0 263 | 6,492,000 |
| Broomcorn:[2] | | | | | | |
| 1927 | 230,000 | Ton | [5]335.6 | 38,600 | 109 12 | 4,212,000 |
| 1928 | 252,000 | Ton | [5]361.2 | 45,500 | 106 59 | 4,850,000 |
| Hops:[2] | | | | | | |
| 1927 | 24,600 | Pound | 1,246.0 | 30,658,000 | 0 229 | 7,024,000 |
| 1928 | 26,100 | Pound | 1,254.0 | 32,742,000 | 0 193 | 6,328,000 |
| Apples, total: | | | | | | |
| 1927 | ..... | Bushel | ..... | 123,693,000 | 1 386 | 171,394,000 |
| 1928 | ..... | Bushel | ..... | 184,920,000 | 1 001 | 185,126,000 |
| Apples, commercial: | | | | | | |
| 1927 | ..... | Barrel | ..... | 26,017,000 | 3 99 | 103,889,000 |
| 1928 | ..... | Barrel | ..... | 35,308,000 | 2 81 | 99,287,000 |
| Peaches: | | | | | | |
| 1927 | ..... | Bushel | ..... | 45,463,000 | [5]1 181 | 50,494,000 |
| 1928 | ..... | Bushel | ..... | 68,374,000 | [5]0 987 | 63,649,000 |
| Pears: | | | | | | |
| 1927 | ..... | Bushel | ..... | 18,373,000 | [5]1 322 | 24,298,000 |
| 1928 | ..... | Bushel | ..... | 23,783,000 | [5]1 019 | 24,246,000 |
| Grapes: | | | | | | |
| 1927 | ..... | Ton | ..... | 2,605,238 | [5]26 52 | 65,332,000 |
| 1928 | ..... | Ton | ..... | 2,636,076 | [5]19 75 | 49,041,000 |
| Oranges (2 States): | | | | | | |
| 1927 | ..... | Box | ..... | 31,200,000 | [5]4 00 | 124,800,000 |
| 1928 | ..... | Box | ..... | 43,000,000 | 3 03 | 130,500,000 |
| Grapefruit (Fla.): | | | | | | |
| 1927 | ..... | Box | ..... | 7,200,000 | [5]3 10 | 22,320,000 |
| 1928 | ..... | Box | ..... | 8,000,000 | 2 55 | 20,400,000 |
| Lemons (Calif.): | | | | | | |
| 1927 | ..... | Box | ..... | 6,000,000 | [5]3 80 | 22,800,000 |
| 1928 | ..... | Box | ..... | 7,100,000 | 3 20 | 22,720,000 |
| Cranberries:[2] | | | | | | |
| 1927 | 28,490 | Barrel | 17.4 | 496,000 | 12 28 | 6,089,000 |
| 1928 | 28,570 | Barrel | 18.6 | 531,000 | 14 58 | 7,743,000 |
| Commercial Truck Crops[9] | | | | | | |
| Asparagus: | | | | | | |
| 1927 | 90,500 | Crate | 87.0 | 7,877,000 | 1 74 | 13,697,000 |
| 1928 | 94,930 | Crate | 97.0 | 9,235,000 | 1 51 | 13,928,000 |

TABLE VII.—Continued

UNITED STATES

*Summary of the Acreage, Production, Farm Price, and Farm Value of Important Crops, 1927 and 1928*

| Crop and Year | Acreage | Production | | | Farm Value, Dec. 1 | |
|---|---|---|---|---|---|---|
| | | Unit | Per Acre | Total | Per Unit | Total |
| Beans, snap: | | | | | | |
| 1927 | 111,090 | Ton | 1.1 | 126,700 | $118 01 | $14,952,000 |
| 1928 | 135,060 | Ton | 1.1 | 147,200 | 101 49 | 14,940,000 |
| Cabbage: | | | | | | |
| 1927 | 143,790 | Ton | 8.4 | 1,202,800 | 15 97 | 19,211,000 |
| 1928 | 136,850 | Ton | 7.1 | 976,900 | 24 04 | 23,488,000 |
| Cantaloupes: | | | | | | |
| 1927 | 105,780 | Crate | 142.0 | 15,014,000 | 1 49 | 22,424,000 |
| 1928 | 100,400 | Crate | 155.0 | 15,521,000 | 1 31 | 20,261,000 |
| Carrots: | | | | | | |
| 1927 | 25,370 | Bushel | 298.0 | 7,552,000 | 0 56 | 4,243,000 |
| 1928 | 22,620 | Bushel | 283.0 | 6,400,000 | 0 72 | 4,595,000 |
| Cauliflower: | | | | | | |
| 1927 | 17,750 | Crate | 231.0 | 4,096,000 | 1 26 | 5,165,000 |
| 1928 | 20,650 | Crate | 242.0 | 4,987,000 | 1 10 | 5,509,000 |
| Celery: | | | | | | |
| 1927 | 24,550 | Crate | 309.0 | 7,585,000 | 1 65 | 12,505,000 |
| 1928 | 26,400 | Crate | 272.0 | 7,173,000 | 1 95 | 14,005,000 |
| Corn, sweet (canning): | | | | | | |
| 1927 | 215,430 | Ton | 1.9 | 399,000 | 12 05 | 4,806,000 |
| 1928 | 289,180 | Ton | 1.9 | 536,400 | 12 86 | 6,896,000 |
| Cucumbers: | | | | | | |
| 1927 | 93,500 | Bushel | 88.0 | 8,256,000 | 1 14 | 9,422,000 |
| 1928 | 111,740 | Bushel | 76.0 | 8,535,000 | 1 05 | 8,998,000 |
| Eggplant: | | | | | | |
| 1927 | 2,990 | Bushel | 262.0 | 782,000 | 0 91 | 708,000 |
| 1928 | 3,890 | Bushel | 230.0 | 896,000 | 0 87 | 777,000 |
| Lettuce: | | | | | | |
| 1927 | 121,880 | Crate | 159.0 | 19,383,000 | 1 42 | 27,467,000 |
| 1928 | 126,780 | Crate | 147.0 | 18,589,000 | 1 70 | 31,530,000 |
| Onions: | | | | | | |
| 1927 | 76,440 | Bushel | 308.0 | 23,525,000 | 0 80 | 18,751,000 |
| 1928 | 77,480 | Bushel | 246.0 | 19,025,000 | 1 19 | 22,574,000 |
| Peas, green: | | | | | | |
| 1927 | 221,000 | Ton | 1.1 | 239,300 | 78 56 | 18,799,000 |
| 1928 | 267,610 | Ton | 1.0 | 277,000 | 71 65 | 19,848,000 |
| Peppers: | | | | | | |
| 1927 | 14,600 | Bushel | 240.0 | 3,502,000 | 1 01 | 3,529,000 |
| 1928 | 18,510 | Bushel | 239.0 | 4,418,000 | 0 93 | 4,091,000 |
| Potatoes, early:[10] | | | | | | |
| 1927 | 348,230 | Bushel | 129.0 | 44,825,000 | 1 37 | 61,361,000 |
| 1928 | 400,720 | Bushel | 138.0 | 55,368,000 | 0 56 | 31,047,000 |
| Spinach: | | | | | | |
| 1927 | 55,210 | Ton | 2.6 | 141,000 | 56 43 | 7,956,000 |
| 1928 | 63,270 | Ton | 2.2 | 138,200 | 55 38 | 7,653,000 |
| Strawberries: | | | | | | |
| 1927 | 187,290 | Quart | 1,711.0 | 320,499,000 | 0 15 | 47,743,000 |
| 1928 | 202,580 | Quart | 1,604.0 | 324,999,000 | 0 14 | 44,440,000 |
| Tomatoes: | | | | | | |
| 1927 | 397,430 | Ton | 4.1 | 1,641,300 | 26 80 | 44,063,000 |
| 1928 | 401,850 | Ton | 3.5 | 1,405,400 | 29 13 | 40,940,000 |
| Watermelons: | | | | | | |
| 1927 | 182,510 | Number | 316.0 | 57,682,000 | [11]186.00 | 10,741,000 |
| 1928 | 210,450 | Number | 294.0 | 61,773,000 | [11]177.00 | 10,958,000 |
| Total with duplications eliminated: | | | | | | |
| 1927 | 357,186,100 | | | | | 8,538,183,000 |
| 1928 | 360,979,020 | | | | | 8,472,827,000 |

[2] Principal producing States.
[3] Pounds or per pound.
[4] Includes total crop gathered, hogged off, and otherwise utilized except where harvested for hay only.
[5] Price other than Dec. 1. Refer to crop by States.
[6] Seasonal average price.
[7] Trees tapped.
[8] Per tree.
[9] For commercial truck crops the price is the average price for the season paid to growers.
[10] Included in "Potatoes, white."
[11] Per car of 1,000 melons.

The data in the following tables were published originally in Purdue University Agricultural Experiment Station Bulletin No. 320, "Prices of Farm Products in Indiana." According to the plan presented in this bulletin the data will be brought up to date and published annually in "Indiana Crops and Livestock." A copy of the original publication may be obtained from the Experiment Station.

TABLE VIII. INDIANA INDEX NUMBER OF FARM PRICES

Based on Indiana farm prices for 17 products on the fifteenth of each month (1910 to 1914=100)

| Year | Jan. | Feb. | Mar. | April | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. | Yearly Average |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1910 | 107 | 107 | 112 | 110 | 106 | 104 | 102 | 99 | 104 | 100 | 95 | 93 | 103 |
| 1911 | 93 | 89 | 86 | 83 | 81 | 82 | 86 | 92 | 95 | 91 | 90 | 91 | 88 |
| 1912 | 94 | 96 | 97 | 104 | 106 | 104 | 100 | 100 | 102 | 102 | 96 | 95 | 100 |
| 1913 | 95 | 98 | 102 | 107 | 100 | 102 | 104 | 105 | 107 | 106 | 105 | 103 | 103 |
| 1914 | 105 | 107 | 107 | 106 | 105 | 95 | 104 | 111 | 114 | 107 | 101 | 102 | 105 |
| 1915 | 105 | 104 | 103 | 105 | 108 | 105 | 102 | 100 | 102 | 103 | 97 | 95 | 102 |
| 1916 | 100 | 106 | 111 | 113 | 114 | 113 | 115 | 119 | 126 | 124 | 127 | 130 | 116 |
| 1917 | 137 | 147 | 159 | 179 | 186 | 182 | 182 | 186 | 193 | 191 | 183 | 186 | 176 |
| 1918 | 186 | 186 | 192 | 196 | 194 | 189 | 194 | 204 | 210 | 198 | 195 | 200 | 195 |
| 1919 | 198 | 192 | 200 | 213 | 222 | 216 | 227 | 228 | 201 | 185 | 184 | 194 | 205 |
| 1920 | 198 | 198 | 197 | 207 | 207 | 209 | 201 | 192 | 190 | 176 | 158 | 136 | 189 |
| 1921 | 132 | 122 | 126 | 109 | 105 | 100 | 107 | 113 | 104 | 105 | 100 | 101 | 111 |
| 1922 | 100 | 111 | 115 | 115 | 116 | 115 | 114 | 107 | 108 | 113 | 112 | 114 | 112 |
| 1923 | 115 | 113 | 113 | 113 | 111 | 104 | 105 | 106 | 115 | 112 | 108 | 107 | 110 |
| 1924 | 107 | 109 | 106 | 107 | 106 | 106 | 110 | 126 | 124 | 134 | 128 | 130 | 116 |
| 1925 | 143 | 140 | 149 | 143 | 143 | 144 | 148 | 149 | 143 | 138 | 137 | 138 | 143 |
| 1926 | 140 | 143 | 140 | 138 | 141 | 145 | 143 | 134 | 138 | 140 | 137 | 135 | 140 |
| 1927 | 133 | 134 | 130 | 128 | 123 | 121 | 127 | 131 | 136 | 139 | 132 | 129 | 130 |
| 1928 | 127 | 128 | 129 | 134 | 145 | 142 | 146 | 142 | 151 | 139 | 131 | 129 | 137 |

TABLE IX. PURCHASING POWER OF INDIANA FARM PRODUCTS

Based on Indiana farm prices and stated as a per cent of the price of non-agricultural commodities as published by the Bureau of Labor Statistics.

| Year | Jan. | Feb. | Mar. | April | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. | Yearly Average |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1910 | 104 | 103 | 108 | 103 | 100 | 100 | 98 | 98 | 104 | 103 | 97 | 95 | 101 |
| 1911 | 97 | 92 | 87 | 86 | 85 | 88 | 91 | 98 | 99 | 96 | 96 | 97 | 93 |
| 1912 | 99 | 99 | 99 | 104 | 106 | 104 | 99 | 100 | 100 | 99 | 94 | 91 | 99 |
| 1913 | 89 | 92 | 96 | 102 | 96 | 98 | 100 | 101 | 103 | 102 | 102 | 103 | 99 |
| 1914 | 106 | 106 | 106 | 106 | 107 | 98 | 108 | 115 | 117 | 113 | 108 | 107 | 108 |
| 1915 | 110 | 108 | 108 | 110 | 111 | 106 | 102 | 99 | 99 | 98 | 88 | 83 | 101 |
| 1916 | 82 | 84 | 85 | 84 | 84 | 82 | 84 | 88 | 92 | 86 | 82 | 78 | 84 |
| 1917 | 81 | 85 | 91 | 100 | 100 | 98 | 91 | 95 | 102 | 109 | 106 | 107 | 97 |
| 1918 | 105 | 105 | 107 | 107 | 104 | 100 | 101 | 105 | 108 | 102 | 100 | 103 | 104 |
| 1919 | 105 | 105 | 111 | 119 | 121 | 111 | 112 | 108 | 95 | 86 | 84 | 87 | 103 |
| 1920 | 84 | 81 | 80 | 81 | 81 | 84 | 80 | 77 | 77 | 74 | 72 | 65 | 78 |
| 1921 | 67 | 66 | 71 | 64 | 63 | 61 | 68 | 73 | 67 | 66 | 62 | 63 | 66 |
| 1922 | 63 | 71 | 74 | 74 | 71 | 68 | 65 | 59 | 61 | 64 | 64 | 65 | 66 |
| 1923 | 65 | 64 | 63 | 63 | 63 | 61 | 62 | 64 | 69 | 68 | 66 | 66 | 64 |
| 1924 | 65 | 66 | 64 | 65 | 65 | 66 | 69 | 79 | 79 | 85 | 80 | 80 | 72 |
| 1925 | 87 | 84 | 90 | 88 | 89 | 88 | 90 | 91 | 87 | 84 | 83 | 84 | 87 |
| 1926 | 85 | 87 | 86 | 87 | 88 | 91 | 90 | 84 | 86 | 87 | 85 | 86 | 87 |
| 1927 | 85 | 86 | 85 | 85 | 82 | 81 | 84 | 87 | 89 | 92 | 87 | 85 | 86 |
| 1928 | 85 | 85 | 85 | 89 | 95 | 93 | 97 | 95 | 101 | 93 | 88 | 87 | 91 |

TABLE X. PURCHASING POWER OF LIVESTOCK PER HEAD IN INDIANA

Based on January 1 Farm Prices with 1910 to 1914 as 100 Percent

| Year | Purchasing Power January 1 | | | | |
|---|---|---|---|---|---|
| | Horses | Milk Cows | Other Cattle | Sheep | Hogs |
| 1867 | 29 | 41 | 43 | 24 | 24 |
| 1868 | 28 | 41 | 44 | 20 | 22 |
| 1869 | 33 | 43 | 52 | 18 | 38 |
| 1870 | 41 | 58 | 66 | 23 | 54 |
| 1871 | 45 | 63 | 70 | 28 | 48 |
| 1872 | 41 | 55 | 59 | 39 | 39 |
| 1873 | 41 | 49 | 63 | 43 | 28 |
| 1874 | 42 | 50 | 57 | 42 | 36 |
| 1875 | 42 | 46 | 56 | 39 | 47 |
| 1876 | 43 | 50 | 59 | 45 | 68 |
| 1877 | 43 | 55 | 60 | 44 | 65 |
| 1878 | 46 | 63 | 70 | 48 | 59 |
| 1879 | 47 | 61 | 73 | 52 | 37 |
| 1880 | 47 | 58 | 70 | 50 | 52 |
| 1881 | 48 | 58 | 73 | 60 | 59 |
| 1882 | 48 | 61 | 87 | 60 | 74 |
| 1883 | 64 | 73 | 98 | 62 | 85 |
| 1884 | 72 | 87 | 109 | 66 | 73 |
| 1885 | 76 | 89 | 122 | 60 | 72 |
| 1886 | 77 | 81 | 112 | 53 | 60 |
| 1887 | 78 | 73 | 105 | 62 | 69 |
| 1888 | 80 | 73 | 96 | 63 | 75 |
| 1889 | 81 | 67 | 92 | 69 | 87 |
| 1890 | 79 | 57 | 82 | 77 | 69 |
| 1891 | 79 | 58 | 79 | 91 | 62 |
| 1892 | 79 | 67 | 90 | 100 | 68 |
| 1893 | 74 | 69 | 92 | 101 | 103 |
| 1894 | 60 | 76 | 104 | 71 | 101 |
| 1895 | 46 | 77 | 101 | 55 | 90 |
| 1896 | 42 | 80 | 109 | 70 | 74 |
| 1897 | 39 | 77 | 112 | 83 | 79 |
| 1898 | 42 | 91 | 128 | 104 | 77 |
| 1899 | 43 | 89 | 136 | 107 | 68 |
| 1900 | 51 | 90 | 142 | 100 | 75 |
| 1901 | 65 | 86 | 101 | 97 | 91 |
| 1902 | 68 | 77 | 91 | 80 | 95 |
| 1903 | 70 | 81 | 93 | 81 | 99 |
| 1904 | 76 | 77 | 87 | 82 | 74 |
| 1905 | 83 | 74 | 80 | 90 | 70 |
| 1906 | 86 | 76 | 81 | 111 | 75 |
| 1907 | 95 | 76 | 79 | 116 | 88 |
| 1908 | 95 | 79 | 82 | 115 | 72 |
| 1909 | 90 | 79 | 78 | 95 | 65 |
| 1910 | 99 | 88 | 86 | 105 | 103 |
| 1911 | 112 | 104 | 98 | 112 | 104 |
| 1912 | 97 | 90 | 87 | 87 | 81 |
| 1913 | 95 | 99 | 106 | 94 | 102 |
| 1914 | 97 | 119 | 122 | 102 | 109 |
| 1915 | 92 | 118 | 123 | 109 | 106 |
| 1916 | 67 | 93 | 103 | 99 | 70 |
| 1917 | 50 | 72 | 78 | 95 | 68 |
| 1918 | 44 | 78 | 82 | 135 | 108 |
| 1919 | 41 | 89 | 90 | 138 | 118 |
| 1920 | 38 | 85 | 79 | 107 | 88 |
| 1921 | 53 | 96 | 90 | 92 | 92 |
| 1922 | 45 | 77 | 65 | 71 | 77 |
| 1923 | 40 | 75 | 72 | 106 | 80 |
| 1924 | 37 | 80 | 75 | 115 | 68 |
| 1925 | 35 | 78 | 69 | 136 | 78 |
| 1926 | 42 | 89 | 84 | 157 | 108 |
| 1927 | 44 | 94 | 91 | 142 | 120 |
| 1928 | 45 | 114 | 105 | 152 | 88 |
| 1929 | 45 | 125 | 112 | 155 | 85 |

TABLE XI. THE CORN-HOG RATIO FOR INDIANA (A)

Number of Bushels of Corn equal in Value to 100 Pounds of Live Hog at Indiana Farm Prices

| Year | Jan. | Feb. | Mar. | April | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1910 | 15.2 | 14.1 | 16.7 | 17.6 | 16.7 | 15.9 | 14.8 | 13.5 | 15.5 | 16.5 | 17.0 | 17.8 |
| 1911 | 19.0 | 17.8 | 16.8 | 14.5 | 12.2 | 11.2 | 11.1 | 12.0 | 11.5 | 10.3 | 10.4 | 10.6 |
| 1912 | 10.5 | 9.8 | 9.5 | 10.1 | 9.5 | 8.8 | 9.2 | 10.4 | 11.4 | 13.8 | 15.0 | 15.9 |
| 1913 | 15.6 | 16.7 | 17.9 | 17.4 | 15.2 | 14.5 | 14.2 | 12.9 | 12.0 | 11.8 | 12.3 | 12.2 |
| 1914 | 13.0 | 13.7 | 13.6 | 13.6 | 12.1 | 11.2 | 11.7 | 11.7 | 11.3 | 11.1 | 11.0 | 10.8 |
| 1915 | 10.2 | 9.1 | 9.4 | 9.6 | 9.9 | 9.9 | 9.7 | 9.5 | 10.3 | 12.2 | 11.6 | 11.1 |
| 1916 | 10.6 | 12.0 | 14.2 | 13.4 | 13.3 | 12.6 | 12.4 | 12.3 | 12.7 | 11.7 | 11.4 | 11.0 |
| 1917 | 11.2 | 12.3 | 13.4 | 11.7 | 9.9 | 9.3 | 8.1 | 8.8 | 10.1 | 10.6 | 11.9 | 12.8 |
| 1918 | 12.4 | 12.0 | 12.5 | 12.4 | 12.1 | 11.3 | 11.5 | 12.4 | 12.9 | 12.9 | 13.7 | 12.9 |
| 1919 | 12.8 | 13.2 | 13.1 | 12.6 | 12.0 | 11.1 | 11.3 | 11.0 | 9.7 | 10.1 | 10.9 | 9.6 |
| 1920 | 9.8 | 9.9 | 9.6 | 9.2 | 7.8 | 7.5 | 8.9 | 9.8 | 11.8 | 15.6 | 17.6 | 14.7 |
| 1921 | 15.6 | 16.2 | 18.5 | 15.4 | 15.3 | 14.2 | 16.6 | 17.6 | 15.9 | 18.1 | 16.9 | 17.4 |
| 1922 | 18.5 | 19.6 | 19.6 | 18.1 | 18.1 | 17.7 | 17.4 | 15.3 | 15.0 | 15.7 | 14.2 | 12.8 |
| 1923 | 12.1 | 11.6 | 11.0 | 10.3 | 9.2 | 8.0 | 8.4 | 8.8 | 10.4 | 9.9 | 10.0 | 10.0 |
| 1924 | 10.6 | 10.3 | 9.9 | 10.1 | 10.3 | 9.4 | 7.3 | 9.0 | 8.6 | 9.6 | 9.4 | 8.2 |
| 1925 | 9.0 | 9.0 | 11.6 | 12.6 | 11.4 | 10.7 | 12.9 | 13.0 | 13.0 | 15.5 | 19.0 | 20.2 |
| 1926 | 19.8 | 21.7 | 22.1 | 22.2 | 22.9 | 23.8 | 22.5 | 17.8 | 20.0 | 19.2 | 21.4 | 22.2 |
| 1927 | 22.7 | 21.3 | 21.5 | 20.2 | 15.7 | 10.0 | 10.1 | 10.3 | 11.2 | 12.5 | 12.8 | 11.7 |
| 1928 | 11.1 | 10.3 | 9.0 | 8.5 | 9.0 | 9.0 | 10.1 | 11.1 | 12.8 | 12.8 | 13.0 | 10.9 |

TABLE XII. RATIO OF POULTRY FEED TO THE PRICE OF POULTRY AND EGGS

Number of bushels of grain (three parts corn and one part wheat) that ten dozen eggs and 6.5 pounds of poultry would exhange for each month at Indiana farm prices. The ratio has been corrected for seasonal variation.

| Year | Jan. | Feb. | Mar. | April | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 1910 | 3.9 | 4.0 | 4.3 | 4.8 | 4.9 | 5.3 | 4.5 | 4.6 | 4.7 | 5.1 | 4.7 | 4.9 |
| 1911 | 4.4 | 3.8 | 4.4 | 4.9 | 4.7 | 4.5 | 4.1 | 4.1 | 4.3 | 4.0 | 3.8 | 3.8 |
| 1912 | 4.1 | 4.3 | 4.4 | 3.9 | 3.5 | 3.7 | 3.5 | 3.9 | 4.0 | 4.5 | 4.5 | 4.3 |
| 1913 | 4.0 | 4.0 | 4.6 | 4.5 | 4.7 | 5.1 | 4.3 | 4.4 | 4.7 | 4.5 | 4.2 | 4.1 |
| 1914 | 3.9 | 4.2 | 5.2 | 4.6 | 4.3 | 4.4 | 4.1 | 4.0 | 4.1 | 3.8 | 3.7 | 3.7 |
| 1915 | 3.8 | 3.0 | 2.9 | 3.4 | 3.3 | 3.5 | 3.5 | 3.5 | 4.0 | 4.4 | 4.2 | 3.8 |
| 1916 | 3.6 | 3.3 | 3.8 | 4.3 | 4.4 | 4.8 | 4.2 | 4.1 | 4.1 | 4.1 | 3.2 | 3.1 |
| 1917 | 3.4 | 3.5 | 3.1 | 3.2 | 3.0 | 2.9 | 2.5 | 2.6 | 3.1 | 2.8 | 2.5 | 2.7 |
| 1918 | 3.2 | 3.3 | 3.1 | 3.4 | 3.5 | 3.5 | 3.6 | 3.7 | 3.8 | 3.8 | 3.5 | 3.4 |
| 1919 | 3.4 | 2.7 | 3.4 | 3.9 | 4.1 | 3.6 | 3.4 | 3.5 | 3.7 | 4.4 | 3.8 | 3.9 |
| 1920 | 3.6 | 3.3 | 3.6 | 3.7 | 3.6 | 3.5 | 3.5 | 4.4 | 4.8 | 5.8 | 6.4 | 6.6 |
| 1921 | 5.9 | 4.3 | 5.9 | 6.1 | 5.4 | 5.6 | 6.5 | 7.4 | 7.4 | 8.7 | 9.2 | 7.8 |
| 1922 | 5.4 | 5.9 | 4.7 | 5.9 | 5.7 | 6.0 | 5.5 | 5.2 | 6.7 | 6.9 | 6.3 | 5.4 |
| 1923 | 4.7 | 4.2 | 4.8 | 4.9 | 4.7 | 4.5 | 4.5 | 4.9 | 5.5 | 5.8 | 6.0 | 5.3 |
| 1924 | 4.8 | 5.5 | 4.4 | 5.1 | 5.2 | 5.7 | 4.3 | 4.3 | 4.6 | 4.4 | 4.2 | 3.7 |
| 1925 | 3.6 | 3.0 | 3.1 | 4.1 | 4.1 | 4.1 | 4.3 | 4.5 | 4.5 | 5.4 | 5.7 | 5.2 |
| 1926 | 4.2 | 4.1 | 4.6 | 6.1 | 6.5 | 7.0 | 6.1 | 5.5 | 6.4 | 6.1 | 6.0 | 6.2 |
| 1927 | 5.4 | 4.9 | 4.7 | 6.0 | 5.2 | 3.9 | 4.2 | 4.0 | 4.4 | 4.5 | 4.6 | 4.5 |
| 1928 | 4.8 | 4.6 | 4.2 | 4.1 | 4.0 | 4.2 | 4.4 | 4.7 | 4.8 | 4.8 | 4.6 | 4.6 |

# INDIANA
# CROPS AND LIVESTOCK

UNITED STATES
DEPARTMENT OF AGRICULTURE

DIVISION OF
CROP AND LIVESTOCK ESTIMATES

CO-OPERATING WITH

PURDUE UNIVERSITY
AGRICULTURAL EXPERIMENT STATION

# ANNUAL
# LIVESTOCK SUMMARY

1928

DEPARTMENT OF AGRICULTURAL STATISTICS,
WEST LAFAYETTE, INDIANA

No. 29 FEBRUARY, 1928

# LIVESTOCK SUMMARY, INDIANA, JANUARY 1, 1928

The inventorial estimates of livestock on farms January 1, 1928 show decreases in numbers of horses, sheep, and beef cattle, no change in numbers of mules, and increases in numbers of milk cows, milk heifers, all cattle, and swine.

Horses have declined in number for many years, the present estimated number being 73 per cent of the 1920 number and 97 per cent of 1927. Horse prices increased an average of $2.00 per head during the past year, but their total valuation decreased about 1 per cent. The low point in both total valuation and value per head since 1920 was reached in 1925.

Mules show no change in numbers, and have shown little variation for the past nine years. In total value they increased very slightly during the past year.

Milk cows increased 2 per cent during the year and numbers are now 5 per cent above the nine year average. The abundance of roughage produced last year and the relatively favorable prices of dairy products as compared to feed prices no doubt largely explains the reasons for the increase. There was an increase of $14.00 per head in price during the year and their total valuation increased 24 per cent, being only slightly less than the 1920 valuation.

Heifers, 1 to 2 years old being kept for milk cows increased 16 per cent during the year and are now 9 per cent above the nine year average number.

The total number of cattle of all classes increased slightly during the past year and is now estimated as being the largest since 1924, although the figure is only 87 per cent of the 1920 total and slightly less than the 9 year average. The increase is due to the increases in numbers of milk cows and heifers being kept for milk cows. The number of beef cattle on feed for market on January 1st was only 83 percent of the previous January. The decrease in numbers of cattle on feed was due principally to the short corn crop and the high prices of feeder cattle.

The average value per head of all cattle increased $10.40 during the year. This increase combined with the increase in numbers make an increase of $15,329,000 in total valuation during the year to the highest valuation since 1920.

Sheep decreased in numbers for the first time since 1922. The decrease of 26,000 head or 4 per cent is due to the decrease in number of lambs on feed, which in turn was due to the short corn crop of 1927 and the general unprofitable results of lamb feeding during the previous winter. The average valuation per head increased $0.90 during the year and although the numbers decreased the total valuation increased 5 per cent.

The increase in hogs was due primarily to the favorable feeding ratio during the previous winter and last spring and to the working out of the rather regular hog cycle. The June Pig Survey indicated that the number of pigs saved last spring was 8.1 per cent larger than the previous spring and the December survey indicated 11.7 per cent more fall pigs saved last fall than were saved the previous fall. No serious cholera losses were experienced last year in contrast to the serious losses of the previous fall. The average value per head of all swine declined during the year from $17.00 to $12.50, and although the estimated number January 1, 1928 is larger by 9 per cent than the previous January, the total valuation was 20 per cent or practically $10,000,000 less. This decline in valuation of swine is almost double, 182 per cent, the valuation of Indiana's potato crop last year. The decrease in valuation is attributed to the increased production in Europe as well as in the United States, resulting in less European demand for our pork and pork products.

The total inventorial valuations of all livestock other than poultry has increased for the past three years and is now $5,198,000 or 3 per cent above last year and 2 per cent above the nine year average. The increased valuation of the livestock inventories is almost equal to the value of Indiana's 1927 potato crop.

The supplies of hay and feeding grain in Indiana for the seasons following the crops of 1926 and 1927 respectively were: All Hay 2,741,000 tons, 3,476,000 tons; Corn 197,859,000 bushels, 145,063,000 bushels; Oats, 65,690,000 bushels, 52,082,000 bushels; Barley, 590,000 bushels, 679,000 bushels.

### Pig Survey, June 1, 1927

The June 1, 1927 pig survey conducted by the U. S. Department of Agriculture in co-operation with the Post Office Department showed that in Indiana 8.1 per cent more spring pigs were saved than were saved the previous spring. This resulted from an increase of 6.8 per cent in the number of sows farrowing and an increase in the average number of pigs per litter saved from 5.9 pigs in the spring of 1926, to 6.0 pigs in 1927.

All regions and nearly all states showed increases, but the greatest increases were in the Southern States. The 11 Corn Belt states showed increases of about 2 per cent in both sows farrowed and pigs saved, while for the United States the increases were 3.0 per cent and 3.5 per cent respectively.

### Pig Survey, December 1, 1927

The December 1, 1927 pig survey showed that in Indiana 2.3 per cent more sows farrowed last fall, than farrowed in the fall of 1926. The average number of pigs saved per litter last fall was 6.1 compared with 5.6 pigs the previous fall. The increases in both the number of sows farrowed and number of pigs saved per litter resulted in a fall pig crop 11.7 per cent larger than the fall pig crop of 1926. The increases for both the Corn Belt and the United States were 11 per cent.

The number of sows bred or to be bred for farrowing next spring as reported is 0.2 per cent less for Indiana, 1.0 per cent larger for the Corn Belt and 6.0 per cent larger for the United States than the number actually farrowed last spring. When allowance is made for the average decline between breeding intentions reported in December and actual farrowing, reported the following June, the above figures indicate that the numbers of sows that will farrow next spring will be from 6 per cent to 8 per cent less for the Corn Belt States and 3 per cent to 5 per cent less for the United States than the number that farrowed last spring.

The distribution of the Corn Crop in the Corn Belt States is reflected in the hog situation as sown by the December pig survey figures. The increase in sows farrowed this fall for the group of states east of the Mississippi, where the corn crop is short, was only 2 per cent, whereas in the states west of the river it was 15 per cent. Most of the states east of the Missouri River report actual decreases in the number of sows bred for farrowing next spring, while all of the states west of this river, where the corn crop was unusually large, show increases.

TABLE 1

*Average Number of Hens and Pullets, and Egg Production on Beporters' Farms. Flocks in Excess of 400 Hens and Pullets Excluded—Indiana.*

(Data for 1st of Month)*

| Month | Number of Hens and Pullets of Laying Age | | | Egg Production Per Farm | | | Percentage of Hens and Pullets Laying | | |
|---|---|---|---|---|---|---|---|---|---|
| | 1925 | 1926 | 1927 | 1925 | 1926 | 1927 | 1925 | 1926 | 1927 |
| January | 119.2 | 111.0 | 120.7 | 11.3 | 15.9 | 20.7 | 9.5 | 14.4 | 17.1 |
| February | 111.7 | 114.3 | 122.7 | 21.8 | 24.0 | 23.2 | 19.4 | 21.0 | 18.8 |
| March | 115.2 | 115.7 | 116.0 | 45.2 | 44.5 | 50.8 | 39.2 | 38.5 | 43.8 |
| April | 111.8 | 108.3 | 118.0 | 64.3 | 64.3 | 71.5 | 57.5 | 59.4 | 60.6 |
| May | 101.4 | 101.3 | 111.2 | 58.0 | 58.6 | 64.9 | 57.3 | 59.7 | 58.3 |
| June | 102.1 | 100.7 | 106.5 | 49.3 | 53.3 | 54.4 | 48.3 | 53.1 | 51.1 |
| July | 95.5 | 94.2 | 98.0 | 40.5 | 41.8 | 41.7 | 42.4 | 44.4 | 42.5 |
| August | 89.8 | 88.9 | 97.2 | 35.1 | 36.0 | 38.6 | 39.1 | 40.5 | 39.5 |
| September | 87.6 | 89.5 | 89.7 | 31.6 | 31.6 | 29.2 | 36.1 | 35.3 | 32.6 |
| October | 92.6 | 90.4 | 96.3 | 26.4 | 26.3 | 21.0 | 28.4 | 29.1 | 21.8 |
| November | 100.6 | 98.3 | 103.7 | 13.4 | 13.4 | 14.8 | 13.4 | 13.6 | 14.2 |
| December | 107.7 | 110.2 | 108.2 | 10.3 | 10.2 | 12.7 | 10.2 | 9.8 | 11.6 |

TABLE 2

*Milk Production on Reporters' Farms, 1925, 1926, 1927—Indiana.*

(Data for 1st of Month)*

| Month | Daily Production Per Cow Milked. Pounds | | | Daily Production Per Farm. Pounds | | | Percent of all Cows in Milk | | |
|---|---|---|---|---|---|---|---|---|---|
| | 1925 | 1926 | 1927 | 1925 | 1926 | 1927 | 1925 | 1926 | 1927 |
| January | 15.4 | 17.5 | 17.2 | 61.8 | 76.3 | 69.4 | 71.0 | 70.8 | 67.7 |
| February | 18.4 | 18.4 | 18.2 | 74.1 | 73.4 | 74.8 | 69.8 | 67.8 | 68.8 |
| March | 18.3 | 19.2 | 18.8 | 73.6 | 78.5 | 76.1 | 65.3 | 69.3 | 70.0 |
| April | 19.2 | 20.1 | 20.6 | 82.6 | 84.0 | 86.6 | 67.6 | 71.3 | 73.5 |
| May | 21.5 | 21.0 | 22.1 | 91.9 | 84.6 | 91.0 | 71.0 | 75.0 | 73.9 |
| June | 22.7 | 24.5 | 24.6 | 104.5 | 115.5 | 111.5 | 73.5 | 77.0 | 74.8 |
| July | 20.9 | 23.2 | 24.1 | 94.2 | 106.8 | 112.0 | 75.9 | 76.0 | 78.0 |
| August | 21.1 | 21.1 | 21.3 | 94.0 | 98.6 | 100.3 | 73.4 | 75.7 | 77.0 |
| September | 20.0 | 20.5 | 19.8 | 78.4 | 90.7 | 91.0 | 71.6 | 75.0 | 76.0 |
| October | 19.3 | 18.3 | 19.1 | 82.9 | 78.1 | 82.1 | 72.5 | 72.7 | 76.0 |
| November | 18.8 | 16.0 | 17.8 | 79.5 | 62.2 | 73.6 | 71.9 | 73.0 | 72.1 |
| December | 17.4 | 17.6 | 17.6 | 70.2 | 70.8 | 71.6 | 71.3 | 71.4 | 70.4 |

*Current data will be published monthly in "Indiana Crops and Livestock."

TABLE 3

*Average Farm Price of Indiana Livestock 15th of Month, Weighted by Percentage of Livestock Marketed, 1927.*

| Month | Percentage of Livestock Marketed | | | | | Average Farm Price 15th of Month | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | Cattle | Veal Calves | Hogs | Lambs | Sheep | Cattle | Veal Calves | Hogs | Lambs | Sheep |
| January | 8 | 8 | 6 | 7 | 7 | $7 20 | $11 80 | $11 60 | $10 60 | $5 10 |
| February | 9 | 8 | 8 | 9 | 9 | 7 30 | 12 50 | 11 70 | 11 00 | 5 50 |
| March | 9 | 9 | 5 | 3 | 3 | 7 60 | 11 90 | 11 40 | 12 30 | 6 20 |
| April | 9 | 10 | 6 | 3 | 3 | 8 00 | 11 70 | 10 90 | 12 50 | 6 20 |
| May | 8 | 12 | 8 | 3 | 3 | 7 90 | 10 20 | 9 60 | 12 90 | 6 20 |
| June | 8 | 10 | 11 | 10 | 10 | 8 10 | 10 20 | 8 40 | 13 00 | 6 00 |
| July | 8 | 8 | 9 | 10 | 10 | 8 30 | 10 90 | 8 90 | 12 30 | 5 50 |
| August | 9 | 8 | 9 | 15 | 15 | 8 50 | 11 80 | 9 90 | 11 60 | 5 40 |
| September | 8 | 7 | 7 | 13 | 13 | 8 70 | 12 50 | 10 50 | 11 30 | 5 70 |
| October | 8 | 6 | 8 | 11 | 11 | 8 50 | 13 30 | 10 90 | 11 50 | 5 40 |
| November | 8 | 7 | 10 | 9 | 9 | 9 00 | 12 30 | 9 20 | 11 80 | 5 70 |
| December | 8 | 7 | 13 | 8 | 8 | 9 10 | 12 60 | 8 30 | 11 90 | 5 30 |
| Weighted Annual Price | ..... | ..... | ..... | ..... | ..... | 8.15 | 11.65 | 9.85 | 11.90 | 5.65 |

TABLE 4

*Estimated Production of Creamery Butter in Indiana and United States by Months. 1926 and 1927.*

| Month | 1926 | | 1927 | | | | | |
|---|---|---|---|---|---|---|---|---|
| | | | Indiana | | | United States | | |
| | Indiana 1,000 Lbs. | United States 1,000 lbs. | 1,000 Lbs. | Percent Change from last Month | Percent Change from last Year | 1,000 Lbs. | Percent Change from last Month | Percent Change from last Year |
| January | 3,759 | 94,436 | 3,141 | − 8.99 | −16.45 | 94,346 | + 7.04 | − 0.09 |
| February | 3,387 | 90,839 | 3,050 | − 2.89 | − 9.94 | 93,142 | − 1.28 | + 2.53 |
| March | 3,788 | 108,410 | 3,423 | +12.22 | − 9.63 | 109,258 | +17.30 | + 0.78 |
| April | 3,742 | 115,060 | 4,067 | +18.80 | + 8.68 | 120,770 | +10.53 | + 4.96 |
| May | 6,047 | 155,687 | 6,445 | +58.48 | + 6.59 | 165,313 | +36.88 | + 6.18 |
| June | 7,447 | 178,276 | 7,179 | +11.38 | − 3.60 | 184,035 | +11.32 | + 3.23 |
| July | 6,348 | 159,554 | 6,232 | −13.19 | − 1.82 | 163,903 | −10.94 | + 2.72 |
| August | 5,403 | 133,294 | 5,681 | − 8.85 | + 5.14 | 143,464 | −12.48 | + 7.62 |
| September | 5,129 | 116,732 | 4,806 | −15.41 | − 6.32 | 113,555 | −20.85 | − 2.73 |
| October | 4,463 | 103,067 | 4,304 | −10.43 | − 3.57 | 104,664 | − 7.83 | + 1.54 |
| November | 3,808 | 88,480 | 3,765 | −12.55 | − 1.15 | 86,238 | −17.61 | − 2.54 |
| December | 3,629 | 90,853 | 3,411 | − 9.40 | − 6.01 | 88,164 | + 2.23 | − 2.96 |
| Total | 56,950 | 1,434,688 | 55,504 | ..... | − 2.54 | 1,466,852 | ..... | + 2.24 |

TABLE 5

*Receipts from Indiana, at Principal Stockyards**

| Month | Hogs | | | | | | |
|---|---|---|---|---|---|---|---|
| | 1920 | 1921 | 1922 | 1923 | 1924 | 1925 | 1926 |
| January | 436,814 | 469,489 | 246,781 | 331,805 | 480,515 | 427,659 | 259,716 |
| February | 227,017 | 274,514 | 195,265 | 265,478 | 316,820 | 256,099 | 186,680 |
| March | 208,046 | 201,803 | 223,725 | 289,795 | 245,895 | 178,989 | 167,680 |
| April | 183,047 | 303,607 | 257,096 | 308,663 | 298,648 | 219,608 | 182,951 |
| May | 294,076 | 322,111 | 280,670 | 358,643 | 288,605 | 206,422 | 172,677 |
| June | 312,542 | 381,373 | 303,779 | 337,068 | 340,076 | 235,217 | 225,843 |
| July | 256,802 | 282,545 | 249,698 | 331,046 | 319,568 | 209,484 | 235,168 |
| August | 252,198 | 283,137 | 294,078 | 295,344 | 263,074 | 219,397 | 215,083 |
| September | 231,457 | 337,263 | 298,088 | 281,952 | 278,432 | 209,048 | 262,391 |
| October | 248,513 | 355,315 | 383,230 | 391,019 | 292,496 | 297,785 | 278,060 |
| November | 354,093 | 342,806 | 423,193 | 508,956 | 407,298 | 287,075 | 215,480 |
| December | 420,058 | 290,676 | 445,511 | 591,546 | 494,111 | 300,229 | 209,578 |
| Total | 3,424,663 | 3,844,639 | 3,601,114 | 4,291,310 | 4,025,538 | 3,047,010 | 2,610,673 |

| Month | Sheep and Lambs | | | | | | |
|---|---|---|---|---|---|---|---|
| | 1920 | 1921 | 1922 | 1923 | 1924 | 1925 | 1926 |
| January | 22,357 | 47,157 | 36,705 | 31,011 | 41,798 | 34,530 | 57,673 |
| February | 25,707 | 29,959 | 22,429 | 22,410 | 34,455 | 30,173 | 48,493 |
| March | 20,243 | 21,378 | 19,216 | 18,767 | 18,623 | 14,518 | 32,403 |
| April | 14,120 | 10,714 | 11,759 | 16,983 | 12,906 | 13,949 | 18,172 |
| May | 21,776 | 36,663 | 22,196 | 33,045 | 12,177 | 15,641 | 16,653 |
| June | 36,875 | 71,358 | 77,364 | 63,893 | 27,224 | 30,950 | 26,222 |
| July | 43,414 | 53,880 | 67,415 | 50,822 | 38,567 | 46,614 | 38,323 |
| August | 48,991 | 76,235 | 86,104 | 56,785 | 51,031 | 62,300 | 60,320 |
| September | 35,196 | 58,020 | 57,979 | 55,540 | 49,367 | 60,206 | 66,687 |
| October | 20,322 | 48,898 | 49,190 | 42,554 | 65,975 | 53,104 | 57,236 |
| November | 17,450 | 54,383 | 38,478 | 56,933 | 61,680 | 62,805 | 61,302 |
| December | 17,027 | 45,192 | 37,995 | 66,795 | 47,325 | 54,946 | 92,409 |
| Total | 323,478 | 553,837 | 526,830 | 515,538 | 461,128 | 479,736 | 575,893 |

*Receipts at yards not included are a very small part of the total.

TABLE 6

*Total Number of Livestock on Farms in Indiana for the Past Nine Years*

| January 1 | Horses | Mules | Milk Cows* | Milk Heifers† | All Cattle | Sheep | Swine |
|---|---|---|---|---|---|---|---|
| 1920 | 717,000 | 100,000 | 659,000 | 129,000 | 1,546,000 | 644,000 | 3,903,000 |
| 1921 | 650,000 | 101,000 | 653,000 | 114,000 | 1,531,000 | 606,000 | 3,591,000 |
| 1922 | 620,000 | 100,000 | 659,000 | 177,000 | 1,446,000 | 545,000 | 3,304,000 |
| 1923 | 590,000 | 102,000 | 652,000 | 108,000 | 1,410,000 | 563,000 | 4,097,000 |
| 1924 | 570,000 | 102,000 | 659,000 | 88,000 | 1,358,000 | 582,000 | 3,974,000 |
| 1925 | 556,000 | 101,000 | 679,000 | 111,000 | 1,282,000 | 595,000 | 3,100,000 |
| 1926 | 548,000 | 99,000 | 665,000 | 101,000 | 1,282,000 | 647,000 | 2,820,000 |
| 1927 | 540,000 | 101,000 | 679,000 | 112,000 | 1,320,000 | 731,000 | 2,961,000 |
| 1928 | 522,000 | 101,000 | 693,000 | 130,000 | 1,346,000 | 705,000 | 3,227,000 |
| Average | 590,000 | 101,000 | 666,000 | 119,000 | 1,391,000 | 624,000 | 3,441,000 |

*Cows and heifers 2 years old and over, kept for milk.
†Heifers 1 to 2 years old, being kept for milk cows.

TABLE 7

*Total Value of Livestock on Farms in Indiana for Past Nine Years*

| Jan. 1 | Horses | Mules | Milk Cows | All Cattle | Sheep | Swine | Total |
|---|---|---|---|---|---|---|---|
| 1920 | $75,301,000 | $12,315,000 | $57,992,000 | $103,002,000 | $7,599,000 | $74,157,000 | $272,374,000 |
| 1921 | 61,571,000 | 11,052,000 | 42,445,000 | 75,429,000 | 3,400,000 | 46,683,000 | 198,135,000 |
| 1922 | 50,636,000 | 8,831,000 | 34,927,000 | 56,572,000 | 2,834,000 | 37,005,000 | 155,898,000 |
| 1923 | 43,998,000 | 8,274,000 | 34,556,000 | 58,190,000 | 3,378,000 | 48,754,000 | 162,594,000 |
| 1924 | 38,298,000 | 7,606,000 | 36,245,000 | 58,298,000 | 4,889,000 | 38,945,000 | 148,036,000 |
| 1925 | 38,196,000 | 7,694,000 | 38,703,000 | 57,717,000 | 6,297,000 | 36,890,000 | 146,794,000 |
| 1926 | 42,960,000 | 8,554,000 | 41,230,000 | 64,280,000 | 7,500,000 | 44,274,000 | 167,568,000 |
| 1927 | 43,390,000 | 8,651,000 | 43,456,000 | 67,443,000 | 7,414,000 | 50,337,000 | 177,235,000 |
| 1928 | 42,881,000 | 8,662,000 | 54,054,000 | 82,772,000 | 7,780,000 | 40,338,000 | 182,433,000 |
| Average | $48,581,000 | $9,071,000 | $42,623,000 | $69,300,000 | $5,677,000 | $46,376,000 | $179,005,000 |

TABLE 8

*Comparative Value of Livestock Per Head in Indiana on January 1*

| Kind of Stock | 1923 | 1924 | 1925 | 1926 | 1927 | 1928 |
|---|---|---|---|---|---|---|
| Horses, under 1 year old | $34 00 | $30 00 | $32 00 | $38 00 | $39 00 | $41 00 |
| Horses, 1 year and under 2 years old | 51 00 | 45 00 | 47 00 | 55 00 | 58 00 | 61 00 |
| Horses, 2 years old and over | 77 00 | 69 00 | 50 00 | 80 00 | 82 00 | 84 00 |
| Mules, under 1 year old | 40 00 | 34 00 | 35 00 | 41 00 | 41 00 | 42 00 |
| Mules, 1 and under 2 years old | 58 00 | 51 00 | 51 00 | 60 00 | 61 00 | 62 00 |
| Mules, 2 years old and over | 88 00 | 80 00 | 80 00 | 91 00 | 90 00 | 90 00 |
| Cows and heifers, 2 years old and over, kept for milk | 53 00 | 55 00 | 57 00 | 62 00 | 64 00 | 78 00 |
| Other cattle, under 1 year old | 20 00 | 20 00 | 20 00 | 23 50 | 24 50 | 28 00 |
| Other cattle 1 year and under 2 years | 33 00 | 32 00 | 32 00 | 37 00 | 38 00 | 47 00 |
| Other cattle, 2 years old and over | 49 00 | 47 00 | 47 00 | 53 00 | 54 00 | 65 00 |
| Sheep, lambs under 1 year old | 8 20 | 8 20 | 10 40 | 10 70 | 9 40 | 9 80 |
| Sheep, ewes, 1 year old and over | 8 00 | 8 40 | 10 60 | 11 90 | 10 50 | 11 50 |
| Sheep, wethers, 1 year old and over | 7 70 | 7 50 | 9 50 | 11 00 | 9 00 | 9 60 |
| Sheep, rams, 1 year old and over | 8 40 | 9 50 | 12 00 | 12 50 | 11 80 | 12 00 |
| Swine, all ages | 11 90 | 9 80 | 11 90 | 15 70 | 17 00 | 12 50 |

TABLE 9

*Number of Livestock on Farms in the United States for the Past Nine Years*

| Jan. 1 | Horses | Mules | Milk Cows* | Milk Heifers† | All Cattle | Sheep | Swine |
|---|---|---|---|---|---|---|---|
| 1920 | 19,848,000 | 5,475,000 | 21,427,000 | 4,418,000 | 68,871,000 | 40,243,000 | 59,813,000 |
| 1921 | 19,134,000 | 5,586,000 | 21,408,000 | 4,155,000 | 67,184,000 | 38,690,000 | 58,711,000 |
| 1922 | 18,564,000 | 5,638,000 | 21,788,000 | 4,023,000 | 67,264,000 | 36,186,000 | 59,355,000 |
| 1923 | 17,943,000 | 5,702,000 | 22,063,000 | 4,147,000 | 66,156,000 | 36,212,000 | 68,447,000 |
| 1924 | 17,222,000 | 5,730,000 | 22,255,000 | 4,137,000 | 64,507,000 | 36,876,000 | 65,937,000 |
| 1925 | 16,489,000 | 5,725,000 | 22,481,000 | 4,195,000 | 61,996,000 | 38,112,000 | 55,568,000 |
| 1926 | 15,830,000 | 5,739,000 | 22,188,000 | 3,916,000 | 59,122,000 | 39,730,000 | 52,148,000 |
| 1927 | 15,145,000 | 5,679,000 | 21,818,000 | 4,048,000 | 56,872,000 | 41,846,000 | 54,408,000 |
| 1928 | 14,541,000 | 5,566,000 | 21,948,000 | 4,175,000 | 55,696,000 | 44,545,000 | 58,969,000 |
| Average | 17,164,000 | 5,649,000 | 21,931,000 | 4,135,000 | 63,074,000 | 39,138,000 | 59,262,000 |

*Cows and Heifers, 2 years old and over kept for milk.
†Heifers, 1 to 2 years old, being kept for milk cows.

TABLE 10

*Total Value of Livestock on Farms in the United States for Past Nine Years*

| Jan. 1 | Horses | Mules | Milk Cows | All Cattle | Sheep | Swine |
|---|---|---|---|---|---|---|
| 1920 | $1,915,653,000 | $812,828,000 | $1,833,348,000 | $3,834,517,000 | $420,942,000 | $1,141,102,000 |
| 1921 | 1,618,120,000 | 656,455,000 | 1,372,813,000 | 2,773,555,000 | 242,973,000 | 762,217,000 |
| 1922 | 1,312,396,000 | 502,563,000 | 1,110,470,000 | 2,163,022,000 | 173,693,000 | 597,395,000 |
| 1923 | 1,267,624,000 | 497,044,000 | 1,123,876,000 | 2,217,751,000 | 272,676,000 | 792,949,000 |
| 1924 | 1,127,619,000 | 492,209,000 | 1,163,834,000 | 2,196,465,000 | 291,689,000 | 640,767,000 |
| 1925 | 1,059,553,000 | 473,646,000 | 1,139,159,000 | 2,085,224,000 | 369,612,000 | 687,858,000 |
| 1926 | 1,036,843,000 | 467,760,000 | 1,272,328,000 | 2,287,929,000 | 417,630,000 | 793,139,000 |
| 1927 | 971,258,000 | 423,010,000 | 1,362,006,000 | 2,409,077,000 | 406,231,000 | 868,842,000 |
| 1928 | 975,298,000 | 443,097,000 | 1,699,526,000 | 3,014,086,000 | 455,224,000 | 709,217,000 |
| Average | $1,253,818,000 | $529,846,000 | $1,341,707,000 | $2,553,514,000 | $338,963,000 | $777,054,000 |

TABLE 11

*Comparative Value of Livestock Per Head in United States on January 1*

| Kind of Stock | 1923 | 1924 | 1925 | 1926 | 1927 | 1928 |
|---|---|---|---|---|---|---|
| Horses, under 1 year old | $26 51 | $24 68 | $23 80 | $24 82 | $23 69 | $25 02 |
| Horses, 1 year and under 2 years old | 40 48 | 37 36 | 37 09 | 37 75 | 37 29 | 39 29 |
| Horses, 2 years old and over | 74 53 | 68 64 | 66 83 | 68 18 | 66 75 | 69 87 |
| Mules, under 1 year old | 34 35 | 31 83 | 30 65 | 31 30 | 29 31 | 31 10 |
| Mules, 1 year and under 2 years old | 50 94 | 47 06 | 46 63 | 47 88 | 43 88 | 46 52 |
| Mules, 2 years old and over | 92 14 | 90 42 | 86 20 | 84 76 | 77 31 | 82 60 |
| Cows and heifers, 2 years old and over kept for milk | 50 94 | 52 30 | 50 67 | 57 34 | 62 43 | 77 43 |
| Other cattle, under 1 year old | 14 69 | 14 38 | 14 17 | 16 84 | 18 32 | 23 94 |
| Other cattle, 1 year and under 2 years old | 24 13 | 24 10 | 23 39 | 27 04 | 29 49 | 38 89 |
| Other cattle, 2 years old and over | 34 14 | 33 34 | 32 55 | 36 46 | 39 93 | 52 58 |
| Sheep, lambs, under 1 year old | 6 80 | 6 97 | 8 53 | 9 04 | 7 91 | 8 44 |
| Sheep, ewes, 1 year old and over | 7 67 | 8 10 | 10 02 | 11 01 | 10 32 | 10 84 |
| Sheep, wethers, 1 year old and over | 5 90 | 5 98 | 7 13 | 7 32 | 6 59 | 7 39 |
| Sheep, rams, 1 year old and over | 14 30 | 15 55 | 16 91 | 18 45 | 18 73 | 19 57 |
| Swine, all ages | 11 58 | 9 75 | 12 38 | 15 21 | 15 97 | 12 03 |

TABLE 12

*Number of Livestock Assessed in Indiana in 1926, 1927*

| County | Horses | Mules | Milk Cows | Total Cattle | Sheep | Sows | Total Swine | Dozens Poultry |
|---|---|---|---|---|---|---|---|---|
| Benton: | | | | | | | | |
| 1926 | 4,967 | 536 | 3,797 | 8,379 | 2,705 | 3,832 | 14,100 | 6,491 |
| 1927 | 4,988 | 558 | 3,836 | 8,497 | 2,721 | 4,983 | 17,830 | 7,094 |
| Jasper: | | | | | | | | |
| 1926 | 5,769 | 577 | 6,413 | 16,884 | 2,142 | 3,421 | 12,479 | 9,479 |
| 1927 | 5,675 | 578 | 6,462 | 16,391 | 2,770 | 3,883 | 17,866 | 10,268 |
| Lake: | | | | | | | | |
| 1926 | 4,389 | 104 | 7,928 | 13,296 | 770 | 1,568 | 4,546 | 8,472 |
| 1927 | 4,001 | 76 | 7,995 | 12,391 | 714 | 1,592 | 5,495 | 7,897 |
| LaPorte: | | | | | | | | |
| 1926 | 5,673 | 298 | 9,058 | 13,952 | 3,798 | 2,987 | 8,478 | 9,614 |
| 1927 | 5,519 | 283 | 9,023 | 13,988 | 3,655 | 3,493 | 11,055 | 10,101 |
| Newton: | | | | | | | | |
| 1926 | 3,373 | 643 | 2,717 | 8,446 | 1,479 | 3,625 | 10,603 | 5,642 |
| 1927 | 4,011 | 646 | 3,204 | 9,154 | 1,853 | 3,830 | 15,913 | 5,967 |
| Porter: | | | | | | | | |
| 1926 | 3,890 | 162 | 8,243 | 13,239 | 1,985 | 1,971 | 5,802 | 5,766 |
| 1927 | 3,627 | 162 | 7,932 | 12,778 | 2,233 | 1,867 | 6,785 | 6,819 |
| Pulaski: | | | | | | | | |
| 1926 | 4,415 | 296 | 5,375 | 11,957 | 2,909 | 2,387 | 10,846 | 10,376 |
| 1927 | 4,374 | 324 | 5,424 | 12,821 | 2,936 | 2,541 | 15,341 | 10,934 |
| Starke: | | | | | | | | |
| 1926 | 2,602 | 162 | 3,953 | 5,891 | 811 | 868 | 2,768 | 5,719 |
| 1927 | 2,452 | 174 | 3,399 | 6,144 | 696 | 911 | 4,197 | 6,039 |
| White: | | | | | | | | |
| 1926 | 6,249 | 873 | 5,155 | 12,705 | 3,616 | 4,145 | 18,149 | 8,998 |
| 1927 | 6,299 | 878 | 5,570 | 14,671 | 4,343 | 5,398 | 21,948 | 10,471 |
| N. W. District: | | | | | | | | |
| 1926 | 41,327 | 3,651 | 52,639 | 104,749 | 20,215 | 24,804 | 87,771 | 70,557 |
| 1927 | 40,946 | 3,679 | 52,845 | 106,835 | 21,921 | 28,498 | 116,430 | 75,590 |
| Carroll: | | | | | | | | |
| 1926 | 3,980 | 607 | 5,681 | 12,185 | 4,131 | 6,014 | 28,439 | 10,396 |
| 1927 | 4,080 | 720 | 5,646 | 12,600 | 5,227 | 6,760 | 33,423 | 11,568 |
| Cass: | | | | | | | | |
| 1926 | 4,080 | 587 | 6,568 | 12,763 | 5,277 | 4,997 | 21,306 | 10,999 |
| 1927 | 3,536 | 551 | 6,443 | 13,126 | 5,907 | 5,665 | 25,189 | 12,085 |
| Elkhart: | | | | | | | | |
| 1926 | 5,953 | 318 | 10,277 | 16,085 | 9,920 | 2,993 | 13,628 | 15,749 |
| 1927 | 5,297 | 232 | 10,719 | 17,061 | 10,571 | 3,625 | 17,450 | 15,869 |
| Fulton: | | | | | | | | |
| 1926 | 3,273 | 334 | 6,577 | 11,144 | 6,962 | 3,207 | 11,878 | 12,034 |
| 1927 | 3,021 | 336 | 6,284 | 11,467 | 9,035 | 3,112 | 16,585 | 14,277 |
| Kosciusko: | | | | | | | | |
| 1926 | 6,009 | 625 | 9,442 | 16,674 | 13,595 | 5,021 | 24,155 | 22,985 |
| 1927 | 6,312 | 617 | 10,100 | 17,896 | 16,272 | 5,935 | 29,641 | 26,507 |
| Marshall: | | | | | | | | |
| 1926 | 5,214 | 389 | 9,767 | 16,480 | 9,887 | 4,861 | 18,927 | 15,671 |
| 1927 | 5,107 | 400 | 9,933 | 17,241 | 10,666 | 5,433 | 22,283 | 17,564 |
| Miami: | | | | | | | | |
| 1926 | 3,604 | 595 | 6,318 | 11,787 | 4,784 | 5,131 | 20,990 | 10,664 |
| 1927 | 3,722 | 610 | 6,507 | 13,010 | 5,701 | 5,851 | 27,866 | 13,846 |
| St. Joseph: | | | | | | | | |
| 1926 | 4,874 | 160 | 7,571 | 10,541 | 2,690 | 1,571 | 8,591 | 8,992 |
| 1927 | 4,338 | 115 | 8,142 | 11,414 | 3,386 | 1,961 | 9,397 | 9,827 |
| Wabash: | | | | | | | | |
| 1926 | 3,461 | 649 | 6,290 | 12,705 | 5,406 | 4,447 | 23,309 | 12,079 |
| 1927 | 3,641 | 671 | 6,999 | 14,157 | 7,446 | 5,298 | 32,068 | 15,238 |

TABLE 12—Continued

*Number of Livestock Assessed in Indiana in 1926, 1927*

| County | Horses | Mules | Milk Cows | Total Cattle | Sheep | Sows | Total Swine | Dozens Poultry |
|---|---|---|---|---|---|---|---|---|
| N. Cent Dist.: | | | | | | | | |
| 1926 | 39,948 | 4,264 | 68,491 | 120,364 | 62,652 | 38,242 | 171,223 | 119,569 |
| 1927 | 39,054 | 4,252 | 70,773 | 127,972 | 74,211 | 43,640 | 213,902 | 136,781 |
| Adams: | | | | | | | | |
| 1926 | 4,533 | 257 | 8,313 | 13,211 | 7,023 | 3,636 | 20,041 | 15,675 |
| 1927 | 4,547 | 260 | 8,006 | 13,201 | 7,572 | 3,948 | 22,499 | 15,473 |
| Allen: | | | | | | | | |
| 1926 | 7,595 | 352 | 12,350 | 18,428 | 14,012 | 4,633 | 22,323 | 18,545 |
| 1927 | 7,234 | 333 | 11,942 | 18,262 | 15,380 | 5,497 | 29,714 | 20,721 |
| Dekalb: | | | | | | | | |
| 1926 | 4,456 | 119 | 7,265 | 11,056 | 12,307 | 3,466 | 13,881 | 12,632 |
| 1927 | 4,341 | 143 | 7,005 | 10,912 | 13,615 | 4,171 | 18,804 | 13,248 |
| Huntington: | | | | | | | | |
| 1926 | 4,312 | 506 | 7,489 | 14,256 | 6,075 | 5,481 | 26,593 | 14,731 |
| 1927 | 4,376 | 446 | 7,007 | 14,134 | 7,218 | 5,433 | 24,995 | 16,536 |
| Lagrange: | | | | | | | | |
| 1926 | 4,289 | 286 | 6,913 | 11,463 | 22,635 | 3,053 | 17,568 | 12,562 |
| 1927 | 4,373 | 323 | 7,097 | 11,660 | 19,075 | 3,872 | 21,358 | 13,508 |
| Noble: | | | | | | | | |
| 1926 | 4,237 | 404 | 8,207 | 13,593 | 14,841 | 4,640 | 18,599 | 11,622 |
| 1927 | 4,010 | 410 | 7,770 | 13,225 | 14,887 | 4,260 | 24,222 | 12,644 |
| Steuben: | | | | | | | | |
| 1926 | 2,881 | 130 | 5,715 | 8,638 | 18,661 | 3,637 | 14,773 | 10,432 |
| 1927 | 3,111 | 148 | 6,174 | 9,216 | 18,208 | 3,948 | 16,650 | 10,924 |
| Wells: | | | | | | | | |
| 1926 | 3,452 | 325 | 6,425 | 10,575 | 8,617 | 4,128 | 20,926 | 13,727 |
| 1927 | 3,669 | 371 | 6,859 | 12,023 | 10,516 | 4,535 | 29,018 | 17,250 |
| Whitley: | | | | | | | | |
| 1926 | 3,972 | 372 | 6,350 | 10,753 | 7,969 | 3,466 | 15,683 | 11,561 |
| 1927 | 3,885 | 337 | 6,288 | 10,854 | 9,715 | 3,784 | 20,591 | 13,081 |
| N. E. Dist.: | | | | | | | | |
| 1926 | 39,727 | 2,751 | 69,027 | 111,973 | 112,140 | 36,140 | 170,387 | 121,487 |
| 1927 | 39,546 | 2,771 | 68,148 | 113,487 | 116,186 | 39,443 | 213,283 | 133,385 |
| Clay: | | | | | | | | |
| 1926 | 3,131 | 875 | 5,052 | 8,081 | 1,624 | 1,623 | 7,487 | 6,269 |
| 1927 | 3,721 | 930 | 5,211 | 8,202 | 1,956 | 2,026 | 10,051 | 9,723 |
| Fountain: | | | | | | | | |
| 1926 | 3,666 | 681 | 4,318 | 8,138 | 5,045 | 3,325 | 16,820 | 7,348 |
| 1927 | 3,302 | 724 | 3,985 | 7,854 | 4,457 | 2,915 | 17,267 | 7,051 |
| Montgomery: | | | | | | | | |
| 1926 | 5,471 | 865 | 6,683 | 14,881 | 9,762 | 7,862 | 35,631 | 12,861 |
| 1927 | 5,378 | 883 | 6,723 | 14,659 | 11,868 | 8,682 | 38,059 | 13,305 |
| Owen: | | | | | | | | |
| 1926 | 2,274 | 523 | 3,247 | 6,073 | 3,595 | 813 | 4,488 | 7,994 |
| 1927 | 2,395 | 612 | 3,607 | 6,384 | 5,105 | 1,219 | 6,643 | 9,753 |
| Parke: | | | | | | | | |
| 1926 | 3,703 | 768 | 4,435 | 8,087 | 4,640 | 3,354 | 10,047 | ..... |
| 1927 | 3,750 | 785 | 4,932 | 8,592 | 7,743 | 4,208 | 19,722 | 8,217 |
| Putnam: | | | | | | | | |
| 1926 | 4,208 | 811 | 5,791 | 11,604 | 8,181 | 4,928 | 24,200 | 10,008 |
| 1927 | 4,132 | 822 | 6,028 | 10,627 | 7,440 | 5,627 | 34,949 | 12,028 |
| Tippecanoe: | | | | | | | | |
| 1926 | 6,117 | 930 | 6,475 | 13,397 | 5,571 | 5,210 | 20,979 | 10,944 |
| 1927 | 5,295 | 825 | 5,840 | 11,780 | 5,001 | 5,139 | 23,944 | 11,303 |
| Vermillion: | | | | | | | | |
| 1926 | 2,767 | 747 | 3,145 | 6,449 | 2,134 | 2,017 | 7,282 | 5,955 |
| 1927 | 2,424 | 851 | 2,796 | 5,899 | 2,150 | 2,071 | 10,091 | 5,465 |

TABLE 12—Continued

*Number of Livestock Assessed in Indiana in 1926, 1927*

| County | Horses | Mules | Milk Cows | Total Cattle | Sheep | Sows | Total Swine | Dozens Poultry |
|---|---|---|---|---|---|---|---|---|
| Vigo: | | | | | | | | |
| 1926 | 3,450 | 1,285 | 3,797 | 6,763 | 943 | 927 | 4,421 | 7,902 |
| 1927 | 4,265 | 1,547 | 5,671 | 9,370 | 1,846 | 1,876 | 7,943 | 10,748 |
| Warren: | | | | | | | | |
| 1926 | 2,577 | 493 | 2,197 | 4,651 | 2,100 | 1,857 | 8,616 | 3,475 |
| 1927 | 3,534 | 687 | 3,004 | 7,250 | 3,336 | 2,376 | 13,545 | 5,244 |
| W. Cent Dist.: | | | | | | | | |
| 1926 | 37,364 | 7,978 | 45,140 | 88,124 | 43,595 | 31,916 | 139,971 | 72,756 |
| 1927 | 38,196 | 8,666 | 47,797 | 90,617 | 50,902 | 36,139 | 182,214 | 92,837 |
| Bartholomew: | | | | | | | | |
| 1926 | 3,737 | 2,097 | 5,612 | 8,828 | 1,950 | 2,522 | 11,184 | 8,998 |
| 1927 | 3,704 | 2,022 | 5,458 | 9,755 | 2,376 | 2,574 | 14,012 | 9,775 |
| Boone: | | | | | | | | |
| 1926 | 5,845 | 421 | 7,613 | 14,313 | 12,568 | 6,930 | 29,231 | 14,628 |
| 1927 | 5,415 | 408 | 7,237 | 14,167 | 13,522 | 7,624 | 38,508 | 16,464 |
| Clinton: | | | | | | | | |
| 1926 | 5,962 | 397 | 7,303 | 17,245 | 5,100 | 8,461 | 37,461 | 11,244 |
| 1927 | 6,159 | 427 | 7,751 | 16,463 | 5,156 | 9,546 | 44,253 | 12,630 |
| Decatur: | | | | | | | | |
| 1926 | 2,993 | 977 | 5,177 | 11,530 | 3,320 | 4,925 | 23,903 | 8,577 |
| 1927 | 3,912 | 1,122 | 5,313 | 12,908 | 4,313 | 5,323 | 28,311 | 9,564 |
| Grant: | | | | | | | | |
| 1926 | 4,413 | 409 | 7,293 | 14,089 | 9,484 | 7,292 | 34,313 | 17,037 |
| 1927 | 4,011 | 411 | 6,871 | 13,667 | 11,234 | 6,834 | 40,350 | 18,808 |
| Hamilton: | | | | | | | | |
| 1926 | 4,945 | 422 | 8,958 | 16,181 | 6,734 | 6,972 | 27,678 | 15,053 |
| 1927 | 4,743 | 309 | 8,986 | 15,108 | 6,811 | 7,894 | 30,884 | 15,922 |
| Hancock: | | | | | | | | |
| 1926 | 4,791 | 365 | 6,213 | 9,893 | 6,081 | 5,536 | 23,321 | 12,206 |
| 1927 | 5,154 | 364 | 5,945 | 9,880 | 6,379 | 5,703 | 25,619 | 12,857 |
| Hendricks: | | | | | | | | |
| 1926 | 4,255 | 791 | 7,162 | 15,605 | 6,856 | 5,027 | 28,924 | 12,822 |
| 1927 | 4,853 | 856 | 8,123 | 16,584 | 8,434 | 6,015 | 35,267 | 16,221 |
| Howard: | | | | | | | | |
| 1926 | 3,771 | 269 | 6,271 | 11,399 | 4,155 | 5,796 | 27,086 | 11,683 |
| 1927 | 3,299 | 325 | 5,753 | 10,748 | 3,960 | 5,758 | 30,330 | 10,992 |
| Johnson: | | | | | | | | |
| 1926 | 4,707 | 708 | 6,398 | 14,850 | 4,181 | 4,308 | 23,544 | 9,177 |
| 1927 | 4,430 | 681 | 6,120 | 14,494 | 4,857 | 4,180 | 28,540 | 10,795 |
| Madison: | | | | | | | | |
| 1926 | 4,964 | 349 | 7,711 | 14,538 | 4,673 | 6,644 | 28,197 | 13,601 |
| 1927 | 5,100 | 386 | 7,950 | 13,972 | 5,564 | 6,587 | 33,335 | 13,973 |
| Marion: | | | | | | | | |
| 1926 | 2,054 | 335 | 3,454 | 4,936 | 1,227 | 1,233 | 4,862 | 5,132 |
| 1927 | 2,195 | 370 | 3,624 | 4,957 | 1,802 | 1,742 | 6,614 | 5,961 |
| Morgan: | | | | | | | | |
| 1926 | 3,479 | 666 | 4,762 | 8,966 | 4,130 | 3,078 | 13,982 | 11,897 |
| 1927 | 3,279 | 623 | 4,579 | 8,835 | 4,108 | 2,968 | 16,817 | 11,198 |
| Rush: | | | | | | | | |
| 1926 | 5,639 | 493 | 5,049 | 11,183 | 6,550 | 13,558 | 54,900 | 10,920 |
| 1927 | 5,319 | 479 | 5,037 | 11,273 | 7,391 | 14,217 | 63,386 | 11,814 |
| Shelby: | | | | | | | | |
| 1926 | 4,767 | 418 | 6,099 | 9,925 | 3,216 | 3,581 | 17,841 | 9,476 |
| 1927 | 5,509 | 598 | 7,261 | 11,560 | 4,481 | 5,035 | 22,643 | 11,773 |
| Tipton: | | | | | | | | |
| 1926 | 3,481 | 299 | 4,974 | 9,249 | 3,475 | 5,935 | 27,397 | 9,406 |
| 1927 | 3,457 | 239 | 4,743 | 8,872 | 3,502 | 6,363 | 27,161 | 8,685 |

TABLE 12—Continued

*Number of Livestock Assessed in Indiana in 1926, 1927*

| County | Horses | Mules | Milk Cows | Total Cattle | Sheep | Sows | Total Swine | Dozens Poultry |
|---|---|---|---|---|---|---|---|---|
| Cent. Dist.: | | | | | | | | |
| 1926 | 69,803 | 9,416 | 100,049 | 192,730 | 83,700 | 91,798 | 413,824 | 181,854 |
| 1927 | 70,539 | 9,620 | 100,751 | 193,253 | 93,890 | 98,363 | 486,030 | 197,435 |
| Blackford: | | | | | | | | |
| 1926 | 1,717 | 191 | 2,285 | 4,412 | 3,618 | 1,694 | 7,948 | 5,129 |
| 1927 | 1,719 | 126 | 2,683 | 5,319 | 5,404 | 1,800 | 12,856 | 7,271 |
| Delaware: | | | | | | | | |
| 1926 | 4,295 | 460 | 7,184 | 12,431 | 7,887 | 5,232 | 25,619 | 12,303 |
| 1927 | 4,433 | 312 | 8,087 | 14,353 | 9,173 | 6,163 | 32,025 | 16,331 |
| Fayette: | | | | | | | | |
| 1926 | 2,352 | 408 | 3,128 | 6,084 | 3,582 | 5,434 | 22,562 | 5,213 |
| 1927 | 2,205 | 318 | 2,947 | 5,924 | 3,951 | 5,342 | 27,223 | 5,537 |
| Henry: | | | | | | | | |
| 1926 | 4,129 | 361 | 6,470 | 12,582 | 6,097 | 8,343 | 35,146 | 12,671 |
| 1927 | 4,080 | 378 | 6,682 | 13,330 | 7,244 | 7,342 | 38,998 | 12,510 |
| Jay: | | | | | | | | |
| 1926 | 3,993 | 342 | 5,345 | 9,736 | 10,603 | 3,413 | 17,647 | 12,810 |
| 1927 | 3,484 | 307 | 4,560 | 9,492 | 11,530 | 3,512 | 20,659 | 15,386 |
| Randolph: | | | | | | | | |
| 1926 | 5,720 | 377 | 7,436 | 13,457 | 6,752 | 6,871 | 33,025 | 19,489 |
| 1927 | 5,521 | 367 | 7,297 | 14,494 | 8,385 | 5,461 | 34,742 | 22,017 |
| Union: | | | | | | | | |
| 1926 | 1,955 | 364 | 2,806 | 5,076 | 2,814 | 6,172 | 21,025 | 4,152 |
| 1927 | 1,678 | 349 | 2,499 | 5,812 | 3,030 | 4,095 | 23,131 | 4,116 |
| Wayne: | | | | | | | | |
| 1926 | 3,930 | 393 | 6,371 | 12,068 | 4,185 | 10,299 | 36,315 | 10,952 |
| 1927 | 3,768 | 375 | 6,790 | 12,519 | 5,005 | 8,444 | 36,283 | 12,200 |
| E. Cent. Dist.: | | | | | | | | |
| 1926 | 28,091 | 2,896 | 41,025 | 75,846 | 45,536 | 47,458 | 199,287 | 82,719 |
| 1927 | 26,888 | 2,532 | 41,545 | 80,243 | 53,722 | 42,159 | 225,917 | 95,368 |
| Daviess: | | | | | | | | |
| 1926 | 4,349 | 2,037 | 5,686 | 10,146 | 2,178 | 2,338 | 13,298 | 11,306 |
| 1927 | 4,605 | 2,413 | 6,517 | 11,319 | 2,281 | 3,609 | 17,751 | 13,612 |
| Dubois: | | | | | | | | |
| 1926 | 3,687 | 1,319 | 4,490 | 6,200 | 457 | 1,675 | 8,048 | 8,178 |
| 1927 | 2,472 | 1,218 | 2,970 | 4,963 | 673 | 1,793 | 10,659 | 6,735 |
| Gibson: | | | | | | | | |
| 1926 | 4,998 | 2,715 | 5,635 | 9,980 | 2,255 | 4,085 | 21,034 | 10,452 |
| 1927 | 4,635 | 2,900 | 5,560 | 10,007 | 2,432 | 4,538 | 24,891 | 12,544 |
| Greene: | | | | | | | | |
| 1926 | 3,758 | 1,504 | 6,005 | 9,618 | 2,885 | 1,571 | 7,743 | 14,098 |
| 1927 | 4,098 | 1,723 | 5,919 | 10,128 | 3,602 | 2,019 | 9,047 | 16,672 |
| Knox: | | | | | | | | |
| 1926 | 4,465 | 3,154 | 6,011 | 10,506 | 1,526 | 3,784 | 19,968 | 12,750 |
| 1927 | 4,122 | 3,118 | 6,042 | 10,353 | 1,822 | 3,927 | 20,430 | 12,561 |
| Martin: | | | | | | | | |
| 1926 | 2,047 | 955 | 3,752 | 6,198 | 1,896 | 957 | 4,625 | 6,841 |
| 1927 | 1,746 | 939 | 3,358 | 6,008 | 1,734 | 1,056 | 6,635 | 7,005 |
| Pike: | | | | | | | | |
| 1926 | 2,934 | 1,214 | 3,638 | 6,059 | 1,598 | 1,489 | 8,627 | 10,195 |
| 1927 | 3,325 | 1,268 | 3,179 | 5,550 | 1,803 | 2,014 | 12,454 | 11,999 |
| Posey: | | | | | | | | |
| 1926 | 2,804 | 2,946 | 3,087 | 5,470 | 1,888 | 2,475 | 10,591 | 5,510 |
| 1927 | 2,368 | 2,953 | 2,722 | 4,881 | 2,273 | 2,469 | 11,684 | 5,819 |
| Spencer: | | | | | | | | |
| 1926 | 3,939 | 2,638 | 4,861 | 7,260 | 464 | 1,352 | 6,388 | 8,657 |
| 1927 | 3,658 | 2,218 | 4,741 | 6,993 | 783 | 1,712 | 8,330 | 9,339 |

CONTENTS


| | Page |
|---|---|
| Livestock Summary—Indiana 1928 | 2 |
| Pig Survey, June 1, 1927 | 3 |
| Pig Survey, December 1, 1927 | 3 |
| Egg Production on Reporters' Farms. Indiana. Table 1 | 4 |
| Milk Production on Reporters' Farms. Indiana. Table 2 | 4 |
| Farm Prices of Indiana Livestock. Table 3 | 4 |
| Production of Creamery Butter in Indiana and United States. Table 4 | 5 |
| Receipts—Indiana Hogs and Sheep at Principal Stockyards. Table 5 | 5 |
| Numbers of Livestock—Indiana for Nine Years. Table 6 | 6 |
| Value of Livestock—Indiana for Nine Years. Table 7 | 6 |
| Price per Head of Livestock—Indiana for Six Years. Table 8 | 6 |
| Numbers of Livestock—United States for Nine Years. Table 9 | 7 |
| Value of Livestock—United States for Nine Years. Table 10 | 7 |
| Price per Head of Livestock—United States for Six Years. Table 11 | 7 |
| Livestock Assessed—Indiana by Counties, 1926, 1927. Table 12 | 8–13 |



MINER M. JUSTIN,
Agricultural Statistician.

C. J. BORUM,
Asst. Agricultural Statistician.