



# Oklahoma Crop Weather

Oklahoma Field Office  
Cooperating with the Oklahoma Department of Agriculture, Food and Forestry  
P.O. Box 528804 · Oklahoma City, OK 73152-8804  
(405) 522-6190 · FAX (405) 522-5429 · [www.nass.usda.gov/ok](http://www.nass.usda.gov/ok)

*A combined contribution with Cooperative Extension Service, USDA Farm Service Agency and Oklahoma Mesonet*

**Volume 41, Number 16**

**Weekly Summary for May 28–June 3**

**Issued June 4, 2018**

Oklahoma received less than an inch of rainfall over the past week with the exception of the North Central district, which recorded 1.81 inches. According to the OCS Mesonet, the statewide average precipitation total of 3.99 inches in May fell 0.83 of an inch below normal to rank as the 48th driest May on record. As of May 28th, drought conditions were rated 30 percent extreme to exceptional, down 1 point from the previous week and 10 percent exceptional drought, down 4 points from the previous week. Statewide temperatures averaged in the high 70's. Topsoil and subsoil moisture conditions were rated mostly very short to adequate. There were 5.7 days suitable for fieldwork.

**Small Grains:** Winter wheat harvested reached 7 percent, down 2 points from normal. Canola coloring reached 90 percent, down 4 points from the previous year and down 1 point from normal. Canola harvested reached 1 percent. Rye headed reached 95 percent. Rye harvested reached 2 percent, down 9 points from the previous year. Oats jointing reached 90 percent, unchanged from the previous year. Oats headed reached 70 percent, down 6 points from the previous year and down 1 point from normal.

**Row Crops:** Corn emerged reached 89 percent, up 4 points from the previous year. Sorghum planted reached 51 percent, unchanged from the previous year. Soybeans planted reached 58 percent, up 17 points from the previous year. Soybeans emerged reached 30 percent, up 5 points from the previous year. Peanuts planted reached 84 percent, up 2 points from the previous year. Peanuts emerged reached 40 percent, up 17 points from the previous year. Cotton planted reached 60 percent, down 7 points from the previous year but up 10 points from normal.

**Hay:** A first cutting of alfalfa hay reached 71 percent, down 12 points from the previous year and down 2 points from normal. A first cutting of other hay reached 42 percent, up 4 points from the previous year but unchanged from normal.

**Pasture and Livestock:** Conditions of pasture and range were rated at 82 percent good to fair. Livestock condition was rated at 90 percent good to fair.

-over-

**Soil Moisture Conditions by Percent**  
For Week Ending June 3, 2018

Moisture Rating	Current Week	Previous Week	One Year Ago
<b>Topsoil</b>			
Very Short	17	17	2
Short	32	29	14
Adequate	51	52	81
Surplus	0	2	3
<b>Subsoil</b>			
Very Short	27	21	1
Short	31	35	14
Adequate	42	43	82
Surplus	0	1	3

**Crop Conditions by Percent**  
For Week Ending June 3, 2018

Commodity	Very Poor	Poor	Fair	Good	Excellent
Wheat	30	33	26	11	0
Rye	55	18	16	10	1
Oats	32	29	21	15	3
Canola	23	33	29	15	0
Corn	1	3	17	72	7
Peanuts	0	0	49	41	10
Cotton	3	13	45	36	3
Soybeans	1	3	15	80	1
Livestock	1	6	35	55	3
Pasture and Range	5	10	36	46	3

<p><b>2017 CENSUS OF AGRICULTURE</b> YOUR VOICE. YOUR FUTURE. YOUR OPPORTUNITY.</p>  <p>United States Department of Agriculture National Agricultural Statistics Service</p>		<p align="center"><b>Last Chance to Be Counted. Respond Today!</b></p> <p align="center">Respond Online. <a href="http://www.agcounts.usda.gov">www.agcounts.usda.gov</a></p> <p align="center">For assistance completing the census, call toll-free (888) 424-7828.</p> <p align="center"><a href="http://www.agcensus.usda.gov">www.agcensus.usda.gov</a></p>
---	---	---

**Crop Progress by Percent**  
For Week Ending June 3, 2018

Crop	Stage	Current Week	Previous Week	One Year Ago	Five Year Average
<b>Wheat</b>	Harvested	7	0	22	9
<b>Canola</b>	Coloring	90	71	94	91
	Harvested	1	N/A	31	N/A
<b>Rye</b>	Headed	95	93	N/A	N/A
	Harvested	2	0	11	N/A
<b>Oats</b>	Jointing	90	73	90	89
	Headed	70	64	76	71
<b>Corn</b>	Planted	99	92	90	92
	Emerged	89	76	85	84
<b>Sorghum</b>	Planted	51	39	51	47
<b>Soybeans</b>	Planted	58	50	41	43
	Emerged	30	18	25	24
<b>Peanuts</b>	Planted	84	78	82	82
	Emerged	40	27	23	N/A
<b>Cotton</b>	Planted	60	45	67	50
<b>Alfalfa Hay</b>	First Cutting	71	55	83	73
<b>Other Hay</b>	First Cutting	42	35	38	42

(N/A) Not available.

**Weather for Week Ending June 3, 2018:** Temperatures ranged from 47 degrees at Kenton on Sunday, June 3rd to 106 degrees at Beaver on Friday, June 1st. Precipitation ranged from 0.09 of an inch in the Southeast to 1.81 inches in the North Central district. Soil temperature averages ranged from 71 degrees at Boise City on Thursday, May 31st to 94 degrees at Burneyville on Saturday, June 2nd.

**Mesonet Temperature and Precipitation Data**  
For Week Ending June 3, 2018

Districts	Temperature			Precipitation			
	High	Low	Average	Current Week	March 1, 2018 to June 3, 2018		
					Total	Departure from Normal	Percent of Normal
	<i>degrees</i>			<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>percent</i>
Panhandle	90	60	75	0.99	4.18	-1.92	69
North Central	91	65	79	1.81	7.00	-3.28	68
Northeast	89	66	78	0.91	8.33	-5.52	60
West Central	93	66	80	0.44	4.67	-4.55	51
Central	91	67	80	0.96	8.19	-3.91	68
East Central	90	68	79	0.66	12.98	-1.50	90
Southwest	95	69	83	0.30	5.69	-3.91	59
South Central	92	70	81	0.34	10.48	-2.62	80
Southeast	92	69	81	0.09	9.93	-5.80	63