



# Oklahoma Crop Weather

Oklahoma Field Office

Cooperating with the Oklahoma Department of Agriculture, Food and Forestry

P.O. Box 528804 · Oklahoma City, OK 73152-8804

(405) 522-6190 · FAX (405) 522-5429 · [www.nass.usda.gov/ok](http://www.nass.usda.gov/ok)

*A combined contribution with Cooperative Extension Service, USDA Farm Service Agency and Oklahoma Mesonet*

**Volume 42, Number 16**

**Weekly Summary for June 3–June 9**

**Issued June 10, 2019**

Oklahoma continues to experience above normal rainfall, with the statewide average computing to approximately 1.90 inches. The West Central district recorded the largest departure with 101 percent above normal. According to the June 4, US Drought Monitor Report, the entire state remained drought-free for the fourth consecutive week. Statewide, temperatures averaged in the low 70's. Topsoil and subsoil moisture conditions were rated mostly adequate to surplus. There were 3.0 days suitable for fieldwork.

**Small Grains:** Winter wheat harvested reached 4 percent, down 39 points from the previous year and down 28 points from normal. Canola coloring reached 81 percent, down 18 points from the previous year. Canola harvested reached 2 percent, down 43 points from the previous year and down 42 points from normal. Rye headed reached 95 percent, down 5 points from normal. Rye harvested reached 24 percent, up 8 points from the previous year. Oats jointing reached 90 percent, down 3 points from the previous year but up 1 point from normal. Oats headed reached 79 percent, up 1 point from the previous year but unchanged from normal.

**Row Crops:** Corn planted reached 80 percent, down 20 points from the previous year and down 14 points from normal. Corn emerged reached 70 percent, down 21 points from the previous year and down 20 points from normal. Sorghum planted reached 42 percent, down 12 points from the previous year and down 17 points from normal. Soybeans planted reached 46 percent, down 21 points from the previous year and down 12 points from normal. Soybeans emerged reached 10 percent, down 27 points from the previous year and down 27 points from normal. Peanuts planted reached 55 percent, down 38 points from the previous year and down 33 points from normal. Cotton planted reached 43 percent, down 36 points from the previous year and down 27 points from normal.

**Hay:** The first cutting of alfalfa hay reached 67 percent, down 15 points from the previous year and down 16 points from normal. The second cutting of alfalfa hay reached 1 percent, down 14 points from the previous year. The first cutting of other hay reached 44 percent, down 15 points from the previous year and down 10 points from normal.

**Pasture and Livestock:** Pasture and range condition was rated at 76 percent good to fair. Livestock condition was rated at 84 percent good to fair.

-over-

**Soil Moisture Conditions by Percent**  
For Week Ending June 9, 2019

Moisture Rating	Current Week	Previous Week	One Year Ago
<b>Topsoil</b>			
Very Short	0	0	18
Short	2	1	42
Adequate	62	59	39
Surplus	36	40	1
<b>Subsoil</b>			
Very Short	1	1	30
Short	2	1	30
Adequate	59	69	40
Surplus	38	29	0

**Crop Conditions by Percent**  
For Week Ending June 9, 2019

Commodity	Very Poor	Poor	Fair	Good	Excellent
Wheat	2	7	28	54	9
Rye	0	2	46	52	0
Oats	0	1	30	69	0
Canola	0	6	29	63	2
Corn	0	8	22	65	5
Peanuts	0	0	40	55	5
Cotton	1	3	22	74	0
Livestock	0	1	21	63	15
Pasture and Range	0	5	19	57	19

**Crop Progress by Percent**  
For Week Ending June 9, 2019

Crop	Stage	Current Week	Previous Week	One Year Ago	Five Year Average
Wheat	Harvested	4	1	43	32
Canola	Coloring	81	76	99	100
	Harvested	2	0	45	44
Rye	Headed	95	90	100	100
	Harvested	24	15	16	(N/A)
Oats	Jointing	90	79	93	89
	Headed	79	70	78	79
Corn	Planted	80	77	100	94
	Emerged	70	60	91	90
Sorghum	Planted	42	25	54	59
Soybeans	Planted	46	42	67	58
	Emerged	10	7	37	37
Peanuts	Planted	55	40	93	88
Cotton	Planted	43	31	79	70
Alfalfa Hay	First Cutting	67	57	82	83
	Second Cutting	1	(N/A)	15	(N/A)
Other Hay	First Cutting	44	36	59	54

(NA) Not available.

**Weather for Week Ending:** Temperatures ranged from 48 degrees at Kenton on Sunday, June 9th to 92 degrees at Altus on Saturday, June 8th. Precipitation ranged from 0.67 of an inch in the Southwest district to 3.46 inches in the Southeast district. Soil temperature averages ranged from 66 degrees at Kenton on Monday, June 3rd to 86 degrees at Medicine Park on Saturday, June 8th.

**Mesonet Temperature and Precipitation Data**  
For Week Ending June 9, 2019

Districts	Temperature			Precipitation			
	High	Low	Average	Current Week	March 1, 2019 to June 9, 2019		
					Total	Departure from Normal	Percent of Normal
	<i>degrees</i>			<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>percent</i>
Panhandle	83	58	70	0.79	9.47	2.70	140
North Central	84	64	74	2.41	20.33	9.06	180
Northeast	84	65	74	1.82	26.16	11.14	174
West Central	83	62	72	1.64	20.53	10.34	201
Central	84	65	74	2.03	23.33	10.14	177
East Central	83	65	73	1.78	19.44	3.86	125
Southwest	85	65	74	0.67	17.22	6.66	163
South Central	84	66	74	2.45	18.01	3.80	127
Southeast	84	66	73	3.46	23.12	6.36	138