



Oklahoma Crop Progress and Condition

Oklahoma Field Office

Cooperating with the Oklahoma Department of Agriculture, Food and Forestry

P.O. Box 528804 · Oklahoma City, OK 73152-8804

(405) 522-6190 · FAX (405) 522-5429 · www.nass.usda.gov/ok

A combined contribution with Cooperative Extension Service, USDA Farm Service Agency and Oklahoma Mesonet

Volume 44, Number 12

Weekly Summary for April 26 – May 2

Issued May 3, 2021

Rainfall totals averaged 1.54 inches across Oklahoma last week, with the East Central district recording the highest total at 3.75 inches. According to the April 27th US Drought Monitor Report, drought conditions were rated 57 percent abnormally dry to exceptional drought, up 6 points from the previous week. Additionally, 20 percent of the state was in the moderate drought to exceptional drought category, down 2 point from the previous week. Statewide, temperatures averaged in the high 60's. Topsoil moisture conditions and subsoil moisture conditions were rated mostly adequate to short. There were 4.8 days suitable for fieldwork.

Small Grains: Winter wheat jointing reached 96 percent. Winter wheat headed reached 64 percent, down 4 points from the previous year and down 2 points from normal. Canola blooming reached 65 percent, down 24 points from the previous year and down 23 points from normal. Canola coloring reached 19 percent, up 5 points from the previous year and up 2 points from normal. Rye jointing reached 95 percent, up 1 point from the previous year and up 2 points from normal. Rye headed reached 61 percent, up 10 points from the previous year and up 13 points from normal. Oats jointing reached 50 percent, down 9 points from the previous year and down 10 points from normal. Oats headed reached 14 percent.

Row Crops: Corn planted reached 40 percent, up 5 points from the previous year but down 5 points from normal. Corn emerged reached 12 percent, up 2 points from the previous year but down 10 points from normal. Sorghum planted reached 3 percent, down 3 points from the previous year and down 11 points from normal. Soybeans planted reached 7 percent, down 6 points from the previous year and down 4 points from normal.

Pasture and Livestock: Pasture and range condition was rated at 89 percent fair to good. Livestock condition was rated at 89 percent good to fair.

Soil Moisture Conditions by Percent

For Week Ending May 02, 2021

Moisture Rating	Current Week	Previous Week	One Year Ago
Topsoil			
Very Short	2	7	4
Short	26	22	27
Adequate	60	65	64
Surplus	12	6	5
Subsoil			
Very Short	2	7	3
Short	23	20	19
Adequate	67	68	73
Surplus	8	5	5

-over-

Crop and Livestock Conditions by Percent

For Week Ending May 02, 2021

Commodity	Very Poor	Poor	Fair	Good	Excellent
Wheat	3	9	34	49	5
Rye	0	0	26	73	1
Oats	1	2	44	53	0
Canola	4	8	38	50	0
Livestock	1	6	27	62	4
Pasture and Range	2	6	49	40	3

Crop Progress by Percent

For Week Ending May 02, 2021

Crop	Stage	Current Week	Previous Week	One Year Ago	Five Year Average
Wheat	Jointing	96	91	(N/A)	(N/A)
	Headed	64	34	68	66
Canola	Blooming	65	64	89	88
	Coloring	19	1	14	17
Rye	Jointing	95	93	94	93
	Headed	61	37	51	48
Oats	Jointing	50	43	59	60
	Headed	14	4	N/A	(N/A)
Corn	Planted	40	30	35	45
	Emerged	12	3	10	22
Sorghum	Planted	3	1	6	14
Soybeans	Planted	7	4	13	11

(NA) Not Available

Weather for Week Ending: Temperatures ranged from 34 degrees at Boise City on Friday, April 30th to 92 degrees at Hooker on Sunday, May 2nd. Precipitation ranged from 0.06 of an inch in the Panhandle district and in the West Central district to 3.75 inches in the East Central district. Soil temperature averages ranged from 59 degrees at Kenton on Thursday, April 29th to 74 degrees at Woodward on Sunday, May 2nd.

Mesonet Temperature and Precipitation Data
For Week Ending May 2, 2021

Districts	Temperature			Precipitation			
	High	Low	Average	Current Week	March 1, 2021 to May 2, 2021		
					Total	Departure from Normal	Percent of Normal
	<i>degrees</i>			<i>inches</i>	<i>inches</i>	<i>inches</i>	<i>percent</i>
Panhandle	81	48	65	0.06	2.90	-0.35	89
North Central	79	56	67	0.21	5.75	0.03	101
Northeast	77	58	67	1.09	8.47	0.54	107
West Central	78	56	66	0.06	4.52	-0.35	93
Central	77	58	67	1.09	6.37	-0.43	94
East Central	75	58	67	3.75	10.22	1.83	122
Southwest	79	58	67	0.74	3.44	-1.79	66
South Central	75	61	67	3.64	8.54	1.05	114
Southeast	75	59	67	3.22	10.15	0.84	109