




Texas Wheat Varieties Planted for 2015

Texas Wheat producers were surveyed in December 2014 and January 2015 to report acres of wheat planted and to be planted by variety for the 2015 crop year. The survey was funded by [Texas A&M AgriLife Extension](#), the Texas Wheat Producers Association, the Texas Foundation Seed Service and the Texas Seed Trade Association. Survey results are provided in the following tables, with percent of acres planted for the 2015 crop year by variety and broken out by Agricultural Statistics District.

TAM 111 remains the leading variety planted in Texas, accounting for 15.0 percent of the State’s 2015 planted wheat acres, down from 16.7 percent in 2014. TAM 112 remains second, accounting for 5.9 percent of acres planted for 2015, compared with 5.3 percent last year. Duster is third, with 4.1 percent of the State acreage compared with 4.0 percent in 2014. Fannin, with 3.5 percent of the State acreage remains in fourth place, barely edging out Greer which moved up from 8th last year to fifth for 2015, with just under 3.5 percent of the 2015 acreage planted. TAM 105 is in sixth place with 2.7 percent of the State acres, compared with 2.8 percent the previous year. TAM 113, with 2.3 percent of the acres planted for 2015 jumps three places to 7th from 2014. Weathermaster 135 falls 3 places to 8th for 2015, with 2.1 percent of the State’s acres. TAM 401 enters the top 10 at 9th place, with 1.9 percent of the State acreage for 2015. Endurance rounds out the top ten varieties for 2015 with 1.7 percent of the State acreage, falling one place from 2014. Coronado dropped out of the top 10 this year, and is now ranked 13th down from 7th in 2014.

Top 10 Varieties Planted for 2015

Variety	Percent of Acres		Rank	
	2014	2015	2014	2015
TAM 111	16.7%	15.0%	1	1
TAM 112	5.3%	5.9%	2	2
Duster	4.0%	4.1%	3	3
Fannin	3.3%	3.5%	4	4
Greer	2.6%	3.5%	8	5
TAM 105	2.8%	2.7%	6	6
TAM 113	2.0%	2.3%	10	7
Weathermaster 135	3.0%	2.1%	5	8
TAM 401	1.3%	1.9%	12	9
Endurance	2.3%	1.7%	9	10



Percent of Wheat Acres Seeded for 2015 by Variety ^{1 2}

Hard Red Winter Varieties	Texas	NASS Agricultural Statistics District										
		Northern High Plains	Southern High Plains	Northern Low Plains	Southern Low Plains	Cross Timbers	Black-lands	North East Texas	Edwards Plateau	South Central	South Texas	Other Districts ³
TAM 111	15.0%	35.2%	16.2%	8.0%	3.9%	0.7%	0.4%		7.0%	0.6%		*
TAM 112	5.9%	14.9%	2.1%	*	3.0%	*	*		1.0%	*		*
Duster	4.1%	1.7%	*	7.2%	12.5%	4.4%	1.9%		2.3%	1.0%		
Fannin	3.5%		*	7.1%	2.0%	6.7%	6.1%		7.0%	19.4%	18.8%	
Greer	3.5%	0.3%	*	*	3.6%	8.9%	4.8%		17.5%	16.2%	25.4%	*
TAM 105	2.7%	7.1%	3.0%	*	0.5%	*	*		0.6%			
TAM 113	2.3%	3.8%	1.5%	1.5%	2.1%	0.8%	*		7.8%			
Weathermaster 135	2.1%	0.9%	4.0%	0.6%	6.7%	2.7%	*		1.5%	*		*
TAM 401	1.9%	0.6%	3.1%	5.6%	3.6%	2.2%	0.3%		0.3%	0.9%		0.9%
Endurance	1.7%	1.7%		6.3%	1.2%	3.0%			*			
TAM 304	1.5%	0.4%			*	*	8.3%			7.4%	*	3.6%
WB Cedar	1.3%				*		7.7%		*	10.6%		*
Coronado	1.2%				4.3%		0.9%		7.0%	*	*	*
TAM W-101/TAM 101	1.1%	0.6%	8.3%	*	*	*	*		*			
Ruby Lee	1.0%	*	*	5.8%	1.6%	*	*		*	*		
Doans	1.0%			*	2.5%	1.7%	0.4%		6.2%			
Jackpot	0.9%	*		4.1%	1.5%	1.4%	0.3%					
Jagger	0.8%	0.8%		2.3%	1.6%				*	*		
Gallagher	0.7%			4.1%	*	2.1%	*		1.0%			
Garrison	0.7%	*		*	2.8%	1.8%	*		0.6%	*		
Fuller	0.7%			*	3.0%		*			*		
TAM 203	0.6%	*	*	*	0.7%	4.3%	*		*	1.1%		
TAM 110	0.6%	1.6%	*	*	0.4%				*			
OK Bullet	0.6%			5.4%								
Iba	0.6%	1.5%		*			0.3%					*
Winterhawk	0.5%	0.7%		*		*	0.2%		0.9%	*	*	
Hatcher	0.5%	1.3%	*						1.3%			
HG-9	0.4%			0.3%	1.7%	1.9%			*			
Dumas	0.4%	1.3%										
Overley	0.4%			3.1%	0.3%							
Longhorn	0.4%	0.7%	0.4%	*	0.6%							
Cutter	0.4%	*		*	1.5%	*						
El Dorado	0.4%	0.8%	*									
TAM 114	0.3%	0.8%			*				*			
TAM 202	0.3%	*		*	*			*				
Byrd	0.3%	0.9%	*									
Winmaster	0.3%	*	*		0.4%				*			*
WB Redhawk	0.3%				1.1%		0.5%			0.7%	*	*
2158	0.3%				1.2%	*	*					
Chisholm	0.2%	*		*	*				*			
Billings	0.2%	0.2%					0.9%		*	*		
Jagalene	0.2%	0.6%			*							
Other Hard Red Winter ⁴	3.2%	4.9%	6.3%	10.3%	4.8%	9.6%	5.1%	4.4%	9.7%	7.5%	4.8%	12.9%
Unknown Hard Red Winter	20.9%	13.8%	38.8%	20.2%	21.8%	30.4%	18.4%	29.6%	20.9%	10.4%	28.0%	52.7%

See footnotes on the last page.

(Continued)

Percent of Wheat Acres Seeded for 2015 by Variety ^{1 2}

Soft Red Winter Varieties	Texas	NASS Agricultural Statistics District										
		Northern High Plains	Southern High Plains	Northern Low Plains	Southern Low Plains	Cross Timbers	Black-lands	North East Texas	Edwards Plateau	South Central	South Texas	Other Districts ³
TV 8861	0.6%						4.4%		*			
Coker 9553	0.6%						*	3.5%	*			
Pioneer 25R30	0.5%	*		*				3.3%				
Pioneer 25R78	0.4%	*			0.5%			1.6%	*	*		
Pioneer 25R40	0.4%							2.0%	16.2%			
USG 3120	0.3%							1.9%				
Other Soft Red Winter ⁵	1.3%	0.4%	0.1%	0.8%	0.3%	1.8%	6.7%	32.6%	1.1%	0.1%	4.0%	12.3%
Unknown Soft Red Winter	3.2%	*	*	*	1.3%	8.5%	14.9%	10.1%	*			*

See footnotes on the last page.

Percent of Wheat Acres Seeded for 2015 by Variety ^{1 2}

Hard Red Spring Varieties	Texas	NASS Agricultural Statistics District										
		Northern High Plains	Southern High Plains	Northern Low Plains	Southern Low Plains	Cross Timbers	Black-lands	North East Texas	Edwards Plateau	South Central	South Texas	Other Districts ³
Express	0.3%								*	10.6%	6.8%	*
Espresso	0.2%									7.3%	*	6.3%
Other Hard Red Spring ⁶	0.2%	0.7%			0.2%	0.2%		1.2%	0.1%	2.4%	6.1%	6.1%
Unknown Hard Red Spring	0.7%	*	0.2%	0.2%	*	0.4%	2.8%	*	0.6%			*

See footnotes on the last page.

Percent of Wheat Acres Seeded for 2015 By Variety ^{1 2}

White Wheat Varieties	Texas	NASS Agricultural Statistics District										
		Northern High Plains	Southern High Plains	Northern Low Plains	Southern Low Plains	Cross Timbers	Black-lands	North East Texas	Edwards Plateau	South Central	South Texas	Other Districts ³
Unknown ⁷	0.3%		2.1%		0.4%	0.3%	0.1%		*	*		

See footnotes on the last page.

Percent of Wheat Acres Seeded for 2015 by Variety ^{1 2}

Unknown Varieties	Texas	NASS Agricultural Statistics District										
		Northern High Plains	Southern High Plains	Northern Low Plains	Southern Low Plains	Cross Timbers	Black-lands	North East Texas	Edwards Plateau	South Central	South Texas	Other District ³
VNS (Variety not specified)	2.5%	0.5%	9.6%	1.3%	3.2%	5.2%	1.2%	1.4%	2.4%		*	0.1%
Elevator / Bin Run	1.4%	0.8%	2.2%	5.0%	1.0%	0.3%	0.5%		1.3%	*		
Unknown	1.1%	0.3%	2.0%	0.8%	2.1%	0.8%	0.5%	4.6%	1.8%	3.0%	*	5.0%

See footnotes on the last page.

Percent of Wheat Acres Seeded for 2015 by Type ^{1 2}


Type	Texas	NASS Agricultural Statistics District										
		Northern High Plains	Southern High Plains	Northern Low Plains	Southern Low Plains	Cross Timbers	Black-lands	North East Texas	Edwards Plateau	South Central	South Texas	Other District ³
Hard Red Winter	86.1%	97.2%	83.7%	92.0%	91.0%	82.6%	56.6%	33.9%	92.7%	75.8%	77.0%	70.2%
Soft Red Winter	7.3%	0.4%	0.1%	0.8%	2.1%	10.3%	38.3%	58.8%	1.1%	0.1%	4.0%	12.3%
Hard Red Spring	1.4%	0.7%	0.2%	0.2%	0.2%	0.6%	2.8%	1.2%	0.7%	20.3%	12.9%	12.4%
White	0.3%		2.1%		0.4%	0.3%	0.1%		*	*		
Unknown	4.9%	1.7%	13.9%	7.0%	6.3%	6.2%	2.2%	6.0%	5.5%	3.7%	6.1%	5.1%

See footnotes on the last page.

(Continued)

Footnotes:

1. Percent of total acres seeded and to be seeded for the 2015 crop year. Percents may not add to 100 due to rounding.
2. * Asterisk indicates at least one report of this variety, but accounts for less than 0.1% of the State acreage.
3. South East Texas, Trans-Pecos, Coastal Bend, Upper Coast and Lower Valley districts had fewer than 30 reports, are combined into Other Districts.
4. Other Hard Red Winter varieties reported: 2180, AA Experimental, AP503 CL2, Armour, Big Max, Bill Brown, Brawl CL Plus, CJ, Centerfield, Comanche, Concho, Custer, Darrell, Deliver, Doublestop CL Plus, EK 102, Enhancer, Everest, Hawk, Heavy Grazer 73-06, Infinity CL, Larned, Lockett, MBS327, Mit, NK 812, OK101, Ogallala , Okfield, Pioneer 2157, Pioneer 2158, Pioneer 2358, Protection, SY Gold, SY Razor, Santa Fe, Scout/Scout 66, Shocker, Siouxland/Siouxland 89, Sturdy/Sturdy 2K, T158, TAM 103, TAM 107, TAM 108, TAM 109, TAM 200, TAM 201, TAM 204, TAM 302, TAM 305, Tascosa, Thunderbird, Thunderbolt , Tomahawk , Triumph/Triumph 64, WB 4458, WB Grainfield, Wheatland, and Wintex.
5. Other Soft Red Winter varieties reported: Magnolia, Pioneer 2558, Coker 9700, USG 3295, USG 3201, AGS 2035, TV 8525, Pioneer 25R63, Coker 762, Progeny 870, AGS 2038, TV 8535, Pioneer 2571, Croplan 8302, Oakes, Patton.
6. Other Hard Red Spring varieties reported: Vantage, NK 410, Briggs, Norm, WB 9229, WB 9518.
7. Specific varieties of White Wheat were not known.



USDA is an equal opportunity provider and employer.

USDA is an equal opportunity provider and employer. Information provided by respondents on NASS surveys, will remain **completely confidential**, as required by Federal law. NASS safeguards the confidentiality of all responses, ensuring that no individual producer or operation can be identified.