



NEWS RELEASE

United States Department of Agriculture
NATIONAL AGRICULTURAL STATISTICS SERVICE
UTAH FIELD OFFICE
 350 S Main St, Ste 100 · Salt Lake City, Ut 84101



FOR IMMEDIATE RELEASE
 February 20, 2015

Contact: John Hilton
 (800) 747-8522

UTAH SHEEP & LAMB LOSSES – 2014

Losses of Lambs Before Docking, by Cause: Utah, 2009-2014

Cause of Loss	2009	2010	2011	2012	2013	2014
Number of Head	Head					
Bear	500	(D)	(D)	200	200	100
Bobcat	(D)	(D)	(D)	200	200	200
Coyote	5,300	4,200	4,700	5,000	5,800	5,200
Dog	(D)	(D)	(D)	500	300	100
Fox	(D)	(D)	(D)	100	200	400
Ravens	-	-	-	100	100	300
Mountain Lion	700	(D)	(D)	200	500	500
Wolves	(D)	-	(D)	-	-	(D)
Eagle	800	800	600	600	400	700
Other/Unknown ¹	1,100	3,200	2,500	1,400	200	100
Total Predators	8,400	8,200	7,800	8,300	7,900	7,600
Diseases	1,500	500	-	800	700	1,100
Enterotoxaemia	(D)	(D)	(D)	100	200	200
Weather Conditions	3,000	5,000	5,600	4,000	2,800	2,700
Lambing Complications	1,900	2,200	1,900	2,200	1,300	1,900
Old Age	NA	NA	NA	NA	NA	NA
On Back	(D)	-	(D)	100	(D)	(D)
Poison	(D)	(D)	-	300	100	100
Theft	-	-	(D)	100	-	-
Other/Unknown ¹	2,900	3,400	2,700	2,100	1,500	2,900
Total Non-Predators	9,300	11,100	10,200	9,700	6,600	8,900
Total Losses	17,700	19,300	18,000	18,000	14,500	16,500

Foot notes at bottom of page.

Losses of Lambs After Docking, by Cause: Utah, 2009-2014

Cause of Loss	2009	2010	2011	2012	2013	2014
Number of Head	Head					
Bear	2,500	1,300	1,000	1,800	1,700	1,700
Bobcat	(D)	-	(D)	500	100	200
Coyote	7,700	6,700	6,900	8,500	9,400	8,500
Dog	600	(D)	700	200	500	200
Fox	(D)	(D)	(D)	100	-	200
Ravens	-	-	-	100	-	(D)
Mountain Lion	1,100	500	1,100	1,800	1,700	900
Wolves	(D)	-	(D)	100	(D)	(D)
Eagle	(D)	700	(D)	100	300	100
Other/Unknown ¹	1,000	1,900	1,300	800	400	300
Total Predators	12,900	11,100	11,000	14,000	14,100	12,100
Diseases	500	(D)	(D)	400	600	100
Enterotoxaemia	(D)	500	(D)	200	100	200
Weather Conditions	(D)	600	900	700	600	400
Lambing Complications	NA	NA	NA	NA	NA	NA
Old Age	NA	NA	NA	NA	NA	NA
On Back	(D)	(D)	-	100	-	(D)
Poison	(D)	(D)	500	600	100	300
Theft	(D)	(D)	(D)	100	300	100
Other/Unknown ¹	2,600	2,800	2,600	1,900	2,200	2,800
Total Non-Predators	3,100	3,900	4,000	4,000	3,900	3,900
Total Losses	16,000	15,000	15,000	18,000	18,000	16,000

- indicates zero.

(D) indicates Un-published: i.e. less than 500 head 2009 - 2011 and less than 100 head 2012 forward.

¹ Other/Unknown includes Other and Unknown causes combined with Un-published causes.

Totals may not add due to rounding.

NASS provides accurate, timely, and useful statistics in service to U.S. agriculture. We invite you to provide occasional feedback on our products and services. Sign up at <http://usda.mannlib.cornell.edu/subscriptions> and look for "NASS Data User Community."

USDA is an equal opportunity provider, employer and lender. To file a complaint of discrimination, write: USDA, Director, Office of Civil Rights, 1400 Independence Ave., S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice), or (202) 720-6382 (TDD).

Losses of Sheep and Lambs Combined, by Cause: Utah, 2009-2014 ¹

Cause of Loss	2009	2010	2011	2012	2013	2014
Number of Head	Head					
Bear	4,000	1,900	1,800	2,800	2,700	2,900
Bobcat	(D)	(D)	(D)	800	300	500
Coyote	16,700	12,800	13,700	16,500	18,400	16,500
Dog	1,000	800	1,400	1,300	1,200	500
Fox	500	500	(D)	200	200	700
Ravens	-	-	-	200	100	300
Mountain Lion	2,500	900	2,100	2,500	2,900	2,100
Wolves	(D)	(D)	(D)	100	(D)	(D)
Eagle	1,200	1,500	800	700	700	800
Other/Unknown ²	1,500	4,900	3,400	2,500	900	600
Total Predators	27,400	23,300	23,200	27,600	27,400	24,900
Diseases	3,500	1,200	1,500	1,700	2,100	1,500
Enterotoxaemia	(D)	900	500	700	500	500
Weather Conditions	3,600	6,300	8,000	5,200	5,100	3,300
Lambing Complications	2,900	3,800	2,400	3,100	1,900	2,800
Old Age	1,800	1,500	1,800	2,900	1,700	1,500
On Back	(D)	(D)	(D)	500	(D)	100
Poison	1,500	1,200	1,300	1,400	900	1,300
Theft	500	(D)	(D)	300	300	100
Other/Unknown ²	6,000	8,100	6,300	5,600	5,600	7,500
Total Non-Predators	19,800	23,000	21,800	21,400	18,100	18,600
Total Losses	47,200	46,300	45,000	49,000	45,500	43,500
Percent of Total by Cause	Percent					
Bear	8.5	4.1	4.0	5.7	5.9	6.7
Bobcat	(D)	(D)	(D)	1.6	0.7	1.1
Coyote	35.4	27.6	30.4	33.7	40.4	37.9
Dog	2.1	1.7	3.1	2.7	2.6	1.1
Fox	1.1	1.1	(D)	0.4	0.4	1.6
Ravens	-	-	-	0.4	0.2	0.7
Mountain Lion	5.3	1.9	4.7	5.1	6.4	4.8
Wolves	(D)	(D)	(D)	0.2	(D)	(D)
Eagle	2.5	3.2	1.8	1.4	1.5	1.8
Other/Unknown ²	3.2	10.6	7.6	5.1	2.0	1.4
Total Predators	58.1	50.3	51.6	56.3	60.2	57.2
Diseases	7.4	2.6	3.3	3.5	4.6	3.4
Enterotoxaemia	(D)	1.9	1.1	1.4	1.1	1.1
Weather Conditions	7.6	13.6	17.8	10.6	11.2	7.6
Lambing Complications	6.1	8.2	5.3	6.3	4.2	6.4
Old Age	3.8	3.2	4.0	5.9	3.7	3.4
On Back	(D)	(D)	(D)	1.0	(D)	0.2
Poison	3.2	2.6	2.9	2.9	2.0	3.0
Theft	1.1	(D)	(D)	0.6	0.7	0.2
Other/Unknown ²	12.7	17.5	14.0	11.4	12.3	17.2
Total Non-Predators	41.9	49.7	48.4	43.7	39.8	42.8
Total Losses	100.0	100.0	100.0	100.0	100.0	100.0
Dollar Value of Losses by Cause	1,000 dollars					
Bear	326	200	335	491	434	538
Bobcat	(D)	(D)	(D)	133	47	91
Coyote	1,317	1,144	2,438	2,790	2,925	2,988
Dog	86	89	261	242	194	93
Fox	33	45	(D)	32	31	126
Ravens	-	-	-	32	16	53
Mountain Lion	210	96	398	426	464	388
Wolves	(D)	(D)	(D)	16	(D)	(D)
Eagle	72	114	134	111	109	142
Other/Unknown ²	126	456	635	414	146	111
Total Predators	2,170	2,144	4,201	4,687	4,366	4,529
Diseases	338	127	323	300	341	273
Enterotoxaemia	(D)	87	97	135	82	91
Weather Conditions	233	541	1,442	853	824	590
Lambing Complications	260	436	436	545	307	516
Old Age	262	253	419	635	294	298
On Back	(D)	(D)	(D)	98	(D)	20
Poison	176	156	270	252	152	250
Theft	56	(D)	(D)	54	47	18
Other/Unknown ²	506	894	1,181	982	906	1,369
Total Non-Predators	1,831	2,494	4,168	3,854	2,953	3,424
Total Losses	4,001	4,638	8,369	8,541	7,319	7,953

- indicates zero.

(D) indicates Un-published: i.e. less than 500 head 2009 - 2011 and less than 100 head 2012 forward.

¹ Lamb losses include both before and after docking losses.

² Other/Unknown includes Other and Unknown causes combined with Un-published causes.

Totals may not add due to rounding.

Losses of Sheep, by Cause: Utah, 2009-2014

Cause of Loss	2009	2010	2011	2012	2013	2014
Number of Head	Head					
Bear	1,000	600	500	800	800	1,100
Bobcat	(D)	-	(D)	100	(D)	100
Coyote	3,700	1,900	2,100	3,000	3,200	2,800
Dog	(D)	(D)	(D)	600	400	200
Fox	(D)	(D)	(D)	-	-	100
Ravens	-	-	-	-	-	-
Mountain Lion	700	(D)	700	500	700	700
Wolves	-	(D)	(D)	(D)	-	(D)
Eagle	-	(D)	-	(D)	-	-
Other/Unknown ¹	700	1,500	1,100	300	300	200
Total Predators	6,100	4,000	4,400	5,300	5,400	5,200
Diseases	1,500	(D)	1,100	500	800	300
Enterotoxaemia	(D)	(D)	(D)	400	200	100
Weather Conditions	(D)	700	1,500	500	1,700	200
Lambing Complications	1,000	1,600	500	900	600	900
Old Age	1,800	1,500	1,800	2,900	1,700	1,500
On Back	(D)	(D)	(D)	300	(D)	100
Poison	1,000	700	800	500	700	900
Theft	(D)	(D)	(D)	100	(D)	(D)
Other/Unknown ¹	2,100	3,500	1,900	1,600	1,900	1,800
Total Non-Predators	7,400	8,000	7,600	7,700	7,600	5,800
Total Losses	13,500	12,000	12,000	13,000	13,000	11,000
Percent of Total by Cause	Percent					
Bear	7.4	5.0	4.2	6.2	6.2	10.0
Bobcat	(D)	-	(D)	0.8	(D)	0.9
Coyote	27.4	15.8	17.5	23.1	24.6	25.5
Dog	(D)	(D)	(D)	4.6	3.1	1.8
Fox	(D)	(D)	(D)	-	-	0.9
Ravens	-	-	-	-	-	-
Mountain Lion	5.2	(D)	5.8	3.8	5.4	6.4
Wolves	-	(D)	(D)	(D)	-	(D)
Eagle	-	(D)	-	(D)	-	-
Other/Unknown ¹	5.2	12.5	9.2	2.3	2.3	1.8
Total Predators	45.2	33.3	36.7	40.8	41.5	47.3
Diseases	11.1	(D)	9.2	3.8	6.2	2.7
Enterotoxaemia	(D)	(D)	(D)	3.1	1.5	0.9
Weather Conditions	(D)	5.8	12.5	3.8	13.1	1.8
Lambing Complications	7.4	13.3	4.2	6.9	4.6	8.2
Old Age	13.3	12.5	15.0	22.3	13.1	13.6
On Back	(D)	(D)	(D)	2.3	(D)	0.9
Poison	7.4	5.8	6.7	3.8	5.4	8.2
Theft	(D)	(D)	(D)	0.8	(D)	(D)
Other/Unknown ¹	15.6	29.2	15.8	12.3	14.6	16.4
Total Non-Predators	54.8	66.7	63.3	59.2	58.5	52.7
Total Losses	100.0	100.0	100.0	100.0	100.0	100.0
Dollar Value of Losses by Cause	1,000 dollars					
Bear	146	101	117	175	138	218
Bobcat	(D)	-	(D)	22	(D)	20
Coyote	538	320	489	657	554	556
Dog	(D)	(D)	(D)	131	69	40
Fox	(D)	(D)	(D)	-	-	20
Ravens	-	-	-	-	-	-
Mountain Lion	102	(D)	163	110	121	139
Wolves	-	(D)	(D)	(D)	-	(D)
Eagle	-	(D)	-	(D)	-	-
Other/Unknown ¹	106	263	269	66	52	40
Total Predators	892	684	1,038	1,161	934	1,032
Diseases	218	(D)	256	110	138	60
Enterotoxaemia	(D)	(D)	(D)	88	35	20
Weather Conditions	(D)	118	350	110	294	40
Lambing Complications	146	270	117	197	104	179
Old Age	262	253	419	635	294	298
On Back	(D)	(D)	(D)	66	(D)	20
Poison	146	118	186	110	121	179
Theft	(D)	(D)	(D)	22	(D)	(D)
Other/Unknown ¹	310	598	452	350	329	357
Total Non-Predators	1,082	1,357	1,780	1,688	1,315	1,152
Total Losses	1,974	2,041	2,818	2,849	2,249	2,184

- indicates zero.

(D) indicates Un-published: i.e. less than 500 head 2009 - 2011 and less than 100 head 2012 forward.

¹ Other/Unknown includes Other and Unknown causes combined with Un-published causes.

Totals may not add due to rounding.

Losses of All Lambs, by Cause: Utah, 2009-2014 ¹

Cause of Loss	2009	2010	2011	2012	2013	2014
Number of Head	Head					
Bear	3,000	1,300	1,300	2,000	1,900	1,800
Bobcat	(D)	(D)	(D)	700	300	400
Coyote	13,000	10,900	11,600	13,500	15,200	13,700
Dog	700	500	1,000	700	800	300
Fox	500	500	(D)	200	200	600
Ravens	-	-	-	200	100	300
Mountain Lion	1,800	600	1,400	2,000	2,200	1,400
Wolves	(D)	-	(D)	100	(D)	(D)
Eagle	1,200	1,500	800	700	700	800
Other/Unknown ²	1,100	4,000	2,700	2,200	600	400
Total Predators	21,300	19,300	18,800	22,300	22,000	19,700
Diseases	2,000	800	(D)	1,200	1,300	1,200
Enterotoxaemia	(D)	700	(D)	300	300	400
Weather Conditions	3,400	5,600	6,500	4,700	3,400	3,100
Lambing Complications	1,900	2,200	1,900	2,200	1,300	1,900
Old Age	NA	NA	NA	NA	NA	NA
On Back	(D)	(D)	(D)	200	(D)	(D)
Poison	500	500	500	900	200	400
Theft	(D)	(D)	(D)	200	300	100
Other/Unknown ²	4,600	5,200	5,300	4,000	3,700	5,700
Total Non-Predators	12,400	15,000	14,200	13,700	10,500	12,800
Total Losses	33,700	34,300	33,000	36,000	32,500	32,500
Percent of Total by Cause	Percent					
Bear	8.9	3.8	3.9	5.6	5.8	5.5
Bobcat	(D)	(D)	(D)	1.9	0.9	1.2
Coyote	38.6	31.8	35.2	37.5	46.8	42.2
Dog	2.1	1.5	3.0	1.9	2.5	0.9
Fox	1.5	1.5	(D)	0.6	0.6	1.8
Ravens	-	-	-	0.6	0.3	0.9
Mountain Lion	5.3	1.7	4.2	5.6	6.8	4.3
Wolves	(D)	-	(D)	0.3	(D)	(D)
Eagle	3.6	4.4	2.4	1.9	2.2	2.5
Other/Unknown ²	3.3	11.7	8.2	6.1	1.8	1.2
Total Predators	63.2	56.3	57.0	61.9	67.7	60.6
Diseases	5.9	2.3	(D)	3.3	4.0	3.7
Enterotoxaemia	(D)	2.0	(D)	0.8	0.9	1.2
Weather Conditions	10.1	16.3	19.7	13.1	10.5	9.5
Lambing Complications	5.6	6.4	5.8	6.1	4.0	5.8
Old Age	NA	NA	NA	NA	NA	NA
On Back	(D)	(D)	(D)	0.6	(D)	(D)
Poison	1.5	1.5	1.5	2.5	0.6	1.2
Theft	(D)	(D)	(D)	0.6	0.9	0.3
Other/Unknown ²	13.6	15.2	16.1	11.1	11.4	17.5
Total Non-Predators	36.8	43.7	43.0	38.1	32.3	39.4
Total Losses	100.0	100.0	100.0	100.0	100.0	100.0
Dollar Value of Losses by Cause	1,000 dollars					
Bear	180	99	218	316	296	320
Bobcat	(D)	(D)	(D)	111	47	71
Coyote	779	824	1,949	2,133	2,371	2,432
Dog	42	38	168	111	125	53
Fox	30	38	(D)	32	31	107
Ravens	-	-	-	32	16	53
Mountain Lion	108	45	235	316	343	249
Wolves	(D)	-	(D)	16	(D)	(D)
Eagle	72	113	134	111	109	142
Other/Unknown ²	67	303	459	348	94	71
Total Predators	1,278	1,460	3,163	3,526	3,432	3,497
Diseases	120	60	(D)	190	203	213
Enterotoxaemia	(D)	53	(D)	47	47	71
Weather Conditions	204	423	1,092	743	530	550
Lambing Complications	114	166	319	348	203	337
Old Age	NA	NA	NA	NA	NA	NA
On Back	(D)	(D)	(D)	32	(D)	(D)
Poison	30	38	84	142	31	71
Theft	(D)	(D)	(D)	32	47	18
Other/Unknown ²	281	397	893	632	577	1,012
Total Non-Predators	749	1,137	2,388	2,165	1,638	2,272
Total Losses	2,027	2,597	5,551	5,691	5,070	5,769

- indicates zero.

(D) indicates Un-published: i.e. less than 500 head 2009 - 2011 and less than 100 head 2012 forward.

¹ Lamb losses include both before and after docking losses.

² Other/Unknown includes Other and Unknown causes combined with Un-published causes.

Totals may not add due to rounding.