



United States Department of Agriculture
National Agricultural Statistics Service
**Wyoming Barley Varieties
2007**



Wyoming Field Office
Cooperating with the American Malting Barley Association, Inc.
PO Box 1148 · Cheyenne, WY 82003
307-432-5600 • FAX 307-432-5598 • www.nass.usda.gov/wy

July 12, 2007

**MORAVIAN 69 REIGNS AS THE LEADER IN BARLEY VARIETIES
FOR THE SECOND YEAR IN A ROW**


Moravian 69 remained in the leading position as the most popular barley variety planted in Wyoming for 2006 and 2007. **Moravian 69** was seeded on an estimated 17,500 acres. This variety accounted for 45 percent of malting variety seedings and 29 percent of Wyoming's total barley acreage. **Haybet** was the leading feed barley variety in Wyoming during 2007. **Haybet** was seeded on an estimated 11,700 acres. This variety accounted for 57 percent of the feed variety and 20 percent of Wyoming's total barley acreage. **Conrad** was the second most popular malting variety for the second year in a row with 9,100 acres seeded, accounting for 23 percent of the malting barley and 15 percent of the State's total barley acres. **Merit** was the third most popular malting variety with 8,200 acres seeded, accounting for 21 percent of the malting barley and 14 percent of the State's total barley acres. **Baronesse** was the second leading feed barley variety in Wyoming during 2007. **Baronesse** was seeded on an estimated 3,400 acres. This variety accounted for 16 percent of the feed variety and 6 percent of Wyoming's total barley acreage.



Wyoming barley producers planted an estimated 60,000 acres to all barley varieties in 2007, down 10,000 acres from 2006. The Northwest District had 60 percent of the barley acreage in 2007, compared with 59 percent last year.

Malting varieties accounted for 39,300 acres or 66 percent of the total.

Acreage planted to feed barley totaled 20,700 acres, 34 percent of Wyoming's total barley acreage.

The Barley Variety Survey was conducted throughout the month of June by the Wyoming Field Office of USDA NASS via phone and mail. The American Malting Barley Association, Inc. provided the funding for this survey. We thank the Wyoming producers who voluntarily provided information that led to these estimates.





BARLEY: PERCENT OF TOTAL ACREAGE SEEDED BY VARIETY, WYOMING, 2001-2007

Variety	2001	2002	2003	2004	2005	2006	2007
Moravian 69					20.4	25.7	29.2
Haybet	2.6	3.1	4.0	7.0	11.2	12.6	19.5
Conrad 1/					0.8	21.4	15.2
Merit 1/	1.0	9.0	2.2	4.7	6.6	16.3	13.6
Baronesse	2.4	4.3	6.4	4.4	6.7	6.1	5.6
AC Metcalfe 1/						1.1	2.8
Harrington 1/	5.0	4.2	3.7	3.9	0.9	2.4	2.7
Gallatin	5.5	3.3	1.2	1.8	0.7	1.9	2.0
Hazen	1.2				1.1	1.0	1.3
Horsford	2.2	5.9	1.1	1.1	2.3	1.8	1.2
Westford						0.2	1.2
Xena	2.1	1.2	3.3	3.5	2.1	2.0	0.9
Otis	1.0	0.7	1.0	0.4	0.8	0.6	0.8
AB2657						0.1	0.6
Robust 1/							0.6
Other 2/	77.0	68.3	77.1	73.2	46.4	6.8	2.8
Total	100.0						

1/ Variety recommended for malting purposes in Wyoming for 2007 by the American Malting Barley Association.

2/ Other feed and malting varieties reported with less than one percent of the total for 2007 include Clark, Conlon, Hector, Legacy, Pirolina, Smyrna, Steptoe, and Tradition. Unknown varieties are excluded.



WYOMING BARLEY VARIETIES: SEEDED ACREAGE BY DISTRICTS, 2007

Variety	District 10 Northwest	District 20 Northeast	District 30 West	District 40 South Central	District 50 Southeast	STATE
	Acres					
Moravian 69	15,900				1,600	17,500
Haybet	1,500	4,100	1,700	1,100	3,300	11,700
Conrad 1/	8,900	100	100			9,100
Merit 1/	7,800		400			8,200
Baronesse		200	3,000	200		3,400
AC Metcalfe 1/	600		900	200		1,700
Harrington 1/	700		900			1,600
Gallatin		600	600			1,200
Hazen	100				700	800
Horsford		300			400	700
Westford		100			600	700
Xena			500			500
Otis		100	400			500
AB2657					400	400
Robust 1/	200	100	100			400
Other 2/	300	400	900			1,600
Total 3/	36,000	6,000	9,500	1,500	7,000	60,000

1/ Variety recommended for malting purposes in Wyoming for 2007 by the American Malting Barley Association.

2/ Other feed and malting varieties reported include Clark, Conlon, Hector, Legacy, Pirolina, Smyrna, Steptoe, and Tradition. Unknown varieties are excluded.

3/ Acreage planted by Agricultural Statistics District is preliminary.

WYOMING BARLEY VARIETIES: SEEDED ACREAGE BY DISTRICTS, 2006

Variety	District 10 Northwest	District 20 Northeast	District 30 West	District 40 South Central	District 50 Southeast	STATE
	Acres					
Moravian 69	14,700		500	200	2,600	18,000
Conrad	15,000					15,000
Merit 1/	11,400					11,400
Haybet		5,400		1,300	2,100	8,800
Baronesse		200	4,100			4,300
Clark			1,900			1,900
Harrington 1/	300		1,400			1,700
Xena			1,400			1,400
Gallatin		1,200	100			1,300
Horsford		1,000			200	1,200
Steptoe		500			700	1,200
AC Metcalfe 1/	100	200	500			800
Hazen		400			300	700
Otis		300	100			400
Other 2/	100	200	1,400		200	1,900
Total	41,600	9,400	11,400	1,500	6,100	70,000

1/ Variety recommended for malting purposes in Wyoming for 2006 by the American Malting Barley Association.

2/ Feed and malting varieties reported include B1202, Bowman, Conrad, Galena, Gallatin, Hector, Legacy, Millennium, Moravian 37, Pirolina, Smyrna, and Stander.

Unknown varieties are excluded.

WYOMING BARLEY VARIETIES: PERCENT OF TOTAL BY DISTRICTS, 2007

