



United States Department of Agriculture
National Agricultural Statistics Service
Wyoming Barley Varieties
2011



Wyoming Field Office
Cooperating with the American Malting Barley Association, Inc.
PO Box 1148 · Cheyenne, WY 82003
307-432-5600 • FAX 307-432-5598 • www.nass.usda.gov/wy

July 11, 2011

MORAVIAN 69 REIGNING LEADER FOR SIXTH YEAR IN A ROW


Moravian 69 remained in the leading position as the most popular barley variety planted in Wyoming since 2006. **Moravian 69** was seeded on an estimated 24,300 acres. This variety accounted for 42 percent of malting variety seeding and 30 percent of Wyoming’s total barley acreage. **Haybet** was the leading feed barley variety in Wyoming for the sixth year in a row. **Haybet** was seeded on an estimated 14,200 acres. This variety accounted for 71 percent of the feed variety and 18 percent of Wyoming’s total barley acreage. **Conrad** was the second most popular malting variety for the sixth year in a row with 11,300 acres seeded, accounting for 20 percent of the malting barley and 14 percent of the State’s total barley acres. **Merit 57** was the third most popular malting variety with 8,000 acres seeded, accounting for 14 percent of the malting barley and 10 percent of the State’s total barley acres. **Baronesse** was the second leading feed barley variety in Wyoming during 2011. **Baronesse** was seeded on an estimated 2,800 acres. This variety accounted for 14 percent of the feed variety and 4 percent of Wyoming’s total barley acreage.



Wyoming barley producers planted an estimated 80,000 acres to all barley varieties in 2011, up 5,000 acres from 2010. The Northwest District had 62 percent of the barley acreage in 2011, compared with 71 percent last year.

Malting varieties accounted for 57,500 acres or 72 percent of the total.

Acreage planted to feed barley totaled 20,100 acres, 25 percent of Wyoming’s total barley acreage.

The Barley Variety Survey was conducted throughout the month of June by the Wyoming Field Office of USDA NASS via phone and mail. The American Malting Barley Association, Inc. provided the funding for this survey. We thank the Wyoming producers who voluntarily provided information that led to these estimates.





BARLEY: PERCENT OF TOTAL ACREAGE SEEDED BY VARIETY, WYOMING, 2005-2011

Variety	2005	2006	2007	2008	2009	2010	2011
Moravian 69 1/	20.4	25.7	27.6	25.7	33.6	28.2	30.4
Haybet	11.2	12.6	21.3	11.0	8.8	14.9	17.8
Conrad 1/	0.8	21.4	14.7	24.2	22.5	19.4	14.1
Merit 57 1/						2.4	10.0
AC Metcalfe 1/		1.1	2.7	7.3	5.1	4.0	5.0
Moravian 37 1/						2.7	3.9
Baronesse	6.7	6.1	5.8	3.2	4.1	4.4	3.5
Harrington 1/	0.9	2.4	2.6	3.0	3.8	3.5	2.6
Merit 1/	6.6	16.3	13.2	18.1	13.0	11.9	2.1
Hays							2.0
Clark	2.3	2.7	0.2	0.4	0.5	0.4	1.4
CDC Copeland 1/				0.1		0.3	1.1
Xena	2.1	2.0	0.8	0.6	0.4	1.0	1.0
Steptoe	2.4	1.7	0.5	0.6	0.6	0.6	0.9
M57					0.9	0.4	0.8
Burton				1.2		0.3	0.5
Other	46.6	8.0	10.6	4.6	6.7	5.6	2.9
Total	100.0						

1/ Variety recommended for malting purposes in Wyoming for 2011 by the American Malting Barley Association.

2/ Other feed and malting varieties reported with less than one percent of the total for 2011 include AB2657, Burton, CDC Copeland, Conlon, Galena, Haxby, M57, Otis, Robust and Smyrna. Unknown varieties are excluded.

3/ New malting variety for 2011.



WYOMING BARLEY VARIETIES: SEEDED ACREAGE BY DISTRICTS, 2011

Variety	District 10 Northwest	District 20 Northeast	District 30 West	District 40 South Central	District 50 Southeast	STATE
	Acres					
Moravian 69 1/	21,100				3,200	24,300
Haybet	900	8,000	2,900	900	1,500	14,200
Conrad 1/	11,300					11,300
Merit 57 1/	8,000					8,000
AC Metcalfe 1/	2,700		700	600		4,000
Moravian 37 1/	2,900		200			3,100
Baronesse			2,800			2,800
Harrington 1/	100		2,000			2,100
Merit 1/	1,700					1,700
Hays	300	600			700	1,600
Clark			1,100			1,100
CDC Copeland 1/			900			900
Xena			800			800
Stephoe	100	600				700
M57	600					600
Burton		100	300			400
Other 2/	100		1,500		800	2,400
Total 3/	49,800	9,300	13,200	1,500	6,200	80,000

1/ Variety recommended for malting purposes in Wyoming for 2011 by the American Malting Barley Association.

2/ Other feed and malting varieties reported include Golden Eye, Haxby, Hazen, Meredith, Stoneham, and Tradition. Unknown varieties are excluded.

3/ Acreage planted by Agricultural Statistics District is preliminary.

WYOMING BARLEY VARIETIES: SEEDED ACREAGE BY DISTRICTS, 2010

Variety	District 10 Northwest	District 20 Northeast	District 30 West	District 40 South Central	District 50 Southeast	STATE
	Acres					
Moravian 69 1/	19,400			200	1,600	21,200
Conrad 1/	14,500					14,500
Haybet	3,100	5,000	2,100	600	400	11,200
Merit 1/	8,900					8,900
Baronesse	500	100	2,600		100	3,300
AC Metcalfe	1,700		1,300			3,000
Harrington 1/			2,600			2,600
Hazen	100	200	300		1,600	2,200
Moravian 37	2,000					2,000
Merit 57 1/	1,800					1,800
Xena			800			800
M 16 1/	600					600
Stephoe		200	200	100		500
Gallatin			500			500
Other 2/	400	500	600	100	300	1,900
Total	53,000	6,000	11,000	1,000	4,000	75,000

1/ Variety recommended for malting purposes in Wyoming for 2010 by the American Malting Barley Association.

2/ Other feed and malting varieties reported include AB2657, Burton, CDC Copeland, Conlon, Galena, Haxby, M57, Otis, Robust and Smyrna.

Unknown varieties are excluded.

USDA/NASS
 Wyoming Field Office
 PO Box 1148
 Cheyenne WY 82003-1148

Presort Standard
 Postage and Fees Paid
 USDA
 Permit N. G-38

OFFICIAL BUSINESS
 Penalty for private use \$300

ADDRESS SERVICE REQUESTED

WYOMING BARLEY VARIETIES: PERCENT OF TOTAL BY DISTRICTS, 2011

