



United States Department of Agriculture  
National Agricultural Statistics Service  
**Wyoming Winter Wheat Varieties**  
**2011**



Wyoming Field Office  
Cooperating with the Wyoming Business Council Agribusiness Division  
PO Box 1148 · Cheyenne, WY 82003  
307-432-5600 • FAX 307-432-5598 • www.nass.usda.gov/wy

March 11, 2011

Dear Wyoming Agriculturalist,

*Buckskin was once again the most popular winter wheat variety seeded in Wyoming for the 2011 crop with 56.0 percent of the total winter wheat acreage. Pronghorn was a distant second followed by Good Streak. The data for this release was collected during the 2010 December Ag Survey, conducted by the USDA/NASS Wyoming Field Office. Thank you to the Wyoming Business Council - Agribusiness Division for providing funding.*


*Reports from producers across the State accounted for 47 percent of the 140,000 total acres seeded in the State. Estimates of the percentage of acreage seeded by variety are based on these reports.*

*I would like to thank all the Wyoming producers whose continued cooperation makes this information possible. If you have any questions about this or any other report, please call us toll-free at 1-800-892-1660.*

Sincerely,

Todd Ballard, Director

**Winter Wheat Varieties**  
Percent of Total Acreage Seeded by Top Varieties  
Wyoming, Crop Years 2002-2011



**BUCKSKIN REMAINS DOMINANT WINTER WHEAT VARIETY PLANTED**

**Buckskin** continues to reflect the largest winter wheat acreage seeded in Wyoming, accounting for 56.0 percent of the 140,000 acres planted for harvest in 2011. This is the 28th consecutive year (since 1983) that Buckskin has been the top variety used to seed winter wheat acres.

**Pronghorn**, at 15.1 percent and **Good Streak**, at 5.8 percent, were the second and third most popular varieties for the 2011 winter wheat crop. The next leading varieties were Yellowstone, Akron, and Jagalene on 5.3, 2.7, and 2.5 percent of the State’s acreage, respectively.

Other varieties with one percent or more of the acreage were Infinity CL, Jerry, Ogallala, TAM 111 and Wesley.

In southeast Wyoming, Buckskin was planted on 60.8 percent of the acreage.

**WINTER WHEAT: PERCENT OF TOTAL ACREAGE SEEDED BY VARIETY,  
WYOMING, CROP YEARS 2002-2011**

Variety	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Buckskin	61.8	61.5	60.1	54.7	56.5	57.1	52.7	44.1	49.6	56.0
Pronghorn	12.3	10.8	6.7	9.3	7.9	8.3	10.7	17.4	13.0	15.1
Good Streak			0.7	0.1	1.8	2.0	5.9	4.8	8.6	5.8
Yellowstone							0.9	0.3	0.6	5.3
Akron	7.9	8.1	7.0	7.9	8.6	6.4	1.4	5.9	5.5	2.7
Jagalene			0.4	2.2	3.2	4.9	11.0	8.4	2.1	2.5
Ogallala	0.9	0.9	1.6	1.0	0.8	0.8	1.8	0.5	1.3	1.9
Infinity CL								0.3	0.1	1.9
Jerry				1.4	1.7	2.3	1.6	1.6	2.1	1.5
Wesley			0.2		0.4	0.3	1.7	1.8	3.6	1.3
TAM 111									0.5	1.1
Hatcher									0.5	0.8
Scout/Scout 66	2.9	2.8	5.3	3.1	3.9	3.5	1.2	0.9	1.3	0.7
Settler CL										0.6
Weston										0.6
Others 1/	14.2	15.9	18.0	20.3	15.2	14.4	11.1	14.0	11.2	2.2
<b>Total</b>	<b>100.0</b>									

1/Other varieties for 2011 include Genou, Hawken, Platte, Prowers, Redwin, Thunder CL and Willow Creek.

**WINTER WHEAT: PERCENT OF TOTAL ACREAGE SEEDED BY VARIETY WITHIN  
DISTRICT, WYOMING, 2011 CROP 1/**

Variety	District 2 Northeast 2/	District 5 Southeast 3/	State
Buckskin	16.4	60.8	56.0
Pronghorn	--	17.0	15.1
Good Streak	--	6.5	5.8
Yellowstone	45.7	--	5.3
Akron	--	3.1	2.7
Jagalene	3.6	2.4	2.5
Ogallala	--	2.2	1.9
Infinity CL	--	2.2	1.9
Jerry	14.2	--	1.5
Wesley	12.1	--	1.3
TAM 111	--	1.2	1.1
Hatcher	--	0.9	0.8
Scout/Scout 66	--	0.8	0.7
Settler CL	--	0.7	0.6
Weston	4.0	0.2	0.6
Others 4/	4.0	2.0	2.2
<b>Total</b>	<b>100.0</b>	<b>100.0</b>	<b>100.0</b>


1/ Districts 1, 3, and 4 not published to protect confidentiality.

2/ District 2 includes Campbell, Crook, Johnson, Sheridan, and Weston Counties.

3/ District 5 includes Converse, Goshen, Laramie, Niobrara, and Platte Counties.


4/ Others varieties for 2011 include Genou, Hawken, Platte, Prowers, Redwin, Thunder CL and Willow Creek .

**WINTER WHEAT VARIETIES: PERCENT PLANTED IN 2011,  
BY AGRICULTURAL STATISTICS DISTRICT, WYOMING 1/**



1/ Districts 1, 3, and 4 not published to protect confidentiality.

**WINTER WHEAT VARIETIES: PERCENT PLANTED IN 2010,  
BY AGRICULTURAL STATISTICS DISTRICT, WYOMING 1/**



1/ Districts 1, 3, and 4 not published to protect confidentiality.

**WINTER WHEAT: ACREAGE, PRODUCTION, AND VALUE  
WYOMING, 1991-2011**

Year	Acres Planted	Acres Harvested	Yield	Production 1,000 bu.	Value \$ 1,000
1991	225,000	200,000	29.0	5,800	18,908
1992	220,000	200,000	25.0	5,000	15,500
1993	220,000	200,000	28.0	5,600	17,920
1994	200,000	180,000	24.0	4,320	15,336
1995	210,000	200,000	36.0	7,200	33,120
1996	230,000	210,000	25.0	5,250	21,000
1997	240,000	225,000	31.0	6,975	21,623
1998	220,000	200,000	32.0	6,400	15,872
1999	200,000	185,000	33.0	6,105	12,943
2000	190,000	170,000	24.0	4,080	11,016
2001	160,000	120,000	24.0	2,880	7,776
2002	150,000	125,000	19.0	2,375	8,788
2003	160,000	145,000	27.0	3,915	13,311
2004	150,000	135,000	26.0	3,510	11,232
2005	160,000	145,000	30.0	4,350	15,225
2006	150,000	135,000	27.0	3,645	16,694
2007	140,000	125,000	25.0	3,125	20,875
2008	150,000	135,000	28.0	3,780	24,268
2009	155,000	132,000	38.0	5,016	22,321
2010	165,000	145,000	32.0	4,640	24,592
2011	140,000	1/	2/	2/	3/

1/Preliminary estimate released June 30, 2011.

2/Final estimate released September 30, 2011.

3/Final estimate released February 2012